

Forum:[Hack Forums](#)

Thread: [TUTORIAL: how to make a batch menu](#)

MDSN productions - February 27, 2011, 12:53 pm

Hello,?

In this tutorial I will show you how to make a menu using notepad
the menu is: name and password protected

Open notepad and copy the following lines, then save the file as MENU.bat

NOTE you still need to change a few things

```
::menu
::
@echo off
title Personal Menu
color b
cls
:password
set input=
set /p input=Password
if %input%=='set for yourself' goto yes
if not %input%=='set for yourself' goto no
:yes
cls
echo Acces Accepted! Welcome 'make your own choice'
echo.
set /p op=Enter Your Full Name For Acces
if %op%=='enter your full name' goto home
:no
echo Wrong Password. Acces Denied. No Entry
goto password
:home
color b
title 'name' his Space--Home Page
cls
echo.
echo Welcome back 'make your own choice!' Choose an Application
echo ==
echo.
echo 1)Documents
echo 2)Youtube
echo 3)Hackforums
echo 4)Winrar
echo 5)Calculator
echo 6)Command Prompt
echo 7)Google
echo.
```

```

echo ==
set /p value=Enter Numeral Option
if %value%==1 goto documents
if %value%==2 start www.youtube.com
if %value%==3 start hackforums.net
if %value%==4 start WinRAR.exe
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start www.google.be
goto error
:documents
cls
title My Documents
echo.
echo ==
echo My Documents
echo ==
echo.
echo select a folder:
echo ==
echo.
echo 1)Playstion 3
echo 2)Music
echo 3)Other
echo 4)Go back
echo.
echo ==
echo.
set /p var=Enter Numeral Option:
if %var%==1 start C:\Users\Michiel\Documents\PS3
if %var%==2 start C:\Users\Michiel\Documents\Muziek
if %var%==3 start C:\Users\Michiel\Documents\Andere
if %var%==4 goto home
goto error
:error
cls
color b
echo Numeral Option Not Valid
pause >nul
cls
goto home

```

'Muziek' and 'Andere' are the same as Music and Other but because I live in Belgium my computer has everything named in Dutch

Now the explanation

```

::menu This is just for myself to help me remember what the
:: batch does if I edit it, you can leave it if you want
--

```

```

@echo off to leave away the other echo's
title Program Fire Wall give your screen a title

```

color b give the text a nice colour (1-10 or a-f)
cls clear the screen

```
--  
:password  
set input=  
set /p input=Password  
if %input%=='set for yourself' goto yes  
if not %input%=='set for yourself' goto no
```

in this part you have to delete the quotes and set for yourself and type a password
NOTE: the password needs to be the same

eg

```
:password  
set input=  
set /p input=Password  
if %input%==hacker goto yes  
if not %input%==hacker goto no  
--  
title 'name' his Space--Home Page
```

don't forget to change the name and delete the quotes ;)

There will be other things like this in the code, take a close look and change everything that needs to be changed

```
--  
:password these are all subdivisions of your batch  
:documents the commands after these parts are not  
:yes used unless when referred to with  
:no goto password, goto documents etc.  
--
```

set input= you want to make some options
set /p input=Password the 'set /p' part is standard,
only input can be changed

e.g. set /p whatever when changing input into whatever you will also need to change the
if %input%== into if %whatever%==
--

if %input%==A goto yes if %x% is standard, it doesn't matter what the x is, but it has to be the
same as the set /p x

if not %input%==B goto no if not %x% is also standard, feel free to change the x but make sure it
remains the same within that part of the code

e.g. if %whatever%==A goto yes
if %whatever%==B goto no
if %whatever%==C exit

THIS IS NOT POSSIBLE!!!:

```
if %whatever%==A goto yes
if %something%==B goto no
if %anything%==C exit
```

the text between the %'s needs to be the same!

--

```
echo Welcome back 'user' ! Choose an Application
echo ==
echo. echo. gives you a blank line
echo 1)Documents you can choose the options you want
echo 2)Youtube
echo 3)Hackforums
echo 4)MSN startpagina
echo 5)Calculator
echo 6)Command Prompt
echo 7)Google
```

```
set /p value=Enter Numeral Option
if %value%==1 goto documents
if %value%==2 start www.youtube.com
if %value%==3 start hackforums.net
if %value%==4 start http://be.msn.com/default.aspx
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start www.google.be
goto error
```

this is very easy and explained in one of the other steps, if you want to start a program you will need the exe

how to get the .exe

You need to go to the program you want and click on it with the right mouse button and go to properties > shortcut and copy the last part

e.g. for Winrar
"C:\Program Files\WinRAR\WinRAR.exe"

we need the WinRAR.exe to open winrar (no quotes!)

--

```
:error when you type a different number than
cls possible you will be redirected to this
color b because of the goto error
echo Numeral Option Not Valid this will redirect you to the :home
pause >nul were you can choose another option
cls
goto home
```

--

NOTE:

```
if %var%==1 start C:\Users\Michiel\Documents\PS3
```

this is set to my documents, change it to match you own

Also don't forget to change the name and password in the codes

so you can copy them but you will need to check them very carefully

You can make this as big as you want, If explained how this works so it shouldn't be a problem

? That's it, let me know if there is something not clear ?

after changing everything it should look like this

```
::menu
::
@echo off
title Program Fire Wall
color b
cls
:password
set input=
set /p input=Password
if %input%==michiel goto yes
if not %input%==michiel goto no
:yes
cls
echo Acces Accepted! Welcome Michiel
echo.
set /p op=Enter Your Full Name For Acces
if %op%==MichielDSN goto home
:no
echo Wrong Password. Acces Denied. No Entry
goto password
:home
color b
title Michiel's Space--Home Page
cls
echo.
echo Welcome back Michiel! Choose an Application
echo ==
echo.
echo 1)Documents
echo 2)Youtube
echo 3)Hackforums
echo 4)MSN startpagina
echo 5)Calculator
echo 6)Command Prompt
echo 7)Google
echo.
echo ==
set /p value=Enter Numeral Option
if %value%==1 goto documents
if %value%==2 start www.youtube.com
```

```

if %value%==3 start hackforums.net
if %value%==4 start http://be.msn.com/default.aspx
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start www.google.be
goto error
:documents
cls
title My Documents
echo.
echo ==
echo My Documents
echo ==
echo.
echo select a folder:
echo ==
echo.
echo 1)Playstion 3
echo 2)Muziek
echo 3)Andere
echo 4)Go back
echo.
echo ==
echo.
set /p var=Enter Numeral Option:
if %var%==1 start C:\Users\Michiel\Documents\PS3
if %var%==2 start C:\Users\Michiel\Documents\Muziek
if %var%==3 start C:\Users\Michiel\Documents\Andere
if %var%==4 goto home
goto error
:error
cls
color b
echo Numeral Option Not Valid
pause >nul
cls
goto home

```

Vyspeiro - February 27, 2011, 1:06 pm

(Feb 27, 2011 01:53 PM)MDSN productions Wrote: [\[CITE\]](#) set /p value=Enter Numeral Option

```

if %value%==1 goto documents
if %value%==2 start www.youtube.com
if %value%==3 start hackforums.net
if %value%==4 start http://be.msn.com/default.aspx
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start www.google.be
goto error! found a little glitch here.

```

If you'd start 2-7, it would go to error, because after it does the if statement it will just move onto the other thing, which tells it to goto error. You could fix this by adding goto's to each if statement, but it is just a little thing.

Sothe - February 27, 2011, 5:48 pm

You know there are code brackets, right?
Nice tutorial, besides the error above.

Dezzz - February 27, 2011, 7:39 pm

Please start using

```
{code} code goes here {/code}
```

Replace "{" and "}" with "[" and "].

Code To get this
And if you want to be super mega neat, use spoilers.

```
{spoiler=Part 1} Content of spoiler {/spoiler}
```

Part 1 ([Click to View](#)) Content of spoiler

MDSN productions - February 27, 2011, 10:14 pm

(Feb 27, 2011 08:39 PM)Dezinatated Wrote: [\[CITE\]](#) Please start using

```
{code} code goes here {/code}
```

Replace "{" and "}" with "[" and "].

Code To get this
And if you want to be super mega neat, use spoilers.

```
{spoiler=Part 1} Content of spoiler {/spoiler}
```

Part 1 ([Click to View](#)) Content of spoiler
could you give an exemple of what should go between {code}/{/code}
and "["and"]"
and {spoiler=Part 1} Content of spoiler {/spoiler}

please use an exemple out of my tutorial because I don't really get it?

(Feb 27, 2011 02:06 PM)Vyspeiro Wrote: [\[CITE\]](#) I found a little glitch here.

If you'd start 2-7, it would go to error, because after it does the if statement it will just move onto the other thing, which tells it to goto error. You could fix this by adding goto's to each if statement, but it is just a little thing.

thanks, I'll see what I can do and will update the thread.

(Feb 27, 2011 06:48 PM)Sothe Wrote: [\[CITE\]](#) You know there are code brackets, right?

Nice tutorial, besides the error above.

Could you give an exemple please?

use some text out of my tutorial so I can understand.

Dezzz - February 27, 2011, 11:47 pm

Copy This ([Click to View](#))

Code ::menu

::

```
@echo off
title Personal Menu
color b
cls
:password
set input=
set /p input=Password
if %input%=='set for yourself' goto yes
if not %input%=='set for yourself' goto no
:yes
cls
echo Acces Accepted! Welcome 'make your own choice'
echo.
set /p op=Enter Your Full Name For Acces
if %op%=='enter your full name' goto home
:no
echo Wrong Password. Acces Denied. No Entry
goto password
:home
color b
title 'name' his Space--Home Page
cls
echo.
echo Welcome back 'make your own choice!' Choose an Application
echo ==
echo.
echo 1)Documents
echo 2)Youtube
echo 3)Hackforums
echo 4)Winrar
echo 5)Calculator
echo 6)Command Prompt
echo 7)Google
echo.
echo ==
set /p value=Enter Numeral Option
if %value%==1 goto documents
if %value%==2 start http://www.youtube.com
if %value%==3 start https://hackforums.net
if %value%==4 start WinRAR.exe
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start http://www.google.be
goto error
:documents
cls
title My Documents
echo.
echo ==
echo My Documents
echo ==
echo.
echo select a folder:
```

```

echo ==
echo.
echo 1)Playstion 3
echo 2)Music
echo 3)Other
echo 4)Go back
echo.
echo ==
echo.
set /p var=Enter Numeral Option:
if %var%==1 start C:\Users\Michiel\Documents\PS3
if %var%==2 start C:\Users\Michiel\Documents\Muziek
if %var%==3 start C:\Users\Michiel\Documents\Andere
if %var%==4 goto home
goto error
:error
cls
color b
echo Numeral Option Not Valid
pause >nul
cls
goto home

```

Sothe - February 28, 2011, 12:04 am

I mean there are code brackets so you can organize code that you put in.
Because without them, it's really sloppy. It would make your topic a little more organized.

MDSN productions - February 28, 2011, 7:01 am

(Feb 28, 2011 12:47 AM)Dezinatated Wrote: [\[CITE\]](#) Copy This [\(Click to View\)](#)

```

Code ::menu
::
@echo off
title Personal Menu
color b
cls
:password
set input=
set /p input=Password
if %input%=='set for yourself' goto yes
if not %input%=='set for yourself' goto no
:yes
cls
echo Acces Accepted! Welcome 'make your own choice'
echo.
set /p op=Enter Your Full Name For Acces
if %op%=='enter your full name' goto home
:no
echo Wrong Password. Acces Denied. No Entry
goto password
:home
color b
title 'name' his Space--Home Page
cls

```

```
echo.
echo Welcome back 'make your own choice'! Choose an Application
echo ==
echo.
echo 1)Documents
echo 2)Youtube
echo 3)Hackforums
echo 4)Winrar
echo 5)Calculator
echo 6)Command Prompt
echo 7)Google
echo.
echo ==
set /p value=Enter Numeral Option
if %value%==1 goto documents
if %value%==2 start http://www.youtube.com
if %value%==3 start https://hackforums.net
if %value%==4 start WinRAR.exe
if %value%==5 start calc.exe
if %value%==6 start cmd.exe
if %value%==7 start http://www.google.be
goto error
:documents
cls
title My Documents
echo.
echo ==
echo My Documents
echo ==
echo.
echo select a folder:
echo ==
echo.
echo 1)Playstion 3
echo 2)Music
echo 3)Other
echo 4)Go back
echo.
echo ==
echo.
set /p var=Enter Numeral Option:
if %var%==1 start C:\Users\Michiel\Documents\PS3
if %var%==2 start C:\Users\Michiel\Documents\Muziek
if %var%==3 start C:\Users\Michiel\Documents\Andere
if %var%==4 goto home
goto error
:error
cls
color b
echo Numeral Option Not Valid
pause >nul
cls
goto home
```

ah, I get it. I will remember it for the next thread
(which will probably be the updated version of this one)

I thought you ment I should have used spoiler and code in my batch file...

But I get it now, thanks for the tip

MDSN productions - *March 2, 2011, 11:38 pm*

visit <https://hackforums.net/showthread.php?tid=1102741> for my new thread and new menu

the glitch is gone

and the coding is much, much better