

Forum:[Hack Forums](#)

Thread: [\[TUT\]\[PICS\] \[NOOBS\] Set Up/Use a Keylogger \[NOOB-Friendly\]\[PICS\] \[TUT\]](#)

MirrorDude - March 16, 2011, 6:18 pm

This is for all the newbies that are just starting to learn about keylogging, i was once a noob (still am) and had no idea what to do, long story short, this thread would've been very helpful to me...

1)Get Grieve logger v2.3

<https://hackforums.net/showthread.php?tid=1088664>

-make sure u know how to decode password...if u dont visit [my thread](#) ...

[img]<http://30mil.fileave.com/Step1.png>[/img]

2)Fill in your gmail and test

[img]<http://30mil.fileave.com/Step2.png>[/img]

3)Add to startup (change "Java Update" to "Svchost") without "quotes"

[img]<http://30mil.fileave.com/Step3.png>[/img]

4)Add an icon (heres my collection: [here](#) , but you can just google and find some...)

[img]<http://30mil.fileave.com/Step4.png>[/img]

5)Click mutex a couple times (5), change interval to whatever you want...or just leave it at 15 min.

[img]<http://30mil.fileave.com/Step5.png>[/img]

6)Finally, click build server and save it to whatever...

[img]<http://30mil.fileave.com/Step6.png>[/img]

Your server should have been built where you saved it...

[img]<http://30mil.fileave.com/Conclusion.png>[/img]

Search for threads about spreading...

(utorrent, youtube, omegle)

Youtube works best for me--make a video, or just do what i do (not the nicest or best thing to do) but post someones video as yours than have the download link be your server...

NOTE: Do not ever scan your server at VirusTotal, only at vscan.novirusthanks.org!!

---with "do not distribute sample checked..."

Žerø© - March 16, 2011, 6:30 pm

Pretty straight forward.

Good job.

Simple, nice too.

(Mar 16, 2011 06:31 PM)????pt Wrote: [\[CITE\]](#) Simple, nice too.

thanks for the positive feedback, hope this helps people out!

Very straight forward and simple tutorial. Good work.

i want to buy it .. do u have a mailer also

(Mar 16, 2011 06:35 PM)thecanadian Wrote: [\[CITE\]](#) i want to buy it .. do u have a mailer also umm...it free and its not mine, u should ask Grieve™...

Good job :D

Got a problem. My logs look like this:

Logger Input

6[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB][TAB][TAB]DD aDAWAwwDAAD dd a
aadwaawDffADwwAWdwDDwDwDwwDAA
wAawdswAwwddwwwsdsawaadwwafDddasdddwsdswwwddaddff6DdwDwdddswwwddwccAwA
awDwawrwwdwwadrwwfAAAwssffffADDADDwwdwffw

Wtf?

Here is another:

Logger Input

DswwaaarwwDWdawwcwwDawDDdwwawwAwwaawwwwaddsacD[TAB][TAB][TAB][TAB][TAB][TAB]dawwddwwarcwDADDADddwwrswddaaDadawaaadddrwadwDdaAwAsdswddswawwsddwraAwwasaadwwD[TAB][TAB][TAB][TAB][TAB][TAB][TAB]dDwaawadwawDDwaaRdaswAwsdawddwAwdsc

wswwwDADDwAdwDDwADwwAAawwsdwwwaaddradsc
dwdArssff6wADAawDAaDDsaasfffwDDADwDsaadad

MirrorDude - *March 19, 2011, 9:04 pm*

(Mar 19, 2011 04:19 PM)Steezy2EZ Wrote: [CITE](#) Got a problem. My loggs look like this:

Logger Input

```
wvaaDDDAADDwAAdwfwDDDwWrwAdwwaDdddwwacwwsw2qddsdwdddffDwADADwDwA
wdwRc w
6[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB][TAB][TAB]DD aDAWAwwDAAD dd a
aadwaawDffADwwAWdwDDwDwDwwDAA
wAawdsWAwdddwwwwsdsawaadwwafDddasdddwdswswddaddff6DdwDwdddswwwddwccAwAD
awDwawrwwdwwadrwwfAAAwssffffADDADDwwdwffw
```

Wtf?

Here is another:

Logger Input

DDAWAwdsrwDwd
DswwwaarwwDWdawwcwwDawDDdwwawwwAwwwaawwwwaddsacD[TAB][TAB][TAB][TAB][TAB][TAB]
B]dawwddwwarcwDADDADddwwrswwdaaDadawaaaddrrwadwDdaAwAsdswddswawwsddwraAw
asaadwwD[TAB][TAB][TAB][TAB][TAB][TAB][TAB]dDwaawadwawDDwaaRdaswAwsdawddwAwdsc
wswwwwDADDwAdwDDwADwwAAawwsdwwwaaddradsc
dwdArssff6wADaawDAaDDsaasffffwDDADwDsaadad
lol i get those sometimes, i think theyre playing call of duty or some other game, a.s.d.and w are the
controls to move around in most games im sure he/shes clicking like hell, but this is a KEYlogger
lol...

kosami - March 19, 2011, 9:04 pm

Nice good tut ,

Verry n00b friendly :)

MirrorDude - March 19, 2011, 9:06 pm

ya, this guy was playing counter strike, here are his logs:

His Logs: Spoiler ([Click to View](#)) Code |--Counter-Strike (22:09:43) --|
 \ [Paste]
 [TAB][TAB][TAB][TAB][TAB][TAB][ESC]\&m3lzonE?@
 [ESC]tq[TAB]wsddaw2d5a2s0.d
 w121gggdwadwdawwdsswwwdaeewadawat331wdQQaddqq
 4dwsdw4ddsddawqwwaadsasdaqqs2aadadaaqdarw[TAB]ddadaqd[TAB][TAB][TAB][TAB][TAB][TAB]a
 B]atrs[TAB]sdsawa520.
 sd820.

[illegible]

\name @\$&MelzonE;;;::@

[ESC]w2q[TAB]ddadwadwqqawwdaadttq[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB]tq[TAB]eeqw[TAB]teee2gddtq[TAB][TAB]eeeeedee[TAB]wtee2[TAB][TAB][TAB][TAB][TAB]
[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TA
B][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][dswwdaadeewas
wddadsawddssadwadsadwsaawsawddssswwwwasawwsdwaasdsw2agtq[TAB]daaad[TAB][TAB][TA
B][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][T
AB][TAB][TAB][TAB][TAB][TAB]wtqystannar
tqq22w[TAB]tttc1tq[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB]gwwtqgygl

wdtqqgggqggqggqggqggqggqggqggqggqggqggqggqggqggqggqggqggqggqggqgaaddadadwddaddadad
awradwdswadwdadwadaddaadwwwads[TAB]wadawaadwraagdaqwrrassdtqq2.

.0wt23tqq[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB]
[TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB][TAB]eymega low

[illegible]

Thanks alot for this guide the only problem is I get an error when testing my e-mail adress it says:

Your information is NOT valid:then it says something about a secured connection.

I have tried it on some other e-mails but I am still getting the error.

And since I am a NOOB some help would be nice :)

Thijs - March 21, 2011, 1:19 pm

When I click: Build server I'm getting this error:

When I copy the message in the under thing it says this:

[\[IMG\]http://img816.imageshack.us/img816/4101/buildb.png\[/IMG\]](http://img816.imageshack.us/img816/4101/buildb.png)

See the end of this message for details on invoking just-in-time (JIT) debugging instead of this dialog box.

Exception Text

System.MissingMethodException: Method not found: 'Void Microsoft.VisualBasic.VBCodeProvider..ctor(System.Collections.Generic.IDictionary`2<System.String,System.String>)'.

at Grieve_Logger_Public_V2.Form1.CompileServerLikeABoss(String SaveLocation)
at Grieve_Logger_Public_V2.Form1.GetSaveLocation()
at Grieve_Logger_Public_V2.Form1.ButtonX3_Click(Object sender, EventArgs e)
at System.Windows.Forms.Control.OnClick(EventArgs e)
at DevComponents.DotNetBar.ButtonX.OnClick(EventArgs e)
at DevComponents.DotNetBar.ButtonX.OnMouseUp(MouseEventArgs e)
at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32 clicks)
at System.Windows.Forms.Control.WndProc(Message& m)
at DevComponents.DotNetBar.PopupItemControl.WndProc(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase: file:///C:/WINDOWS/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

Grieve Logger Public V2

Assembly Version: 2.3.0.0

Win32 Version: 2.3.0.0

CodeBase:

file:///C:/Documents%20and%20Settings/Eigenaar/Bureaublad/KEY/Grieve%20Logger%20Public%20V2.3.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0

Win32 Version: 8.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Micros

oft.VisualBasic.dll

--

System

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

--

System.Windows.Forms

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll

--

System.Drawing

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll

--

System.Runtime.Remoting

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll

--

DevComponents.DotNetBar2

Assembly Version: 9.2.0.0

Win32 Version: 9.2.0.0

CodeBase:

file:///C:/Documents%20and%20Settings/Eigenaar/Bureaublad/KEY/DevComponents.DotNetBar2.DLL

--

Accessibility

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Accessibility/2.0.0.0__b03f5f7f11d50a3a/Accessibility.dll

--

System.Data

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_32/System.Data/2.0.0.0__b77a5c561934e089/System.Data.dll

--

System.Xml

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.42 (RTM.050727-4200)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Xml/2.0.0.0__b77a5c561934e089/System.Xml.dll

--

JIT Debugging

To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

Please help me someone!

MirrorDude - March 21, 2011, 4:13 pm

(Mar 21, 2011 09:03 AM)peterdeboer Wrote: [\[CITE\]](#) Thanks alot for this guide the only problem is I get an error when testing my e-mail adress it says: Your information is NOT valid:then it says something about a secured connection.

I have tried it on some other e-mails but I am still getting the error.

And since I am a NOOB some help would be nice :)
umm... are u connected to the internet or are u offline?

HeLi - March 21, 2011, 6:25 pm

What's the Password?
BUMPPPP.

Dribbles - March 21, 2011, 6:28 pm

Thanks man!!
This Looks awesome! (:

Armaniattack - March 21, 2011, 10:05 pm

I have a bit of a problem!!!!

I made a server (as a test) and it worked.

So i deleted "svchost" from my start up programs (the one that was the logger) so i can make another one with the appropriate name/email.

Now it doesn't work. I do exactly what it says to do in the guide over again but it doesn't run, even after i build! (before i couldn't delete it so i did all the research and stuff to figure out how to delete it since it was running, now it doesn't run and i can delete anytime i want ((so its not working)))

What do?

Its not running!

peterdeboer - March 22, 2011, 2:05 pm

(Mar 21, 2011 04:13 PM)MirrorDude Wrote: [\[CITE\]](#) umm... are u connected to the internet or are u

offline?

Connected to the internet

light green - March 22, 2011, 3:27 pm

Great tutorial. Helped me out.

pierrot81 - March 22, 2011, 4:54 pm

Nice, thanks for this tutorial mate !

TDWP - March 22, 2011, 4:58 pm

how would i go about deleting it after i have what i need?

Idunnolol420 - March 23, 2011, 12:54 am

Nice tutorial, thanks! I'm a complete noob and this helped me alot ?

Flightschool - March 23, 2011, 1:59 am

Good doggiee like I reallyy need

I need 5 posts to send a pm sorry guys So I like big butts and I cannot lie?

Halo_Nothing - March 23, 2011, 2:04 am

When I tested the Server.exe, an error popped up saying how it stopped working? What did I do wrong, I followed all instructions. Thanks!

bigvenom - March 23, 2011, 8:09 am

Very nice tutorial my friend, very well written.

duoms - March 23, 2011, 5:28 pm

i already created server.exe, double clicked on it and shows: server.exe has stopped working! what does it means?

killers10333 - March 24, 2011, 8:42 pm

mine wont even compile =O uh-oh

Andymcc - March 28, 2011, 3:29 am

Ok done all this and ran it on my pc the test email worked but im not recieving any emails now.

MirrorDude - March 28, 2011, 5:36 pm

(Mar 28, 2011 03:29 AM)Andymcc Wrote: [\[CITE\]](#) Ok done all this and ran it on my pc the test email worked but im not recieving any emails now.

maybe the server got corrupted, try again, if it still doesnt work, use another email acc...

rapidfire08 - March 29, 2011, 10:32 am

Hey Is It Necessary To Use Server.exe Only Cant We Use Anything Like Abcd.exe ??

MirrorDude - March 29, 2011, 5:16 pm

(Mar 29, 2011 10:32 AM)rapidfire08 Wrote: [\[CITE\]](#) Hey Is It Necessary To Use Server.exe Only Cant We Use Anything Like Abcd.exe ??

ummm.. u can name ur server whatever the hell u want.... Club Penguin Gold Hack.... NX Generator.... Runescape Gold Hack... depends who and how u plan to hack

ameht - March 29, 2011, 7:40 pm

(Mar 16, 2011 06:18 PM)MirrorDude Wrote: [\[CITE\]](#) This is for all the newbies

hi. everything worked fine for me. but i do have some questions and hope you can help me out.

how do i retrieve the information? does it get sent to my email. and how do i attach to a picture so i can send as a file and infect that way.

Bozzy - March 29, 2011, 8:40 pm

HELP ME WHEN I PRESS BUILD SERVER I GET THIS

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\vbc.exe cannot be found.

Exception Text

System.InvalidOperationException: Compiler executable file

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\vbc.exe cannot be found.

at System.CodeDom.Compiler.CodeCompiler.Compile(CompilerParameters options, String compilerDirectory, String compilerExe, String arguments, String& outputFile, Int32& nativeReturnValue, String trueArgs)

at Microsoft.VisualBasic.VBCodeGenerator.FromFileBatch(CompilerParameters options, String[] fileNames)

at System.CodeDom.Compiler.CodeCompiler.FromSourceBatch(CompilerParameters options, String[] sources)

at

System.CodeDom.Compiler.CodeCompiler.System.CodeDom.Compiler.ICodeCompiler.CompileAssemblyFromSourceBatch(CompilerParameters options, String[] sources)

at

System.CodeDom.Compiler.CodeDomProvider.CompileAssemblyFromSource(CompilerParameters options, String[] sources)

at Grieve_Logger_Public_V2.Form1.CompileServerLikeABoss(String SaveLocation)

at Grieve_Logger_Public_V2.Form1.GetSaveLocation()

at Grieve_Logger_Public_V2.Form1.ButtonX3_Click(Object sender, EventArgs e)

at System.Windows.Forms.Control.OnClick(EventArgs e)

at DevComponents.DotNetBar.ButtonX.OnClick(EventArgs e)

at DevComponents.DotNetBar.ButtonX.OnMouseUp(MouseEventArgs e)

at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32 clicks)

at System.Windows.Forms.Control.WndProc(Message& m)

at DevComponents.DotNetBar.PopupItemControl.WndProc(Message& m)

at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)

at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)

at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase: file:///C:/WINDOWS/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

Grieve Logger Public V2

Assembly Version: 2.3.0.0

Win32 Version: 2.3.0.0

CodeBase:

file:///C:/Documents%20and%20Settings/Administrator/Desktop/GrieveLog/Grieve%20Logger%20Public%20V2.3.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0
Win32 Version: 8.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll
--
System
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll
--
System.Windows.Forms
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll
--
System.Drawing
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll
--
System.Runtime.Remoting
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll
--
DevComponents.DotNetBar2
Assembly Version: 9.2.0.0
Win32 Version: 9.2.0.0
CodeBase:
file:///C:/Documents%20and%20Settings/Administrator/Desktop/GrieveLog/DevComponents.DotNetBar2.DLL
--
Accessibility
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/Accessibility/2.0.0.0__b03f5f7f11d50a3a/Accessibility.dll
--
System.Xml
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Xml/2.0.0.0__b77a5c561934e089/System.Xml.dll
--

JIT Debugging

To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

HOW CAN I SOLVE THIS AND GET THE SERVER TO BUILD??

nomercy799 - March 29, 2011, 10:15 pm

very usefull....thanxx m8

apt-get money - March 30, 2011, 1:10 am

(Mar 29, 2011 08:40 PM)Bozzy Wrote: [\[CITE\]](#) HELP ME WHEN I PRESS BUILD SERVER I GET THIS

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\vbc.exe cannot be found.

Exception Text

System.InvalidOperationException: Compiler executable file

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\vbc.exe cannot be found.

at System.CodeDom.Compiler.CodeCompiler.Compile(CompilerParameters options, String compilerDirectory, String compilerExe, String arguments, String& outputFile, Int32& nativeReturnValue, String trueArgs)

at Microsoft.VisualBasic.VBCodeGenerator.FromFileBatch(CompilerParameters options, String[] fileNames)

at System.CodeDom.Compiler.CodeCompiler.FromSourceBatch(CompilerParameters options, String[] sources)

at

System.CodeDom.Compiler.CodeCompiler.System.CodeDom.Compiler.ICodeCompiler.CompileAssemblyFromSourceBatch(CompilerParameters options, String[] sources)

at

System.CodeDom.Compiler.CodeDomProvider.CompileAssemblyFromSource(CompilerParameters options, String[] sources)

at Grieve_Logger_Public_V2.Form1.CompileServerLikeABoss(String SaveLocation)

at Grieve_Logger_Public_V2.Form1.GetSaveLocation()

at Grieve_Logger_Public_V2.Form1.ButtonX3_Click(Object sender, EventArgs e)

at System.Windows.Forms.Control.OnClick(EventArgs e)

at DevComponents.DotNetBar.ButtonX.OnClick(EventArgs e)

at DevComponents.DotNetBar.ButtonX.OnMouseUp(MouseEventArgs e)

at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButton button, Int32 clicks)

at System.Windows.Forms.Control.WndProc(Message& m)

at DevComponents.DotNetBar.PopupItemControl.WndProc(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase: file:///C:/WINDOWS/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

Grieve Logger Public V2

Assembly Version: 2.3.0.0

Win32 Version: 2.3.0.0

CodeBase:

file:///C:/Documents%20and%20Settings/Administrator/Desktop/GrieveLog/Grieve%20Logger%20Public%20V2.3.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0

Win32 Version: 8.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

--

System

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

--

System.Windows.Forms

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll

--

System.Drawing

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll

--

System.Runtime.Remoting

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll

--

DevComponents.DotNetBar2

Assembly Version: 9.2.0.0

Win32 Version: 9.2.0.0

CodeBase:

file:///C:/Documents%20and%20Settings/Administrator/Desktop/GrieveLog/DevComponents.DotNetBar2.DLL

--

Accessibility

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Accessibility/2.0.0.0__b03f5f7f11d50a3a/Accessibility.dll

--

System.Xml

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.1433 (REDBITS.050727-1400)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System.Xml/2.0.0.0__b77a5c561934e089/System.Xml.dll

--

JIT Debugging

To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

HOW CAN I SOLVE THIS AND GET THE SERVER TO BUILD??

update ur .NET Framework to version 3.0

or , the latest version. thats even better.

the latest version is 4.0 .

ameht - March 30, 2011, 8:20 am

(Mar 16, 2011 06:18 PM)MirrorDude Wrote: [\[CITE\]](#) This is for all the newbies

ok . it worked like a charm. now today its a new day and the only logs im getting are logs of my own. why is this?

Bozzy - March 30, 2011, 11:24 am

(Mar 30, 2011 01:10 AM)(L) Wrote: [\[CITE\]](#) update ur .NET Framework to version 3.0

or , the latest version. thats even better.

the latest version is 4.0 .

I Have .NET Framework 4.0 Still happening to me anyone know what i need to do?

lheb_Bazda_Hacker - March 30, 2011, 11:33 am

Nice share dudieeee, like this sample and detailed tut .

ameht - March 30, 2011, 12:14 pm

(Mar 28, 2011 05:36 PM)MirrorDude Wrote: [\[CITE\]](#) maybe the server got corrupted, try again, if it still doesnt work, use another email acc...

same thing is happening to me but yesterday i was recieving logs on that email? does it matter?

Bozzy - March 30, 2011, 4:00 pm

STILL NEED HELP ON MY PROBLEM PLEASE REFFER TO THE POST I MADE ON PAGE 5 ,
THANKS

MirrorDude - March 30, 2011, 5:19 pm

(Mar 30, 2011 04:00 PM)Bozzy Wrote: [\[CITE\]](#) STILL NEED HELP ON MY PROBLEM PLEASE
REFFER TO THE POST I MADE ON PAGE 5 , THANKS

not sure, but if we keep the thread alive, maybe some one will... i didnt make the keylogger so i
dont know everything about it... =(

Steel_rose_war - March 30, 2011, 5:25 pm

Great tut man keep up the good work!

eternalvoid - March 30, 2011, 6:11 pm

n00b here, really good tutorial, had no problems setting up. I look forward to more of your tutorials :)

MirrorDude - March 30, 2011, 6:14 pm

(Mar 30, 2011 06:11 PM)eternalvoid Wrote: [\[CITE\]](#) n00b here, really good tutorial, had no problems
setting up. I look forward to more of your tutorials :)

thanks might do one on Qwerty Logger or some other new one, better start testing ones out...

Bozzy - March 31, 2011, 1:19 am

Hey , Any idea why its only telling me the program/website there opening but not telling me what
there typing

For example it would say that they opened the battlescape client (a runescape private server)

Then it wud just show the person talking in the game it doesnt tell me the username or password.

(Mar 30, 2011 05:19 PM)MirrorDude Wrote: [\[CITE\]](#) not sure, but if we keep the thread alive, maybe
some one will... i didnt make the keylogger so i dont know everything about it... =(

I Solved that problem Turns out the program runs on .NET Framework 2.0 and isn't compatible
with any other versions.

The.Bronze.Shroud - March 31, 2011, 4:54 am

Good work :) Very simple and very understanding. Keep it up HF needs members like you

hleon04 - March 31, 2011, 7:00 am

Good stuff,thanks man!

But,today my Comodo AV with the newest update has detected the server.exe, goddamit!

MirrorDude - March 31, 2011, 5:28 pm

(Mar 31, 2011 07:00 AM)hleon04 Wrote: [\[CITE\]](#) Good stuff,thanks man!

But,today my Comodo AV with the newest update has detected the server.exe, goddamit!
lol yaa..not fud anymore, will make a tut with Qwerty or xLogger soon... Big NEWS!@!!@!!@!
W00T!!!

(Mar 31, 2011 09:43 AM)Grieve™ Wrote: [\[CITE\]](#) Im re-coding it to version 3 atm. :)
Cant wait lol

Bozzy - April 1, 2011, 7:10 am

Hey , Any idea why its only telling me the program/website there opening but not telling me what there typing

For example it would say that they opened the battlescape client (a Runescape (all discussion banned on HF) private server)

Then it wud just show the person talking in the game it doesnt tell me the username or password.

Shutdown. - April 1, 2011, 8:06 am

Very informative TUT, thankyou :)

gerg n nom - April 1, 2011, 4:54 pm

(edit: my little problem was solved =) i forgot to turn off my virus protection =@ ima nub) But I did finde this tut extreamly helpful =)
thank you.

Lover-lol - April 2, 2011, 4:23 pm

Thanks a lot !

Now, i know how to use your keylogger :)

lilram - April 2, 2011, 9:29 pm

when you run it and you have hide checked how do you delete it from the computer

botme123 - April 2, 2011, 9:53 pm

Can some1 help

What do you do after it gives you all the persons info?

Kriss243 - April 4, 2011, 6:33 am

how can you find out if it works or not? i dont really understand the virtual machine shit :D and i have just bound it to a crack but i havent tested if it work or not yet. so how can i find out ? :D

? **Skawz ?** - April 6, 2011, 12:50 am

So how this work? i made one now what do i do? Just send it to people and there log's will get sent to my gmail? O.o

(This is my first time trying out a keylogger)

mitsi-mello - April 6, 2011, 1:18 pm

hey dude,

easy and verry understand able like all your guides :) love you!

you know a good program to bind with perhapt?

thx

Empire 420 - April 6, 2011, 2:51 pm

hey thanks so much i was totally lost before i read your tutorials :) do I have to be a l33t or an UB3R to get the password from the maker of the Grieve logger?

MirrorDude - April 6, 2011, 4:26 pm

(Apr 6, 2011 12:50 AM)Skawz Wrote: [\[CITE\]](#) So how this work? i made one now what do i do? Just send it to people and there log's will get sent to my gmail? O.o

(This is my first time trying out a keylogger)

send them the server, the file that u built, when they open it, it will start sending logs to ur gmail...

search this site for Tutorial on spreading, i personally use Youtube... (Apr 6, 2011 02:51 PM)

Empire 420 Wrote: [\[CITE\]](#) hey thanks so much i was totally lost before i read your tutorials :) do I have to be a l33t or an UB3R to get the password from the maker of the Grieve logger?

umm...no, the password is for anyone that can decrypt it, and lets that person use their program...(Grieve Logger v2.3 in this case)

-Azazel- - April 6, 2011, 4:59 pm

Simple

thanks for the tutorial

koken44 - April 7, 2011, 2:22 am

Tnx for this tutorial for n00bs[me :D] keep up

ameht - April 7, 2011, 10:24 am

the program has a backdoor.

Raw. - April 7, 2011, 9:52 pm

thanks for this simple and easy to understand tutorial!

MirrorDude - April 8, 2011, 5:40 pm

(Apr 7, 2011 10:24 AM)ameht Wrote: [\[CITE\]](#) the program has a backdoor.

um.... are u sure, its not smart to be throwing out accusations...

kaelebg777 - April 8, 2011, 5:57 pm

thanks this really helped me out :D

RaptorImmortal - April 15, 2011, 10:58 pm

Hey guys whats the password? I failed to decrypt it. I can't find anything to decrypt.

Darksyder12 - April 17, 2011, 4:32 pm

how do i delete it from my own computer

Interceptor| - April 17, 2011, 4:35 pm

(Apr 17, 2011 04:32 PM)Darksyder12 Wrote: [\[CITE\]](#) how do i delete it from my own computer

Open Run and type 'msconfig.exe'

Check startup for any strange programs such as the keylogger, check paths also for anything out of the norm.

Install Avast, run that.

Install Malware Bytes, run that.

After these steps, you should be clear or feel free to PM me.

jqmj7696 - April 26, 2011, 3:34 am

thanks man this helped me alot i was wondering how long does a keylogger last

cosmiccharlie - May 31, 2011, 4:19 am

Thanks, good info, will definately help to learn the ropes?

fluxion - May 31, 2011, 5:33 am

Yeaaahhh but how do you stop it being detected by A/V programs?

I was looking for an encryption tut...that works.

MirrorDude - May 31, 2011, 6:25 pm

(May 31, 2011 05:33 AM)fluxion Wrote: [\[CITE\]](#) Yeaaahhh but how do you stop it being detected by A/V programs?

I was looking for an encryption tut...that works.

He released two new versions of his keylogger... heres his latest.... 4/33 detection apparantly...

<https://hackforums.net/showthread.php?tid=1335355>

klunghog - June 1, 2011, 1:19 am

So it says server built and everything, yet I see no Icon for it?

I am running Windows 7 if that makes any difference.

Edit: NVR mind I feel like a tard, my antivirus was blocking.

=/

Zokrin - June 1, 2011, 1:31 am

Straight forward and to the point. Many pictures to help out. Great thread!

M3creepy - June 1, 2011, 2:08 am

hmm detail tut thanks for sharing

terminated123 - June 1, 2011, 3:24 am

big thanks ;)

it is very helpful

Misterapple - June 1, 2011, 10:00 am

Nice tut, only i get this error when I filled in my gmail and password.

MirrorDude - June 1, 2011, 10:34 am

(Jun 1, 2011 10:00 AM)Misterapple Wrote: [\[CITE\]](#) Nice tut, only i get this error when I filled in my gmail and password.

Like i said before, Hes released two new versions of his keylogger... heres his latest.... ur antivirus must be blocking the sending... download newest version here...

<https://hackforums.net/showthread.php?tid=1335355>

klunghog - June 1, 2011, 3:04 pm

Its his AV, I had the same problem a couple of times lol.

Euxine - June 1, 2011, 10:43 pm

Great Tut, Good Job. :)

Stenography - June 2, 2011, 12:11 am

adding pictures would be nice ..

But seriously man, who the hell doesn't know how to set-up a keylogger ?!

juppe - June 2, 2011, 1:08 am

Password of rar file = GrieveLoggerV2HF

dolf - June 2, 2011, 12:40 pm

Thanks man, that really helped!

Swagbro - June 2, 2011, 1:20 pm

Awesome tutorial! Very easy for newbs :D

Pretendgamers - June 4, 2011, 1:48 pm

Good Tutorial worked perfect!

hakkker - June 5, 2011, 8:10 pm

great thread! clear and simple

footballman - June 9, 2011, 2:53 pm

can osme one help me i made it trying to put on to my other comp and i put it on try to open it so it starts up then some messages comes up but its not the fake error one

bunty - June 12, 2011, 3:11 am

hey i did the steps to decode ,, and i got the passw..nut wen i try it in stub to extract ..it stills shows an error plz help me soon

heart_hacker - June 17, 2011, 6:45 am

goood tutorial boss...!!!

MirrorDude - June 17, 2011, 12:22 pm

(Jun 17, 2011 06:45 AM)heart_hacker Wrote: [\[CITE\]](#) goood tutorial boss...!!!

Lol, thanks man, glad i could help...

Deltahhh - June 18, 2011, 2:31 am

Thanx dude, i just made it and now i'm going to spread it ;D

kent86 - June 18, 2011, 2:29 pm

I did a stupid thing. i installed it on my own computer. how can i unistall it?

st4rix - June 18, 2011, 5:03 pm

Where do I find the logs? I can't find it...

NiggaBlackBoy - June 18, 2011, 5:04 pm

I showed my friend this. He says thanks.

- Nigga says peace

MirrorDude - June 18, 2011, 11:10 pm

(Jun 18, 2011 05:04 PM)NiggaBlackBoy Wrote: [\[CITE\]](#) I showed my friend this. He says thanks.

- Nigga says peace
lol, yeah np

peace out, my nigga

directorsnap - June 22, 2011, 3:35 pm

wait im a little confused... after i do all that do i just send it or how do i see the log input or whatever?

MirrorDude - June 23, 2011, 2:12 pm

(Jun 22, 2011 03:35 PM)directorsnap Wrote: [\[CITE\]](#) wait im a little confused... after i do all that do i just send it or how do i see the log input or whatever?
yeah, the logs get sent to ur email where u can view them...

Dillyy - June 23, 2011, 3:43 pm

This is great. Thanks very much. The only thing is that it seems like it gets picked up too easily by antivirus. I have avast and it freaked out when i built the server. So i'm figuring anyone with half a brain will have an antivirus that will kill it as soon as they download it.

I could be wrong though?

Also, could binding it with another program help with antivirus programs not picking it up?

Dark Cap - June 23, 2011, 4:32 pm

Ports dont matter? Most pr.ograms you have to port forward. (Jun 23, 2011 03:43 PM)Dillyy Wrote: [\[CITE\]](#) This is great. Thanks very much. The only thing is that it seems like it gets picked up too easily by antivirus. I have avast and it freaked out when i built the server. So i'm figuring anyone with half a brain will have an antivirus that will kill it as soon as they download it.

I could be wrong though?

Also, could binding it with another program help with antivirus programs not picking it up?
That's the whole point of having a crypter and crypting your server....you don't just make a virus and expect an AV to not pick it up

Exodus™ - June 23, 2011, 4:54 pm

Thanks for the tutorial, helped me a lot. I just have one question, when giving this to another person, do they have to click it to be keylogged or is it being on their computer enough?

MirrorDude - June 24, 2011, 11:50 am

(Jun 23, 2011 04:54 PM)?F34R™ Wrote: [\[CITE\]](#) Thanks for the tutorial, helped me a lot. I just have one question, when giving this to another person, do they have to click it to be keylogged or is it being on their computer enough?

They have to open the program, when they do nothing pops up, ur keylogger installs hidden, thats why its less suspicious to have a fake error pop up...

Exodus™ - June 24, 2011, 12:19 pm

(Jun 24, 2011 11:50 AM)MirrorDude Wrote: [\[CITE\]](#) They have to open the program, when they do nothing pops up, ur keylogger installs hidden, thats why its less suspicious to have a fake error pop

up...

Alright Thanks, needed to know that.

The.Bronze.Shroud - June 24, 2011, 12:28 pm

Good tutorial keep them up. :D

Iron m@n - June 24, 2011, 1:11 pm

Nice tut brother...Keep it up :)

Shot Caller - June 24, 2011, 2:50 pm

Thanks, I used it but it shows infected on that scan.

lordofall - June 25, 2011, 9:47 pm

omg thanks so much. noob at keylogging. first tut that makes sense :D

Indoctrination - June 25, 2011, 9:57 pm

Thanks for the tutorial, it help me out a lot.

Johnny87au - June 25, 2011, 10:57 pm

You should add in depth how to make a virus and then send it out or something along those lines, because seriously who doesnt know how to setup a keylogger ? = ../

jamalq23 - June 26, 2011, 2:40 am

thank u thank u thank u!!

centrecore7 - June 26, 2011, 10:30 am

thanks for the tutor... i understand every part of it... looking at the server icon..it is scary... now i know why one has to use the Icon Changer to change the icon..

Dillyy - June 26, 2011, 4:41 pm

(Jun 23, 2011 04:32 PM)manmanthe3 Wrote: [\[CITE\]](#) Ports dont matter? Most pr.ograms you have to port forward.

That's the whole point of having a crypter and crypting your server....you don't just make a virus and expect an AV to not pick it up

Yes but how do i do that? He doesn't mention anything about crypting it in the tut?

Barrowz - June 30, 2011, 1:16 am

Are you supposed to bind it to something? If so, what do I bind it to? Sorry, I suck at hacking, im new lol

Skiitels - June 30, 2011, 6:15 am

thanks man this is simple for a noob like me

centrecore7 - June 30, 2011, 8:51 am

(Jun 30, 2011 01:16 AM)Barrowz Wrote: [\[CITE\]](#) Are you supposed to bind it to something? If so, what do I bind it to? Sorry, I suck at hacking, im new lol

Binding just hides your virus behind another file.... like wearing your virus a long white coloured coat whereas if you remove the coat... you will see a DARK BLACK BAD ASS matter... eg. you can bind your virus.exe to an image jpg file, so your vic will think its a picture and when clicked on, the picture will display normally, whereas behind its something more sinister.////

Araishu - July 1, 2011, 8:15 am

This is great, thank you ?

What exactly does the interval do?

My current theory is that it's the time limit that it sends you logs for.

Like if I leave it at 15 will it send me a log update every 15 minutes?

zzyx - July 1, 2011, 8:35 am

SMTP testing failed blablabla...

this is wat shows up when i test the email information..

someone help me pls?

pm me!

SI4s#3r - July 9, 2011, 8:01 am

Nice thread, helped me alot :)

Thargon - July 9, 2011, 8:30 am

Is the source code to Grieve logger available?

RULE? - July 9, 2011, 8:32 am

I will pay for the passcode. i need help. I cant get into it :(

beaches - July 9, 2011, 11:48 pm

Thank you :) Very straight forward tutorial.

Phiz_ - July 10, 2011, 1:28 pm

I'm not completely sure if someone has asked this before, but why isn't my keylogger picking up ALL keystrokes? I'm new to hacking, and I just got a keylogger installed on a friend's computer to test it out, and I DID get his password the first time he entered it, but from then on it hasn't picked up any keystrokes at all. All I'm getting is logs telling me which sites he's going to and searching up. I want to be able to see the password everytime he enters it, just in case he changes it and I still need access to his account? Thanks for your help.

ak4lamag0 - July 10, 2011, 1:37 pm

Nice Tutorial man.You are so cool.

mr_rulezbreaker - July 11, 2011, 12:04 am

nice thread :)

==

Before criticizing a man, walk a mile in his shoes.

TudiKovin - January 28, 2012, 2:26 pm

Lool.

It says my mail is not valid. My SMPT server and e-mail is correct though. What should I do?

- Sorry for being a noob at this.

Smoshroc - January 28, 2012, 3:36 pm

Thanks, this is very straight forward and it helped me alot. :)

rapping - January 28, 2012, 5:33 pm

its a keylogger so it logs all keys witch u are pressing

Jooping - January 28, 2012, 5:45 pm

Thanks so much man, really helped me

saisu - January 28, 2012, 7:20 pm

Nice tut!

It's very easy to understand and very clear :)

Good job :D

Tortuga - January 28, 2012, 10:37 pm

Pictures dont work ! Please fix that thanks :D

ABA - January 29, 2012, 3:43 am

pics are not working at all, Kindly add new pics. Thanks in advance

Schneriff - January 29, 2012, 4:22 am

thx dude seems really helpful lol k

Moriarty - January 29, 2012, 7:14 am

Straight forward and easy to follow. Help a lot.

Thanks

M

aZaaZe - January 29, 2012, 9:37 pm

Simple. Clean. Easy.

Thanks for this.

Iceoquack - January 29, 2012, 10:12 pm

Nice tutorial. Quite helpful to a noob like me :P

Thrive™ - January 29, 2012, 11:11 pm

Thank you for the tut, im going to try it

nightangel70 - January 30, 2012, 2:04 am

Could you pm me the password to extract grieve logger? I can't pm you or Grieve himself. Much thanks if possible !!

xmothafudgex - May 2, 2012, 5:00 pm

haha password is : GrieveLoggerV2HF ENjoy for anyone to lazy to decrypt it :D

Jinchurki - June 2, 2015, 10:03 am

Hm this doesn't work any longer?