

Forum:[Hack Forums](#)

Thread: [\[HOT\]\[TUT\] How to make a simple deface page \[/TUT\]/\[HOT\]](#)

Alhalama - May 19, 2011, 8:28 am

How to make a simple Deface Page

Today I am going to show some of you guys how to make a simple deface page once gained admin access ?

Well guys this is my first tutorial so don't hate :p

So lets start.

?????? What is a Defacement ???????

What is a defacement?

A defacement is nothing else than the index of a website that you have changed to your like. If you deface a website, you simply upload your index.php (your defacement) to the site and than the site will be un-accessable for other people and they will just see your defacement.

What does a defacement contain?

A defacement mostly contains the credits of the hacker, a background picture and some fancy music 8). Sometimes it also redirects the site to a different site or it can even contain malware ect.

What do I have to know to make a deface page?

EVERY deface page is written in HTML, so you will need to know HTML. Some defacements also contain javascript or css for optimizing of the deface page.

If you want to learn HTML go here: [HTML Tutorial](#)

If you want to learn javascript go here: [JavaScript Tutorial](#)

?????? How to make a Defacement ???????

Well now since I know that not every one knows html ? I am going to show you guys how to make a simple deface on your own.

1. Well now the really simplest defacement would be just a Text.

PHP Code

```
<?php
<html>
  <head>
<title>I likez de penis</title>
  </head>
  <body>
  </body>
```

</html>

Now this is what it looks like:

[IMG]http://screensnapp.com/-/uploads/RCuSS9.png[/IMG]

This just simply changed the title of the tab.

PHP Code

```
<?php
```

```
<title>I likez de penis</title>
```

Change this to whatever you want to have as a message in the tab.

So this was the easiest way to make a bad defacement :p

2. A Defacement with text and background image.

PHP Code

```
<?php
```

```
html>
```

```
<head>
```

```
<title>YOUR TITLE</title>
```

```
</head>
```

```
<center>
```

```
<DIV align="center"><IMG src="http://i54.[censored].com/5nq1r9.jpg" width="" height=""><CENTER>
```

```
<body bgcolor="black"
```

```
</body>
```

```
<center><font color=#00FFFF>Anonymous</font></center>
```

```
<center><font color=#00FFFF>xTrYiPiCz--</font></center>
```

```
</html>
```

So it will look like: [img]http://screensnapp.com/-/uploads/df4qZy.png[/img]

You can change it to your liking, but I will go and explain you guys which party is what ?.

Spoiler ([Click to View](#))

PHP Code

```
<?php
```

```
<title>YOUR TITLE</title>
```

This is the title of the Tab (change it to whatever you want)

PHP Code

```
<?php
```

```
<DIV align="center"><IMG src="http://i54.[censored].com/5nq1r9.jpg" width="" height="">
```

This is the background image. Change the link in the "" to whatever you want as your background.

PHP Code

```
<?php
```

```
<body bgcolor="black"
```

This is the background of the page, change the color "" in the brackets to whatever html color you would like to use.

PHP Code

```
<?php
<center><font color=#00FFFF>Anonymous</font></center>
```

This is the text below the image. Change it to whatever and you can also add multiple lines by copying this line.

So right now we can make a defacement with text, picture and text in the tab.

Now we will make a defacement and add a picture, text and background music :)

PHP Code


```
<?php
<html>
  <head>
    <title>I Likez penis</title>
  </head>
  <embed src="http://www.youtube.com/v/IUGzY-ihqWc&autoplay=1" type=
  "application/x-shockwave-flash" wmode="transparent"

width="1" height="1"></embed>
<center>
<DIV align="center"><IMG

src=
"http://files.myopera.com/hoacomay70/albums/2643831/933482_white_floral_design_on_blue_back
ground.jpg" width=""

height=""><CENTER>
  <body bgcolor="black"
  <body>
<center><font color=#00FFFF>YOUR TEXT HERE</font></center>
</body>
</html>
```

So now it will look like:

Spoiler [\(Click to View\)](#)

Now I am going to explain you guys how to edit this defacement :dumb:

Spoiler [\(Click to View\)](#)

PHP Code

```
<?php
<title>I Likez penis</title>
```

This is the title that is in the tab.

PHP Code

```
<?php
<embed src="http://www.youtube.com/v/IUGzY-ihqWc&autoplay=1" type=
"application/x-shockwave-flash" wmode="transparent"
```

This is the background music that is playing every time someone opens the site. Change the link in the "" to a song of your liking of youtube

NOTE: It has to be the format that is given. I would just simply change the part after /v/ so just delete IUGzY-ihqWc out of the defacement and add yours into it.

PHP Code

```
<?php
<IMG src=
"http://files.myopera.com/hoacomay70_albums/2643831/933482_white_floral_design_on_blue_back
ground.jpg"
```

This is the background image. You can change the link given in it to whatever you want.

PHP Code

```
<?php
<body bgcolor="black"
```

This is the background color change it to your liking.

PHP Code

```
<?php
<center><font color=#00FFFF>YOUR TEXT HERE</font></center>
```

This is the text below the picture. You can either add more lines for example, change the text and the colors.

So now these were some simple defaces I showed you guys how to make. Remember, if you know learn html to make really good defacements, not simple defaces like the ones I showed you ?.

?????? How to secure site from script kiddies ???????

Do you know this situation if some you go to a defaced site and than you are like WTF that fuker stole my deface page/template.

Well lets stop that and lets make it harder for these script kiddies to steal your deface page and credits ?

What we are going to do is to encrypt the whole html text of our deface page.

The program we will need for encrypting our html file is TrueBug PHP Obfuscator & Encoder. (Google for download link, trial version is also ok.)

Well what you have to do now is to save your deface page as index.php

Than open up TrueBug and go to "Files and Folders"

Source Folder - select folder containing your PHP scripts, click on the browse button beside the folder name box.

Target Folder - select folder where the obfuscated and encoded files will save to, click on the browse button beside the folder name box.

Select files to be obfuscated/encoded, click on check-box front of filename (index.php) in the file list-box

Now to go "Obfuscate & Encode" Set the output options as "Obfuscate & Encode" and check

EVERYTHING and click "Process" then press "Close" button and also close program.

So now this is your encoded file that no one can steal ?

?????? Useful scripts for your deface page ???????

So here I will post useful codes for your deface pages. I will update this list every time I find new codes, so stay updated ?

Here is a list of HTML scripts/codes you might want to add to your deface page:

<http://www.netstrider.com/tutorials/HTMLRef/commands/index.html>

Bouncy Text

PHP Code

```
<?php
<marquee behavior=alternate width="190" scrollamount="7" scrolldelay="96" height="20" bgcolor=
"#E0FFFF"><font size="5">Your Text Here </font></marquee>
```

Scrolling Text

PHP Code

```
<?php
<marquee direction="right" bgcolor="#E0FFFF">Cool HTML Codes </marquee>
```

Prevent your site source to be stolen/disable right clicking

PHP Code

```
<?php
<script language=JavaScript>
[b]<!--[/b]
var message="your message here";
function click(e) {
if (document.all) {
if (event.button==2||event.button==3) {
alert(message);
return false;
}
}
if (document.layers) {
if (e.which == 3) {
alert(message);
return false;
}
}
}
if (document.layers) {
document.captureEvents(Event.MOUSEDOWN);
}
document.onmousedown=click;
// -->
</script>
```

This Code Has to b in The <BODY> Section Of your page

Fancy cursor colors

PHP Code

```
<?php
```

```
code for 1st cursor-style="cursor:Pointer;cursor:hand"
```

```
code for 2nd cursor-style="cursor:crosshair"
```

```
code for 3rd cursor-style="cursor:text"
```

```
code for 4th cursor-style="cursor: wait"
```

```
code for 5th cursor-style="cursor:move"
```

```
code for 6th cursor-style="cursor:help"
```

```
code for 7th cursor-style="cursor:e-resize"
```

Post this code in the <body> Section,Example: <body style="cursor:crosshair">

Bomber Code

PHP Code

```
<?php
```

```
<center><input type="button" value="Click And Your Gay" onclick="open4();"><center>
```

```
<script language="JavaScript1.2">
```

```
function open4()
```

```
{
```

```
alert('Seriously?')
```

```
alert('No Like Seriously?')
```

```
alert('Im Serious Did You Like Click This Shit?')
```

```
alert('Oh Man I Feel Sorry For You...')
```

```
a= window.open("http://www.youtube.com/mspin_counter.swf","myName0",
```

```
"width=500,height=300,top='+screen.availTop+', left =0',status,toolbar=1,scrollbars,location");
```

```
}
```

```
</script>
```

You Can Add this Code Anywhere

WILL ADD MORE SOON GUYS JUST WAIT.

So this was my tutorial on how to make a deface page. I will add more to this as I have to go now sorry guys.

Part Credits to: D-ronaldo9

Peace out xxx ?

M0dy - May 19, 2011, 10:32 am

Still didn't read the whole tutorial , But it looks great =)

Nice work bro

treazable - May 19, 2011, 10:32 am

thank u veryvery much bro!

Basics. - May 19, 2011, 10:50 am

This is a good tutorial for the beginners of defacing a website. I'm sure it'll go far!

Alhalama - May 19, 2011, 10:55 am

(May 19, 2011 10:50 AM)D?lluzion Wrote: [\[CITE\]](#) This is a good tutorial for the beginners of defacing a website. I'm sure it'll go far!

Thanks to hear this from you :) It means alot

I just felt like I would have to make a post as I wasn't contributing to the forum at all ? so yh :P

Hopeanuoli - May 19, 2011, 10:57 am

Hey dude, do you know the code that looks like its writing itself?

Killerpop89 - May 19, 2011, 11:01 am

Well now that's new a beginner making a tutorial for beginner's great tutorial for people that don't know what a deface page is.

B1n11 - May 19, 2011, 11:23 am

Nice Tutorail, greate for beginners like me.

Alhalama - May 19, 2011, 11:50 am

(May 19, 2011 10:57 AM)Mikko1 Wrote: [\[CITE\]](#) Hey dude, do you know the code that looks like its writing itself?

hmm I think it should be:

PHP Code

```
<?php
<script language="Javascript">
[b]<!--[/b]
var tl=new Array(
"xTrYiPiCz-- 1"
);
var tl=new Array(
"234536"
);
var speed=60;
var index=0; text_pos=0;
var str_length=tl[0].length;
var contents, row;

function type_text()
{
contents="";
row=Math.max(0,index-20);
while(row<index)
contents += tl[row++] + '\r\n';
document.forms[0].elements[0].value = contents + tl[index].substring(0,text_pos) + "_";
if(text_pos++==str_length)
{
text_pos=0;
index++;
if(index!=tl.length)
{
str_length=tl[index].length;
setTimeout("type_text()",1500);
}
} else
```

```

setTimeout("type_text()",speed);
}
var tl=new Array(
"xTrYiPiCz--"
);
var speed=60;
var index=0; text_pos=0;
var str_length=tl[0].length;
var contents, row;

function type_text()
{
contents="";
row=Math.max(0,index-20);
while(row<index)
contents += tl[row++] + '\r\n';
document.forms[0].elements[0].value = contents + tl[index].substring(0,text_pos) + "_";
if(text_pos++==str_length)
{
text_pos=0;
index++;
if(index!=tl.length)
{
str_length=tl[index].length;
setTimeout("type_text()",1500);
}
} else
setTimeout("type_text()",speed);
}
//-->
</script>

```

Not sure though ?

(May 19, 2011 11:01 AM)Killerpop89 Wrote: [\[CITE\]](#) Well now that's new a beginner making a tutorial for beginner's great tutorial for people that don't know what a deface page is.

I explained what a deface page is at the top if you would have read the tutorial :)

And what is wrong with me making a tutorial with others? It means I want to help out the community, people that make tutorials don't have to be L33ts all the time (btw I donated already for L33T)

I think it should be alright with me making a tutorial for other people :)

Have a good day sir ?

Dr.BrokenGod - May 19, 2011, 12:27 pm

WoW this is an OP tutorial. I really enjoyed reading.

Kierox - May 19, 2011, 12:34 pm

Thanks!

I now know how to deface a page!

Elfy10 - May 19, 2011, 2:33 pm

Nice tut. Good to look at to exercise my HTML skills. Haven't coded in yonks!

maybeDeToX - May 19, 2011, 9:15 pm

Thanks alot man I really needed this thread!

Alhalama - May 20, 2011, 5:23 am

Always nice to help other HF members :)

I actually had to make a thread as I wasn't contributing to the forum at all :!

tester1000 - May 20, 2011, 6:34 am

Good for beginners, thx for this tut :)

Best: view->source->copy code, change names,title and done :D

Node - May 20, 2011, 8:03 am

Very informative tut. I'll keep in touch with your thread. Thanks for sharing.

cyberflexxx - June 5, 2011, 8:52 pm

nice tutorial thanks you :D

AlmostUnder - June 26, 2011, 12:48 pm

This is good but how do you get into the website?

sincerely,~n00byXD~

Alhalama - June 27, 2011, 2:12 am

(Jun 26, 2011 12:48 PM)AlmostUnder Wrote: [\[CITE\]](#) This is good but how do you get into the website?

sincerely,~n00byXD~

You will have to hack the website and gain admin access. Most known hacking method is SQLi, but there are also private methods how to hack websites, so called 0-day exploits.

The Made Man - June 27, 2011, 2:18 am

This tutorial is very good for beginners and teaches you some html too. Thank you very much.

xMan - June 27, 2011, 2:36 am

You think you can help me with gaining access to a school web page?

So i can actually begin to deface the site.

Ruzlier - June 28, 2011, 3:17 am

Don't think I will ever need this seeing as I have no luck with sql injections, since it takes me forever to find vulnerable sites then the admin login never works, but nice to have. Thanks.

Alhalama - June 28, 2011, 7:35 am

(Jun 27, 2011 02:36 AM)xMan Wrote: [\[CITE\]](#) You think you can help me with gaining access to a school web page?

So i can actually begin to deface the site.
Is your school website vulnerable?

?us?ness - June 28, 2011, 11:03 pm

Wow this is actually pretty nice

Ruzlier - June 29, 2011, 8:38 pm

This is what I got from this tut <http://ruzlier.webs.com/index.htm>

Trying to improve it now. I want it in a box that goes around it (the whole thing) but a box below it, scrolling with the members username and passwords, or w.e info I got.

yuzhnny36 - June 29, 2011, 10:51 pm

nice..like it...

noob friendly...

Mr.India - June 30, 2011, 1:40 am

Am Happy to have a Friend like you who shares the knowledge

thanks!

joaopt95 - June 30, 2011, 5:34 am

cant deface this <http://www.cl-dinis-melo.pt/> can you help?

thejsunna - June 30, 2011, 6:43 am

nice and simple pages, good for people who don't know pHp or HTML :D

ignite2030 - June 30, 2011, 6:52 am

Thanks very well written!

!ron m@n - June 30, 2011, 6:56 am

Seems to b nice tutorial bro..well..keep it up! (:

Morbid Saint - June 30, 2011, 7:13 am

Seems like a nice tut dude.

Alhalama - June 30, 2011, 10:01 am

Thanks a lot guys :)

Took me some time to understand this all myself and to write it all down

Curb Your Enthusiasm - June 30, 2011, 8:47 pm

If i'm not mistaken, you "stole" this from <http://pvhax.com/forums/showthread.php?t=51539>

If i'm wrong, correct me. If i'm right, please give credit.

asifali2000 - June 30, 2011, 10:42 pm

thats great tut thanks to share

Alhalama - July 1, 2011, 10:11 am

(Jun 30, 2011 08:47 PM)Vindicates Wrote: [\[CITE\]](#) If i'm not mistaken, you "stole" this from <http://pvhax.com/forums/showthread.php?t=51539>

If i'm wrong, correct me. If i'm right, please give credit.
I took the idea and a few codes of him, but most of this is all by me.

I will give him credit anyways, and I didn't get this of PV, I got it off another site, but I think it's the same person, as the thread totally looks the same on both sites :S

xx_energizer_xx - July 1, 2011, 12:48 pm
How can you add music to the site?

bot_kill - July 1, 2011, 12:54 pm
thank dude.. i use this guide to create my own pages for my victim ..

Taco Bell Dog™ - July 1, 2011, 1:14 pm
Awesome TuT and hopefully people will not have issues copying and pasting.

lythinca - July 1, 2011, 1:59 pm
Now, all I need to know is how to deface a site. aha

Alhalama - July 2, 2011, 9:04 am
(Jul 1, 2011 01:59 PM)lythinca Wrote: [\[CITE\]](#) Now, all I need to know is how to deface a site. aha
I made a tutorial how to perform SQL Injection.

<https://hackforums.net/showthread.php?tid=1372478>

Delete Me - July 21, 2011, 4:45 pm
Thanks for this man. Helped me on my way.

Riku9182 - July 21, 2011, 10:15 pm
Damn bro very nice job I love it lol

conan_1 - July 23, 2011, 1:34 pm
Useful tut thanks mate for the share ;)

logging1220 - November 9, 2012, 1:45 am
ThanKs for your tut . i now building a deface page and its works!.

iam still noob in html but you show me that und explain good.