

Forum: [Hack Forums](#)

Thread: [TextImagifier - Stop kiddies by turning your source into image](#)

hgdfhsdgdgdfdh - June 13, 2011, 11:44 am

Anti-skid solution

Stop copy&paste noobs by turning plain text source code into image.

Simple to use program, requires .NET 4.0.

Malware free!

[img]http://img706.imageshack.us/img706/3979/imgdhn.png[/img]

->

[img]http://img861.imageshack.us/img861/5808/testeh.png[/img]

<http://www.multiupload.com/8VHITO3G3W>

<http://www.virustotal.com/file-scan/report.html?id=bcff384863a1d54cd04efca1a29693981d7ff5ca29e64e3aa1114ebefa902e83-1307989938>

Headmaster - June 13, 2011, 12:00 pm

Please add a picture, want to see what i am downloading

hgdfhsdgdgdfdh - June 13, 2011, 12:19 pm

Done, UI is simple but functional

Dbof - June 13, 2011, 12:20 pm

Tell me, did you create this?

This is awesome! It is a great idea.

I'm not a VB coder, but thanks anyway.

hgdfhsdgdgdfdh - June 13, 2011, 12:23 pm

Yes I did it, its simple C#, not VB. It can turn any text/code into image, not just VB or C#.

But thanks.

ka0 - June 13, 2011, 12:24 pm

WoW cool!!!!keep up the good work

Ethernal Five - June 13, 2011, 12:24 pm

Yea its pretty simple, is the watermark included or did you add it yourself?

Ingenuity - June 13, 2011, 12:26 pm

Well here's a better version:

Image:

[img]http://img850.imageshack.us/img850/8341/myimg.png[/img]

Additional features:

- Uses a richtextbox - so supports whatever font you paste in and whatever color text you want
- No shitty watermark - so you can just use it without annoyances

-Free source code:

Code 'First add a Richtextbox and name it "rtbMain"

'And add a button named "button1"

Imports System.Runtime.InteropServices

Public Class frmMain

<DllImport("USER32.dll")> _

Private Shared Function SendMessage(ByVal hWnd As IntPtr, ByVal msg As Integer, ByVal
wParam As Integer, ByVal lParam As IntPtr) As Int32

End Function

Public contentRectangle As Rectangle

Private Const inch As Double = 14.4

Private Const WM_USER As Integer = &H400

Private Const EM_FORMATRANGE As Integer = WM_USER + 57

<StructLayout(LayoutKind.Sequential)> _

Private Structure RECT

Public Left As Integer

Public Top As Integer

Public Right As Integer

Public Bottom As Integer

End Structure

<StructLayout(LayoutKind.Sequential)> _

Private Structure CHARRANGE

Public cpMin As Integer

Public cpMax As Integer

End Structure

<StructLayout(LayoutKind.Sequential)> _

Private Structure FORMATRANGE

Public hdc As IntPtr

Public hdcTarget As IntPtr

Public rc As RECT

Public rcPage As RECT

Public chrg As CHARRANGE

End Structure

Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)

Handles Button1.Click

Dim sfd As New SaveFileDialog

sfd.Filter = "JPEG Images|*.jpg"

sfd.Title = "Save as..."

If sfd.ShowDialog = DialogResult.OK Then

With rtbMain

Dim wid As Integer = .Width

Dim hgt As Integer = .Height

Dim bm As New Bitmap(wid, hgt)

rtbMain.DrawToBitmap(bm, New Rectangle(0, 0, wid, hgt))

RtbToBitmap(rtbMain, contentRectangle, sfd.FileName)

End With

End If

End Sub

Private Sub RtbToBitmap(ByVal rtb As RichTextBox, ByVal rectangle As Rectangle, ByVal
fileName As String)

```

Dim bmp As New Bitmap(rectangle.Width, rectangle.Height)
Using gr As Graphics = Graphics.FromImage(bmp)
    Dim hDC As IntPtr = gr.GetHdc()
    Dim fmtRange As FORMATRANGE
    Dim rect As RECT
    Dim fromAPI As Integer
    rect.Top = 0
    rect.Left = 0
    rect.Bottom = CInt(Math.Truncate(bmp.Height + (bmp.Height * (bmp.HorizontalResolution / 100))
* inch))
    rect.Right = CInt(Math.Truncate(bmp.Width + (bmp.Width * (bmp.VerticalResolution / 100)) *
inch))
    fmtRange.chrg.cpMin = 0
    fmtRange.chrg.cpMax = -1
    fmtRange.hdc = hDC
    fmtRange.hdcTarget = hDC
    fmtRange.rc = rect
    fmtRange.rcPage = rect
    Dim wParam As Integer = 1
    Dim lParam As IntPtr = Marshal.AllocCoTaskMem(Marshal.SizeOf(fmtRange))
    Marshal.StructureToPtr(fmtRange, lParam, False)
    fromAPI = SendMessage(rtb.Handle, EM_FORMATRANGE, wParam, lParam)
    Marshal.FreeCoTaskMem(lParam)
    fromAPI = SendMessage(rtb.Handle, EM_FORMATRANGE, wParam, New IntPtr(0))
    gr.ReleaseHdc(hDC)
End Using
bmp.Save(fileName, System.Drawing.Imaging.ImageFormat.Jpeg)
bmp.Dispose()
End Sub

```

```

Private Sub rtbMain_ContentsResized(ByVal sender As Object, ByVal e As
System.Windows.Forms.ContentsResizedEventArgs) Handles rtbMain.ContentsResized
    contentRectangle = e.NewRectangle
End Sub
End Class

```

Download: <http://www.mediafire.com/?mj7mqlqbg506phx>

Virus Scan: <http://virusscan.jotti.org/en/scanresult/47dc73061d809b7978af7efbcbdb6883a490fae54>

If this is your first project then well done, but why add the watermark!?

Oh and I wrote this in about 10 mins because I was annoyed with this one...

hgdfhsdgdgdfgh - June 13, 2011, 12:31 pm

This isnt my first project at all (for example: I know C++, I can write simple windows device drivers, hook SSDT etc)...

And please make your own topic instead of stealing this one.

BTW: You wrote that in 10 mins because this annoyed you? Weird: <http://pastebin.com/SCcXQEkx>

Dont underestimate the power of Google

Ingenuity - June 13, 2011, 12:41 pm

(Jun 13, 2011 12:31 PM)dextrey Wrote: [\[CITE\]](#) This isnt my first project at all (for example: I know C++, I can write simple windows device drivers, hook SSDT etc)...

And please make your own topic instead of stealing this one.

BTW: You wrote that in 10 mins because this annoyed you? Weird: <http://pastebin.com/SCcXQEkx>
Dont underestimate the power of Google
Oh - it's nice to see that a copy of NotepadX got leaked onto pastebin, it's nice to see someone put it up there, because I wrote IT!!

Take a look: <https://hackforums.net/showthread.php?tid=1199578> - you can even compare the source, you'll see that I wrote it all :)

Oh, and btw, fail at trying to call me a leecher. Never underestimate people's ability to nick my source code and stick it on pastebin. And yeah, I did kinda thread-jack you, so sorry 'bout that.

Dbof - June 13, 2011, 12:41 pm

(Jun 13, 2011 12:26 PM)Jack Eagles1 Wrote: [\[CITE\]](#) Download:

<http://www.mediafire.com/?08pre904w236xlo>

Virus Scan: <http://virusscan.jotti.org/en/scanresult/47dc73061d809b7978af7efbcbcd6883a490fae54>

If this is your first project then well done, but why add the watermark!?
Oh and I wrote this in about 10 mins because I was annoyed with this one...
This one fucks up the picture...

Ingenuity - June 13, 2011, 12:43 pm

Do you mean the black border or what? If you only have 1 line then it doesn't look good, but if you have more than that, then the quality is fine.

Slayer - June 13, 2011, 12:43 pm

But... It's all good, skid protect and stuff... But... How can you copy the text from the images? o.o
OK FU THIS GOD DAMN DAY! That guy Xieru or w/e he is called made me... Oh brother what am I even saying... I should go take a warm bath and relax...

OP: Good job man, try to add in some corner "You can't copy this text, you have to write it"

Dbof - June 13, 2011, 12:46 pm

dextrey, please show us the source of this program. I like this, but if this is not your work, you should not get the merits for this...

Ingenuity - June 13, 2011, 12:47 pm

(Jun 13, 2011 12:46 PM)Dbof Wrote: [\[CITE\]](#) dextrey, please show us the source of this program. I like this, but if this is not your work, you should not get the merits for this...

Well, having looked at it on reflector, I can't find anything else similar to it on the web, so it's probably his work.

mem0rex - June 13, 2011, 12:50 pm

Pretty cool idea, good job bro!

hgdfhsgdgdgdfh - June 13, 2011, 12:51 pm

```
Code using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Windows.Forms;
```

```

using System.Drawing.Imaging;
using System.Drawing;
namespace TextImagifier
{
    public partial class Form1 : Form
    {
        private FontFamily fontFamily = new System.Drawing.FontFamily("Times New Roman");
        private Font textFont;
        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            saveFileDialog1.AddExtension = true;
            DialogResult dr = saveFileDialog1.ShowDialog();
            if (dr == System.Windows.Forms.DialogResult.Cancel) return;
            try
            {
                textFont = new Font(fontFamily, int.Parse(textBox2.Text));
            }
            catch
            {
                MessageBox.Show("Invalid font size");
                return;
            }

            int heightLine = fontFamily.GetLineSpacing(FontStyle.Regular);

            int maxWidth = 0;
            foreach (string line in textBox1.Lines)
            {
                int width = (int)Graphics.FromImage(new Bitmap(1, 1)).MeasureString(
                    line, textFont).Width;
                if (width > maxWidth) maxWidth = width;
            }

            /* dont cry: next line looked from msdn */
            double linespacing =
                textFont.Size * (double)heightLine / (double)fontFamily.GetEmHeight(FontStyle.Regular);
            PointF textPoint = new PointF(5.0F, 5.0F);
            Bitmap result = new Bitmap(Math.Max(maxWidth + 20, 500),
                Math.Max((int)textBox1.Lines.Length * ((int)linespacing + 1) + 10, 80));

            // fix black image
            Graphics g = Graphics.FromImage(result);
            SolidBrush whiteBrush = new SolidBrush(Color.White);
            g.FillRectangle(whiteBrush, 0, 0, result.Width, result.Height);

            // watermark
            SolidBrush watermarkBrush = new SolidBrush(Color.FromArgb(50, 0, 0, 0));
            foreach (string line in textBox1.Lines)

```

```

{
g.DrawString(line, textFont, Brushes.Black, textPoint);
textPoint.Y += (float)linespacing;

}
Font f = new Font("Arial", 60.0F);
g.DrawString("TextImagifier", f, watermarkBrush, 10, (result.Height / 2) - 30);

if (dr == System.Windows.Forms.DialogResult.OK)
{
switch (saveFileDialog1.FilterIndex)
{
case 0: // png
result.Save(saveFileDialog1.FileName, ImageFormat.Png);
break;
case 1: // bmp
result.Save(saveFileDialog1.FileName, ImageFormat.Bmp);
break;
case 2: // jpeg
result.Save(saveFileDialog1.FileName, ImageFormat.Jpeg);
break;

}
}
}
}
}
}

```

Not so pretty code

In image:

<http://img16.imageshack.us/img16/4408/testcco.jpg>

amoebainfectiontechnique - June 13, 2011, 12:53 pm

^Nice source code hehhehe

So we all gonna type the source code from images now?

(i hate typing)

Dbof - June 13, 2011, 12:54 pm

(Jun 13, 2011 12:51 PM)dextrey Wrote: [\[CITE\]](#) Code using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using System.Drawing.Imaging;
using System.Drawing;
namespace TextImagifier
{
public partial class Form1 : Form

```

    {
private FontFamily fontFamily = new System.Drawing.FontFamily("Times New Roman");
private Font textFont;
public Form1()
{
    InitializeComponent();
}

private void button1_Click(object sender, EventArgs e)
{
    saveFileDialog1.AddExtension = true;
    DialogResult dr = saveFileDialog1.ShowDialog();
    if (dr == System.Windows.Forms.DialogResult.Cancel) return;
    try
    {
        textFont = new Font(fontFamily, int.Parse(textBox2.Text));
    }
    catch
    {
        MessageBox.Show("Invalid font size");
        return;
    }

    int heightLine = fontFamily.GetLineSpacing(FontStyle.Regular);

    int maxWidth = 0;
    foreach (string line in textBox1.Lines)
    {
        int width = (int)Graphics.FromImage(new Bitmap(1, 1)).MeasureString(
            line, textFont).Width;
        if (width > maxWidth) maxWidth = width;
    }

    /* dont cry: next line looked from msdn */
    double linespacing =
        textFont.Size * (double)heightLine / (double)fontFamily.GetEmHeight(FontStyle.Regular);
    PointF textPoint = new PointF(5.0F, 5.0F);
    Bitmap result = new Bitmap(Math.Max(maxWidth + 20, 500),
        Math.Max((int)textBox1.Lines.Length * ((int)linespacing + 1) + 10, 80));

    // fix black image
    Graphics g = Graphics.FromImage(result);
    SolidBrush whiteBrush = new SolidBrush(Color.White);
    g.FillRectangle(whiteBrush, 0, 0, result.Width, result.Height);

    // watermark
    SolidBrush watermarkBrush = new SolidBrush(Color.FromArgb(50, 0, 0, 0));
    foreach (string line in textBox1.Lines)
    {
        g.DrawString(line, textFont, Brushes.Black, textPoint);
        textPoint.Y += (float)linespacing;
    }
}

```

```
Font f = new Font("Arial", 60.0F);  
g.DrawString("TextImagifier", f, watermarkBrush, 10, (result.Height / 2) - 30);
```

```
if (dr == System.Windows.Forms.DialogResult.OK)  
{  
    switch (saveFileDialog1.FilterIndex)  
    {  
        case 0: // png  
            result.Save(saveFileDialog1.FileName, ImageFormat.Png);  
            break;  
        case 1: // bmp  
            result.Save(saveFileDialog1.FileName, ImageFormat.Bmp);  
            break;  
        case 2: // jpeg  
            result.Save(saveFileDialog1.FileName, ImageFormat.Jpeg);  
            break;  
    }  
}  
}
```

Not so pretty code! wonder why you did not use your own program to show the source?

hgdfhsdgdgdfgh - June 13, 2011, 12:55 pm

Jack eagles, btw your image wont stretch to long code (atleast I cant get it do it).
Its seems to be fixed size.

Bitcoin Life - June 13, 2011, 12:56 pm

(Jun 13, 2011 12:53 PM)amoebainfectiontechnique Wrote: [\[CITE\]](#) ^Nice source code hehhehe

So we all gonna type the source code from images now?

(i hate typing)
It's to prevent leaching.

Ingenuity - June 13, 2011, 1:06 pm

(Jun 13, 2011 12:55 PM)dextrey Wrote: [\[CITE\]](#) Jack eagles, btw your image wont stretch to long code (atleast I cant get it do it).
Its seems to be fixed size.
Just resize the form. Likeso:

[img]<http://jackeagles.webs.com/resize.gif>[img]

StaTiX - June 13, 2011, 1:08 pm

or you could just take a screenshoot , but anyway nice job

hgdfhsdgdgdfgh - June 13, 2011, 1:10 pm

But still you only get the part visible on RTF box, not all text

Hell Guardian - June 13, 2011, 1:11 pm

OP: Please don't compare your self to JackEagles, He is one of the best true coders on HF ?

hgdfhsdgdgdfgdfh - June 13, 2011, 1:16 pm

If he comes and says that his version wins mines in every way when its not true and steals my topic, I wont stay quiet. Thats how you treat new people here? Im not leecher or anything like that. I try to contribute but what I get?

Ingenuity - June 13, 2011, 1:16 pm

(Jun 13, 2011 01:10 PM)dextrey Wrote: [\[CITE\]](#) But still you only get the part visible on RTF box, not all text

Ah, small bug in my code. Anyway it works flawlessly with NotepadX - but if it really bothers you, I'll re-write it and post a new image. It's just to do with the fact that I set the variable for a rectangle to the size of the textbox control on the form rather than the content in the textbox - my mistake.

Edit: Now works.

And Hell, I think I'll use that in my sig ?

Dbof - June 13, 2011, 1:22 pm

(Jun 13, 2011 01:16 PM)dextrey Wrote: [\[CITE\]](#) I try to contribute but what I get?A positive reputation?

a short answer

hgdfhsdgdgdfgdfh - June 13, 2011, 1:25 pm

My message is about Jack Eagles and Hell guardian. Not to anyone else.
Thanks for reputation.

Hell Guardian - June 13, 2011, 1:30 pm

(Jun 13, 2011 01:25 PM)dextrey Wrote: [\[CITE\]](#) My message is about Jack Eagles and Hell guardian. Not to anyone else.

Thanks for reputation.<http://www.dreamincode.net/forums/user/139698-jack-eagles1/> ???

@JackEagles You know I'm always here for your dude ;)

hax0rking - June 13, 2011, 1:31 pm

why do you guys care so much if some "skid" steals your code. from my observation 99% of the people on here are "skids" to begin with. the people copy and pasting your code probably just like thinking they are a 1337 programmer and theres no reason to get mad if he copy and pastes your code. it really doesnt effect anything and making them write it out isnt going to help them learn. programming is not about memorizing its about being able to step through logic in your mind and translate it into code. also it seems like people on HF never work on long term projects. it seems like every1 just pumps out programs that can be made in a day and most likely have already been made. there is very few new things here or big projects.

BullShooter - June 13, 2011, 1:31 pm

Smart idea haha! It makes alot of sense!

Hell Guardian - June 13, 2011, 1:36 pm

(Jun 13, 2011 01:31 PM)hax0rking Wrote: [\[CITE\]](#) why do you guys care so much if some "skid" steals your code. from my observation 99% of the people on here are "skids" to begin with. the people copy and pasting your code probably just like thinking they are a 1337 programmer and theres no reason to get mad if he copy and pastes your code. it really doesnt effect anything and making them write it out isnt going to help them learn. programming is not about memorizing its about being able to step through logic in your mind and translate it into code. also it seems like people on HF never work on long term projects. it seems like every1 just pumps out programs that can be made in a day and most likely have already been made. there is very few new things here or big projects.I never

attacked him or anything and i really like the idea
all i'm saying he shouldn't make fun of jackeagles as he is a really great code

hax0rking - June 13, 2011, 1:41 pm

(Jun 13, 2011 01:36 PM)Hell Guardian Wrote: [\[CITE\]](#) I never attacked him or anything and i really like the idea

all i'm saying he shouldn't make fun of jackeagles as he is a really great code

?? that wasnt directed at you it was more directed at OP and pretty much every1 on this whole forum that thinks its a good idea to put code in images. im just saying that its stupid and doesn't benefit any1

Dbof - June 13, 2011, 1:45 pm

(Jun 13, 2011 01:41 PM)hax0rking Wrote: [\[CITE\]](#) ?? that wasnt directed at you it was more directed at OP and pretty much every1 on this whole forum that thinks its a good idea to put code in images. im just saying that its stupid and doesn't benefit any1

You seem to have no fucking idea what a skid is.

Hell Guardian - June 13, 2011, 1:49 pm

(Jun 13, 2011 01:41 PM)hax0rking Wrote: [\[CITE\]](#) ?? that wasnt directed at you it was more directed at OP and pretty much every1 on this whole forum that thinks its a good idea to put code in images. im just saying that its stupid and doesn't benefit any1 You are kidding right? Skids will rip your source, Take full credits for it, Act like they are the best coders out there and they don't even have a clue what the fuck they are copying/Pasting ???

hax0rking - June 13, 2011, 1:50 pm

(Jun 13, 2011 01:45 PM)Dbof Wrote: [\[CITE\]](#) You seem to have no fucking idea what a skid is. skids are just people with no knowledge whatsoever about programming/hacking etc. but act like they know it all if im wrong correct me.

Dbof - June 13, 2011, 1:54 pm

Quote:skids are just people with no knowledge whatsoever about programming/hacking etc. but act like they know it all if im wrong correct me.

Read this and stop posting ?

(Jun 13, 2011 01:49 PM)Hell Guardian Wrote: [\[CITE\]](#) You are kidding right? Skids will rip your source, Take full credits for it, Act like they are the best coders out there and they don't even have a clue what the fuck they are copying/Pasting ???

hipio - June 13, 2011, 1:54 pm

(Jun 13, 2011 01:49 PM)Hell Guardian Wrote: [\[CITE\]](#) You are kidding right? Skids will rip your source, Take full credits for it, Act like they are the best coders out there and they don't even have a clue what the fuck they are copying/Pasting ???

(Jun 13, 2011 01:50 PM)hax0rking Wrote: [\[CITE\]](#) skids are just people with no knowledge whatsoever about programming/hacking etc. but act like they know it all if im wrong correct me.

I agree with both of you, I fuckig hate those people -.-

hax0rking - June 13, 2011, 1:55 pm

(Jun 13, 2011 01:49 PM)Hell Guardian Wrote: [\[CITE\]](#) You are kidding right? Skids will rip your source, Take full credits for it, Act like they are the best coders out there and they don't even have a clue what the fuck they are copying/Pasting ???

who gives a shit if they take credit. its not like your selling these programs your making and if you

are then its not open source and no need to worry. just saying that shows how much of a skid you are. if you care about the fame of making a fucking hello world then you know nothing. i dont know about you but i make programs mainly for my self with the exception of an XBLIG that im making and plan to release. if you do release a program that is open source you should be doing it for the benefit of all so that some people can learn from your source and others can reap the benefits of your programs functions. credit is just stupid

hipio - June 13, 2011, 1:57 pm

(Jun 13, 2011 01:55 PM)hax0rking Wrote: [\[CITE\]](#) who gives a shit if they take credit. its not like your selling these programs your making and if you are then its not open source and no need to worry. just saying that shows how much of a skid you are. if you care about the fame of making a fucking hello world then you know nothing. i dont know about you but i make programs mainly for my self with the exception of an XBLIG that im making and plan to release. if you do release a program that is open source you should be doing it for the benefit of all so that some people can learn from your source and others can reap the benefits of your programs functions. credit is just stupid

Could someone -rep this kid. Credits are EVERYTHING.

Coders like me put lots and lots of work and time in a project.

Then some stupid skid comes, grabs the code and says that it's his. HE DIDN'T DO ANYTHING.

Grab your stuff and GFTO of here. Stupid low brain mofo

EDIT: Sorry for my swearing, but he annoys the fuck out of me

[warn]

Hell Guardian - June 13, 2011, 2:00 pm

(Jun 13, 2011 01:55 PM)hax0rking Wrote: [\[CITE\]](#) who gives a shit if they take credit. its not like your selling these programs your making and if you are then its not open source and no need to worry. just saying that shows how much of a skid you are. if you care about the fame of making a fucking hello world then you know nothing. i dont know about you but i make programs mainly for my self with the exception of an XBLIG that im making and plan to release. if you do release a program that is open source you should be doing it for the benefit of all so that some people can learn from your source and others can reap the benefits of your programs functions. credit is just stupidThis is the most retarded post i have ever seen!

If you know any shit about coding then you wouldn't say this shit

You work hard to learn and then some 10 years old kid come and Rip your source

Please stop posting ???

hax0rking - June 13, 2011, 2:00 pm

(Jun 13, 2011 01:57 PM)hipio Wrote: [\[CITE\]](#) Could someone -rep this kid. Credits are EVERYTHING. Coders like me put lots and lots of work and time in a project. Then some stupid skid comes, grabs the code and says that it's his. HE DIDN'T DO ANYTHING.

Grab your stuff and GFTO of here. Stupid low brain mofo

EDIT: Sorry for my swearing, but he annoys the fuck out of me the time and work you put into a project will hopefully help people out and that is the purpose of the software or at least it should be. rep and credit will get you no where.

hipio - June 13, 2011, 2:02 pm

(Jun 13, 2011 02:00 PM)hax0rking Wrote: [\[CITE\]](#) the time and work you put into a project will hopefully help people out and that is the purpose of the software or at least it should be. rep and

credit will get you no where.

I'm willing to share my knowledge to the community. But not that way.

That's just ridiculous, if you want to learn something then ask it bit by bit.

You dont rip a whole code and post it online again, without looking at it!!

Hell Guardian - June 13, 2011, 2:06 pm

(Jun 13, 2011 02:00 PM)hax0rking Wrote: [\[CITE\]](#) the time and work you put into a project will hopefully help people out and that is the purpose of the software or at least it should be. rep and credit will get you no where.WoW! Adobe wasted it's time adding credits to Photoshop

[img]http://photoserver.ws/files/cbxs0w2rglzl0to7duhk.png[/img]

How stupid can they get? "FacePalm"

hax0rking - June 13, 2011, 2:08 pm

(Jun 13, 2011 02:02 PM)hipio Wrote: [\[CITE\]](#) I'm willing to share my knowledge to the community. But not that way.

That's just ridiculous, if you want to learn something then ask it bit by bit.

And you dont rip a whole code and post it online again, without looking at it!!

im not defending people ripping a whole source and posting it back up. im just saying that people shouldnt be so offended by it and care so much as to put their source in images just so random noobs have to type it out.

hgdfhsdgdgdfgdfh - June 13, 2011, 2:09 pm

Photoshop CS4 Extended

Copyleft © 2008 Censored. No rights reserved. Feel free to leech.

hipio - June 13, 2011, 2:12 pm

(Jun 13, 2011 02:08 PM)hax0rking Wrote: [\[CITE\]](#) im not defending people ripping a whole source and posting it back up. im just saying that people shouldnt be so offended by it and care so much as to put their source in images just so random noobs have to type it out.

You still don't get it, do you?

It's about the work and effort we put in scripting a program.

We want credit for it, because of our hard work.

And the pictures are a great idea, this way they finally LOOK at it.

hax0rking - June 13, 2011, 2:13 pm

(Jun 13, 2011 02:06 PM)Hell Guardian Wrote: [\[CITE\]](#) WoW! Adobe wasted it's time adding credits to Photoshop

[img]http://photoserver.ws/files/cbxs0w2rglzl0to7duhk.png[/img]

How stupid can they get? "FacePalm"

lol photoshop isnt an open source program and adobe isnt complaining about people taking their source. im not saying its bad to be like heres my program

#!/myprogram

credits -me

im just saying no need to throw a fit when someone rips your open source program. you dont have to make your program open source so if you dont want people copy and pasting your code then just dont post it.

hipio - June 13, 2011, 2:14 pm

(Jun 13, 2011 02:13 PM)hax0rking Wrote: [\[CITE\]](#) lol photoshop isnt an open source program and adobe isnt complaining about people taking their source. im not saying its bad to be like heres my program

#!/myprogram

credits -me

im just saying no need to throw a fit when someone rips your open source program. you dont have to make your program open source so if you dont want people copy and pasting your code then just dont post it.

PLEASE PLEASE PLEASE PLEASE KILL YOURSELF.

Oke? That would save us lots and lots of our time.

You don't get it, you don't want to get it, so please leave!

Hell Guardian - June 13, 2011, 2:17 pm

@Hipio just ignore him, What ever me and you say won't change the fact that he will keep rip sources

hax0rking - June 13, 2011, 2:17 pm

(Jun 13, 2011 02:14 PM)hipio Wrote: [\[CITE\]](#) PLEASE PLEASE PLEASE PLEASE KILL YOURSELF. Oke? That would save us lots and lots of our time.

You don't get it, you don't want to get it, so please leave!

whats wrong about saying if you dont want people ripping your source dont post your souce. the whole point of having an open source program is that it is OPEN and one can do w/e they want with it. if it was against the law to not release your source then i would be on your side. but its not so i dont understand why your complaining about noobs ripping your source when you are the ones that gave it to them

hipio - June 13, 2011, 2:19 pm

(Jun 13, 2011 02:17 PM)Hell Guardian Wrote: [\[CITE\]](#) @Hipio just ignore him, What ever me and you say won't change the fact that he will keep rip sources

I agree with you -.-

Damt, that guy is freaking annoying.

Even a Open Source has credits.

For example OpenOffice uses credits.

Why? Because its respectful for the creators

hax0rking - June 13, 2011, 2:20 pm

(Jun 13, 2011 02:17 PM)Hell Guardian Wrote: [\[CITE\]](#) @Hipio just ignore him, What ever me and you say won't change the fact that he will keep rip sources

lol you think im ripping sources. i dont copy and paste hell i dont even read any of the sources on here. to go even further i dont think ive ever even uploaded any programs

hgdfhsdgdgdfh - June 13, 2011, 2:21 pm

If you add something like

- Dont use as part of your own product

- Dont claim that you made this product

to your code its completely legal license agreement. Publishing code doesnt mean that its automatically public domain/open source and anybody can use it however he feels.

hax0rking - June 13, 2011, 2:22 pm

(Jan 15, 1970 08:19 PM)hipio Wrote: [\[CITE\]](#) I agree with you -.-

Damt, that guy is freaking annoying.

Even a Open Source has credits.

For example OpenOffice uses credits.

Why? Because its respectful for the creators

but the people at open office dont complain about people ripping their source you do.

hipio - June 13, 2011, 2:23 pm

(Jun 13, 2011 02:22 PM)hax0rking Wrote: [\[CITE\]](#) but the people at open office dont complain about people ripping their source you do.

No, I dont. I just want them to learn from it and not just C/P

And I want credits, thats all. I made it, its my hard work. So give me some respect

Ingenuity - June 13, 2011, 2:25 pm

BRAAAARTRRRRRTGHHH FLAAME FLLAAMEE FLAAAAMEEEE!!!!

[img]http://massmultiverse.files.wordpress.com/2010/04/flamewar.jpg[/img]

when I posted my original program I didn't intend to provoke this....

hipio - June 13, 2011, 2:28 pm

(Jun 13, 2011 02:25 PM)Jack Eagles1 Wrote: [\[CITE\]](#) BRAAAARTRRRRRTGHHH FLAAME FLLAAMEE FLAAAAMEEEE!!!!

when I posted my original program I didn't intend to provoke this....

I started a Flame War on one of the TOTTI or TUTTI or whatever it's called topics ^^

It was a awesome battle ?

hax0rking - June 13, 2011, 2:31 pm

(Jun 13, 2011 02:23 PM)hipio Wrote: [\[CITE\]](#) No, I dont. I just want them to learn from it and not just C/P

And I want credits, thats all. I made it, its my hard work. So give me some respect people that want to learn will learn people that want to C&P will C&P. if their really dedicated skids they can find an OCR program and rip the text off the images. also i think i said this before but programming is not about memorization so making them type it wont help them learn they need to go through logical steps and make up the code 100% for themselves. something like this <https://hackforums.net/showthread.php?tid=1376045> but thats a bad implementation of it. just numbered steps of what the person has to achieve in their code

hipio - June 13, 2011, 2:33 pm

(Jun 13, 2011 02:31 PM)hax0rking Wrote: [\[CITE\]](#) people that want to learn will learn people that want to C&P will C&P. if their really dedicated skids they can find an OCR program and rip the text off the images. also i think i said this before but programming is not about memorization so making them type it wont help them learn they need to go through logical steps and make up the code 100% for themselves.

I don't care if they have to memorize it or not.

I just want them to look at the freaking code and see what I did.

So hard to get?

EDIT: Argh, why am I still talking to you. You don't deserve my attention. Bye

Hell Guardian - June 13, 2011, 2:38 pm

(Jun 13, 2011 02:25 PM)Jack Eagles1 Wrote: [\[CITE\]](#) BRAAAARTRRRRRTGHHH FLAAME FLLAAMEE FLAAAAMEEEE!!!!

[img]http://massmultiverse.files.wordpress.com/2010/04/flamewar.jpg[/img]

when I posted my original program I didn't intend to provoke this....Yes you did

See for your self

(Jun 13, 2011 12:26 PM)Jack Eagles1 Wrote: [\[CITE\]](#) Well here's a better version:

Image:

[img]<http://img850.imageshack.us/img850/8341/myimg.png>[/img]

Additional features:

- Uses a richtextbox - so supports whatever font you paste in and whatever color text you want
- No shitty watermark - so you can just use it without annoyances
- Free source code:

Code 'First add a Richtextbox and name it "rtbMain"

'And add a button named "button1"

Imports System.Runtime.InteropServices

Public Class frmMain

<DllImport("USER32.dll")> _

Private Shared Function SendMessage(ByVal hWnd As IntPtr, ByVal msg As Integer, ByVal wParam As Integer, ByVal lParam As IntPtr) As Int32

End Function

Public contentRectangle As Rectangle

Private Const inch As Double = 14.4

Private Const WM_USER As Integer = &H400

Private Const EM_FORMATRANGE As Integer = WM_USER + 57

<StructLayout(LayoutKind.Sequential)> _

Private Structure RECT

Public Left As Integer

Public Top As Integer

Public Right As Integer

Public Bottom As Integer

End Structure

<StructLayout(LayoutKind.Sequential)> _

Private Structure CHARRANGE

Public cpMin As Integer

Public cpMax As Integer

End Structure

<StructLayout(LayoutKind.Sequential)> _

Private Structure FORMATRANGE

Public hdc As IntPtr

Public hdcTarget As IntPtr

Public rc As RECT

Public rcPage As RECT

Public chrg As CHARRANGE

End Structure

Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button1.Click

Dim sfd As New SaveFileDialog

sfd.Filter = "JPEG Images|*.jpg"

sfd.Title = "Save as..."

If sfd.ShowDialog = DialogResult.OK Then

With rtbMain

Dim wid As Integer = .Width

Dim hgt As Integer = .Height

Dim bm As New Bitmap(wid, hgt)

rtbMain.DrawToBitmap(bm, New Rectangle(0, 0, wid, hgt))

RtbToBitmap(rtbMain, contentRectangle, sfd.FileName)

```
End With
End If
End Sub
```

```
Private Sub RtbToBitmap(ByVal rtb As RichTextBox, ByVal rectangle As Rectangle, ByVal
fileName As String)
```

```
Dim bmp As New Bitmap(rectangle.Width, rectangle.Height)
Using gr As Graphics = Graphics.FromImage(bmp)
Dim hDC As IntPtr = gr.GetHdc()
Dim fmtRange As FORMATRANGE
Dim rect As RECT
Dim fromAPI As Integer
rect.Top = 0
rect.Left = 0
rect.Bottom = CInt(Math.Truncate(bmp.Height + (bmp.Height * (bmp.HorizontalResolution / 100))
* inch))
rect.Right = CInt(Math.Truncate(bmp.Width + (bmp.Width * (bmp.VerticalResolution / 100)) *
inch))
fmtRange.chrg.cpMin = 0
fmtRange.chrg.cpMax = -1
fmtRange.hdc = hDC
fmtRange.hdcTarget = hDC
fmtRange.rc = rect
fmtRange.rcPage = rect
Dim wParam As Integer = 1
Dim lParam As IntPtr = Marshal.AllocCoTaskMem(Marshal.SizeOf(fmtRange))
Marshal.StructureToPtr(fmtRange, lParam, False)
fromAPI = SendMessage(rtb.Handle, EM_FORMATRANGE, wParam, lParam)
Marshal.FreeCoTaskMem(lParam)
fromAPI = SendMessage(rtb.Handle, EM_FORMATRANGE, wParam, New IntPtr(0))
gr.ReleaseHdc(hDC)
End Using
bmp.Save(fileName, System.Drawing.Imaging.ImageFormat.Jpeg)
bmp.Dispose()
End Sub
```

```
Private Sub rtbMain_ContentsResized(ByVal sender As Object, ByVal e As
System.Windows.Forms.ContentsResizedEventArgs) Handles rtbMain.ContentsResized
contentRectangle = e.NewRectangle
End Sub
End Class
```

Download: <http://www.mediafire.com/?mj7mq1qbg506phx>

Virus Scan: <http://virusscan.jotti.org/en/scanresult/47dc73061d809b7978af7efbcbdb6883a490fae54>

If this is your first project then well done, but why add the watermark!?
Oh and I wrote this in about 10 mins because I was annoyed with this one...
I also declare the flamewar ? ?

hipio - June 13, 2011, 2:40 pm

(Jun 13, 2011 02:38 PM)Hell Guardian Wrote: [\[CITE\]](#) Yes you did
See for your self

?

You sir are an evil genius xD

hacku4eva - June 13, 2011, 3:08 pm

i love how almost every thread on here now turns into a debate :D. everyone enjoys drama

on topic: thanks for your share OP and welcome to HF hope to see cooler work from you later on

Coleak - June 13, 2011, 3:15 pm

OMG OMG OMG OMG OMG.... This was my idea (not the program, but the fact that you should take a picture of the code instead of posting the code). This is unbelievable omfg. Holy shit. Umm ya, lets rep, good idea.

hgdfhsdgdgdfh - June 15, 2011, 11:57 am

Thanks for all positive comments. I'm going to update this to use RichTextBox too..