

Forum: [Hack Forums](#)

Thread: [Reverse Meterpreter Shell?](#)

KaptaiN - *July 8, 2011, 8:45 pm*

If I get a reverse meterpreter on a windows machine and either computers shut down, would I be able to keep the shell spawned when I open back the listener?

nix-root - *July 8, 2011, 8:59 pm*

No you wont()

Beastie - *July 9, 2011, 2:22 am*

but you can put the persistence plugin from metasploit ;)

nix-root - *July 9, 2011, 10:47 am*

(Jul 9, 2011 02:22 AM)Beastie Wrote: [\[CITE\]](#) but you can put the persistence plugin from metasploit ;)

really now? i didn't know they had that. It's been ages since i looked at metasploit.

Beastie - *July 9, 2011, 11:25 am*

look at this, you should read the whole blog:

http://www.offensive-security.com/metasploit-unleashed/Persistent_Meterpreter_Service

KaptaiN - *July 9, 2011, 3:45 pm*

(Jul 9, 2011 11:25 AM)Beastie Wrote: [\[CITE\]](#) look at this, you should read the whole blog:

http://www.offensive-security.com/metasploit-unleashed/Persistent_Meterpreter_ServiceMan,
thanks very much for that.

+1

EDIT: I'm also thinking of leaving a backdoor:

http://www.offensive-security.com/metasploit-unleashed/Meterpreter_Backdoor_Service

Beastie - *July 10, 2011, 10:20 am*

yes that's good shit ;)

but for me the best way is netcat persistence

http://www.offensive-security.com/metasploit-unleashed/Persistent_Netcat_Backdoor

ps: thanks for the rep, it's very nice ;)