

Forum:[Hack Forums](#)

Thread: [\[TuT\] How to make a Hotmail Account Creator!\[TuT\]](#)

deiski - August 6, 2011, 9:13 pm

I will show you little parts on how to make a Hotmail account creator!

:Note, You can use your functions for generating this stuff I am using TextBox's as Examples.

The URL : Code

https://signup.live.com/signup.aspx?id=64855&mkt=en-GB&form=MWGELB&publ=SIGNINHM&crea=SITEACQ_CIMS015888_Hotmail_EN-GB_0x0_36222&lic=1The email :

Code Webbrowser1.Document.GetElementById("imembernamelive").SetAttribute("value", TextBox1.Text)Password And Confirm:

Code Webbrowser1.Document.GetElementById("iPwd").SetAttribute("value", TextBox2.Text)

Webbrowser1.Document.GetElementById("iRetypePwd").SetAttribute("value", TextBox2.Text)

Alt E-mail :

[code]

Webbrowser1.Document.GetElementById("iAltEmail").SetAttribute("value", TextBox3.Text & "@hotmail.com")First Name:

Code Webbrowser1.Document.GetElementById("iFirstName").SetAttribute("value", TextBox4.Text)

Last Name :

Code Webbrowser1.Document.GetElementById("iLastName").SetAttribute("value", TextBox5.Text)

Country/Region :

Code I cant give away to much on these.. So google it yourself.

Google is your friend! :)State:

Code Same as above :\Postal Code:

Code Webbrowser1.Document.GetElementById("iZipCode").SetAttribute("value", TextBox6.Text)

Gender Male:

Code Webbrowser1.Document.GetElementById("iGendermale").InvokeMember("click")Birth Year:

Code Webbrowser1.Document.GetElementById("iBirthYear").SetAttribute("value", TextBox7.Text)

I'm not doing the Captcha for you as read below.

I accept/Sign-Up Button :

[code]

Dim allelements As HtmlElementCollection = WebBrowser1.Document.All

For Each webpageelement As HtmlElement In allelements

If webpageelement.GetAttribute("value") = "I accept" Then

webpageelement.InvokeMember("click")

End If

Next

Thanks for reading.. The reason I Didn't want to do all of it because then it would be a WHOLE C & P Thread and you learn nothing!

And yes.. You can use your Generate functions.. Just Replace the TextBox Part to your function :)!

Hiwhatsup - August 6, 2011, 9:14 pm

Looks very good!

pming you a couple of questions...

Ariana Grande. - August 6, 2011, 9:16 pm

i am also PMing you with a question.

deiski - August 6, 2011, 9:16 pm

Ok sure :) I'm open for as long as possible :D

Perplexity - August 6, 2011, 9:20 pm

Ugh, more WebBrowser shit.

You guys seriously need to stop with this :(

deiski - August 6, 2011, 9:22 pm

(Aug 6, 2011 09:20 PM)Perplexity Wrote: [\[CITE\]](#) Ugh, more WebBrowser shit.

You guys seriously need to stop with this :(

Uhm? I don't like flamers here.. This is my knowledge so i'm sharing it.

If you don't like it go and make your own tutorial.

Oh wait you're not going to.

Submariner - August 6, 2011, 9:32 pm

(Aug 6, 2011 09:22 PM)Cyan Wrote: [\[CITE\]](#) Uhm? I don't like flamers here.. This is my knowledge so i'm sharing it.

If you don't like it go and make your own tutorial.

Oh wait you're not going to.

he means it good , but you should use http request..

its much better and faster

on topic:

i like it :) nice job , keep it up

Perplexity - August 6, 2011, 9:32 pm

(Aug 6, 2011 09:22 PM)Cyan Wrote: [\[CITE\]](#) Uhm? I don't like flamers here.. This is my knowledge so i'm sharing it.

If you don't like it go and make your own tutorial.

Oh wait you're not going to.

Oh really? well let me prove you wrong, dildo.

SpK - August 6, 2011, 9:47 pm

(Aug 6, 2011 09:32 PM)Perplexity Wrote: [\[CITE\]](#) Oh really? well let me prove you wrong, dildo.

Stop hating dude. He used a WebBrowser, big deal. Now shut the fuck up.

Perplexity - August 6, 2011, 9:49 pm

(Aug 6, 2011 09:47 PM)SpK Wrote: [\[CITE\]](#) Stop hating dude. He used a WebBrowser, big deal. Now shut the fuck up.

I'm not hating, I'm just saying they're not the best way to do things.

SpK - August 6, 2011, 9:51 pm

(Aug 6, 2011 09:49 PM)Perplexity Wrote: [\[CITE\]](#) I'm not hating, I'm just saying they're not the best way to do things.

You know what, we know that, so now you can waste your time elsewhere thinking you're pro and shit. Shooo, go away.

Cherish Life - August 6, 2011, 10:12 pm

Ignore Perplexity, he might be a good coder in vb.net but hes one of the biggest douche's i've ever seen in the vb.net forums.

No one cares if you use a web browser, you should look up how to do web requests now

Variable - August 6, 2011, 10:30 pm

Nice code ;) seems familiar...

SpK - August 6, 2011, 10:31 pm

(Aug 6, 2011 10:12 PM)Anatamize Wrote: [\[CITE\]](#) Ignore Perplexity, he might be a good coder in vb.net but hes one of the biggest douche's i've ever seen in the vb.net forums.

No one cares if you use a web browser, you should look up how to do web requests now

What saddens me is that he is a complete noob in my eyes. My bot Tubenoia is fully multithreaded, and there is no sign of WebBrowsers in it simply because it doesn't require any for the tasks it is doing.

But there is some instances where it is needed. Just because this kid read somewhere WebBrowsers are bad, he immediately thinks he is pro by going to threads and post that shit.

Oh and Perplexity, show me how to execute JavaScript in WebRequests. Go try make a GMail with WebRequests. You can't? Why? Because a .JS file is hooking the keyPress event and checks if the data is actually been inputted to the form, and the server validates the encrypted arguments sent over? Didn't know.

Variable - August 6, 2011, 10:32 pm

(Aug 6, 2011 10:31 PM)SpK Wrote: [\[CITE\]](#) What saddens me is that he is a complete noob in my eyes. My bot Tubenoia is fully multithreaded, and there is no sign of WebBrowsers in it simply because it doesn't require any for the tasks it is doing.

But there is some instances where it is needed. Just because this kid read somewhere WebBrowsers are bad, he immediately thinks he is pro by going to threads and post that shit.

Oh and Perplexity, show me how to execute JavaScript in WebRequests. Go try make a GMail with WebRequests. You can't? Why? Because a .JS file is hooking the keyPress event and checks if the data is actually been inputted to the form, and the server validates the encrypted arguments sent over? Didn't know.

I couldn't say it better myself. If I could give you a +3 I would.

Tedd - August 6, 2011, 10:35 pm

(Aug 6, 2011 10:31 PM)SpK Wrote: [\[CITE\]](#) What saddens me is that he is a complete noob in my eyes. My bot Tubenoia is fully multithreaded, and there is no sign of WebBrowsers in it simply because it doesn't require any for the tasks it is doing.

But there is some instances where it is needed. Just because this kid read somewhere WebBrowsers are bad, he immediately thinks he is pro by going to threads and post that shit.

Oh and Perplexity, show me how to execute JavaScript in WebRequests. Go try make a GMail with WebRequests. You can't? Why? Because a .JS file is hooking the keyPress event and checks if the data is actually been inputted to the form, and the server validates the encrypted arguments sent over? Didn't know.

That's cold :P But i do think it is kind of stupid where one person says something is bad and then you see a bunch of skids posting "Fuckin noob, using (blah blah blah) is so lame l2use (new blah blah blah)".. I'm not calling perplexity a skid I am just saying I see it a lot :\

Submariner - August 6, 2011, 10:40 pm

(Aug 6, 2011 10:32 PM)Variable Wrote: [\[CITE\]](#) I couldn't say it better myself. If I could give you a +3 I would.

I Did it for you , lol he is deserve rep really HQ member.

SpK - August 6, 2011, 10:42 pm

(Aug 6, 2011 10:35 PM)Tedd Wrote: [\[CITE\]](#) That's cold :P But i do think it is kind of stupid where one person says something is bad and then you see a bunch of skids posting "Fuckin noob, using (blah blah blah) is so lame l2use (new blah blah blah)".. I'm not calling perplexity a skid I am just saying I see it a lot :\

Exactly. I'm fed up with this. I do know how to use WebRequests, and I do know how to use a browser. It doesn't make a goddamn difference. If I want to make something browser based, I don't want skids jumping around yelling and moaning, just like if they just came out of their bedrooms, anally raped by their step-dads.

50% of his posts in this section I see is probably either "lame WebBrowser", or something else he have seen another intermediate coder say, and wants to act all pro.

(Aug 6, 2011 10:40 PM)Cyb3rSnake Wrote: [\[CITE\]](#) I Did it for you , lol he is deserve rep really HQ member.

I appreciate it buddy. ?

Sapientia - August 6, 2011, 10:51 pm

Looks very good, nice job!

deiski - August 6, 2011, 11:06 pm

(Aug 6, 2011 10:51 PM)¢a??øñ ????? Wrote: [\[CITE\]](#) Looks very good, nice job!

Thankyou.. And

Variable.. Where exacly does this look familiar? Remember you were helping me with youtube..

I did it with hotmail..

NinjaxDGx - August 6, 2011, 11:17 pm

very neat tutorial :P looks kewwl

deiski - August 6, 2011, 11:23 pm

(Aug 6, 2011 11:17 PM)NinjaxDGx Wrote: [\[CITE\]](#) very neat tutorial :P looks kewwl

Thanks bro..

+1 rep for you my friend.

Perplexity - August 6, 2011, 11:54 pm

Holy shit, I come back and you're all having a fucking huge debate about this?

You're all getting butthurt about criticism.

If you don't like my opinions, that's your problem.

deiski - August 6, 2011, 11:56 pm

(Aug 6, 2011 11:54 PM)?erplexity Wrote: [\[CITE\]](#) Holy shit, I come back and you're all having a fucking huge debate about this?

You're all getting butthurt about criticism.

If you don't like my opinions, that's your problem.

It's you're problem because you're saying it in my thread.

Perplexity - August 6, 2011, 11:57 pm

(Aug 6, 2011 11:56 PM)Cyan Wrote: [\[CITE\]](#) It's you're problem because you're saying it in my thread. I gave my opinion.

And then you started being all bitchy about it.

deiski - August 6, 2011, 11:58 pm

(Aug 6, 2011 11:57 PM)?erplexity Wrote: [\[CITE\]](#) I gave my opinion.

And then you started being all bitchy about it.

I didn't want a BAD opinion.

Perplexity - August 6, 2011, 11:58 pm

(Aug 6, 2011 11:58 PM)Cyan Wrote: [\[CITE\]](#) I didn't want a BAD opinion.

Lmao? I'm sorry but tough shit.

Constructive criticism, get used to it.

Funhouse - August 7, 2011, 12:19 am

Neat code, very useful. Thanks for the share. c:

Cherish Life - August 7, 2011, 7:24 am

(Aug 6, 2011 11:58 PM)?erplexity Wrote: [\[CITE\]](#) Lmao? I'm sorry but tough shit.

Constructive criticism, get used to it.

Constructive criticism? I agree with him:

Lets review what you said, sir.

Quote:Ugh, more WebBrowser shit.

You guys seriously need to stop with this :(

Hmm... Not very constructive criticism there, is it?

Lets go more in depth:

Quote:Oh really? well let me prove you wrong, dildo.

Hmm....

And then at the end of everything you said:

Quote:I'm not hating, I'm just saying they're not the best way to do things.

Yes, VERY VERY constructive indeed. You owe him an apology to be honest perplexity.

Perplexity - August 7, 2011, 7:35 am

(Aug 7, 2011 07:24 AM)Anatamize Wrote: [\[CITE\]](#) Constructive criticism? I agree with him:

Lets review what you said, sir.

Hmm... Not very constructive criticism there, is it?

Lets go more in depth:

Hmm....

And then at the end of everything you said:

Yes, VERY VERY constructive indeed. You owe him an apology to be honest perplexity.
I've been PMing him, it's all cool.
Now drop it, yeah?

Devilzhangout - August 7, 2011, 7:37 am
nice tut thanks.good explanation .

Storm Shadow - August 7, 2011, 9:32 am
Nice Tutorial..
Bookmarked

Appreciate your effort
Take Care

deiski - August 7, 2011, 4:16 pm
Thankyou for all the nice commments more tutorials to come.

SIM-297877 - August 7, 2011, 4:47 pm
The tutorial is a little bit *dirty but its still a good tutorial. Thanks for posting it. Keep up the good work.

Mr Kewl - August 7, 2011, 5:51 pm
Thanks for sharing this with us.

romero - August 7, 2011, 6:31 pm
yeah ,) nice post thank ya for it !!

Blacksmoke - August 7, 2011, 8:55 pm
Nice tutorial, seems like it could be useful

Kaliman - September 12, 2011, 3:29 pm
(Aug 6, 2011 09:20 PM)Perplexity Wrote: [\[CITE\]](#) Ugh, more WebBrowser shit.
You guys seriously need to stop with this :(If you really knew the diff. you'd not say anything about the Browser obj, there httpRequests that a simple Webrequest object does not handle BUT a browser does.. I have an ajax that 'll kill your WebRequest obj dead on the spot! just for starters... they will return blank.. with garbage writing on it
so that the object would not detect it as a 404 or invalid request 500!
another one is the keycode captured by an encrypted JS.. which a webrequest will never be able to bypass...

no intentions of flaming or offending anyone!
but don't pick on the little guy, also were you born knowing what you know?
if not then live and let live!

deiski - September 13, 2011, 4:19 am

Thanks guys.. I'm surprised the thread is alive..

wertyl11 - September 13, 2011, 4:33 am

PM me if someone needs help with retrieving the captcha.

deiski - September 13, 2011, 4:52 am

(Sep 13, 2011 04:33 AM)wertyl11 Wrote: [\[CITE\]](#) PM me if someone needs help with retrieving the captcha.

Make your own thread please .

Kthx....

***.dll** - September 14, 2011, 2:47 am

hello thanks for this nice tut i hope it will help somebody :) ... i have one question i tried to make hotmail account creator using webrequests btw i dont see anything to post do you even know how to do this with webrequests ...

deiski - September 14, 2011, 2:54 am

(Sep 14, 2011 02:47 AM)adell89 Wrote: [\[CITE\]](#) hello thanks for this nice tut i hope it will help somebody :) ... i have one question i tried to make hotmail account creator using webrequests btw i dont see anything to post do you even know how to do this with webrequests ...

I have been looking for a tutorial on webrequests, cant find one.. and im not doing a tutrial with it any time soon, Period

deiski - September 25, 2011, 10:50 pm

I'm happy that everyone liked this tutorial, I feel like building the program and releasing the source.

IDontNeedAUsername - September 26, 2011, 1:06 pm

(Sep 25, 2011 10:50 PM)Cyan Wrote: [\[CITE\]](#) I'm happy that everyone liked this tutorial, I feel like building the program and releasing the source.

I can give you the program. I made a program like this long ago to help me create youtube accounts.

deiski - September 26, 2011, 4:16 pm

(Sep 26, 2011 01:06 PM)?Ju1?y? Wrote: [\[CITE\]](#) I can give you the program. I made a program like this long ago to help me create youtube accounts.

Nah it is fine bro :)

I will let you release the program to anyone that is Cbf to do it.

deiski - October 11, 2011, 1:46 am

I'm a bit disappointed that it dyed out, Oh well.

skybbuser - November 20, 2011, 3:42 pm

well since i can not pm you i would like to say thanks very much and i would really like it if i could make a account creator for a website in my mind . so thanks.

deiski - November 21, 2011, 12:02 am

(Nov 20, 2011 04:42 PM)skybbuser Wrote: [\[CITE\]](#) well since i can not pm you i would like to say thanks very much and i would really like it if i could make a account creator for a website in my mind . so thanks.

Your very welcome kind sir ?

seifertson - November 21, 2011, 7:31 am

For those of you complaining about find a WebRequest tutorial. Idb has an HTTP wrapper, the best I've seen. Search for it, especially the imgur example, it shows you how to make POST's and get captchas, hope this helps.

Daenerys Targaryen - November 21, 2011, 8:10 am

So, with this you can 'automate' the hotmail account creation? What about the Captcha?

deiski - November 22, 2011, 12:27 am

(Nov 21, 2011 09:10 AM)Shattered - Wrote: [\[CITE\]](#) So, with this you can 'automate' the hotmail account creation? What about the Captcha?

As I said in a post, I didn't want it just to be a whole C & P.

Many tutorials around (:

sitono - August 27, 2012, 12:12 pm

this tutorial is stupid and useless as fuck

D?sturbed - August 28, 2012, 2:02 am

(Aug 27, 2012 12:12 PM)sitono Wrote: [\[CITE\]](#) this tutorial is stupid and useless as fuck
Make one better than it then dumbass?

OT: Nice project, thanks for sharing.

Natas - February 21, 2013, 9:22 pm

(Aug 6, 2011 09:20 PM)Perplexity Wrote: [\[CITE\]](#) Ugh, more WebBrowser shit.

You guys seriously need to stop with this :(

Okay fuck you whats with all the ass hole members in this section ?

This is a decent tut and I think I will try it out here in a bit.

deiski - February 22, 2013, 12:17 am

(Aug 28, 2012 02:02 AM)P4iN Wrote: [\[CITE\]](#) Make one better than it then dumbass?

OT: Nice project, thanks for sharing.Thanks.

(Feb 21, 2013 10:19 PM)s3rEnity Wrote: [\[CITE\]](#) Most people looking for something like this would probably want to know how to do the captcha above all else, lol

Wouldn't really care, check the date on this thread, by NOT adding in the captcha function helps members learn.

(Feb 21, 2013 10:22 PM)Natas Wrote: [\[CITE\]](#) Okay fuck you whats with all the ass hole members in this section ?

This is a decent tut and I think I will try it out here in a bit.

Exactly, everyone's been hard dicks lately.

Thanks, not sure who grave digged this thread.

phylonia - February 13, 2014, 9:17 pm

(Aug 28, 2012 02:02 AM)D?sturbed Wrote: [\[CITE\]](#) Make one better than it then dumbass?

OT: Nice project, thanks for sharing.

It is not hard to do better than this shit, keep your mouth shut at all locations starting out a code brothel ... (This is a code for the French hotmail) it met all of course it does not have the function y captcha I did not try too hard but not really answer on google.

So the asshole is you and the author who said they could get a non-existent thing on google.

Quote:I cant give away to much on these.. So google it yourself.
Google is your friend! :)

This filled ALL the fields of places to fuck shit answers.
And better it randomly fills the unnecessary fields

```
Code Do Until WebBrowser1.ReadyState = WebBrowserReadyState.Complete
    Application.DoEvents()
    Loop
```

```
Dim allelements As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements
    If webpageelement.InnerText = "Obtenir une nouvelle adresse de messagerie" Then
        webpageelement.InvokeMember("click")
    End If
Next
```

```
WebBrowser1.Document.GetElementById("imembername").SetAttribute("value",
"gdgfdgfdgregered")
WebBrowser1.Document.GetElementById("idomain").SetAttribute("value", "hotmail.fr")
```

```
Randomize()
WebBrowser1.Document.GetElementById("iFirstName").SetAttribute("value", Chr(CInt(Rnd() *
25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97))
Randomize()
WebBrowser1.Document.GetElementById("iLastName").SetAttribute("value", Chr(CInt(Rnd() *
25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97))
Randomize()
WebBrowser1.Document.GetElementById("iBirthDay").SetAttribute("value", Chr(CInt(Rnd() *
27) + 1))
Randomize()
WebBrowser1.Document.GetElementById("iBirthMonth").SetAttribute("value", Chr(CInt(Rnd() *
11) + 1))
Randomize()
WebBrowser1.Document.GetElementById("iBirthYear").SetAttribute("value", "19" &
Chr(CInt(Rnd() * 88) + 10))
WebBrowser1.Document.GetElementById("iGender").SetAttribute("value", "m")
WebBrowser1.Document.GetElementById("iPwd").SetAttribute("value", "mot2passe")
WebBrowser1.Document.GetElementById("iRetypePwd").SetAttribute("value", "mot2passe")
Randomize()
WebBrowser1.Document.GetElementById("iZipCode").SetAttribute("value", Chr(CInt(Rnd() * 8)
+ 1) & Chr(CInt(Rnd() * 8) + 1) & "0" & Chr(CInt(Rnd() * 4) + 1) & "0")
Randomize()
WebBrowser1.Document.GetElementById("iAltEmail").SetAttribute("value", Chr(CInt(Rnd() * 25)
+ 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
```

```
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
"@gmail.com")
```

```
Dim allelements3 As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements3
If webpageelement.GetAttribute("autocomplete") = "off" Then
    webpageelement.SetAttribute("value", "Captcha here")
End If
Next
```

```
Dim allelements2 As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements2
If webpageelement.GetAttribute("title") = "J'accepte" Then
    webpageelement.InvokeMember("click")
End If
Next
```

deiski - February 13, 2014, 10:34 pm

(Feb 13, 2014 10:17 PM)phylonia Wrote: [CITE](#) It is not hard to do better than this shit, keep your mouth shut at all locations starting out a code brothel ... (This is a code for the French hotmail) it met all of course it does not have the function y captcha I did not try too hard but not really answer on google.

So the asshole is you and the author who said they could get a non-existent thing on google.

This filled ALL the fields of places to fuck shit answers.
And better it randomly fills the unnecessary fields

```
Code Do Until WebBrowser1.ReadyState = WebBrowserReadyState.Complete
Application.DoEvents()
Loop
```

```
Dim allelements As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements
If webpageelement.InnerText = "Obtenir une nouvelle adresse de messagerie" Then
    webpageelement.InvokeMember("click")
End If
Next
```

```
WebBrowser1.Document.GetElementById("imembernamelive").SetAttribute("value",
"gdgfdgfdgregrer")
WebBrowser1.Document.GetElementById("idomain").SetAttribute("value", "hotmail.fr")
```

```
Randomize()
WebBrowser1.Document.GetElementById("iFirstName").SetAttribute("value", Chr(CInt(Rnd() *
25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97))
Randomize()
WebBrowser1.Document.GetElementById("iLastName").SetAttribute("value", Chr(CInt(Rnd() *
25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
```

```

Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97))
    Randomize()
    WebBrowser1.Document.GetElementById("iBirthDay").SetAttribute("value", Chr(CInt(Rnd() *
27) + 1))
    Randomize()
    WebBrowser1.Document.GetElementById("iBirthMonth").SetAttribute("value", Chr(CInt(Rnd() *
11) + 1))
    Randomize()
    WebBrowser1.Document.GetElementById("iBirthYear").SetAttribute("value", "19" &
Chr(CInt(Rnd() * 88) + 10))
    WebBrowser1.Document.GetElementById("iGender").SetAttribute("value", "m")
    WebBrowser1.Document.GetElementById("iPwd").SetAttribute("value", "mot2passe")
    WebBrowser1.Document.GetElementById("iRetypePwd").SetAttribute("value", "mot2passe")
    Randomize()
    WebBrowser1.Document.GetElementById("iZipCode").SetAttribute("value", Chr(CInt(Rnd() * 8)
+ 1) & Chr(CInt(Rnd() * 8) + 1) & "0" & Chr(CInt(Rnd() * 4) + 1) & "0")
    Randomize()
    WebBrowser1.Document.GetElementById("iAltEmail").SetAttribute("value", Chr(CInt(Rnd() * 25)
+ 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) & Chr(CInt(Rnd() * 25) + 97) &
"@gmail.com")

```

```

Dim allelements3 As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements3
If webpageelement.GetAttribute("autocomplete") = "off" Then
webpageelement.SetAttribute("value", "Captcha here")
End If
Next

```

```

Dim allelements2 As HtmlElementCollection = WebBrowser1.Document.All
For Each webpageelement As HtmlElement In allelements2
If webpageelement.GetAttribute("title") = "J'accepte" Then
webpageelement.InvokeMember("click")
End If
Next

```

<https://gyazo.com/b159a19eb95dbceff4b79d4324bfd211.png>

Stupid fuck.

phylonia - February 13, 2014, 10:41 pm

That's your argument? Because you wrote in 2011? Like what you really have no argument ...

deiski - February 14, 2014, 12:27 am

(Feb 13, 2014 11:41 PM)phylonia Wrote: [\[CITE\]](#) That's your argument? Because you wrote in 2011? Like what you really have no argument ...

It's not an argument rofl, I coded in VB.NET '11-'12, moved on, this was one of my first webbrowser projects, I could code a LOT better than this if I ever moved back to the shitty .NET Framework rofl.

