

Forum: [Hack Forums](#)

Thread: [PHP Shell Dork Scanner](#)

.K1LL3r - August 19, 2011, 2:41 am

Simply insert a dork such as:

Code inurl:c99.php

inurl:loc.php

inurl:r57.php

inurl:c100.php

and it will give you pre-shelled sites

Code #!/usr/bin/perl

```
use LWP::Simple;
```

```
use LWP::UserAgent;
```

```
use HTTP::Request;
```

```
print "+-+-+-+-+\\n";
```

```
print "+      PHP Shell Scanner      +\n";
```

```
print "+      Coded by Erm... AKA H4k3r      +\n";
```

```
print "+-+-+-+-+";
```

```
print "\nInsert Shell Finding Dork > ";
```

```
chomp($dork = <STDIN>);
```

```
print "\nTotal Query Pages 10 Links/Page > ";
```

```
chomp($page = <STDIN>);
```

```
print "\n[+]@#~Result~#@[+]\n\n";
```

```
for ($start = 0;$start != $page*10;$start += 10)
```

```
{
$search = "http://www.google.com/search?hl=en&q=".$dork."&btnG=Search&start=".$start;
```

```
$ua = LWP::UserAgent->new(agent => 'Mozilla 5.0');
```

```
$resp = $ua->get($search);
```

```
if ($resp -> is_success)
```

```
{
  $cont = $resp -> content;
}
```

```
@linkz0r = split (/<a href=/, $cont);
```

```
foreach $line(@linkz0r)
```

```
{
if ($line =~ /(.* ) class=l/ig)
```

```
{
  $click = $1;
  $ua = LWP::UserAgent->new(agent => 'Mozilla 5.0');
}
```

```
$resp = $ua -> get($click);  
$shelld0m = $resp->content();
```

```
if ($shellid0m =~ m/uname -a/)
```

```
{
    print "$click has a shell present\n";
```

$$\left. \begin{array}{l} \{ \\ \{ \end{array} \right\}$$

}

```
}  
}
```

... - August 19, 2011, 2:47 am

Thanks for this, but how long does it take to get loads of results, because i've only got one atm.

.K1LL3r - *August 19, 2011, 4:06 am*

No problem br0, enjoy ;) ??

empathy. - *September 24, 2011, 6:25 pm*

Thanks bro. I was able to come up with a few results.