

Forum:[Hack Forums](#)

Thread: [\[Tutorial\] Slowloris DoS For Windows\[Shut down websites with only your connection\]](#)

SpriteZ - September 3, 2011, 3:08 pm

How to launch a Slowloris attack on Windows ~ by SpriteZ

Note: If you're one of those idiots who think "z0mg u n33d sh3ll b00ter or b0tnet this no work!!" then you might aswell leave now.

1. Alright, first of all you're going to want to download download Perl. You can find it [HERE](#). After the download's done, go ahead and install it.
2. Second, download the [Slowloris script](#). Paste it in notepad and save it as "slowloris.pl" (case sensitive).
3. Navigate to the directory perl was installed (default C:\strawberry\ and go to C:\strawberry\perl\bin. Copy the slowloris.pl script into there.
4. Open up command prompt (cmd) and type "cd C:\strawberry\perl\bin".
5. You're now ready to launch the attack. Here's the format in which you'd launch an attack in:

Code perl.exe slowloris.pl -dns www.yourwebsite.com

Note: This is best used against Apache servers. A single connection is able to temporarily shut down a website for as long as you keep the command prompt open.

Spoiler [\(Click to View\)](#)

Spoiler [\(Click to View\)](#)

Spoiler [\(Click to View\)](#)

joker-vl - September 3, 2011, 3:16 pm

thanks going to tryy right noww

iRun - September 3, 2011, 5:25 pm

Can I do this to IPs, instead of websites?

Stryker™ - September 3, 2011, 5:46 pm

dude no 1 dos won't take down a home connection if u had like 50-100 slaves then u would be abble to maybe boot ur victim and if u had something like maybe a 200+ u would be able to hold a ddos against ur victim

NOTE: its VERY HARD using ur connection to take down a connection unless u use a exploit that's not using ur bandwidth to attack

SpriteZ - September 3, 2011, 6:46 pm

(Sep 3, 2011 06:10 PM)anthonymcd95 Wrote: [\[CITE\]](#) LOL thats the dumeset idea ive seen deeeerrrp

3535353535353535

You sir, are retarded. If you weren't such an idiot maybe you'd try it before saying it's fake phagg0t.

This can't take home connections down, it's a vulnerability in apache servers aswell as some others. It uses close to no bandwidth so it's very effective.

Major - September 3, 2011, 6:54 pm

(Sep 3, 2011 06:10 PM)anthonymcd95 Wrote: [\[CITE\]](#) LOL thats the dumeset idea ive seen deeeeerrrp

3535353535353535

It's fucktards like you that ruin these forums. Leave and don't return

OT: Nice tutorial SpriteZ. You did a good job on this - although you on your own probably wouldn't hold anything other than a very small site down for long. If you shelled a few sites then it'd probably work a lot better.

Also, is the default directory of Perl really C:\strawberry, lmao?

SpriteZ - September 3, 2011, 6:56 pm

(Sep 3, 2011 06:54 PM)Major Wrote: [\[CITE\]](#) It's fucktards like you that ruin these forums. Leave and don't return

OT: Nice tutorial SpriteZ. You did a good job on this - although you on your own probably wouldn't hold anything other than a very small site down for long. If you shelled a few sites then it'd probably work a lot better.

Also, is the default directory of Perl really C:\strawberry, lmao?

Thanks. As long as the site isn't running multiple apache servers then this could take down most sites running version 1.X.X/2.X.X, though I've still taken down sites with 4+ servers.

Yeah, though I believe it's a mod of the original. Bump l2use this plzz.

reggae - September 4, 2011, 9:04 pm

What did I do wrong? :p

[IMG]http://i52.[censored].com/9rjeqd.jpg[/IMG]

EDIT: I think I just copied the slowloris wrong, tried again but got this:

[IMG]http://i55.[censored].com/2u5tdtj.jpg[/IMG]

SpriteZ - September 5, 2011, 8:50 am

(Sep 4, 2011 09:04 PM)reggae Wrote: [\[CITE\]](#) What did I do wrong? :p

[IMG]http://i52.[censored].com/9rjeqd.jpg[/IMG]

EDIT: I think I just copied the slowloris wrong, tried again but got this:

[IMG]http://i55.[censored].com/2u5tdtj.jpg[/IMG]

First of all type:

Code cd C:\strawberry\perl\binThen press ENTER.

Then you type:
Code perl.exe slowloris.pl -dns www.yoursite.org

?TN© - September 5, 2011, 9:26 am

does this actually work? and does it eat your broadband

SpriteZ - September 5, 2011, 9:30 am

(Sep 5, 2011 09:26 AM)mtn1996 Wrote: [\[CITE\]](#) does this actually work? and does it eat your broadband

Yes it works, and it uses hardly any bandwidth.

venice - September 5, 2011, 10:45 pm

[img]http://i53.[censored].com/15rmkiw.png[/img]

How fix this

feel the noize - September 6, 2011, 12:47 am

You are quite failed as a hacker this is old killapache is newer,
And it's for apache and should be run by a linux machine.
I menat to the TS

-Devil - September 6, 2011, 9:08 am

This seems an interesting tutorial, I wanna try.

But to move further I've a question.

You said download the slowloris.pl and save it to the directory.

The link you posted has other things than the script only. In what program shall I be saving this?

SpriteZ - September 6, 2011, 9:15 am

(Sep 6, 2011 09:08 AM)-Devil Wrote: [\[CITE\]](#) This seems an interesting tutorial, I wanna try.

But to move further I've a question.

You said download the slowloris.pl and save it to the directory.

The link you posted has other things than the script only. In what program shall I be saving this?

The whole thing is the script ;). Just press CTRL + A then CTRL + C to copy all of it, then CTRL + V to paste it. That's if you're running windows.

reggae - September 6, 2011, 9:48 am

(Sep 5, 2011 08:50 AM)SpriteZ Wrote: [\[CITE\]](#) First of all type:
Code cd C:\strawberry\perl\binThen press ENTER.

Then you type:
Code perl.exe slowloris.pl -dns www.yoursite.org
That's what I did, it says:

Quote:Undefined subroutine &main::GetOptions called at slowloris. pl line 3
message is ...

Damir - September 6, 2011, 10:34 am

It cant find slowloris.pl i did what you explain in the tut. (Sep 6, 2011 10:34 AM)Damir Wrote: [\[CITE\]](#) It cant find slowloris.pl i did what you explain in the tut.
it says: can't not find Slowloris.pl

Pseudonym - September 6, 2011, 12:28 pm

(Sep 3, 2011 03:08 PM)SpriteZ Wrote: [\[CITE\]](#) Note: This is best used against Apache servers. A single connection is able to temporarily shut down a website for as long as you keep the command prompt open.

Actually this works ONLY(ok also few others, but no major ones) against Apache server. And what's worse only against those which aren't set right.

CharlesBabbage - September 6, 2011, 12:42 pm

I'm sorry, but for those of you who cannot get this to work, you shouldn't even be reading "hacking tutorials", you don't even know what you don't know.

To the OP: Thanks for your submission, in your explanation at the end of the program, "Affects" should be "Effects" since this isn't an emotional thing ;)

Cheers.

?Ñâzg?! - September 6, 2011, 1:25 pm

So your saying that with my connection only I could take down google with this?

Edit: oh apache servers..

Nice tutorial

AirBudDy - September 6, 2011, 2:12 pm

oh ,,, , guy

thank you very much

Slowloris DoS Slowloris DoS

Wires - September 6, 2011, 2:16 pm

(Sep 3, 2011 05:25 PM)iRun™ Wrote: [\[CITE\]](#) Can I do this to IPs, instead of websites?

Yeah just replace the websites IP with the persons IP ?

SpriteZ - September 6, 2011, 3:05 pm

(Sep 6, 2011 02:16 PM)Ploidz Wrote: [\[CITE\]](#) Yeah just replace the websites IP with the persons IP ?

No, you can't do this to people's IPs, just websites ;/.

razorsedge - September 10, 2011, 6:58 am

Thanks SpriteZ, tut was perfect and worked on the first try.

I would like to note to a few people that are having trouble with this script, SpriteZ did say to "TYPE" in the commands, my buddy was an idiot and trying to copy and paste the commands.

zzZSlashZzz - September 10, 2011, 7:29 am

Can I see a video tutorial? This is not working for me very well.

Thanks.

Burak77 - September 10, 2011, 8:35 am

Create .bat file :

```
c:
cd strawberry
cd perl
cd bin
perl5.12.2.exe slowloris.pl -dns www.britania.ws
```

foxdie2888 - September 10, 2011, 10:43 am

its again working very well thanks to you man !

reggae - September 10, 2011, 3:49 pm

I tried it on sythe and was only able to bring it down for like 30 seconds

MayfairSuperking - September 11, 2011, 5:38 am

Great tut. It was working on a few sites for me last night but when i use it now i just take out my own connection. Is there anything i can do to make it work again?

samiski - September 22, 2011, 1:53 pm

How do i make it PL format ? And when i try to launch it it stands : The program couldn't start cuz libeay32_.dll couldn't be found . please help me :D ! Thank you !

ltd - September 22, 2011, 11:37 pm

I'm gonna try this. I can confirm that slowloris works from linux, I have personally used it last year. However this windows tool looks cool, I will report later on how it went.

pushl %ebp - September 22, 2011, 11:46 pm

(Sep 3, 2011 06:54 PM)Major Wrote: [CITE](#) It's fucktards like you that ruin these forums. Leave and don't return

OT: Nice tutorial SpriteZ. You did a good job on this - although you on your own probably wouldn't hold anything other than a very small site down for long. If you shelled a few sites then it'd probably work a lot better.

Also, is the default directory of Perl really C:\strawberry, lmao?

Yeah, it's only fuck-tards like him that ruin these forums... You're almost as dumb as him for saying that.

TheNeutron - September 23, 2011, 12:28 am

This look good... Would love to try it.

samiski - September 23, 2011, 7:32 am

THanks it worked but how long shall i leave it on ? And isn't there a risk getting tracked ? I have let it on around 5 minutes but it dosent work , all it says is Building sockets.

Sending data.

Current stats : Slowloris has now sent 0 packets successfully.

This tread now sleeping for 100 seconds . . .

Help me it won't work ! Thanks !

madhanmech - September 23, 2011, 7:48 am

wow slowloris for windows!!!.. thanks a lot for the script...

samiski - September 23, 2011, 7:49 am

And btw how many packets should it send until the server crash ?!

VRUMM - September 23, 2011, 9:27 am

You call urself a Hacker!!!

WTF? This would not work. They are minor dos attack and what is dumb is that they only work againsts apache server. CRAP. do not even think about writing stupid posts like these (Sep 10, 2011 06:58 AM)razorsedge Wrote: [\[CITE\]](#) Thanks SpriteZ, tut was perfect and worked on the first try.

I would like to note to a few people that are having trouble with this script, SpriteZ did say to "TYPE" in the commands, my buddy was an idiot and trying to copy and paste the commands. Hey deepshit!!

what is the different between writing and pasting.

robincomp - September 23, 2011, 10:54 am

(Sep 6, 2011 01:25 PM)infamous hacker Wrote: [\[CITE\]](#) I could take down google with this? Lol'd.

Thanks for the laugh. And I could program this into PHP or not? (Sep 23, 2011 09:27 AM) bearthepanda Wrote: [\[CITE\]](#) You call urself a Hacker!!!

WTF? This would not work. They are minor dos attack and what is dumb is that they only work againsts apache server. CRAP. do not even think about writing stupid posts like these Hey deepshit!! what is the different between writing and pasting.

Y OMG U CALL URSELF HAXOR HURR DURR
ME PWNS U:S DUNT FOCK WIT MY!

stop these shitty nub posts.

Stenography - September 23, 2011, 1:38 pm

lol pretty epic,

my lil bro was playing some ugly games with alot of blood (he's 8)

I just firewalled it through my router, but that's a good idea too !

ssihiss - September 24, 2011, 2:58 am

pleas repost the perl secript link dead

Instinkt - October 19, 2011, 6:58 am

DOES IST WORK ALREADY??

I WILL TRY OK

MacMiklas - October 19, 2011, 4:39 pm

i get an error:

The program can't start because libeay32_dll is missing from your computer. try reinstalling the program to fix this problem. should i reinstall it, or is there a other way to fix it? :D

THANKS

JiN1337 - October 19, 2011, 7:26 pm

Yeah, there's ActiveState Perl (the original) and Strawberry Perl which is an enhanced version.

Ghost Protocol - October 19, 2011, 11:23 pm

(Oct 19, 2011 04:39 PM)kromik100 Wrote: [\[CITE\]](#) i get an error:

The program can't start because libeay32_dll is missing from your computer. try reinstalling the program to fix this problem. should i reinstall it, or is there a other way to fix it? :D

THANKS

just download library32 dll file alone from internet and put it where u r starting the program!!it should work or put tat dll in system32!!

xBlackHatx - October 21, 2011, 5:06 pm

nice TUT buddy!!!keep it up man! ;)

SpriteZ.....u are fucking great my man!!!!

Thank YOU! ;)

beastmode16 - October 21, 2011, 7:31 pm

Better to try this. Thanks anyway man! You're the best!

ex0r - January 7, 2012, 6:47 pm

I thought that this works :/ When i start cmd and type it, site = offline

After 2 hours i close cmd and reset my connection (IP), site = online
:/

Mauri - January 7, 2012, 8:07 pm

instead of using a command line scrit, just use this one:

<http://goo.gl/jsLfY> (tutorial included.)

and YES it works realy good.

ex0r - January 8, 2012, 12:29 pm

@Mauri, when i open that tool and start attack it says Maximum number of concurrent connections active was 0.

Help pls? ://

g3ck0 - January 8, 2012, 4:54 pm

I get:

Sending data.

Current stats: Slowloris has now sent 0 packets successfully.

This thread now sleeping for 100 seconds...

When trying to do this.