

Forum:[Hack Forums](#)

Thread: [SilverLight Online Web Grading System, hack possible?](#)

QGK - November 21, 2011, 9:04 am

Hey all, recently my school launched something called "Magister", it uses Ms Silverlight, but longstory short, it allows students to see their on grades (on a webpage), and teachers to add/edit them, to get to it its like this:

<http://www.schoolsite.com/> 'regular school site

<http://schoolsite.swp.com/> 'grading page

the www has to go in order to load

ofcourse schoolsite is just an example,

Also the student logins are:

name: student number

pass: made up by student

teacher logins:

name: (probably) first names letter.lastname

pass: made up by teacher

I was thinking maybe brute forcing, or anything, but the pass can be lowercase & uppercase letters + numbers, and 3-10+ digits

Any help is greatly appreciated?

HaviK - November 21, 2011, 10:01 am

Hi,

Brute forcing a 12 digit password that can only contain upper and lower case letters and numbers takes 167298613310 years thats at 620 passwords a second.

I doubt that will work but I could be wrong!

Hav.

QGK - November 21, 2011, 12:12 pm

Any brute forcer download links please? Or good ones working

hackersock - November 21, 2011, 12:19 pm

you can get Brutus here: <http://adf.ly/3ozPi>

its old but it gets the job done!

(Nov 21, 2011 01:12 PM)QGK Wrote: [\[CITE\]](#) Any brute forcer download links please? Or good ones working

Daws0n - November 21, 2011, 12:24 pm

Brute forcing is simply wastage of time, unless your teacher is a dumb ass and his password is something like "123456" or "password" or "mypass" etc. You would have to find better ways, to get hold of them. try Google for 'MS Silverlight exploit' or something similar.

Maxitj - November 21, 2011, 1:11 pm

(Nov 21, 2011 01:24 PM)Daws0n Wrote: [\[CITE\]](#) Brute forcing is simply wastage of time, unless your teacher is a dumb ass and his password is something like "123456" or "password" or "mypass" etc. You would have to find better ways, to get hold of them. try Google for 'MS Silverlight exploit' or something similar. I bet there are dumb teachers, not it ones but others ! ;)

Q GK - November 22, 2011, 7:07 am

For brute forcing, what login type is it?

HTTP:basic
HTTP:form
FTP
POP3
Telnet
SMB(Netbios)
Custom
Netbus

Q GK - November 24, 2011, 2:06 pm

Bump

The page site wnds with .aspx, what brute force login type do I use (see prev post)?

Phreak! - November 24, 2011, 2:16 pm

Run cain and able and begin ARP poisoning. You should be able to get passwords that anyone logs in with on the network.

Be very very careful.

quintes - January 31, 2013, 8:27 am

I'm trying this too, but Cain is not recognizing.

?y??rion - January 31, 2013, 8:32 am

Like a user above posted, sniff the packets. Make sure you don't poison for too long, or else you'll down the network.

quintes - January 31, 2013, 8:33 am

*Silverlight what so ever. Not even as http