

Forum:[Hack Forums](#)

Thread: [Keylogger in .jpg format???](#)

10286899 - June 27, 2008, 2:30 am

Is it possible to have a keylogger in .jpg format??. Or can i have a keylogger that doesnt show ".exe" in it?? The .exe is pretty suspicious. Will somebody please send me a keylogger in .jpg format or explain in here?? Thanks

fagalite - June 27, 2008, 2:36 am

heh text book hacking... put the jpg and key in a rar then rename to .jpg when they view the image they run the logger

Gorsko - June 27, 2008, 2:48 am

lol lasalite u think is that simple just rename? i tried..it didnt work:S x)

10286899 - June 27, 2008, 2:49 am

well i dont have to zip/rar it. i can just send a folder through aim

egg82 - June 27, 2008, 3:52 am

You could always use a simple .jpeg exploit. Can't remember what it is at the moment, but it will allow you to "bind" any file to a jpeg.

Soldier of Fortune - June 27, 2008, 4:07 am

No exploits are needed for a keylogger such as Ardamax :):(

Deltathree - June 27, 2008, 5:18 am

Or you can use a double extension, and hope that your 'victim' has the option "Hide Commonly Known extensions" Enabled in his folder-options :

Picture.exe(is your virus)
So you rename it to Picture.jpeg.exe

Now because windows hides the .exe, your victim will only see Picture.jpeg

Know what i mean?

Pretty basic stuff, but it's nice

Soldier of Fortune - June 27, 2008, 6:00 am

Haha Delta that's a great idea

Deltathree - June 27, 2008, 6:36 am

Soldier of Fortune Wrote:Haha Delta that's a great idea
?

Lots of virusses go around that way. Especially in mail-attachments etc. But yeah, it is a good idea indeed ;)

Gorsko - June 27, 2008, 6:39 am

ye delta..but still is batter to make it REALPICTURE.jpg and when click to open a picture x)

Soldier of Fortune - June 27, 2008, 6:54 am

IT all depends on how you like it more.

If you made a good keylogger that is hidden once when installed, then you don't bother binding it. You only change the icon and the extension to .jpg.exe. When the victim opens it, the keylogger starts and it's installed, while the file will just show some error.

The other solution (I like more) is to remote install Ardamax keylogger and bind it with a picture. Go to a website and make a favicon of the picture and change the icon of the keylogger with that favicon while the extension is .jpg.exe or .exe (nevermind that, if it looks like a picture and if it's in .rar , noone will go on chekcing the extension).

Send the file, victim clicks it and opens it, sees a picture and says, aah, this fucking moron, he goes on sending pics. Lol.

Dutchboy13 - July 5, 2008, 2:39 am

Or use batch thats the best solution i think.

Fr0st_Byte - July 5, 2008, 2:43 am

id just use armadax....

enterme2120 - August 31, 2012, 6:36 am

thats a really a good idea. but what about antivirus, it wont detect the virus or trojan?

Salty Bacon - August 31, 2012, 7:33 am

There isnt such thing called Extension Changer. It does exist. But there is a trick. You can use an extension spoofer. It hides the .exe. Here is the catch.

Say if you want to change Picture.exe to JPEG.

Spoof it and it will do Pictureexe.jpg

So

Think of a name that fits with exe so it can be undectable. Unless your victim is a complete dumbass and doesnt see the exe but only the JPEG.

lathame2 - August 31, 2012, 10:04 am

Just bind it to a .jpg.. It's that simple. ?

stdio - September 21, 2012, 1:51 pm

there is no way to do it. unless you find an exploit in jpeg viewer. which is very unlikely to happen best of luck though

iosif1011 - September 21, 2012, 6:27 pm

ye delta..but still is batter to make it REALPICTURE.jpg and when click to open a picture x)

Dialog - September 22, 2012, 6:42 am

You could use a binder and spoof the output, but it would still appear as a executable if they enabled common extension viewing.

colombotiger - May 27, 2015, 9:11 pm

i think to use it without this exe is the best, if there is any other way to do it

one of the best idea, if i can happen like that thats good

House M.D™ - *May 28, 2015, 12:37 am*

just use a binder then change the output using a extenstion spoofer