

Forum:[Hack Forums](#)

Thread: [\[RELEASE\] Batch File Encryptor HXB-128 FUD \[RELEASE\]](#)

AMDjack - June 26, 2012, 4:57 pm

Finally the time has come, I have finished my new encryptor! ? If you want the source code shoot me a pm!

NOTE: This only encrypts characters a-z/A-Z/0-9. If you include a character that is not apart of that list your encryption will "jump" over a hexadecimal digit and screw it up. I will add special characters in later releases.

Formula:

To see how many bits a message will contain after encryption use this formula where "M" is how many characters(including spaces) your message includes

PHP Code

```
<?php
```

M(16)

Encryption Method:

Spoiler [\(Click to View\)](#)

XOR Truth Table

Spoiler [\(Click to View\)](#)

Virus Scan:

[Virus Total](#)

[Jotti](#)

Download

<http://www.mediafire.com/?ygctsamqy2t9x24>

How to:

Encrypt

- Select it on the main menu by pressing "1" and hitting enter.
- Type in the message you wish to encrypt and hit enter. The longer the message, the more time it takes to encrypt.

Decrypt

- Select it on the main menu by pressing "2" and hitting enter.
- Make sure you have "KEY.BIN" and "ENCRYPTED.BIN" for the next step
- Drag "KEY.BIN" into the window and press enter.
- Drag "ENCRYPTED.BIN" into the window and press enter.
- Let it decrypt the file. The time it takes to decrypt depends on the size of the file.
- When its done it will display the decrypted message and save it to a file called "DECRYPTED_MESSAGE.TXT" which will be located in the same directory as the program.

AMDjack - June 26, 2012, 5:01 pm

Thanks for being my tester :D and yes if BGUI would work on windows XP i would've included it.

PubixCube - June 27, 2012, 2:37 am

Wow fuck this is cool, never thought of doing encryption in batch. I usually do thing like this in Java as its easier and quicker?

AMDjack - June 27, 2012, 7:35 am

(Jun 27, 2012 02:37 AM)PubixCube Wrote: [\[CITE\]](#) Wow fuck this is cool, never thought of doing encryption in batch. I usually do thing like this in Java as its easier and quicker?

Thank you for the feedback! And yeah batch is a bit slow when it comes to math. ?

Sajuuk - June 27, 2012, 9:49 am

Not bad at all. In fact, excellent! Great job!

AMDjack - June 27, 2012, 10:37 am

(Jun 27, 2012 09:49 AM)Lucid Dream Wrote: [\[CITE\]](#)

Not bad at all. In fact, excellent! Great job!

Thanks for the feedback, its really appreciated!

Johnny Cache - June 27, 2012, 11:37 am

Wow, if i could give you reps, i would give you a million!

Thats a nice work!

Greetz!

AMDjack - June 27, 2012, 1:09 pm

I have just been informed and I have confirmed a bug in my encryption tool.

Bug:

When you enter in a large amount of characters it pushes the number of binary sets over the limit of how much data a variable can hold so only a part of your message will be encrypted/decrypted.

Status:

In my next release(which won't be for a while because i'm making something pretty big) I will make it so if the encrypted version of your text exceeds a certain number, it will split it into 2 variables.

01871717 - June 27, 2012, 9:35 pm

No harm to you jack but I don't support batch files being embedded in exes.

I don't understand this bullshit.

Anyone can do this with a little brains. Try to get a better protection system or any at all if you're looking in protection it.

I wont release the src for your sake.

AMDjack - June 27, 2012, 9:43 pm

Lulz, someone found out how to do it. Kudos ONYX.

01871717 - June 27, 2012, 9:47 pm

(Jun 27, 2012 09:43 PM)AMDjack Wrote: [\[CITE\]](#) Lulz, someone found out how to do it. Kudos ONYX. Almost everyone knows how to do this stupid thing.

I'm just saying.

Why would you "compile" it to an exe?

AMDjack - June 27, 2012, 9:48 pm

I don't know, keeps most of the source hungry skids away.
BTW do you have a better protection system??

01871717 - June 27, 2012, 9:49 pm

(Jun 27, 2012 09:48 PM)AMDjack Wrote: [\[CITE\]](#) I don't know, keeps most of the source hungry skids away.true that, most skids don't know how to do this.
But anyway find a better way of protecting your sources.
I could make you one if you'd like.

AMDjack - June 27, 2012, 9:50 pm

I wouldn't mind it if its no trouble for you.

01871717 - June 27, 2012, 9:51 pm

(Jun 27, 2012 09:50 PM)AMDjack Wrote: [\[CITE\]](#) I wouldn't mind it if its no trouble for you.If you have the time to get on skype I'm sure we could sort something out.

White Light - June 27, 2012, 11:17 pm

(Jun 27, 2012 09:43 PM)AMDjack Wrote: [\[CITE\]](#) Lulz, someone found out how to do it. Kudos ONYX.
It's really not that difficult of a challenge. I didn't bother mentioning anything beforehand because I thought you knew how easy it was. There is no real way to hide your source code, anyone willing to bother will get it eventually.

The Alex - June 28, 2012, 2:59 am

Yes it's easy to extract the batch file out of the exe but that's not the point

This is truly outstanding work my friend :)

AMDjack - June 28, 2012, 7:34 am

Thank you Jackk. White Fang I was aware of how to get the source but im working with ONYX on a little something that could change that.

Mr Liam - June 28, 2012, 9:10 am

This reminds me of the early days of [SP encryption](#) (Was called Lima encryption). But good work otherwise.
I think your next step is taking the encryption and making it shorter.

01871717 - June 28, 2012, 9:59 am

(Jun 28, 2012 09:17 AM)xadamxk Wrote: [\[CITE\]](#) Nope. His next step is making a batch file to encrypt batch files
I guarantee you he will be revolutionary!
He's been working on something never before seen in batch....stfu skid thats already been done my myself and others.
go bind a ratt to ur bat to exes

(Jun 27, 2012 10:59 PM)xadamxk Wrote: [\[CITE\]](#) ONYX, I want to see you crack the encryption itself :P

I'm sure you can do it, just a matter of how many triesI don't want to crack the encryption.
And any encryption can be cracked if the methods of encrypting are presented in front of him.

AMDjack - June 28, 2012, 10:26 am

(Jun 28, 2012 09:59 AM)ONYX. Wrote: [\[CITE\]](#) I don't want to crack the encryption.
And any encryption can be cracked if the methods of encrypting are presented in front of him.

ONYX, thats not true. Ever heard of a one-time pad encryption????

01871717 - June 28, 2012, 10:28 am

(Jun 28, 2012 10:26 AM)AMDjack Wrote: [\[CITE\]](#) ONYX, thats not true. Ever heard of a one-time pad encryption????

No. I have not shshshs

AMDjack - June 28, 2012, 10:35 am

His no kid, too smart to be a kid and Pussy destroyers....hahahahahahaha

AMDjack - June 28, 2012, 11:23 am

(Jun 28, 2012 11:12 AM)ONYX. Wrote: [\[CITE\]](#) 8

#woah

#swag

#mlg

#quickscooped?

#selfbust??

xadamx concept originally created by DatsiK

Hahahahahahahahahahaha so funny

35char

SoulByte - June 29, 2012, 6:24 am

(Jun 28, 2012 09:17 AM)xadamxk Wrote: [\[CITE\]](#) Nope. His next step is making a batch file to encrypt batch files

I guarantee you he will be revolutionary!

He's been working on something never before seen in batch....

Looking forward to it, but I honestly don't think it can be done because of those pesky <|>&()" characters.

AMDjack - June 29, 2012, 7:35 am

Well that is true. I am going to give it a shot anyway.

avineshwar - June 30, 2012, 3:29 am

A source will help me to improve my skills, a bit i suppose.! :)

I will be waiting for your PM..

AMDjack - June 30, 2012, 2:09 pm

Sent you a pm, have fun and keep coding!

Toblerone - June 30, 2012, 2:13 pm

(Jun 28, 2012 10:28 AM)ONYX. Wrote: [\[CITE\]](#)

No. I have not shshshsI saw that and gagge with laughter

post35

Dik_In_D_Ai - July 4, 2012, 7:17 pm

Vouch Vouch Vouch for batch pretty badass

Dik_In_D_AI

TheBeneath - March 31, 2013, 11:02 pm

Hey, awesome Encryptor you made there!

I know this thread is old, but i still want to let you know[whenever you read this] i optimized your batch to be around 8Kb by using FOR loops and gave it support for nearly every Ascii symbol i know of and not yet supported in the Encryptor, except %<>|=& and every other special characters that are hard for batch to parse.

I had to rewrite a couple of parts, cause of the enabledelayedexpansions and For loop destroying !,; etc.

It is not 100% finished, but it can save everything to HEX correctly.
If you want the code, i can PM you.

Btw, it was indeed pretty easy for me to get the source, it has helped me a bit becoming better in understanding Batch , so thanks ?.

AMDjack - April 1, 2013, 11:32 am

I know it's easy to get the source and im glad you learn't something from it.

kane1236789 - April 15, 2013, 9:26 am

great post cant wait to download and test it out :)

AMDjack - April 15, 2013, 3:53 pm

Here is a cooler version that I found laying in my harddrive.

<http://www.mediafire.com/?2mlw3ra9q3az6qw>

Johnny Cache - April 16, 2013, 6:11 am

(Apr 15, 2013 03:53 PM)AMDjack Wrote: [\[CITE\]](#) Here is a cooler version that I found laying in my harddrive.

<http://www.mediafire.com/?2mlw3ra9q3az6qw>

Why is that variable changing in that file? o.o

Spoiler ([Click to View](#))

[img]http://www.allmystery.de/i/tef29e7_axagkgpl.jpg?bc[/img]

Please tell me that secret, master.

Fafaffy - April 16, 2013, 6:16 am

OP, if you want, I can give you my batch file "obfuscator"

For example, I made a simple batch file, and this is what came out (feel free to run it, it's 100% safe)

Code @echo off

Set nfl=0268BDHJORSTUVYZjmortvwxy134579ACEFGIKLMNPQWXabcdefghijklnpqsuz

%nfl:~11,1%%nfl:~36,1%%nfl:~11,1%%nfl:~38,1%%nfl:~33,1%

%nfl:~6,1%%nfl:~45,1%%nfl:~53,1% %nfl:~51,1%%nfl:~60,1%%nfl:~24,1%%nfl:~59,1%!

%nfl:~49,1%%nfl:~47,1%%nfl:~52,1%%nfl:~18,1% %nfl:~6,1%%nfl:~18,1%%nfl:~22,1%

%nfl:~48,1%%nfl:~18,1% %nfl:~24,1%%nfl:~18,1%%nfl:~60,1%

%nfl:~55,1%%nfl:~53,1%%nfl:~49,1%%nfl:~54,1% %nfl:~17,1%%nfl:~45,1%%nfl:~52,1%
%nfl:~49,1%%nfl:~56,1%%nfl:~47,1%%nfl:~19,1%%nfl:~57,1%%nfl:~24,1%%nfl:~20,1%%nfl:~53,1
%%nfl:~18,1%%nfl:~56,1%?

%nfl:~49,1%%nfl:~47,1%%nfl:~52,1%%nfl:~18,1% :%nfl:~5,1%

%nfl:~57,1%%nfl:~45,1%%nfl:~60,1%%nfl:~59,1%%nfl:~49,1%
>%nfl:~56,1%%nfl:~60,1%%nfl:~55,1%

TheBeneath - June 11, 2013, 5:01 am

Hey, it's me again, i worked futher on the encryptor and optimized it alot, i also got better writing batch scripts.

Using the knowlegde i got while reading dostips and various useful websites, i got the converting speed down to almost instant for password upto 8 characters, more from 12 and up should take 3-6 sec based on your systems processing speed.

Also thanks to Jeb and Benham, it can efficiently convert the 255 ascii characters to hex and dec. I got the encrypting side finished, only the decrypting needs some cleanup and maintance, but after it should be ready for use.

I know this could be done much better in some different language, but i found batch a bit to fun to let go of yet.

AMDjack - June 11, 2013, 1:36 pm

(Jun 11, 2013 05:01 AM)TheBeneath Wrote: [\[CITE\]](#) Hey, it's me again, i worked futher on the encryptor and optimized it alot, i also got better writing batch scripts.

Using the knowlegde i got while reading dostips and various useful websites, i got the converting speed down to almost instant for password upto 8 characters, more from 12 and up should take 3-6 sec based on your systems processing speed.

Also thanks to Jeb and Benham, it can efficiently convert the 255 ascii characters to hex and dec. I got the encrypting side finished, only the decrypting needs some cleanup and maintance, but after it should be ready for use.

I know this could be done much better in some different language, but i found batch a bit to fun to let go of yet.

Well feel free to post it here or make a thread about it. Stuff like this is really HQ!

TheBeneath - June 11, 2013, 2:26 pm

I am glad i got your permission to post it, cause it originally was your idea and hate posting people's stuff without there permission.

Anyways, here is the encryptor part <http://pastebin.com/qBhWWnF1> .

It does not use any temp files and runs completely inside a Local envoriment. It could be easily copy pasted into some other batch file for calling, just by removing the SET /P question and replacing the uppermost !str! variable with a %1 parameter.

You can do freely with it whatever you want, i had alot of fun improving it and creating my style of writing code.

I removed alot of characters that cannot be parsed efficiently through batch, such as Esc or Linebreak.

It seems only one ascii code was corrupted on pastebin, which is the Non-breaking space, with

hexcode A0, as i cannot find it using find in Notepad++ after copy-pasting from pastebin.

It is no biggy really, it does not ruin everything.

Have fun (^.^).

AMDjack - June 11, 2013, 4:38 pm

(Jun 11, 2013 02:26 PM)TheBeneath Wrote: [CITE](#) I am glad i got your permission to post it, cause it originally was your idea and hate posting people's stuff without there permission.

Anyways, here is the encryptor part <http://pastebin.com/qBhWWnF1> .

It does not use any temp files and runs completely inside a Local envoriment. It could be easily copy pasted into some other batch file for calling, just by removing the SET /P question and replacing the uppermost !str! variable with a %1 parameter.

You can do freely with it whatever you want, i had alot of fun improving it and creating my style of writing code.

I removed alot of characters that cannot be parsed efficiently through batch, such as Esc or Linebreak.

It seems only one ascii code was corrupted on pastebin, which is the Non-breaking space, with hexcode A0, as i cannot find it using find in Notepad++ after copy-pasting from pastebin.

It is no biggy really, it does not ruin everything.

Have fun (^.^).

My god your way is ingenious! I had never thought of doing a "FOR" loop for the converting, you have obviously learn't a lot about batch because this is some advanced code you have produced. Please stick around this section, we need as many HQ scripters here as we can get!

SIM-1073426 - June 12, 2013, 7:02 am

I just realized I've never posted on this. D:

Good work and how long did it take to make this?

Shihanus - June 12, 2013, 7:31 am

Code :BINARYKEYD

```
IF !DMSG:~0^,1! EQU 1 (
    IF !DKEY:~0^,1! EQU 1 (
        SET DECRYPTEDMSG!LOOPS!=0
    )
    IF !DKEY:~0^,1! EQU 0 (
        SET DECRYPTEDMSG!LOOPS!=1
    )
)
IF !DMSG:~0^,1! EQU 0 (
    IF !DKEY:~0^,1! EQU 1 (
        SET DECRYPTEDMSG!LOOPS!=1
    )
    IF !DKEY:~0^,1! EQU 0 (
        SET DECRYPTEDMSG!LOOPS!=0
    )
)
```

TheBeneath - June 12, 2013, 11:13 am

I started off going deeper in batch using this batch file as template, trying to improve it and making it more clear for myself.

Every so often whenever i feel like it, i open the batch file and go read it again, test and try to improve with whatever i learnt new.

Such as, i try to not use Code IF "var"==" " but Code IF not defined var only if it does not break stuff, like whenever i use parameters or special Delayed variables such as !var~1!.

TheBeneath - June 13, 2013, 8:12 pm

Hello, it's me again, i went further on coding the encryptor, with the thoughts to finish it finnaly.

It should be done now, with a few misbehavings which should not get in your way really, it will not accept more than 53 chars at a time, or else it will bug out and add random chars. I have not yet figured out why it does that, but whatever.

It should be much faster, almost instant for passwords upto 8 and it supports almost all ascii chars (go try facebang your keyboard, it will output all at the end), of course you should keep in mind batch can not output some chars nicely.

Anyways, here is the link

https://mega.co.nz/#!1QgRDbTK!N80FrTEF1IJP_btXmylQH3ugffgYZ8JnGkaalPkEGVk

I cannot paste it in any of the text holders i know of as the Ascii map it uses to see for what character it should change into what hex value will break (ANSI).

Have fun (^.^)

Nakamoto. - June 13, 2013, 9:45 pm

I had to see what it could handle and after several special characters in one message, it broke. But it is a nice little program.

nuk - June 13, 2013, 10:35 pm

VERY nice work indeed! :) It's nice to have something different and useful for once instead of "My suP3R bATcH 'ViRUs' LoL - Great Job on this homie :)

TheBeneath - June 14, 2013, 2:13 am

(Jun 13, 2013 09:45 PM)RenRioku™ Wrote: [\[CITE\]](#) I had to see what it could handle and after several special characters in one message, it broke. But it is a nice little program.

Glad to hear it works for you guys to. It is true it will not accept some characters, but most times, this is cause of limitations of Batch's intepreter, not much i can do against that.

It will work fine with 0-9 a-z A-Z and symbols in the row up at the numbers, including ^, % and & and every other Ascii character batch does not hate (Batch seems to hate €, †, etc), else it will generate a Subsistute char.

Level 1 complete! Batch mastered.
On to Level 2, Visual Basic Script.

White Light - June 14, 2013, 4:36 am

Batch mastered? Please, try this: <http://hackforums.net/showthread.php?tid=808030>
It's my easiest test.

AMDjack - June 14, 2013, 9:28 am

(Jun 14, 2013 04:36 AM)Kadabra Wrote: [\[CITE\]](#) Batch mastered? Please, try this:
<http://hackforums.net/showthread.php?tid=808030>

It's my easiest test.

I will give that ago after I finished BatchN?T.

Tommy? - June 14, 2013, 4:17 pm

(Jun 26, 2012 04:58 PM)xadamxk Wrote: [\[CITE\]](#) Now that is a sexy crypter :D

Not as sexy as the click click :(

But still sexy :)

Did I mention it was sexy?I don't think you mentioned sexy though [;

Zask3333 - May 20, 2016, 4:03 pm

now time to explain exactly what the code is doing.

@ECHO Off

echo encrypt batch file

echo.

REM SOME IMPORTANT THINGS.

REM

REM everything here will be used to make a random Alphanumeric variable (random letters and numbers).

Setlocal EnableDelayedExpansion

SetRNDLength=8

Set

_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

Set _Str=%_Alphanumeric%987654321

:_LenLoop

IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop

SET _tmp=%_Str:~9,1%

SET /A _Len=_Len+_tmp

Set _count=0

SET _RndAlphaNum=

:_loop

Set /a _count+=1

SET _RND=%Random%

Set /A _RND=_RND%%_%_Len%

SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!

If !_count! lss %_RNDLength% goto _loop

REM This will be used to create a randomized 26 letter alphabet in a variable.

REM 65 for upper case, 97 for lower case

set CaseType=97

> Randalphabet.vbs echo randomize timer

>> Randalphabet.vbs echo RandAlphabet=""

>> Randalphabet.vbs echo Do

>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))

>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =
RandAlphabet ^& randchar

```
>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do
>> Randalphabet.vbs echo Loop
>> Randalphabet.vbs echo wscript.echo RandAlphabet
for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A
del Randalphabet.vbs

REM This will create a random number 1-200
set /A CREATEKEY=%random% %%200 +2

set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile") : "
set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile") : "

REM SOME IMPORTANT THINGS.
REM
```

REM ENCRYPTION

```
REM For everything in a text file that you chose do.
Setlocal EnableExtensions
for /f "delims=" %%A in (%FILEA%.txt) do (
```

```
REM Put each line in that text file in a different variable. Add a number variable each time in a loop
to recognize them as a new variable each time.
Set /a C+=1
```

```
REM Actually prepend the number inside the variable.
Set X[!C!]=%%A
```

```
REM Variable for encryption.
set CHECKPASSWORD=%%A
```

```
REM Key code that makes encryption possible.
set CHECKKEY=%%B
```

```
REM For every letter in the randomized alphabet.
set CHAR=0123456789%Randalphabet%
```

```
REM Convert them into a number. (you want the alphabet randomized so it won't be too obvious to
decrypt).
for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
```

```
REM Multiply that random alphabet that has been converted into numbers by another random
number to create an entirely random longer number, then put them in a variable.
set /a MATH=%%C*%CREATEKEY%
```

```
REM Make variable "%%E" and for everything in the delayed expansion variable "!MATH!" do.
for /f %%E in ("!MATH!") do (
```

```
REM Add the character "-" to the encrypted code to make it possible to get back the original
decrypted code.
set "CHECKPASSWORD=!CHECKPASSWORD:%%D=-%%E!"
```

```
)  
)  
)
```

```
REM Every variable (Encrypted line of text and within the same loop) to a new text file.  
echo !CHECKPASSWORD! >> %FILEB%._!_RndAlphaNum!
```

```
REM Ends loop.  
)
```

```
REM Configure the variables.  
Set X
```

```
REM ENCRYPTION  
REM
```

```
REM DECRYPTION
```

```
REM Every thing will be echoed out as a message, then sent to a textfile named decrypt.bat  
echo @ECHO Off >> Decrypt.bat
```

```
REM Just sends a blank line to the decrypt.batfile  
echo. >> Decrypt.bat
```

```
REM This setlocal allows some variables to be sent to the text file without having to be ignored  
echo Setlocal EnableExtensions EnableDelayedExpansion >> Decrypt.bat
```

```
same as above except this will take every line from the new encrypted file and send it to the  
decrypt.bat file to be decrypted and executed.
```

```
echo for /f "delims=" %%%%A in (%FILEB%._!_RndAlphaNum!) do ( >> Decrypt.bat  
Setlocal DisableExtensions DisableDelayedExpansion
```

```
echo Set /a C+=1 >> Decrypt.bat  
echo Set X[!C!]=%%%%A >> Decrypt.bat  
echo set CHECKPASSWORD=%%%%A >> Decrypt.bat  
echo set CHECKKEY=%%%%B >> Decrypt.bat
```

```
REM uses the same random alphabet variable from this file, it is not ignored because we need it in  
the decrypt.bat file.
```

```
echo set CHAR=0123456789%Randalphabet% >> Decrypt.bat  
echo. >> Decrypt.bat
```

```
REM Take each letter in the encrypted file  
echo for /l %%%%C in (10 1 36) do ( >> Decrypt.bat  
echo for /f %%%%D in ("!CHAR:~%%%%C,1!") do ( >> Decrypt.bat
```

```
REM Puts the keycode in the decrypt.bat file  
echo set /a MATH=%%%%C*%CREATEKEY% >> Decrypt.bat  
echo for /f %%%%E in ("!MATH!") do ( >> Decrypt.bat  
echo. >> Decrypt.bat
```

REM Reverse everthing, multiplid numbers become devided, if you add addition then it would become subtraction, and all numbers convert back into the original letters.

```
echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%E=%%%%D!" >> Decrypt.bat
```

REM So on~

```
echo ) >> Decrypt.bat
```

```
echo ) >> Decrypt.bat
```

```
echo ) >> Decrypt.bat
```

```
echo for /f %%%F in ("!CHECKPASSWORD!") do ( >> Decrypt.bat
```

```
echo set "CHECKPASSWORD=!CHECKPASSWORD:-=" >> Decrypt.bat
```

```
echo !CHECKPASSWORD! >> Decrypt.bat
```

```
echo ) >> Decrypt.bat
```

```
echo ) >> Decrypt.bat
```

```
echo Set X >> Decrypt.bat
```

REM DECRYPTION

REM

If anything above has a typo, im to lazy to fix it... so yeah...

if you put the batch commands in a text file, you could encrypt each line in that text file, then make a decrypter batch file to call each encrypted command from that text file and then execute them within the same batch file. This code works but i can't figure out how to get variables to work. made this using come code i found online, i decided to make it better but i never finished. but Im not smart enough to figure out how to get it to work correctly, but if you do hopefully it can become the worlds first actual batch file encrypter. Honestly i believe this by far is the most closest that anyone has got to encrypting a batch file. anyway cheers.

@ECHO Off

```
echo encrypt batch file
```

```
echo.
```

```
Setlocal EnableDelayedExpansion
```

```
Set _RNDLength=8
```

```
Set
```

```
_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
```

```
Set _Str=%_Alphanumeric%987654321
```

```
:_LenLoop
```

```
IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop
```

```
SET _tmp=%_Str:~9,1%
```

```
SET /A _Len=_Len+_tmp
```

```
Set _count=0
```

```
SET _RndAlphaNum=
```

```
:_loop
```

```
Set /a _count+=1
```

```
SET _RND=%Random%
```

```
Set /A _RND=_RND%%_%_Len%
```

```
SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!
```

```
If !_count! lss %_RNDLength% goto _loop
```

REM 65 for upper case, 97 for lower case

```

set CaseType=97
> Randalphabet.vbs echo randomize timer
>> Randalphabet.vbs echo RandAlphabet=""
>> Randalphabet.vbs echo Do
>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))
>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =
RandAlphabet ^& randchar
>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do
>> Randalphabet.vbs echo Loop
>> Randalphabet.vbs echo wscript.echo RandAlphabet
for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A
del Randalphabet.vbs

```

```

set /A CREATEKEY=%random% %%200 +2

```

```

set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile") : "
set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile") : "

```

```

Setlocal EnableExtensions
for /f "delims=" %%A in (%FILEA%.txt) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789%Randalphabet%

```

```

for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
set /a MATH=%%C*%CREATEKEY%
for /f %%E in ("!MATH!") do (

```

```

set "CHECKPASSWORD=!CHECKPASSWORD:%%D=1/4%%E!"
)
)
)

```

```

echo ^!CHECKPASSWORD^! >> %FILEB%.!_RndAlphaNum!
)
Set X

```

```

echo Set WshShell = CreateObject("WScript.Shell" ) >> invisible.vbs"
echo WshShell.Run chr(34) ^& "Decrypt.bat" ^& Chr(34), 0 >> "invisible.vbs"
echo Set WshShell = Nothing >> "invisible.vbs"

```

```

echo @ECHO Off >> "Decrypt.bat"
echo. >> "Decrypt.bat"
echo Setlocal EnableExtensions EnableDelayedExpansion >> "Decrypt.bat"
echo for /f "delims=" %%%%%A in (%FILEB%.!_RndAlphaNum!) do ( >> "Decrypt.bat"
Setlocal DisableExtensions DisableDelayedExpansion
echo Set /a C+=1 >> "Decrypt.bat"
echo Set X[!C!]=%%%%A >> "Decrypt.bat"
echo set CHECKPASSWORD=%%%%A >> "Decrypt.bat"
echo set CHECKKEY=%%%%B >> "Decrypt.bat"

```

```

echo set CHAR=0123456789%Randalphabet% >> "Decrypt.bat"
echo. >> "Decrypt.bat"
echo for /l %%%%C in (10 1 36) do ( >> "Decrypt.bat"
echo for /f %%%%D in ("!CHAR:~%%%%C,1!") do ( >> "Decrypt.bat"
echo set /a MATH=%%%%C*%CREATEKEY% >> "Decrypt.bat"
echo for /f %%%%E in ("!MATH!") do ( >> "Decrypt.bat"
echo. >> "Decrypt.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%E=%%%%D!" >> "Decrypt.bat"
echo ) >> "Decrypt.bat"
echo ) >> "Decrypt.bat"
echo ) >> "Decrypt.bat"
echo for /f %%%%F in ("!CHECKPASSWORD!") do ( >> "Decrypt.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:1/4=!" >> "Decrypt.bat"
Setlocal EnableExtensions EnableDelayedExpansion
echo echo ^"!CHECKPASSWORD^"! ^>^> "!_RndAlphaNum!.bat" >> "Decrypt.bat"
echo ) >> "Decrypt.bat"
echo ) >> "Decrypt.bat"
echo Set X >> "Decrypt.bat"
echo start "" "%~-dp0!_RndAlphaNum!.bat" >> "Decrypt.bat"
echo timeout /t 3 /nobreak >> "Decrypt.bat"
echo del "!_RndAlphaNum!.bat" >> "Decrypt.bat"

```

for some reason the two comments above posted in the wrong order, just read the bottom one first
also i changed the "-" sign in the code to the "1/4" sign incase you actually need the "-" sign in your code

Sajuuk - May 20, 2016, 9:54 pm
(May 20, 2016 04:03 PM)Zask3333 Wrote: [\[CITE\]](#) -snip-
All that and still no code tags smh.

Zask3333 - May 21, 2016, 9:11 am
(May 20, 2016 09:54 PM)Sajuuk Wrote: [\[CITE\]](#) All that and still no code tags smh.
what do you mean?

SIM-1073426 - May 21, 2016, 6:25 pm
Good ol' days.

Hip Hop 31 - May 21, 2016, 9:27 pm
I want to get into understanding crypters. I see you doing good for the community keep it up good job

xx55xx55 - May 23, 2016, 11:26 am
I have a question about your encryption.
Why do you use for one byte plain text 2 byte cipher text. You just have to convert the hex value to bin. o.O
You double the amount of data to store without any reason. The Cipher gets longer to without needing it.

Also you just use the "One Time Pad" cipher. You can expand you program to encrypt files. You also can encrypt your key using aes or something else. Its the biggest disadvantage of the one time pad that you have to store the cipher and cant memorize it. So it have to be secure stored.

Sajuuk - May 23, 2016, 5:13 pm
(May 21, 2016 09:11 AM)Zask3333 Wrote: [\[CITE\]](#) what do you mean?

Code tags. [code][/ code] remove the space put your code inside the tags...

(May 21, 2016 06:25 PM)Aces. Wrote: [\[CITE\]](#) Good ol' days.
Yep, good ol' days. The section was somewhat less oversaturated with bullshit back then. Also, nice evasion of the character limit.

Zask3333 - May 23, 2016, 5:24 pm

(May 23, 2016 05:13 PM)Sajuuk Wrote: [\[CITE\]](#) Code tags. [code][/ code] remove the space put your code inside the tags...

Yep, good ol' days. The section was somewhat less oversaturated with bullshit back then. Also, nice evasion of the character limit.

oh okay i know what you mean now, and thank you well i tried... i mean do you think it's really worth making a batch encrypter? just to at least say it's possible. i got bored and i tried doing something that i haven't seen before so i did this for the hell of it. :P

(May 21, 2016 09:27 PM)Hip Hop 31 Wrote: [\[CITE\]](#) I want to get into understanding crypters. I see you doing good for the community keep it up good job
thanks! i tried to make it as simplistic as possible. :) Im glad you think it's cool. im glad you enjoyed it.

if i finished this i could obfuscate it, im a very good batch obfuscator, and i can even obfuscate the decrypter, as well as make it polymorphic. if you guys want, i was thinking about using this encrypter. then i would obfuscate the decrypter, as well as the text file, if i can... then after im done i was going to also use this polymorphic engine to obscure the code variables from the obfuscation each time it's run. then when it's finished i was going to place a byte-order-mark in front of the code. basically im hopefully aiming to make an encrypted polymorphic batch virus. here is my polymorphic engine, and yes it too is also obfuscated. go to the ~link: textuploader.com/5blop

(May 23, 2016 11:26 AM)xx55xx55 Wrote: [\[CITE\]](#) I have a question about your encryption.
Why do you use for one byte plain text 2 byte cipher text. You just have to convert the hex value to bin. o.O

You double the amount of data to store without any reason. The Cipher gets longer to without needing it.

Also you just use the "One Time Pad" cipher. You can expand your program to encrypt files. You also can encrypt your key using aes or something else. Its the biggest disadvantage of the one time pad that you have to store the cipher and cant memorize it. So it have to be secure stored.

if you are speaking to me, do you know how do use this method? could you explain, i know what a otp is but i dont know how to do it. im only 18 lol and i taught myself to program. could you give an example of how i could do this? or elaborate a little? how far could this actually go? and would it be worth it? how hard is it to do? or how long do you think i would take to finish this as a project? im a fast learner, but if this can be helpful, i will continue to work on it and make it better. thanks

I changed the code again, maybe this one is more better to look at.

```
title Encrypt Batch File
color f0
@ECHO Off
mode con:cols=50 lines=2
echo Encrypt Batch File
pause
cls
mode con:cols=160 lines=2
Setlocal EnableDelayedExpansion
```

```

Set _RNDLength=8
Set
_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
Set _Str=%_Alphanumeric%987654321
:_LenLoop
IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop
SET _tmp=%_Str:~9,1%
SET /A _Len=_Len+_tmp
Set _count=0
SET _RndAlphaNum=
:_loop
Set /a _count+=1
SET _RND=%Random%
Set /A _RND=_RND%%_%_Len%
SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!
If !_count! lss %_RNDLength% goto _loop

```

```

REM 65 for upper case, 97 for lower case
set CaseType=97
> Randalphabet.vbs echo randomize timer
>> Randalphabet.vbs echo RandAlphabet=""
>> Randalphabet.vbs echo Do
>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))
>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =
RandAlphabet ^& randchar
>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do
>> Randalphabet.vbs echo Loop
>> Randalphabet.vbs echo wscript.echo RandAlphabet
for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A
del Randalphabet.vbs

```

```

set /A CREATEKEY=%random% %% 3%random:~-1%%random:~-1%

```

```

set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile") This
file should have your batch commands in it : "
cls
set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile")
This is the encrypted version of yor text file : "
cls
set /P "FILEC= Enter the name of the decrypter that will be generated (Example; "Decrypter") This
will decrypt and execute your encrypted code : "
cls

```

```

Setlocal EnableExtensions
for /f "delims=" %%A in (%FILEA%.txt) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789%Randalphabet%

```

```

for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (

```

```

set /a MATH=%C*%CREATEKEY%
for /f %%E in ("!MATH!") do (

set "CHECKPASSWORD=!CHECKPASSWORD:%%D=¼%%E!"
)
)
)

echo !CHECKPASSWORD! >> %FILEB%.!_RndAlphaNum!
)
Set X

echo @ECHO Off > "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo Setlocal EnableExtensions EnableDelayedExpansion >> "%FILEC%.bat"
echo for /f "delims=" %%%%A in (%FILEB%.!_RndAlphaNum!) do ( >> "%FILEC%.bat"
Setlocal DisableExtensions DisableDelayedExpansion
echo Set /a C+=1 >> "%FILEC%.bat"
echo Set X[!C!]=%%%%A >> "%FILEC%.bat"
echo set CHECKPASSWORD=%%%%A >> "%FILEC%.bat"
echo set CHECKKEY=%%%%B >> "%FILEC%.bat"
echo set CHAR=0123456789%Randalphabet% >> "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo for /l %%%%C in (10 1 36) do ( >> "%FILEC%.bat"
echo for /f %%%%D in ("!CHAR:~%%%%C,1!") do ( >> "%FILEC%.bat"
echo set /a MATH=%%%%C*%CREATEKEY% >> "%FILEC%.bat"
echo for /f %%%%E in ("!MATH!") do ( >> "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%E=%%%%D!" >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo for /f %%%%F in ("!CHECKPASSWORD!") do ( >> "%FILEC%.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:¼=! >> "%FILEC%.bat"
Setlocal EnableExtensions EnableDelayedExpansion
echo ^^!CHECKPASSWORD^^! >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo Set X >> "%FILEC%.bat"

```

@Sajuuk

i also dont know exactly where to place the code tags, maybe you could repost the code with them? well thats if you want, i dont know exatly what space it is that i need to avoid. thanks...

i figured out that variables do work but they cant be encrypted or they wont work, how would i encrpyt everything in the text file except the variables. you can encrpyt where you set the variables but as far as calling them back, it has to be unencrypted. for example;

if i use this batch file.

@ECHO Off

```

Setlocal EnableExtensions EnableDelayedExpansion
for /f "delims=" %%A in (2.jhuAwr1t) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789porqkbgnavdxmjhtfcluyzew

for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
set /a MATH=%%C*356
for /f %%E in ("!MATH!") do (

set "CHECKPASSWORD=!CHECKPASSWORD:%%E=%%D!"
)
)
)
for /f %%F in ("!CHECKPASSWORD!") do (
set "CHECKPASSWORD=!CHECKPASSWORD:1/4=!"
call !CHECKPASSWORD!
)
)
Set X

```

with a text file named "2.jhuAwr1t" with this in it.

```

1/460521/4121041/49612 1/46764=1/496121/4121041/460521/49612
1/4121041/4103241/492561/43916 %A%
1/435601/467641/4110361/460521/412104

```

the variables will work completely fine.

notice the variable %A%
i didn't encrypt it and it works!

the set command is encrpyted.

```
set A=test
```

now all i need to know is how to avoid encrypting everything between
"%PercentageSigns%" and everything 1 letter after 2 percentage signs "%%P"

Sajuuk - May 24, 2016, 5:23 pm

(May 23, 2016 05:24 PM)Zask3333 Wrote: [\[CITE\]](#) -snip-
Still no code tags, man.

Zask3333 - May 24, 2016, 6:55 pm

(May 24, 2016 05:23 PM)Sajuuk Wrote: [\[CITE\]](#) Still no code tags, man.
i had asked above if you knew the correct location that i should place them

Zask3333 - May 24, 2016, 6:55 pm

Oh my bad... wasn't understanding what you where saying... Here i hope this helps.

I figured out that variables do work but they cant be encrypted or they wont work, how would i encrpyt everything in the text file except the variables. you can encrpyt where you set the variables but as far as calling them back, it has to be unencrypted. for example;

if i use this batch file.

Code @echo off

```
Setlocal EnableExtensions EnableDelayedExpansion
for /f "delims=" %%A in (2.jhuAwr1t) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789porqkbgnavdxmjhtfcluyzew
```

```
for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
set /a MATH=%%C*356
for /f %%E in ("!MATH!") do (
```

```
set "CHECKPASSWORD=!CHECKPASSWORD:%%E=%%D!"
)
)
)
for /f %%F in ("!CHECKPASSWORD!") do (
set "CHECKPASSWORD=!CHECKPASSWORD:1/4=!"
```

```
call !CHECKPASSWORD!
)
)
Set Xwith a text file named "2.jhuAwr1t" with this in it.
Code 1/460521/4121041/49612 1/46764=1/496121/4121041/460521/49612
1/4121041/4103241/492561/43916 %A%
1/435601/467641/4110361/460521/412104the variables will work completely fine.
```

notice the variable Code %A%i didn't encrypt it and it works!

the set commanod is encrpyted.

Code set A=test

now all i need to know is how to avoid encrypting everything between

Code %PercentageSigns% and everything 1 letter after 2 percentage signs Code %P

how would i do this? I've been thinking that if i can make it avoid encrpything everything that is capitalized so that i could type the code in the text file all in lower case and define the variables capitalized before actually encrypting it. but i need to know how to avoid the capitalized characters

this is the full encrpyter.

Code title Encrypt Batch File by Zask

color f0

@echo off

mode con:cols=50 lines=2

echo Encrypt Batch File

pause

```

cls
mode con:cols=160 lines=2
Setlocal EnableDelayedExpansion
Set _RNDLength=8
Set
_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
Set _Str=%_Alphanumeric%987654321
:_LenLoop
IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop
SET _tmp=%_Str:~9,1%
SET /A _Len=_Len+_tmp
Set _count=0
SET _RndAlphaNum=
:_loop
Set /a _count+=1
SET _RND=%Random%
Set /A _RND=_RND%%_Len%
SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!
If !_count! lss %_RNDLength% goto _loop

```

```

REM 65 for upper case, 97 for lower case
set CaseType=97
> Randalphabet.vbs echo randomize timer
>> Randalphabet.vbs echo RandAlphabet=""
>> Randalphabet.vbs echo Do
>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))
>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =
RandAlphabet ^& randchar
>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do
>> Randalphabet.vbs echo Loop
>> Randalphabet.vbs echo wscript.echo RandAlphabet
for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A
del Randalphabet.vbs

```

```

set /A CREATEKEY=%random% %% 3%random:~-1%%random:~-1%

```

set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile") This file should have your batch commands in it : "

```

cls
set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile")
This is the encrypted version of yor text file : "

```

```

cls
set /P "FILEC= Enter the name of the decrypter that will be generated (Example; "Decrypter") This
will decrypt and execute your encrypted code : "
cls

```

```

Setlocal EnableExtensions
for /f "delims=" %%A in (%FILEA%.txt) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789%Randalphabet%%

```

```

for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
set /a MATH=%%C*%%CREATEKEY%
for /f %%E in ("!MATH!") do (

set "CHECKPASSWORD=!CHECKPASSWORD:%%D=¼%%E!"
)
)
)

echo !CHECKPASSWORD! >> %FILEB%.!_RndAlphaNum!
)
Set X

echo @ECHO Off > "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo Setlocal EnableExtensions EnableDelayedExpansion >> "%FILEC%.bat"
echo for /f "delims=" %%%%%A in (%FILEB%.!_RndAlphaNum!) do ( >> "%FILEC%.bat"
Setlocal DisableExtensions DisableDelayedExpansion
echo Set /a C+=1 >> "%FILEC%.bat"
echo Set X[!C!]=%%%%%A >> "%FILEC%.bat"
echo set CHECKPASSWORD=%%%%%A >> "%FILEC%.bat"
echo set CHECKKEY=%%%%%B >> "%FILEC%.bat"
echo set CHAR=0123456789%Randalphabet% >> "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo for /l %%%%%C in (10 1 36) do ( >> "%FILEC%.bat"
echo for /f %%%%%D in ("!CHAR:~%%%%%C,1!") do ( >> "%FILEC%.bat"
echo set /a MATH=%%C*%%CREATEKEY% >> "%FILEC%.bat"
echo for /f %%%%%E in ("!MATH!") do ( >> "%FILEC%.bat"
echo. >> "%FILEC%.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%%E=%%%%%D!" >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo for /f %%%%%F in ("!CHECKPASSWORD!") do ( >> "%FILEC%.bat"
echo set "CHECKPASSWORD=!CHECKPASSWORD:¼=! " >> "%FILEC%.bat"
Setlocal EnableExtensions EnableDelayedExpansion
echo call ^!CHECKPASSWORD^! >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo ) >> "%FILEC%.bat"
echo Set X >> "%FILEC%.bat"

```

Sajuuk - May 24, 2016, 9:40 pm

(May 24, 2016 06:55 PM)Zask3333 Wrote: [\[CITE\]](#) ./ thanks for the help though..... i know that this may sound crazy, but ive never actally used "[]" in batch unless i place a variable inside another lol Yeah, no problem, all I read was "thanks for the notice" here's a sample:

Code echo code_out
[code] tag then put your code then when the code ends end it with a [/code] remove the space as usual.

_____. - May 25, 2016, 3:03 am

Friends, this thread is from 2012...

Zask3333 - May 25, 2016, 1:47 pm

(May 25, 2016 03:03 AM)._____. Wrote: [\[CITE\]](#) Friends, this thread is from 2012...
lol honestly i dont look at the dates
Now time to explain exactly what the code is doing.

This is the encrypter

Titles the batch file

Code title Encrypt Batch File by Zask

Turns the color to white and black

Code color f0

keeps code from displaying

Code @ECHO Off

Changes the size of the batch file

Code mode con:cols=50 lines=2

Title message

Code echo encrypt batch file

Pauses the script

Code pause

Clears the screen

Code cls

Changes the size again

[Code mode con:cols=160 lines=2

Updates variables

Code Setlocal EnableDelayedExpansion

Everything here will be used to make a random Alphanumeric variable (random letters and numbers).

Code Set _RNDLength=8

Set
_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

Set _Str=%_Alphanumeric%987654321

:_LenLoop

IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop

SET _tmp=%_Str:~9,1%

SET /A _Len=_Len+_tmp

Set _count=0

SET _RndAlphaNum=

:_loop

Set /a _count+=1

SET _RND=%Random%

Set /A _RND=_RND%%_%_Len%

SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!

If !_count! lss %_RNDLength% goto _loop

{/code]

This will be used to create a randomized 26 letter alphabet in a variable.

REM 65 for upper case, 97 for lower case

[code]

```

set CaseType=97
> Randalphabet.vbs echo randomize timer
>> Randalphabet.vbs echo RandAlphabet=""
>> Randalphabet.vbs echo Do
>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))
>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =
RandAlphabet ^& randchar
>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do
>> Randalphabet.vbs echo Loop
>> Randalphabet.vbs echo wscript.echo RandAlphabet
for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A
del Randalphabet.vbs
This will be used to create a random number
Code set /A CREATEKEY=%random% %% 3%random:~-1%%random:~-1%
These are options to choose from
Code set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile")
This file should have your batch commands in it : "
cls
set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile")
This is the encrypted version of yor text file : "
cls
set /P "FILEC= Enter the name of the decrypter that will be generated (Example; "Decrypter") This
will decrypt and execute your encrypted code : "
cls
Enables extensions
Code Setlocal EnableExtensions
For everything in a text file that you chose do.
Code for /f "delims=" %%A in (%FILEA%.txt) do (
Put each line in that text file in a different variable. Add a number variable each time in a loop to
reconize them as a new vaiable each time.
Code Set /a C+=1
Actually prepend the number inside the variable.
Code Set X[!C!]=%%A
Variable for encryption.
Code set CHECKPASSWORD=%%A
Key code that makes encryption possible.
Code set CHECKKEY=%%B
For every letter in the randomized alphabet.
Code set CHAR=0123456789%Randalphabet%
[/code

```

REM Convert them into a number. (you want the alphabet randomized so it wont be to obivious to decrypt).

```

[code]
for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
Multiply that random alphabet that has been converted in to numbers by another random number to
create an entirely random longer number,
then put them in a variable.
Code set /a MATH=%%C*%CREATEKEY%
Make variable "%%E" and for everything in the delayed expansion variable "!MATH!" do.
Code for /f %%E in ("!MATH!") do (
Place the character "¼" infront of each number to make it possible to get back the original number.

```

The reason is because if I

for example took the number 20 that was converted from a letter, and multiplied it by a random number, for example 5, I would get 100

correct? But how would I get the number back until the letter? 10 times 10, 1 times 100, 2 times 50, 4 times 25 are all possibilities that

could be the original letter. and the alphabet is randomized so you would also have to figure out what number turns correct number or

else you will end up with a bunch of gibberish.

Code set "CHECKPASSWORD=!CHECKPASSWORD:%%D=1/4%%E!"

)

)

)

Sends every variable (Encrypted line of text and within the same loop) to a new text file.

Code echo !CHECKPASSWORD! >> %FILEB%.!_RndAlphaNum!

Ends loop

Code)Configures all the encrypted lines after the loop ends

Code Set X

Now this is the decrypter

These are just things already stated above, but these are for the decrypter instead.

Code echo @ECHO Off > "%FILEC%.bat"

echo. >> "%FILEC%.bat"

echo Setlocal EnableExtensions EnableDelayedExpansion >> "%FILEC%.bat"

This is the decrypter asking to decrypt the lines in the text file

Code echo for /f "delims=" %%%%%A in (%FILEB%.!_RndAlphaNum!) do (>> "%FILEC%.bat"

I use this to make sure that the code sends the special character to the text file correctly.

Code Setlocal DisableExtensions DisableDelayedExpansion[

Decrypt the text file

Code echo Set /a C+=1 >> "%FILEC%.bat"

echo Set X[!C!]=%%%%%A >> "%FILEC%.bat"

echo set CHECKPASSWORD=%%%%%A >> "%FILEC%.bat"

echo set CHECKKEY=%%%%%B >> "%FILEC%.bat"

echo set CHAR=0123456789%Randalphabet% >> "%FILEC%.bat"

echo. >> "%FILEC%.bat"

echo for /l %%%%%C in (10 1 36) do (>> "%FILEC%.bat"

echo for /f %%%%%D in ("!CHAR:~%%%%%C,1!") do (>> "%FILEC%.bat"

echo set /a MATH=%%%%%C*%CREATEKEY% >> "%FILEC%.bat"

echo for /f %%%%%E in ("!MATH!") do (>> "%FILEC%.bat"

echo. >> "%FILEC%.bat"

Convert numbers back into letters

Code echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%%E=%%%%%D!" >>

"%FILEC%.bat"

Blah blah

Code echo) >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo for /f %%%%%F in ("!CHECKPASSWORD!") do (>> "%FILEC%.bat"

Reverse everything, multiplied numbers become divided, if you add addition then it would become subtraction,

and all numbers convert back into the original letters.

Code echo set "CHECKPASSWORD=!CHECKPASSWORD:1/4=!!" >> "%FILEC%.bat"

I also use this to make sure that the code sends the special character to the text file correctly.
 Code Setlocal EnableExtensions EnableDelayedExpansion
 Runs commands within the decrypter.
 Code echo ^^!CHECKPASSWORD^^! >> "%FILEC%.bat"
 So on. ~~~
 Code echo) >> "%FILEC%.bat"
 echo) >> "%FILEC%.bat"
 echo Set X >> "%FILEC%.bat" (May 24, 2016 06:55 PM)Zask3333 Wrote: [\[CITE\]](#) Oh my bad...
 wasn't understanding what you where saying... Here i hope this helps.

I figured out that variables do work but they cant be encrypted or they wont work, how would i encrpyt everything in the text file except the variables. you can encrpyt where you set the variables but as far as calling them back, it has to be unencrypted. for example;

if i use this batch file.
 Code @echo off

```
Setlocal EnableExtensions EnableDelayedExpansion
for /f "delims=" %%A in (2.jhuAwr1t) do (
Set /a C+=1
Set X[!C!]=%%A
set CHECKPASSWORD=%%A
set CHECKKEY=%%B
set CHAR=0123456789porqkbgnavdxmjhtfcluyzew
```

```
for /l %%C in (10 1 36) do (
for /f %%D in ("!CHAR:~%%C,1!") do (
set /a MATH=%%C*356
for /f %%E in ("!MATH!") do (
```

```
set "CHECKPASSWORD=!CHECKPASSWORD:%%E=%%D!"
)
)
)
for /f %%F in ("!CHECKPASSWORD!") do (
set "CHECKPASSWORD=!CHECKPASSWORD:~1/4=!"
```

```
call !CHECKPASSWORD!
)
)
Set Xwith a text file named "2.jhuAwr1t" with this in it.
Code 1/460521/4121041/49612 1/46764=1/496121/4121041/460521/49612
1/4121041/4103241/492561/43916 %A%
1/435601/467641/4110361/460521/412104the variables will work completely fine.
```

notice the variable Code %A%i didn't encrypt it and it works!

the set commanod is encrpyted.

Code set A=test
 now all i need to know is how to avoid encrypting everything between
 Code %PercentageSigns% and everything 1 letter after 2 percentage signs Code %%P
 how would i do this? I've been thinking that if i can make it avoid encrpything everything that is capitalized so that i could type the code in the text file all in lower case and define the variables

capitalized before actually encrypting it. but i need to know how to avoid the capitalized characters

this is the full encrpyter.

Code title Encrypt Batch File by Zask

color f0

@echo off

mode con:cols=50 lines=2

echo Encrypt Batch File

pause

cls

mode con:cols=160 lines=2

Setlocal EnableDelayedExpansion

Set _RNDLength=8

Set

_Alphanumeric=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

Set _Str=%_Alphanumeric%987654321

:_LenLoop

IF NOT "%_Str:~18%"==" SET _Str=%_Str:~9%& SET /A _Len+=9& GOTO :_LenLoop

SET _tmp=%_Str:~9,1%

SET /A _Len=_Len+_tmp

Set _count=0

SET _RndAlphaNum=

:_loop

Set /a _count+=1

SET _RND=%Random%

Set /A _RND=_RND%%_%_Len%

SET _RndAlphaNum=!_RndAlphaNum!!_Alphanumeric:~%_RND%,1!

If !_count! lss %_RNDLength% goto _loop

REM 65 for upper case, 97 for lower case

set CaseType=97

> Randalphabet.vbs echo randomize timer

>> Randalphabet.vbs echo RandAlphabet=""

>> Randalphabet.vbs echo Do

>> Randalphabet.vbs echo randchar = Chr(Int(26*Rnd+%CaseType%))

>> Randalphabet.vbs echo If Instr(RandAlphabet, randchar) = 0 Then RandAlphabet =

RandAlphabet ^& randchar

>> Randalphabet.vbs echo if len(RandAlphabet) = 26 Then exit Do

>> Randalphabet.vbs echo Loop

>> Randalphabet.vbs echo wscript.echo RandAlphabet

for /f "delims=" %%A in ('cscript //nologo Randalphabet.vbs') do set Randalphabet=%%A

del Randalphabet.vbs

set /A CREATEKEY=%random% %% 3%random:~-1%%random:~-1%

set /P "FILEA= Enter the name of the text file that you wish to encrypt (Example; "Somefile") This file should have your batch commands in it : "

cls

set /P "FILEB= Enter the new name for the text file that you wish to encrypt (Example; "NewFile") This is the encrypted version of yor text file : "

cls

set /P "FILEC= Enter the name of the decrypter that will be generated (Example; "Decrypter") This will decrypt and execute your encrypted code : "

cls

Setlocal EnableExtensions

for /f "delims=" %%A in (%FILEA%.txt) do (

Set /a C+=1

Set X[!C!]=%%A

set CHECKPASSWORD=%%A

set CHECKKEY=%%B

set CHAR=0123456789%Randalphabet%%%

for /l %%C in (10 1 36) do (

for /f %%D in ("!CHAR:~%%C,1!") do (

set /a MATH=%%C*%CREATEKEY%

for /f %%E in ("!MATH!") do (

set "CHECKPASSWORD=!CHECKPASSWORD:%%D=1/4%%E!"

)

)

)

echo !CHECKPASSWORD! >> %FILEB%.!_RndAlphaNum!

)

Set X

echo @ECHO Off > "%FILEC%.bat"

echo. >> "%FILEC%.bat"

echo Setlocal EnableExtensions EnableDelayedExpansion >> "%FILEC%.bat"

echo for /f "delims=" %%%%%A in (%FILEB%.!_RndAlphaNum!) do (>> "%FILEC%.bat"

Setlocal DisableExtensions DisableDelayedExpansion

echo Set /a C+=1 >> "%FILEC%.bat"

echo Set X[!C!]=%%%%%A >> "%FILEC%.bat"

echo set CHECKPASSWORD=%%%%%A >> "%FILEC%.bat"

echo set CHECKKEY=%%%%%B >> "%FILEC%.bat"

echo set CHAR=0123456789%Randalphabet% >> "%FILEC%.bat"

echo. >> "%FILEC%.bat"

echo for /l %%%%%C in (10 1 36) do (>> "%FILEC%.bat"

echo for /f %%%%%D in ("!CHAR:~%%%,1!") do (>> "%FILEC%.bat"

echo set /a MATH=%%%%%C*%CREATEKEY% >> "%FILEC%.bat"

echo for /f %%%%%E in ("!MATH!") do (>> "%FILEC%.bat"

echo. >> "%FILEC%.bat"

echo set "CHECKPASSWORD=!CHECKPASSWORD:%%%%%E=%%%%%D!" >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo for /f %%%%%F in ("!CHECKPASSWORD!") do (>> "%FILEC%.bat"

echo set "CHECKPASSWORD=!CHECKPASSWORD:1/4=!" >> "%FILEC%.bat"

Setlocal EnableExtensions EnableDelayedExpansion

echo call ^^!CHECKPASSWORD^^! >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo) >> "%FILEC%.bat"

echo Set X >> "%FILEC%.bat"