

Forum:[Hack Forums](#)

Thread: [My first Batch program \(simple program/link shortcuts\)](#)

SIM-1400293 - August 10, 2012, 12:52 pm

Hey guys,

I know it's nothing impressive and a lot of the beginner stuff being re-used, but it does whatever I wanted to achieve with it.

Here's the code:

Spoiler ([Click to View](#)) Code @echo off
title Computer Manager
color 0a

```
echo Welcome back my Master.  
ping localhost -n 3 >null  
cls
```

```
:start  
cls  
echo What would you like to do today?  
echo.  
echo For opening websites, press A  
echo For opening programs, press B  
echo For terminating the program, press C  
set /p FirstValue=  
if %FirstValue% == A goto a  
if %FirstValue% == B goto b  
if %FirstValue% == C goto c  
  
:a  
cls  
echo You chose to open one of the following websites.  
echo.  
echo Press the number listed before the site to open it.  
echo.  
echo 1) HackForums  
echo 2) Facebook  
echo 3) Youtube  
echo 4) Paypal  
echo 5) Hotmail  
echo Type Back to go back to start.  
set /p SecondValue=  
if %SecondValue% == 1 goto HackForums  
if %SecondValue% == 2 goto Facebook  
if %SecondValue% == 3 goto Youtube  
if %SecondValue% == 4 goto Paypal  
if %SecondValue% == 5 goto Hotmail  
if %SecondValue% == Back goto start
```

:HackForums

echo You chose to open HackForums, please wait.

ping localhost -n 2 >null

cls

echo Opening Browser.

ping localhost -n 2 >null

cls

echo Opening Browser..

ping localhost -n 2 >null

cls

echo Opening Browser...

ping localhost -n 2 >null

cls

Start C:\Users\Tom\Desktop\Opera.lnk <https://hackforums.net>

echo Finished main task.

echo Do you want to execute another task?

set /p ThirdValue=

if %ThirdValue% == yes goto start

if %ThirdValue% == Yes goto start

if %ThirdValue% == no goto c

if %ThirdValue% == No goto c

:Facebook

echo You chose to open Facebook, please wait.

ping localhost -n 2 >null

cls

echo Opening Browser.

ping localhost -n 2 >null

cls

echo Opening Browser..

ping localhost -n 2 >null

cls

echo Opening Browser...

ping localhost -n 2 >null

cls

Start C:\Users\Tom\Desktop\Opera.lnk <http://facebook.com>

echo Finished main task.

echo Do you want to execute another task?

set /p ThirdValue=

if %ThirdValue% == yes goto start

if %ThirdValue% == Yes goto start

if %ThirdValue% == no goto c

if %ThirdValue% == No goto c

:Youtube

echo You chose to open Youtbe, please wait.

ping localhost -n 2 >null

cls

echo Opening Browser.

ping localhost -n 2 >null

cls

echo Opening Browser..

ping localhost -n 2 >null

```
cls
echo Opening Browser...
ping localhost -n 2 >null
cls
Start C:\Users\Tom\Desktop\Opera.lnk http://youtube.com
echo Finished main task.
echo Do you want to execute another task?
set /p ThirdValue=
if %ThirdValue% == yes goto start
if %ThirdValue% == Yeses goto start
if %ThirdValue% == no goto c
if %ThirdValue% == No goto c
```

```
:Paypal
echo You chose to open Paypal, please wait.
ping localhost -n 2 >null
cls
echo Opening Browser.
ping localhost -n 2 >null
cls
echo Opening Browser..
ping localhost -n 2 >null
cls
echo Opening Browser...
ping localhost -n 2 >null
cls
Start C:\Users\Tom\Desktop\firefox.lnk http://paypal.com/home
echo Finished main task.
echo Do you want to execute another task?
set /p ThirdValue=
if %ThirdValue% == yes goto start
if %ThirdValue% == Yes goto start
if %ThirdValue% == no goto c
if %ThirdValue% == No goto c
```

```
:Hotmail
echo You chose to open Hotmail, please wait.
ping localhost -n 2 >null
cls
echo Opening Browser.
ping localhost -n 2 >null
cls
echo Opening Browser..
ping localhost -n 2 >null
cls
echo Opening Browser...
ping localhost -n 2 >null
cls
Start C:\Users\Tom\Desktop\Opera.lnk http://hotmail.com
echo Finished main task.
echo Do you want to execute another task?
set /p ThirdValue=
if %ThirdValue% == yes goto start
```

```
if %ThirdValue% == Yes goto start
if %ThirdValue% == no goto c
if %ThirdValue% == No goto c
```

```
:b
cls
echo You chose to open one of the following programs.
echo.
echo Press the number listed before the program to open it.
echo.
echo 5) iTunes
echo 6) Opera
echo 7) Firefox
echo 8) Steam
echo 9) Go back to start
set /p FourthValue=
if %FourthValue% == 5 goto itunes
if %FourthValue% == 6 goto opera
if %FourthValue% == 7 goto firefox
if %FourthValue% == 8 goto Steam
if %FourthValue% == 9 goto start
```

```
:itunes
cls
echo You chose to start iTunes, please wait.
echo Starting program.
ping localhost -n 2 >null
cls
echo Starting program..
ping localhost -n 2 >null
cls
echo Starting Program...
start C:\Users\Tom\Desktop\itunes.lnk
echo Main task completed, would you like to execute another task?
set /p FifthValue=
if %FifthValue% == yes goto start
if %FifthValue% == Yes goto start
if %FifthValue% == no goto c
if %FifthValue% == No goto c
```

```
:opera
cls
echo You chose to start Opera, please wait.
echo Starting program.
ping localhost -n 2 >null
cls
echo Starting program..
ping localhost -n 2 >null
cls
echo Starting Program...
start C:\Users\Tom\Desktop\opera.lnk
echo Main task completed, would you like to execute another task?
set /p FifthValue=
```

```
if %FifthValue% == Yes goto start
if %FifthValue% == yes goto start
if %FifthValue% == no goto c
if %FifthValue% == No goto c
```

```
:firefox
cls
echo You chose to start Firefox, please wait.
echo Starting program.
ping localhost -n 2 >null
cls
echo Starting program..
ping localhost -n 2 >null
cls
echo Starting Program...
start C:\Users\Tom\Desktop\firefox.lnk
echo Main task completed, would you like to execute another task?
set /p FifthValue=
if %FifthValue% == yes goto start
if %FifthValue% == Yeses goto start
if %FifthValue% == no goto c
if %FifthValue% == No goto c
```

```
:steam
cls
echo You chose to start Steam, please wait.
echo Starting program.
ping localhost -n 2 >null
cls
echo Starting program..
ping localhost -n 2 >null
cls
echo Starting Program...
start C:\Users\Tom\Desktop\Steam.lnk
echo Main task completed, would you like to execute another task?
set /p FifthValue=
if %FifthValue% == yes goto start
if %FifthValue% == Yes goto start
if %FifthValue% == no goto c
if %FifthValue% == No goto c
```

```
:c
cls
echo You chose to terminate the program, are you sure?
echo Type Yes to terminate, type No to go back to start.
set /p kill=
if %kill% == Yes goto kill
if %kill% == No goto start
```

```
:kill
cls
echo Terminating program.
ping localhost -n 2 >null
```

```
cls
echo Terminating program..
ping localhost -n 2 >null
cls
echo Terminating program...
ping localhost -n 2 >null
cls
echo Byebye!
ping localhost -n 2 >null
exit
```

Also, I was wondering... Is there a way to make a batch program send emails?

Five Finger Death Punch - August 10, 2012, 2:33 pm

I think you should add google to the list of websites to go to.

Dat Ting - August 10, 2012, 2:53 pm

not bad, not bad at all. keep up the good work man.

RichPrince100 - August 10, 2012, 2:57 pm

Ok when I first started coding batch was the first one i learn't even back in the day it was called a scriptkiddies lang and you got no respect for posting it even if it was the bee's knees...

ok so first add some goto commands something like this

```
@echo off
```

```
title hello
```

```
:start
```

```
echo hello
```

```
ping localhost -n 3 >null
```

```
echo
```

```
goto start
```

then add some kind of feature which counts how many times this has happend and pulls it out of the loop just give it a shot thats how i learn't

```
hope i helped listen
```

SIM-1400293 - August 10, 2012, 3:47 pm

Thanks for the feedback guys, I really do appreciate it!

Hidden™ - August 10, 2012, 5:03 pm

It is a nice first program, good work.

blatant lie - August 10, 2012, 5:35 pm

guys, what does the cls do? im still a skiddie

CMOSDeaD - August 10, 2012, 8:59 pm

(Aug 10, 2012 12:52 PM)iiTom Wrote: [\[CITE\]](#) "Start C:\Users\Tom\Desktop\Opera.Ink
<http://youtube.com>"

If someone were to use this one thing is that I don't think everyone's name is Tom.

(Aug 10, 2012 05:35 PM)blatant lie Wrote: [\[CITE\]](#) guys, what does the cls do? im still a skiddiecls means Clear screen which basically... Clears screen.

THUG x WRECK - August 10, 2012, 9:09 pm

For:

Code Start C:\Users\Tom\Desktop\Opera.lnk <http://youtube.com>

Use:

Code Start opera <http://youtube.com>

SIM-1400293 - *August 11, 2012, 1:49 am*

(Aug 10, 2012 08:59 PM)CMOSDeaD Wrote: [\[CITE\]](#) If someone were to use this one thing is that I don't think everyone's name is Tom.

cls means Clear screen which basically... Clears screen.

Of course not, I never posted it for it to work for others :)

And tbh, anyone who knows a little about batch could fix that to work for him/her :)

Dan4655 - *September 1, 2012, 3:03 pm*

Hey man nice first batch file its alot of beginner stuff but atleast it was way better than my first bat file :D