

Forum:[Hack Forums](#)

Thread: [???? ? FAQ - PLEASE READ THIS BEFORE POSTING A BASIC QUESTION! ? ????](#)

Turtle™ - January 20, 2013, 11:58 pm

I made this thread in a desperate attempt to stop people from making threads about the questions that get the exact same answer every single time! Every time I come into the beginner hacking section there is at least 1 or two threads about hacking a youtube/facebook/email account, another about free booters. Since this is aimed at the new members, I will try my best to explain it in a simple way.

Q. How can I hack an email account/facebook account/youtube accounts?

A. You cannot hack the website (or at least you can be sure that YOU can't if you're asking this question). To get access to one's account, you must RAT or keylog the user of the account. They will both record every single key that the user presses so that you can see what they typed in for the password and username. Even if you do get their password, you will get the "you are logging in from a different ip" error and will be forced to answer a security question. To avoid this, infect the user with a RAT and use their computer as a proxy. This feature/option comes in practically all RATs including the most popular, free ones: DarkComet and Cybergate. If you use someone's computer as a proxy, you will have their ip, meaning that it will appear as if they are logging in just like normal.

The proxy thing was just a theory from me thinking logically, I would appreciate someone posting to confirm this or tell me that it's wrong.

Q. Where can I get a good, free booter?

A. You can get them from the [this](#) section. Note that you will never find a high quality, free booter (or at least the quality won't last long). If you want quality, you will either have to buy one in the section I just posted or you can make your own booter. The easiest would probably be to make a web based shell booter since the sources are readily available. However, you must find public shells which usually aren't very good. The amount of shells you need to boot someone varies by their quality. It may take 20 good shells or it could take 500 crap shells. Look on pastebin for shells (make sure the post was recent) and use a shell checker to see which ones are working.

Q. I'm getting DDOSed, what do I do? How can I prevent it from happening again?

A. People usually get your ip by using skype resolvers, reading email headers, or grabbing your ip from infected links. To avoid/prevent this, use a VPN. A VPN (Virtual Private Network) connects you to a server so that your IP is actually the VPN's IP meaning that your ip would be hidden. A good paid VPN would be nVPN, a decent free VPN would be Hotspotshield or [censored].

VPNs are a pre emptive measure, meaning that it's useless to start using one if you are already getting DDOSed, they are only good to prevent it from happening in the first place. To stop people from DDOSing you, the easiest thing to do would be to change your ip address. This can be achieved by either phoning your ISP (Ex. Telus, Rogers etc.) and telling them that you are getting DDOSed. The other would be to unplug your router for 30 minutes then plug it back in. If you have a dynamic ip (which the vast majority of people do), then you should have a new ip!

Make sure that you use a VPN so that the "hackers" can't get your new ip. (Just so you know, DDOSers are not "hackers", all they do is crash/lag connections.)

Q. I'm afraid that I'll get caught hacking someone, what can I do?

A. There are several ways to stay anonymous on the web. The most obvious one would be to use a VPN. Exactly, how it masks your ip from skype resolvers, it will also mask your ip from people that are trying to track you. Again, I recommend nVPN for quality and anonymity and hotspotshield or [censored] for lower quality, yet free. Keep in mind that all free VPNs keep logs, lag a bit, if not a lot, and don't have as many features. If you truly want to be anonymous, just pay the 6 dollars a month to nVPN. They supposedly don't keep logs, they are open port, they are absolutely anonymous and it's the most recommended VPN on hack forums.

However, if you aren't doing anything so bad that the police would care, a free VPN should suffice. Another way would be to just use the wifi outside of someone's house or at a Starbucks (outside someone's house is more preferred since starbucks has cameras and might log your mac address)

Q. I'm screwed! Someone said that they will report me to the police! What should I do?

A. This is 99.99% of the time, a pathetic bluff. Think about it for a second. If you got a virus on your computer, would you phone the police? If you did, would they care? This would be the conversation

Code 911 Dispatcher: 911 here, what's your emergency

Loser: Oh god, please help me, I don't know what to do!

911 Dispatcher: Please calm down sir, what is happening?

Loser: My computer got infected with a virus!

911 Dispatcher: *hangs up*

Especially if you use a VPN and make it more trouble for them, they will probably not even worry about you, they have bigger problems on there hands. On the other hand, if you have a botnet of 20K and have been stealing money from people, that is where things will get serious!

Q. Why isn't my RAT working?

A. Check your port forwarding, check to see if it's open at canyouseeme.org. Also, make sure that you have your AV disabled (you can't use an AV if you're working with RATs) and that your firewall is disabled. Also, make sure that it's crypted so that other AV's can't detect it. Keep in mind that some crypters (usually free, low quality ones) can corrupt your file when they crypt it

Q. Why am I suddenly losing all of my slaves?

A. Your crypted RAT has most likely become detected by AV's. To prevent this from happening, you should consistently, update your server with the latest, crypted, FUD (fully undetectable) server. For now, there is nothing you can do to get them back.

Q. How can I get another person's IP?

A. It's very easy to get another person's IP. However, as I will explain in the next question, you cannot do that much with an IP. The first method is to use a skype resolver. Just make sure the guy is online and go to #.net (great website) and use his resolver. The second method is to use whatstheirip.com, register their, send the person your generated link and once they click on it, their ip will be sent to the email that you registered with.

Q. What can I do if I have a person's ip?

A. In short, you really can't do anything most of the time. While, in the movies, it is possible to hack a person with his ip in 20 seconds or track his location down to his street address, you really can't do any of that in real life (unless you are part of the FBI and have the authority to demand that his ISP hand over their logs). Otherwise, you can boot/DDOS them (put them offline which isn't really hacking), you can find out what city they live in, what their ISP is with a simple IP lookup. You can find out what OS (operating system Ex. Windows, linux etc.) they are running, what ports they have open, and what router model they have with a quick NMAP scan.

This concludes my FAQ on what I think are the most commonly asked questions in the beginner hacking forum. If you think that I missed something or was incorrect on something, please let me know. If you have any questions, I will do my best to answer them.

POST ON THIS THREAD IN 1 SECOND SIMPLY BY CLICKING [THIS](#) LINK TO KEEP THE THREAD ALIVE! THANK YOU!

1MPERATOR - January 21, 2013, 1:02 am

nice FAQ. It will help a lot of new members. Keep going!

Regards,
-12348766754

DEVIL X - January 21, 2013, 1:03 am

thanx 4 posting most frequently asked questions,,, First question is most popular among noobs... everyone wants to hack facebook directly...

Insta Zane - January 21, 2013, 1:04 am

Nice HQ Thread man, Read it clean, Prove some good points ?

Turtle™ - January 21, 2013, 3:39 pm

Bumping this

This is the second thread I made yesterday that took me a long time, I put a lot of effort into this and lots of thought.

Please post, I would really appreciate some feedback so I can improve my future threads

(Jan 21, 2013 02:03 AM)DEVIL X Wrote: [CITE](#) thanx 4 posting most frequently asked questions,,, First question is most popular among noobs... everyone wants to hack facebook directly...

Yes, I realized this and got very annoyed, this is one of the main reasons why I made this thread to be honest

tommy099431 - January 21, 2013, 4:24 pm

Nice HQ man i love it
and can you send me the link
Thanks

Arbitrage - January 21, 2013, 4:25 pm

Great thread, except, you should add more questions to the FAQ.

Turtle™ - January 21, 2013, 6:40 pm

Yes, but unfortunately I can't edit the thread after 24 hours and I believe I covered the most commonly, annoyingly asked questions that seem to pollute this section

cryptic2kx - January 22, 2013, 6:34 pm

Thanks for a Good HQ FAQ. Is there a Beginner FAQ on RATS & Slaves & if so where can I find them please?

Turtle™ - January 22, 2013, 9:14 pm

I don't know about a FAQ but <https://hackforums.net/showthread.php?tid=2698687> is a pretty good

tutorial about setting up a darkcomet RAT, it's in the premium tutorial section which means that it was hand-picked by the staff as one of the best tutorials on HF.

Turtle™ - March 7, 2013, 4:26 pm

Bumping this thread, updated it with a few more questions

(Also took out the part at the end where I said that I can't update the thread cause I'm not l33t)
That's no longer a problem thanks to Nuutero! So if you have any recommendations to add to the FAQ, let me know by posting in this thread.

OneEtched - March 7, 2013, 4:31 pm

Very HQ, I like it ?

Is it okay if I link this post to people who make dumb posts?

Turtle™ - March 7, 2013, 4:58 pm

Of course, in fact, I encourage it. If everyone read this thread when they first joined, this section would be so much cleaner and productive.

Astrological - March 16, 2013, 8:17 am

Just joined and this thread is perfect for my needs, I can't thank you enough :)

zizzi - March 17, 2013, 12:28 pm

Nice post and thanks!

It helped a lot ;-)

Sinterklaas - March 17, 2013, 12:32 pm

WOW thanks for the great tutorial I learned a lot I appreciate the time that you put into this

Biboud - March 17, 2013, 12:52 pm

thanks for the faq, helped me a lot.

Rap!st - March 17, 2013, 12:53 pm

Nice u spend time in this! great job

SmileZ:) - April 14, 2013, 12:54 pm

Thanks a lot! Helped me a bit!

- TheSmileZ

n1njaph0en1x - April 14, 2013, 1:04 pm

WOW thanks for the great tutorial I learned a lot I appreciate the time that you put into this

Acranist1 - September 14, 2013, 1:40 am

WOW thanks for the great tutorial I learned a lot I appreciate the time that you put into this ?

SIM-574702 - September 14, 2013, 4:59 am

Can you also add that it's impossible to remove password from .rar files. It can only be brute forced.

?_f?¢??ff_? - September 14, 2013, 5:37 am

nice nice man love it. see these type of questions every day :) lovely tut :)

DerpDerpderp1 - September 14, 2013, 5:53 am

(Jan 21, 2013 12:58 AM)Turtle™ Wrote: [\[CITE\]](#) I made this thread in a desperate attempt to stop people from making threads about the questions that get the exact same answer every single time! Every time I come into the beginner hacking section there is at least 1 or two threads about hacking a youtube/facebook/email account, another about free booters. Since this is aimed at the new members, I will try my best to explain it in a simple way.

Q. How can I hack an email account/facebook account/youtube accounts?

A. You cannot hack the website (or at least you can be sure that YOU can't if you're asking this question). To get access to one's account, you must RAT or keylog the user of the account. They will both record every single key that the user presses so that you can see what they typed in for the password and username. Even if you do get their password, you will get the "you are logging in from a different ip" error and will be forced to answer a security question. To avoid this, infect the user with a RAT and use their computer as a proxy. This feature/option comes in practically all RATs including the most popular, free ones: DarkComet and Cybergate. If you use someone's computer as a proxy, you will have their ip, meaning that it will appear as if they are logging in just like normal.

The proxy thing was just a theory from me thinking logically, I would appreciate someone posting to confirm this or tell me that it's wrong.

Q. Where can I get a good, free booter?

A. You can get them from the [this](#) section. Note that you will never find a high quality, free booter (or at least the quality won't last long). If you want quality, you will either have to buy one in the section I just posted or you can make your own booter. The easiest would probably be to make a web based shell booter since the sources are readily available. However, you must find public shells which usually aren't very good. The amount of shells you need to boot someone varies by their quality. It may take 20 good shells or it could take 500 crap shells. Look on pastebin for shells (make sure the post was recent) and use a shell checker to see which ones are working.

Q. I'm getting DDOSed, what do I do? How can I prevent it from happening again?

A. People usually get your ip by using skype resolvers, reading email headers, or grabbing your ip from infected links. To avoid/prevent this, use a VPN. A VPN (Virtual Private Network) connects you to a server so that your IP is actually the VPN's IP meaning that your ip would be hidden. A good paid VPN would be nVPN, a decent free VPN would be Hotspotshield or [censored].

VPNs are a pre emptive measure, meaning that it's useless to start using one if you are already getting DDOSed, they are only good to prevent it from happening in the first place. To stop people from DDOSing you, the easiest thing to do would be to change your ip address. This can be achieved by either phoning your ISP (Ex. Telus, Rogers etc.) and telling them that you are getting DDOSed. The other would be to unplug your router for 30 minutes then plug it back in. If you have a dynamic ip (which the vast majority of people do), then you should have a new ip!

Make sure that you use a VPN so that the "hackers" can't get your new ip. (Just so you know, DDOSers are not "hackers", all they do is crash/lag connections.)

Q. I'm afraid that I'll get caught hacking someone, what can I do?

A. There are several ways to stay anonymous on the web. The most obvious one would be to use a VPN. Exactly, how it masks your ip from skype resolvers, it will also mask your ip from people that are trying to track you. Again, I recommend nVPN for quality and anonymity and hotspotshield or [censored] for lower quality, yet free. Keep in mind that all free VPNs keep logs, lag a bit, if not a lot, and don't have as many features. If you truly want to be anonymous, just pay the 6 dollars a month to nVPN. They supposedly don't keep logs, they are open port, they are absolutely anonymous and it's the most recommended VPN on hack forums.

However, if you aren't doing anything so bad that the police would care, a free VPN should suffice. Another way would be to just use the wifi outside of someone's house or at a Starbucks (outside someone's house is more preferred since starbucks has cameras and might log your mac address)

Q. I'm screwed! Someone said that they will report me to the police! What should I do?

A. This is 99.99% of the time, a pathetic bluff. Think about it for a second. If you got a virus on your computer, would you phone the police? If you did, would they care? This would be the conversation

Code 911 Dispatcher: 911 here, what's your emergency

Loser: Oh god, please help me, I don't know what to do!

911 Dispatcher: Please calm down sir, what is happening?

Loser: My computer got infected with a virus!

911 Dispatcher: *hangs up*

Especially if you use a VPN and make it more trouble for them, they will probably not even worry about you, they have bigger problems on their hands. On the other hand, if you have a botnet of 20K and have been stealing money from people, that is where things will get serious!

Q. Why isn't my RAT working?

A. Check your port forwarding, check to see if it's open at canyouseeme.org. Also, make sure that you have your AV disabled (you can't use an AV if you're working with RATs) and that your firewall is disabled. Also, make sure that it's crypted so that other AV's can't detect it. Keep in mind that some crypters (usually free, low quality ones) can corrupt your file when they crypt it

Q. Why am I suddenly losing all of my slaves?

A. Your crypted RAT has most likely become detected by AV's. To prevent this from happening, you should consistently, update your server with the latest, crypted, FUD (fully undetectable) server. For now, there is nothing you can do to get them back.

Q. How can I get another person's IP?

A. It's very easy to get another person's IP. However, as I will explain in the next question, you cannot do that much with an IP. The first method is to use a skype resolver. Just make sure the guy is online and go to #.net (great website) and use his resolver. The second method is to use whatstheirip.com, register their, send the person your generated link and once they click on it, their ip will be sent to the email that you registered with.

Q. What can I do if I have a person's ip?

A. In short, you really can't do anything most of the time. While, in the movies, it is possible to hack a person with his ip in 20 seconds or track his location down to his street address, you really can't do any of that in real life (unless you are part of the FBI and have the authority to demand that his ISP hand over their logs). Otherwise, you can boot/DDOS them (put them offline which isn't really hacking), you can find out what city they live in, what their ISP is with a simple IP lookup. You can find out what OS (operating system Ex. Windows, linux etc.) they are running, what ports they have open, and what router model they have with a quick NMAP scan.

This concludes my FAQ on what I think are the most commonly asked questions in the beginner hacking forum. If you think that I missed something or was incorrect on something, please let me know. If you have any questions, I will do my best to answer them.

POST ON THIS THREAD IN 1 SECOND SIMPLY BY CLICKING [THIS](#) LINK TO KEEP THE THREAD ALIVE! THANK YOU!

Nice FAQ Bro should help some people out here :)

