

Forum:[Hack Forums](#)

Thread: [\[help\] how to disable sound in webbrowser ? \[vb.net\]](#)

rawi16 - March 19, 2010, 6:56 am

as the title says , how i can do that ? for example if the webbrowser is on youtube (any video) to mute the sound of that video or any sound that coming from the webbrowser.

BUMP !!!

BUMP !!!

BUMP !!!

HaXZX0r - March 19, 2010, 8:14 am

I suggest you visit the microsoft.public.inetsdk.programming.webbrowser_ctl newsgroup. I think that they got something like this.

rawi16 - March 19, 2010, 8:38 am

wt is that ?

(msg aint that short)

HaXZX0r - March 19, 2010, 8:50 am

(Mar 19, 2010 08:38 AM)rawi16 Wrote: [\[CITE\]](#) wt is that ?

(msg aint that short)

<http://www.microsoft.com/windows/ie/support/newsgroups/howto.mspx>

0-0

rawi16 - March 19, 2010, 9:00 am

i still dont get it , how that suppose to help me ?

Loget - March 19, 2010, 9:34 am

<http://www.daniweb.com/forums/post1118129.html#post1118129>

Enjoy.?

rawi16 - March 19, 2010, 9:45 am

i tried that one , but as i remember it didnt work.

MisterDeepRot - March 19, 2010, 10:41 am

```
Code Public Sub DisableSound()
```

```
    Dim keyValue As String
```

```
    keyValue = "%SystemRoot%\Media\"
```

```
    If Environment.OSVersion.Version.Major = 5 AndAlso Environment.OSVersion.Version.Minor
```

```
> 0 Then
```

```
        keyValue += "Windows XP Start.wav"
```

```
    ElseIf Environment.OSVersion.Version.Major = 6 Then
```

```
        keyValue += "Windows Navigation Start.wav"
```

```

Else
Return
End If
Dim key As RegistryKey =
Registry.CurrentUser.OpenSubKey("AppEvents\Schemes\Apps\Explorer\Navigating\.Current", True)
key.SetValue(Nothing, "", RegistryValueKind.ExpandString)
End Sub
Put this in a Module, then on form load add DisableSound() - it works with all versions of windows.

```

rawi16 - March 19, 2010, 12:27 pm
thats wt i did :

```

module1.vb :

Code Imports Microsoft.Win32

Module Module1
Public Sub DisableSound()
Dim keyValue As String
keyValue = "%SystemRoot%\Media\"
If Environment.OSVersion.Version.Major = 5 AndAlso Environment.OSVersion.Version.Minor
> 0 Then
keyValue += "Windows XP Start.wav"
ElseIf Environment.OSVersion.Version.Major = 6 Then
keyValue += "Windows Navigation Start.wav"
Else
Return
End If
Dim key As RegistryKey =
Registry.CurrentUser.OpenSubKey("AppEvents\Schemes\Apps\Explorer\Navigating\.Current", True)
key.SetValue(Nothing, "", RegistryValueKind.ExpandString)
End Sub
End Module

```

```

form1.vb :

Code Imports Microsoft.Win32

Public Class Form1

Private Sub Form1_Load(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles MyBase.Load
DisableSound()
End Sub

End Class

```

and its not working.

Cunt - March 19, 2010, 12:39 pm
any errors , or just still sound?

rawi16 - March 19, 2010, 1:25 pm

still sounds , no errors.

Camfrog - March 19, 2010, 1:33 pm

Just hide the webbrowser, like this

```
Code Private Sub Form1_Load(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles MyBase.Load
    WebBrowser1.Visible = False
End Sub
It's work's for me fine.
```

rawi16 - March 19, 2010, 2:12 pm

tried , but the sound stays ,

Pr4wn - March 20, 2010, 12:29 am

I had to modify it a bit to work in my vb 2008 so if mine doesn't work for you try the original code at links.

References:

<http://stackoverflow.com/questions/393166/how-to-disable-click-sound-in-webbrowser-control>
<http://msdn.microsoft.com/en-us/library/ms537168%28VS.85%29.aspx>

```
Code Private Const FEATURE_DISABLE_NAVIGATION_SOUNDS As Integer = 21
Private Const SET_FEATURE_ON_THREAD As Integer = &H1
Private Const SET_FEATURE_ON_PROCESS As Integer = &H2
Private Const SET_FEATURE_IN_REGISTRY As Integer = &H4
Private Const SET_FEATURE_ON_THREAD_LOCALMACHINE As Integer = &H8
Private Const SET_FEATURE_ON_THREAD_INTRANET As Integer = &H10
Private Const SET_FEATURE_ON_THREAD_TRUSTED As Integer = &H20
Private Const SET_FEATURE_ON_THREAD_INTERNET As Integer = &H40
Private Const SET_FEATURE_ON_THREAD_RESTRICTED As Integer = &H80
```

```
<Security.SecurityCritical(), Security.SuppressUnmanagedCodeSecurity(),
Runtime.InteropServices.DllImport("urlmon.dll", ExactSpelling:=True)> _
Public Shared Function CoInternetSetFeatureEnabled(ByVal featureEntry As Integer, ByVal
dwFlags As Integer, ByVal fEnable As Boolean) As Integer
End Function
```

'place this piece in a sub
CoInternetSetFeatureEnabled(FEATURE_DISABLE_NAVIGATION_SOUNDS,
SET_FEATURE_ON_PROCESS, True)

ubbelol - March 20, 2010, 12:31 am

What sound are you talking about? The click sound on loadings or like youtube videos sound?

rawi16 - March 20, 2010, 1:50 am

(Mar 20, 2010 12:29 AM)XD_BL4ZEM4RE Wrote: [\[CITE\]](#) I had to modify it a bit to work in my vb 2008 so if mine doesn't work for you try the original code at links.

References:

<http://stackoverflow.com/questions/393166/how-to-disable-click-sound-in-webbrowser-control>

<http://msdn.microsoft.com/en-us/library/ms537168%28VS.85%29.aspx>

```
Code Private Const FEATURE_DISABLE_NAVIGATION_SOUNDS As Integer = 21
Private Const SET_FEATURE_ON_THREAD As Integer = &H1
Private Const SET_FEATURE_ON_PROCESS As Integer = &H2
Private Const SET_FEATURE_IN_REGISTRY As Integer = &H4
Private Const SET_FEATURE_ON_THREAD_LOCALMACHINE As Integer = &H8
Private Const SET_FEATURE_ON_THREAD_INTRANET As Integer = &H10
Private Const SET_FEATURE_ON_THREAD_TRUSTED As Integer = &H20
Private Const SET_FEATURE_ON_THREAD_INTERNET As Integer = &H40
Private Const SET_FEATURE_ON_THREAD_RESTRICTED As Integer = &H80
```

```
<Security.SecurityCritical(), Security.SuppressUnmanagedCodeSecurity(),
Runtime.InteropServices.DllImport("urlmon.dll", ExactSpelling:=True)> _
Public Shared Function CoInternetSetFeatureEnabled(ByVal featureEntry As Integer, ByVal
dwFlags As Integer, ByVal fEnable As Boolean) As Integer
End Function
```

```
'place this piece in a sub
CoInternetSetFeatureEnabled(FEATURE_DISABLE_NAVIGATION_SOUNDS,
SET_FEATURE_ON_PROCESS, True)
ill try it when im at home
```

(Mar 20, 2010 12:31 AM)UbbeLoL Wrote: [\[CITE\]](#) What sound are you talking about? The click sound on loadings or like youtube videos sound?
youtube videos sound

MisterDeepRot - March 20, 2010, 2:28 am

(Mar 20, 2010 01:50 AM)rawi16 Wrote: [\[CITE\]](#) ill try it when im at home

(Mar 20, 2010 12:31 AM)UbbeLoL Wrote: [\[CITE\]](#) What sound are you talking about? The click sound on loadings or like youtube videos sound?
youtube videos sound

Oh the code I posted stops the 'click' sound whilst navigating. To mute youtube you would have to make something that can modify the volume value. Look for how to make a flash trainer in VB it might help.

rawi16 - March 20, 2010, 3:25 am

(Mar 20, 2010 12:29 AM)XD_BL4ZEM4RE Wrote: [\[CITE\]](#) I had to modify it a bit to work in my vb 2008 so if mine doesn't work for you try the original code at links.

References:

<http://stackoverflow.com/questions/393166/how-to-disable-click-sound-in-webbrowser-control>
<http://msdn.microsoft.com/en-us/library/ms537168%28VS.85%29.aspx>

```
Code Private Const FEATURE_DISABLE_NAVIGATION_SOUNDS As Integer = 21
Private Const SET_FEATURE_ON_THREAD As Integer = &H1
```

```

Private Const SET_FEATURE_ON_PROCESS As Integer = &H2
Private Const SET_FEATURE_IN_REGISTRY As Integer = &H4
Private Const SET_FEATURE_ON_THREAD_LOCALMACHINE As Integer = &H8
Private Const SET_FEATURE_ON_THREAD_INTRANET As Integer = &H10
Private Const SET_FEATURE_ON_THREAD_TRUSTED As Integer = &H20
Private Const SET_FEATURE_ON_THREAD_INTERNET As Integer = &H40
Private Const SET_FEATURE_ON_THREAD_RESTRICTED As Integer = &H80

```

```

<Security.SecurityCritical(), Security.SuppressUnmanagedCodeSecurity(),
Runtime.InteropServices.DllImport("urlmon.dll", ExactSpelling:=True)> _
Public Shared Function CoInternetSetFeatureEnabled(ByVal featureEntry As Integer, ByVal
dwFlags As Integer, ByVal fEnable As Boolean) As Integer
End Function

```

```

'place this piece in a sub
CoInternetSetFeatureEnabled(FEATURE_DISABLE_NAVIGATION_SOUNDS,
SET_FEATURE_ON_PROCESS, True)

```

tried it , but it didnt help.

rawi16 - March 20, 2010, 6:46 am

cmon , if som1 knows , tell me how , i really need it.

Joey K - March 20, 2010, 6:49 am

<https://hackforums.net/showthread.php?tid=234936&highlight=internet+explorer>

Should work for all sound on webbrowser.

rawi16 - March 20, 2010, 6:52 am

i dont want to disable the click sound , i want to disable sounds , like youtube videos sound.

Joey K - March 20, 2010, 6:55 am

(Mar 20, 2010 06:52 AM)rawi16 Wrote: [\[CITE\]](#) i dont want to disable the click sound , i want to disable sounds , like youtube videos sound.

As I said, it should work for all IE sounds.

rawi16 - March 20, 2010, 6:56 am

(Mar 19, 2010 12:27 PM)rawi16 Wrote: [\[CITE\]](#) thats wt i did :

module1.vb :

Code Imports Microsoft.Win32

Module Module1

Public Sub DisableSound()

Dim keyValue As String

keyValue = "%SystemRoot%\Media\"

If Environment.OSVersion.Version.Major = 5 AndAlso Environment.OSVersion.Version.Minor > 0 Then

keyValue += "Windows XP Start.wav"

Elseif Environment.OSVersion.Version.Major = 6 Then

```

        keyValue += "Windows Navigation Start.wav"
    Else
        Return
    End If
    Dim key As RegistryKey =
Registry.CurrentUser.OpenSubKey("AppEvents\Schemes\Apps\Explorer\Navigating\.Current", True)
    key.SetValue(Nothing, "", RegistryValueKind.ExpandString)
End Sub
End Module

```

form1.vb :

Code Imports Microsoft.Win32

Public Class Form1

```

    Private Sub Form1_Load(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles MyBase.Load
        DisableSound()
    End Sub

```

End Class

and its not working.

(Mar 20, 2010 06:55 AM)Drake™ Wrote: [\[CITE\]](#) (Mar 20, 2010 06:52 AM)rawi16 Wrote: [\[CITE\]](#) i dont want to disable the click sound , i want to disable sounds , like youtube videos sound.

As I said, it should work for all IE sounds.

already tried it , and didnt work.

The Monarch - June 23, 2011, 7:16 pm

i might be a few years late but this is how you mute an entire form

Public Class Form2

```

    Private Sub Form2_Load(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles MyBase.Load

```

End Sub

```

    Private Const APPCOMMAND_VOLUME_MUTE As Integer = &H80000
    Private Const WM_APPCOMMAND As Integer = &H319
    Declare Function SendMessageW Lib "user32.dll" (ByVal hWnd As IntPtr, ByVal Msg As Integer,
ByVal wParam As IntPtr, ByVal lParam As IntPtr) As IntPtr

```

```

    Private Sub PausePlayToolStripMenuItem_Click(ByVal sender As System.Object, ByVal e As
System.EventArgs) Handles PausePlayToolStripMenuItem.Click
        SendMessageW(Me.Handle, WM_APPCOMMAND, Me.Handle,
CType(APPCOMMAND_VOLUME_MUTE, IntPtr))

```

```

    End Sub
End Class

```

or you could put the web browser in another form and hide and disable the form, make form1

have functions like form2.webbrowser1.navigate()

Active - June 23, 2011, 9:35 pm

Easy peezy , just turn your volume down for the program in sound control :P

tggecko - October 15, 2014, 5:22 pm

(Mar 20, 2010 12:29 AM)Pr4wn Wrote: [\[CITE\]](#) I had to modify it a bit to work in my vb 2008 so if mine doesn't work for you try the original code at links.

References:

<http://stackoverflow.com/questions/393166/how-to-disable-click-sound-in-webbrowser-control>

<http://msdn.microsoft.com/en-us/library/ms537168%28VS.85%29.aspx>

```
Code Private Const FEATURE_DISABLE_NAVIGATION_SOUNDS As Integer = 21
```

```
Private Const SET_FEATURE_ON_THREAD As Integer = &H1
```

```
Private Const SET_FEATURE_ON_PROCESS As Integer = &H2
```

```
Private Const SET_FEATURE_IN_REGISTRY As Integer = &H4
```

```
Private Const SET_FEATURE_ON_THREAD_LOCALMACHINE As Integer = &H8
```

```
Private Const SET_FEATURE_ON_THREAD_INTRANET As Integer = &H10
```

```
Private Const SET_FEATURE_ON_THREAD_TRUSTED As Integer = &H20
```

```
Private Const SET_FEATURE_ON_THREAD_INTERNET As Integer = &H40
```

```
Private Const SET_FEATURE_ON_THREAD_RESTRICTED As Integer = &H80
```

```
<Security.SecurityCritical(), Security.SuppressUnmanagedCodeSecurity(),
```

```
Runtime.InteropServices.DllImport("urlmon.dll", ExactSpelling:=True)> _
```

```
Public Shared Function CoInternetSetFeatureEnabled(ByVal featureEntry As Integer, ByVal  
dwFlags As Integer, ByVal fEnable As Boolean) As Integer
```

```
End Function
```

'place this piece in a sub

```
CoInternetSetFeatureEnabled(FEATURE_DISABLE_NAVIGATION_SOUNDS,  
SET_FEATURE_ON_PROCESS, True)
```

Registered just to say a big thank you for this post. Couldn't find this code anywhere online.