

Forum:[Hack Forums](#)

Thread: [\(HTML\) Widget Breaks my site](#)

NZT - February 13, 2013, 1:50 am

How the page looks normally:

When I add

Code `<script type="text/javascript" src="http://fileice.net/gateway/mygate.php?id=4e2b373447786d4b756a493d"></script>`between `<head>` `</head>` tags.

it turns into this:

Anyone know how I can fix?

Full page code:

```
Code <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

<head>
<title>BLAHBLAHBLAH</title>
<link rel="shortcut icon" type="image/x-icon" href="favicon.ico">
<script type="text/javascript" src="assets/js/jquery.js"></script>
<script type="text/javascript" src="assets/js/validate.js"></script>
<script type="text/javascript" src="assets/js/hoverIntent.js"></script>
<script type="text/javascript" src="assets/js/wizardPro.min.js"></script>
<script type="text/javascript">
    $(document).ready(function(){
        var wizard = $("#wizard").wizardPro();
        $("#ContactWizard").wizardPro();
    });
</script>
<style type="text/css">
    body
    {
        background-image:url('img/bg1.png');
        background-repeat:repeat-x;
    }</style>
<link href="assets/css/wizardPro.css" media="screen" rel="stylesheet" type="text/css" />
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<script type="text/javascript"
src="http://fileice.net/gateway/mygate.php?id=4e2b373447786d4b756a493d"></script>
</head>
```

```

<body>

<div style="width: 80%; margin: auto; text-align: center">
<div class="header"><a href="index.html"></a></div>
<br />
<div id="ContactWizard" class="wizard-default-style js">
<ul class="steps">
<li>Redeem</li>
<li>...</li></ul>
<div class="step_content">[b]<!--[/b] Wizard - Step 1 -->
<div id="step-1" class="step one_column">
<div class="column_one">
<h3>Congratulations, you're almost there!</h3>
<blink><strong><font color="FF0000">Please press &quot;Redeem Voucher&quot; to reveal the
first five digits blahblahblah </font></strong></blink>
<p><input value="?????-7RG4L-BLAH-BLAH-BLAH" name="code" readonly="readonly" size="45"
text="" style="text-align: center" /></p>

<button onclick="startGateway('146543');;"></span>Redeem Voucher - Click
here!</span></button></div></div>

</div>

<hr />

<div class="footer">
<center>
<p>&nbsp;</p></center></div></div></div></div>
</body>

</html>

```

Poppins - February 13, 2013, 10:54 am

Have you actually tested the script you're trying to include?

<http://Foolish.net/gateway/mygate.php?id=4e2b373447786d4b756a493d>

redpois0n - February 13, 2013, 11:34 am

(Feb 13, 2013 11:54 AM)Poppins Wrote: [\[CITE\]](#) Have you actually tested the script you're trying to include?

<http://Foolish.net/gateway/mygate.php?id=4e2b373447786d4b756a493d>

I think he wants file ice and that is censored to foolish here ?

Poppins - February 13, 2013, 11:42 am

(Feb 13, 2013 12:34 PM)redpois0n Wrote: [\[CITE\]](#) I think he wants file ice and that is censored to foolish here ?

Ohhh I see my bad haha

NZT - February 13, 2013, 11:45 am

Anyone know how I can actually fix this? :?

Thanks

/Ninja - February 13, 2013, 10:21 pm

what are you trying to accomplish to begin with?

I know you want to fix it but what is your end goal of doing this.. i may be able to help

bBb_tTt - February 15, 2013, 1:10 pm

The HTML source of your page doesn't matter.

Your problem is caused by the JavaScript you want to include. So you have to post that, not your HTML, so we can help you.