

Forum:[Hack Forums](#)

Thread: [Need helping making a builder for keylogger! \(Easy\)](#)

Goodies - February 24, 2013, 1:03 am

I know it may be a semi-beginner question, but I want to start getting into client/server application making.

How do I build a server from the application??

Sc?rf?c3_ - February 24, 2013, 7:34 am

I don't understand if you need a client/server, in terms of Networking application..or..(considering you wrote "Keylogger") you need an application that generates a "Server"..Stub.

In the first case i suggest you to look into using a TcpClient..Serialization..Delegates..and stuff like that.

In the second case, you need to write your stub with all the functions you need, next you can activate your function by a config file appending it to your Stub (basic way) or manipulate variables and generate your stub directly from its source by using Codedom.

Let's say you are going to use settings with one option only, imagine you have in your Builder a checkbox to select if your Stub will have your option activated or not, ...and a button to generate your Stub.

```
Code Private Sub GenerateServerButton_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles GenerateServerButton.Click
```

```
Dim splitter as string = "splitter"
Dim settings As String = ""
if optioncheckboxes.checked = true then settings &= "True" & splitter else settings &= "False"
IO.File.AppendAllText(your stub path*, settings)
*your stub path could come from a savefiledialog, or a file extracted from your builder resources, or a specific file
```

Now, in your stub in the main Sub you can read settings as this:

```
Code dim splitter as string = "splitter"
Try
    Dim data As String = IO.File.ReadAllText(Application.ExecutablePath)
    Dim settings() As String = Split(data, splitter)

    Dim optionactivated as string = settings(1)
    If optionactivated = "True" then
        yourfunction()
    end if
```

```
catch
end try
```

This is the very basic way to go..there could be some error in my example, i wrote it fast, but i hope

it will give you a good start.

Goodies - February 24, 2013, 10:49 am

(Feb 24, 2013 08:34 AM)Scarf3_ Wrote: [\[CITE\]](#) Spoiler ([Click to View](#))

I don't understand if you need a client/server, in terms of Networking application..or..(considering you wrote "Keylogger") you need an application that generates a "Server"..Stub.

In the first case i suggest you to look into using a TcpClient..Serialization..Delegates..and stuff like that.

In the second case, you need to write your stub with all the functions you need, next you can activate your function by a config file appending it to your Stub (basic way) or manipulate variables and generate your stub directly from its source by using Codedom.

Let's say you are going to use settings with one option only, imagine you have in your Builder a checkbox to select if your Stub will have your option activated or not, ...and a button to generate your Stub.

Code Private Sub GenerateServerButton_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles GenerateServerButton.Click

```
Dim splitter as string = "splitter"
Dim settings As String = ""
if optioncheckboxes.checked = true then settings &= "True" & splitter else settings &= "False"
IO.File.AppendAllText(your stub path*, settings)
*your stub path could come from a savefiledialog, or a file extracted from your builder resources, or a specific file
```

Now, in your stub in the main Sub you can read settings as this:

```
Code dim splitter as string = "splitter"
Try
    Dim data As String = IO.File.ReadAllText(Application.ExecutablePath)
    Dim settings() As String = Split(data, splitter)

    Dim optionactivated as string = settings(1)
    If optionactivated = "True" then
        yourfunction()
    end if
```

```
catch
end try
```

This is the very basic way to go..there could be some error in my example, i wrote it fast, but i hope it will give you a good start.

It helped a lot! Thanks so much man I really appreciate it!

Scarf3_ - February 24, 2013, 11:18 am

You are wellcome, glad it helped... ;)

Goodies - February 24, 2013, 11:19 am

(Feb 24, 2013 12:18 PM)Scarf3_ Wrote: [\[CITE\]](#) You are wellcome, glad it helped... ;)

That 'basic' way I will try at first then move on later.

Yui Asuna - February 24, 2013, 12:11 pm

The EOF method isn't technically bad, it's just old, and AV will most likely pick it up.

I don't know if what you want to achieve is for bad intentions or not, but it will be better for you to have a look at CodeDom.

Sc?rf?c3_ - February 24, 2013, 7:30 pm

(Feb 24, 2013 01:11 PM)PsyCh0TyK Wrote: [\[CITE\]](#) The EOF method isn't technically bad, it's just old, and AV will most likely pick it up.

I don't know if what you want to achieve is for bad intentions or not, but it will be better for you to have a look at CodeDom.

Yes anyway for strings EOF have never given me problems with AV, but is better to encrypt the strings expecially if you have to declare proces names (like system one) or sensible directories.

Invicta - February 24, 2013, 7:31 pm

Look into byte replacement.

<https://hackforums.net/showthread.php?tid=680003>