

Forum:[Hack Forums](#)

Thread: [\[GECKO BROWSER\] Clicking link and opening in secondary gecko browser {}](#)

SIM-964740 - June 29, 2013, 3:54 pm

So I am trying to implement a system into my program and when a link is pressed inside the gecko browser it will send the link clicked to another gecko browser rather than opening the default internet (eg. Internet Explorer) and continuing from there.

TD;LR: Click Gecko Browser, link opens in another Gecko Browser.

Diagram:

AX5 - June 29, 2013, 4:04 pm

Code If RadioButton1.Enabled Then ' Firefox

 Process.Start("E:\Program Files (x86)\Mozilla Firefox\firefox.exe", TextBox1.Text)

ElseIf RadioButton2.Enabled Then

 Process.Start("C:\Program Files (x86)\Google\Chrome\Application\chrome.exe", TextBox1.Text)

End If

Works on both :) have fun

Nikey646 - June 29, 2013, 4:13 pm

(Jun 29, 2013 04:04 PM)AX5 Wrote: [\[CITE\]](#) Code If RadioButton1.Enabled Then ' Firefox

 Process.Start("E:\Program Files (x86)\Mozilla Firefox\firefox.exe", TextBox1.Text)

ElseIf RadioButton2.Enabled Then

 Process.Start("C:\Program Files (x86)\Google\Chrome\Application\chrome.exe", TextBox1.Text)

End If

Works on both :) have fun

Don't hold it to me, but I think he may mean within his VB.Net Application, and not an external program.

That also presumes that the user has a Programs File on C:\ and E:\, and firefox is installed in the default directory...of E:\....

AX5 - June 29, 2013, 4:17 pm

(Jun 29, 2013 04:13 PM)Nikey646 Wrote: [\[CITE\]](#) Don't hold it to me, but I think he may mean within his VB.Net Application, and not an external program.

That also presumes that the user has a Programs File on C:\ and E:\, and firefox is installed in the default directory...of E:\....Hmm sure, I have 2 HDD and one of the browsers was installed on the E drive. ^^

SIM-964740 - June 29, 2013, 4:19 pm

(Jun 29, 2013 04:17 PM)AX5 Wrote: [\[CITE\]](#) Hmm sure, I have 2 HDD and one of the browsers was installed on the E drive. ^^

I need it to be opened inside my application not an external application. Please look at the diagram.

AX5 - June 29, 2013, 4:21 pm

(Jun 29, 2013 04:19 PM)Seren Wrote: [\[CITE\]](#) I need it to be opened inside my application not an

external application. Please look at the diagram.
yeah my bad sir. I did and i have no idea :P

SIM-964740 - June 29, 2013, 4:22 pm

(Jun 29, 2013 04:21 PM)AX5 Wrote: [\[CITE\]](#) yeah my bad sir. I did and i have no idea :P
Alright, no problem then. Thanks anyway.

Nikey646 - June 29, 2013, 4:38 pm

I remember doing this Ages ago, it was something to do with blocking the default behavior of VB, and then loading the link through code.

My best bet would be looking for a Event Handler for Links, and See if you can prevent it from activating and then open it in your second Gecko Control

SIM-964740 - June 29, 2013, 11:40 pm

(Jun 29, 2013 04:38 PM)Nikey646 Wrote: [\[CITE\]](#) I remember doing this Ages ago, it was something to do with blocking the default behavior of VB, and then loading the link through code.

My best bet would be looking for a Event Handler for Links, and See if you can prevent it from activating and then open it in your second Gecko Control
Still can't find out how to do this.

Cecilia - June 29, 2013, 11:42 pm

In the default control its an event called NewWindow or something and you can set it to handle it to another browser with the args.
~ LaPanthere ~

SIM-964740 - June 30, 2013, 12:51 am

Why is this so damn hard? I need help =(

iiRex - June 30, 2013, 1:25 am

I think this might be what you're looking for:
<http://www.youtube.com/watch?v=2hmOoCOiDYM>

EDIT: Btw, you might need to change some of the code, that however should be fairly simple.

SIM-964740 - June 30, 2013, 1:51 am

(Jun 30, 2013 01:25 AM)iiRex Wrote: [\[CITE\]](#) I think this might be what you're looking for:
<http://www.youtube.com/watch?v=2hmOoCOiDYM>

EDIT: Btw, you might need to change some of the code, that however should be fairly simple. I need this for gecko, damn this is hard.

Ashlanfox - June 30, 2013, 4:59 am

(Jun 29, 2013 11:42 PM)Brynaldo8 Wrote: [\[CITE\]](#) In the default control its an event called NewWindow or something and you can set it to handle it to another browser with the args.
~ LaPanthere ~

Yes, you can use NewWindow if a "pop-up" (new window form) show up after you pressed the button. I'm making you a little project. Send it to you as soon as I can.

Quote:Download Link :

<https://mega.co.nz/#!/M4Bl3BgJ!KgogP3HFXQipqn8LXxTnP1vPlfR4qD8DmXhZtxj2Kmo>

