

Forum:[Hack Forums](#)

Thread: [LINUX: bash terminal lockscreen](#)

Ego Inc - September 1, 2013, 6:06 pm

Not that any of the "L33t H4x0rs" here use linux or anything... But heres somthing I made in class during some free time out of boredom, maybey someone will find it usefull? lol

usage: quit.sh "password" "Display Message"

```
quit.sh
PHP Code
<?php
#!/bin/bash
trap "" 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
clear
bad=false
times=0
wait_time=2
while true
do
    echo ""
    echo ""
    echo ""
    echo ""
    echo ".--[ " $2 $3 $4 $5 $6 $7 $8 $9 "| Failed attempts: $times ]-->"
    if [ $bad == true ]; then
        echo "\--Password: ###Incorrect, please wait $wait_time seconds###"
        sleep $wait_time
        clear
        echo ""
        echo ""
        echo ""
        echo ""
        echo ".--[ " $2 $3 $4 $5 $6 $7 $8 $9 "| Failed attempts: $times ]-->"
        fi
        read -s -p "\--Password: " pass
        if [ "$pass" == "$1" ]; then
            break
        fi
        bad=true
        let times+=1
        wait_time=$(echo "2*$times+1" | bc)
        clear
    done
clear
echo
```

CleverCrypter - September 1, 2013, 10:11 pm

(Sep 1, 2013 06:06 PM)Tux. Wrote: [\[CITE\]](#) Not that any of the "L33t H4x0rs" here use linux or anything... But heres somthing I made in class during some free time out of boredom, maybey someone will find it usefull? lol

PHP Code

```
<?php
#!/bin/bash
trap "" 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
clear
bad=false
times=0
wait_time=2
while true
do
    echo ""
    echo ""
    echo ""
    echo ""
    echo ".--[ " $2 $3 $4 $5 $6 $7 $8 $9 "| Failed attempts: $times ]-->"
    if [ $bad == true ]; then
        echo "\`--Password: ###Incorrect, please wait $wait_time seconds###"
        sleep $wait_time
        clear
        echo ""
        echo ""
        echo ""
        echo ""
        echo ""
        echo ".--[ " $2 $3 $4 $5 $6 $7 $8 $9 "| Failed attempts: $times ]-->"
        fi
        read -s -p "\`--Password: " pass
        if [ "$pass" == "$1" ]; then
            break
        fi
        bad=true
        let times+=1
        wait_time=$(echo "2*$times+1" | bc)
        clear
    done
clear
echo
```

Thanks for posting this. After installing Ubuntu 13.04 for development purposes(Parallella) I am trying to convert from batch to bash and this will come in handy for sure! Also I just wanted to say that the ASM notepad program you made is pretty cool for a 16 bit app, I hope you put more 8086 ASM scripts under your pastebin account.

Ego Inc - September 2, 2013, 1:12 am

(Sep 1, 2013 10:11 PM)CleverCrypter Wrote: [\[CITE\]](#) Thanks for posting this. After installing Ubuntu 13.04 for development purposes(Parallella) I am trying to convert from batch to bash and this will come in handy for sure! Also I just wanted to say that the ASM notepad program you made is pretty cool for a 16 bit app, I hope you put more 8086 ASM scripts under your pastebin account. Someone actually took the time to look at my pastebin? I feel special ?

And for sure, I have tons more, just haven't taken the time to post them, but for you, tomorrow sometime I will post some more up there ?