

Forum:[Hack Forums](#)

Thread: [How did hackers easily hacked gov./famous websites? like Anonymous or SEA](#)

windosexe - October 10, 2013, 10:23 pm

How did hackers easily hacked/leaked websites such as Government and some famous websites? Is there any other techniques and secret ways like Anonymous or Syrian Electronic Army used??

* Please answer it in ADVANCE way not for beginner :3... Thanks for your answers guys...

Sulfer - October 10, 2013, 10:26 pm

1. your going to get a lot crap for saying anonymous.
2. theirs know "easy way" in anything
3. research online security and you can learn how hack and leak websites in a few years of studying. :)

g0han - October 10, 2013, 10:28 pm

" * Please answer it in ADVANCE way not for beginner :3... Thanks for your answers guys... "

You're clearly a beginner so why do you want it in an advanced way

windosexe - October 10, 2013, 10:30 pm

(Oct 10, 2013 10:28 PM)instxgram Wrote: [\[CITE\]](#) " * Please answer it in ADVANCE way not for beginner :3... Thanks for your answers guys... "

You're clearly a beginner so why do you want it in an advanced way

I have a some ideas on how to hack a site... Some of the informations/tutorials were posted and shared in internet...

Standalone - October 10, 2013, 10:33 pm

They do not get into sites like gov.us easy :fp:

Obviously they have tools and techniques.

Asp1r3-At0m - October 10, 2013, 10:41 pm

Social Engineering

Some H4x0r techniques, some guys are programmers so they know how the stuff they hack works (It is easier if you know how something works)

And some luck? ?

?Schock - October 10, 2013, 10:53 pm

(Oct 10, 2013 10:30 PM)windosexe Wrote: [\[CITE\]](#) I have a some ideas on how to hack a site... Some of the informations/tutorials were posted and shared in internet...

Dude your a "script kiddie level hacker"

You won't be doing shit against serious sites and who says they do it easily

windosexe - October 10, 2013, 10:54 pm

(Oct 10, 2013 10:41 PM)Asp1r3-At0m Wrote: [\[CITE\]](#) Social Engineering

Some H4x0r techniques, some guys are programmers so they know how the stuff they hack works (It is easier if you know how something works)

And some luck? ?

It is GREAT. Thanks for your answer dude. Any other I ideas guys? Like this great man said. :)

Tibit147 - October 10, 2013, 10:56 pm

>Download SQLMap.

>Look for SQL injection vulnerabilities in .gov websites.

>Use SQLMap to dump the database(s) then brag to your friends about how you are a hardcore underground hacker.

windosexe - October 10, 2013, 11:03 pm

(Oct 10, 2013 10:56 PM)Tibit147 Wrote: [\[CITE\]](#) >Download SQLMap.

>Look for SQL injection vulnerabilities in .gov websites.

>Use SQLMap to dump the database(s) then brag to your friends about how you are a hardcore underground hacker.

Do you really need to boast that you are a 'hardcore underground hacker'. Only 'script kiddies' do that LOL. Come on let us just discuss the topic more seriously... :)

SIM-1241186 - October 10, 2013, 11:04 pm

(Oct 10, 2013 10:23 PM)windosexe Wrote: [\[CITE\]](#) How did hackers easily hacked/leaked websites such as Government and some famous websites? Is there any other techniques and secret ways like Anonymous or Syrian Electronic Army used??

* Please answer it in ADVANCE way not for beginner :3... Thanks for your answers guys...

-Stop being an anonymous fanboy.

-How do you know anything they've done was done 'easily'?

-There's no "secret" methods. In fact 99% of what they do can be found written amongst HF tutorials.

-Just because websites have .gov domain doesn't mean they are any more secure than normal websites. I could probably find a vulnerable .gov in 5 minutes or less, but I'm not stupid, so I'm not going to go actively looking for them.

windosexe - October 10, 2013, 11:05 pm

(Oct 10, 2013 10:53 PM)?Schock Wrote: [\[CITE\]](#) Dude your a "script kiddie level hacker"

You won't be doing shit against serious sites and who says they do it easily

Look I did not post this thread for you to tell me that I am a 'script kiddie level hacker'. Sorry for the term 'easy'. LOL :)

Tibit147 - October 10, 2013, 11:08 pm

(Oct 10, 2013 11:03 PM)windosexe Wrote: [\[CITE\]](#) Do you really need to boast that you are a 'hardcore underground hacker'. Only 'script kiddies' do that LOL. Come on let us just discuss the topic more seriously... :)

Are you autistic? I was telling you that is what YOUR skiddy ass should do since you want to be like "Anonymous or SEA". And yes, let's discuss the topic more seriously.

windosexe - October 10, 2013, 11:14 pm

(Oct 10, 2013 11:08 PM)Tibit147 Wrote: [\[CITE\]](#) Are you autistic? I was telling you that is what YOUR skiddy ass should do since you want to be like "Anonymous or SEA". And yes, let's discuss the topic more seriously.

I did post this thread for argument please. LOL

Enhypen - October 10, 2013, 11:16 pm

Can you close this thread plz? Stop trolling and maybe learn some better English if you are gonna

troll.

barfoo - October 10, 2013, 11:43 pm

(Oct 10, 2013 11:16 PM)FUTSTORE Wrote: [\[CITE\]](#) Can you close this thread plz? Stop trolling and maybe learn some better English if you are gonna troll.

> maybe learn some better English if you are gonna troll.

> Can you close this thread plz

g0han - October 10, 2013, 11:46 pm

Okay i will give you a serious answer, not sure if this is what you're looking for.

Research SQLi and also XSS

SIM-209986 - October 11, 2013, 2:08 am

The amount of Bullshit in this thread exceeds the normal level of bullshit on hackforums in General. People acting tough and still not knowing Shit.

Like you've read about SEA hackers and other companies, they indeed use techniques such as SQL Injection, LFI, RFI and so on, in General stuff you "know" about. Skill Consists out of three Parts: knowing the complete Infrastructure of how stuff works, out of this knowledge you know How to search for vulnerabilities and of knowing how to Apply Them manually (knowing how stuff works and how you can invade Filters) you indeed can automate this process, but you cannot rely on tools if you completly know how stuff works you can do Something some Tools cant Then. Now for your question: These Hackers Are skilled, at lease not average HF Havij Users. They search for vulnerablities and know how to completly exploit them. The Most Common ways for Big Sites is Social Engineering or DNS Hijacking where you just hack the domain registrator and Using the DNS Records You just Redirect the Site to another One where your deface page is. You Need to Understand the difference between domain hijacking and website hijacking, because if a Host is offering Domain registration AND Hosting, You have Control over databases and Domain Records (if you broke into the Hosting company), but if you broke into only the Domain registrator and the Site is hosted Else where, you can Redirect the Site to an other Server but you wont have Access to files or databases.

Sorry for grammar Mistakes writing from my phone and just got operated in the Hospital.

-3?? - October 11, 2013, 2:19 am

(Oct 10, 2013 10:53 PM)?Schock Wrote: [\[CITE\]](#) Dude your a "script kiddie level hacker"

You won't be doing shit against serious sites and who says they do it easilySorry to say this but it's spelled You're and not Your.

Matt Honest - October 11, 2013, 2:43 am

(Oct 10, 2013 10:53 PM)?Schock Wrote: [\[CITE\]](#) Dude your a "script kiddie level hacker"

You won't be doing shit against serious sites and who says they do it easily

For a start you seem to be lost and mad. You start off with the basic tutorials then you work your way up. If you can't comprehend that then please vacant this forum immediately.

Also goes for everyone else who wants to act like a retard.

zero5 - October 11, 2013, 2:45 am

(Oct 10, 2013 10:23 PM)windosexe Wrote: [\[CITE\]](#) How did hackers easily hack/leak websites

There's no such thing like an easy way of hacking sites. It usually requires a lot of experience to find new vulns and that's obviously easier if you understand the inner workins.

It's just easier if a site is running a certain version of an engine where known vulnerabilities exist, in that case any newbie can accomplish something without even understanding why it works. But that would be skiddie stuff.

Nitrate - October 11, 2013, 3:08 am

They exploit they website.

They examine the website and scan it for open ports and check the version of the services running, they exploit the specific service (if its vulnerable and out-of-date)
or the find common vulnerabilities in web-apps (SQL Injection, XSS, CSRF .etc)

Or they social engineer.

SIM-1073426 - October 11, 2013, 3:37 am

SEA use social engineering alot of cases.

There's finding access protocols, Try to find vulnerabilities, brute forcing, do a reverse lookup for more domains to scan..There's endless amount of ways..

Call-Me-V - October 11, 2013, 4:44 am

Basically what I do to h3ck my .gov websites is I open havij and click the h3ck button.

I then click the expl0it button and I h3ck .gov sites

FantaSec - October 11, 2013, 4:50 am

Making a quick reply before school.

What most people do is social engineer as manipulating another human is easier than spending hundreds of hours testing and trying new methods, exploits, techniques, etc. But, quite a few sites have SQL exploits, that can be exploited using a method called SQL injection, where you write code to grab confidential information from a database. Some other methods people use, a bit more rarely, but still used, are; LFI, RFI, MSSQLi, buffer overflow, Brute Forcing is probably the most used, and others that I have not yet mentioned. Brute forcing is used to test millions, if not billions of passwords per minute on a login page until one works. Usually, most sites that are big are hacked by 0day exploits, such as WHMCS, an exploit was found that when registering you can grab the data from the account tables in a DB just from simple MySQL. It was patched within the hour though. If you have questions, PM me.

mem0rex - October 11, 2013, 8:24 am

One thing not a single person here even touched on was that they are probably not attacking the target site directly. But checking other sites hosted on the same server for vulns. Getting in then attacking the targeted site.

Im gone brah - October 11, 2013, 8:32 am

A goverment might be big?, But the security is pretty much horrible.

DeltaSierra96 - October 11, 2013, 8:54 am

(Oct 11, 2013 08:24 AM)mem0rex Wrote: [\[CITE\]](#) One thing not a single person here even touched on was that they are probably not attacking the target site directly. But checking other sites hosted on the same server for vulns. Getting in then attacking the targeted site.From what I've noticed, most governmental websites have dedicated servers for each site. Why would they risk mass-intrusion by having a shared server?

But it's a good idea. Run a reverse IP lookup and check what other possible low-level websites are hosted on the server.

Anyway, windosexe, .gov websites are effectively the same as any other website and are still susceptible to standard attack methods like RFI, LFI, LFD, MsSQLi, MySQLi, RFD, or even SE'ing the domain registrar to update the name servers.

You've just got to hope the developers are inept at producing secure websites.

em616 - October 11, 2013, 9:06 am

lol, first they did not so easily as u sayng. and they dont select the target but just googling for the easy one

dabox - October 11, 2013, 9:58 am

(Oct 10, 2013 10:33 PM)Standalone Wrote: [\[CITE\]](#) They do not get into sites like gov.us easy :fp:

Obviously they have tools and technigues.
are u fkg me ? visit zone-h sometime :D

VipVince - October 11, 2013, 10:03 am

Nothing too extraordinary, as others have said they have target the DNS registrar and updated the records to their deface pages, shared hosting, SQLi, social engineering. Also .Gov domains run ColdFusion a lot which is very insecure in lower versions. They may even be sitting on an 0day or two.

Waffle - October 11, 2013, 10:17 am

(Oct 10, 2013 11:03 PM)windosexe Wrote: [\[CITE\]](#) Do you really need to boast that you are a 'hardcore underground hacker'. Only 'script kiddies' do that LOL. Come on let us just discuss the topic more seriously... :)

I really do hope this is not serious, because I am laughing too hard at you.

D44n - October 11, 2013, 12:20 pm

HAHHHAHAHA this thread could be a internet humor site

Ricochet12 - October 11, 2013, 1:00 pm

That sarcastic humor you use in this thread is fantastic.

Nyonic - October 11, 2013, 3:46 pm

They didnt use Havij or Havij Pro, that's for sure.

Odds are if they would say how they did it or people say how they did it, it wouldn't be on HF. Social engineering probably though.

hackersallin - October 13, 2013, 10:16 am

lol what do you think that you just press some buttons, type some shit and u hack a website done and finished? LOI HELL NO.! Hacking is a Art and it Requires Skill and Practice!

I personally also have hacked .gov websites! They are not that hard for a skilled hacker as you think!

Odd Squad - October 13, 2013, 10:24 am

Why would he get crap for saying "Anonomous"???

NiCz - October 14, 2013, 12:29 am

They use conventional black hat techniques and methods. In fact, their hacking techniques are familiar with other hackers. For example, they also use the same tools used by other hackers, like Havij and SQLMap in performing an SQL injection attack on any website. In other words, they are

able to take advantage of common web application vulnerabilities which can be found in many websites.

muzzy. - *October 14, 2013, 7:02 am*

There are a tonne of vulnerabilities that people don't really talk about that are used. The methods taught here are also almost always basic versions. I've yet to see an XSS tutorial that demonstrates something more than script alerts, lol. LFI & RFI are other pretty good examples.

For example, when a pre meditated version of Lulz Sec hacked the Deus: Ex website (shout out to Starfall) they used an LFI. But the method isn't written on this site, trust me.

Also, the web exploitation stuff isn't all of it: exploiting the - usually - *nix boxes running the sites is done quite a lot.