

Forum:[Hack Forums](#)

Thread: [\[Service\] Website Penetration Testing -Ascendon](#)

Ascendon - November 16, 2013, 1:12 pm

Hello HF. I will be awake for most of the night until morning.

HeXagone wants to help so either pm me or him and we can both do as much as we can!!

I can scan your specified website for vulnerabilities both manually and automatically.

Exclusive sites that are Governmental (.gov), Educational (.edu), or Military (.mil) or high profile (example: elitevpers.com, worldofwarcraft.com etc.) will be ignored unless interrogated relevantly for a specific cause in which we should agree.

No application that involves hacking relatively big sites like World of War Craft and Other stuff.

Application will be denied if the request is posted twice or more

A member can post a max of 2 requests.

Members will be completely ignored if they don't follow or read the rules.

A decent reputation

A couple of active posts

A few contributions to the community

A relative reason should be given, otherwise application will be ignored

We can Try to:

- 1) SQLI (Typical)
- 2) XSS (not very useful)
- 3) LFI (Rare)
- 4) RFI (Rarest)
- 5) Shell (Unlikely)
- 6) Ddos (If you ask for this then Burn..)
- 7) CSRF (Common)

First of all you have to fill out a form of why this site needs to be punished.

Code Url:

Reason:

Is the above reason true?:

Option of attack (You can pick more than 1 if there is many types of vulnerabilities):

Either post or pm me the filled out code. If you post it might be an invasion of privacy I'm not sure.

Love you all <3 ?

HeXagone - November 16, 2013, 1:19 pm

Can i join i'm bored too ?

HeXagone

Ascendon - November 16, 2013, 1:31 pm

(Nov 16, 2013 02:19 PM)HeXagone Wrote: [\[CITE\]](#) Can i join i'm bored too ?

HeXagone

Yeah sure I will edit the thread for you.

Anyone interested in this free service?

RyanH - November 16, 2013, 2:49 pm

Url: <https://sbir2.st.dhs.gov/>

Reason: because I'm bored

Is the above reason true?: of course

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): I'm fairly confident that a professional hacker such as you will be able to gain a shell in a matter of minutes.

amg64 - November 16, 2013, 2:54 pm

Nice service, just pm you for a specified site.

syber33 - November 16, 2013, 4:45 pm

?Ascendon can you give me your skype name?

Ascendon - November 16, 2013, 4:48 pm

Yeah sure I will pm you it to you now.

Jysticim - November 17, 2013, 8:04 am

Url: www.merletcollege.nl

Reason: So I work at the ICT of a school and they asked me to check if there is any vulnerability on the site. We just launched a new website and we want to see if it is a bit solid. I was invited as an outsider of the project and I need to check if there is any vulnerability. I tried to search but only could find the admin login page so I think it is pretty safe. Now I want to know what you think of the safety. Is the above reason true?: Yes ofcourse.

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): Just look if the website is solid.

Thanks in advance, Jysticim

Ascendon - November 17, 2013, 8:30 am

(Nov 17, 2013 09:04 AM)Jysticim Wrote: [\[CITE\]](#) Url: www.merletcollege.nl

Reason: So I work at the ICT of a school and they asked me to check if there is any vulnerability on the site. We just launched a new website and we want to see if it is a bit solid. I was invited as an outsider of the project and I need to check if there is any vulnerability. I tried to search but only could find the admin login page so I think it is pretty safe. Now I want to know what you think of the safety. Is the above reason true?: Yes ofcourse.

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): Just look if the website is solid.

Thanks in advance, Jysticim

Sure I will do. My laptops charger broke so it will be done either tomorrow or wednesday.

Dyme???????????? - November 17, 2013, 10:20 am

(Nov 16, 2013 03:49 PM)RyanH Wrote: [\[CITE\]](#) Url: <https://sbir2.st.dhs.gov/>

Reason: because I'm bored

Is the above reason true?: of course

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): I'm fairly confident that a professional hacker such as you will be able to gain a shell in a matter of minutes.

Code Linux D2AEVISEPRST016.st.dhs.gov 2.6.18-348.16.1.el5PAE #1 SMP Sat Jul 27 01:08:12

EDT 2013 i686 i686 i386 GNU/Linux

Code root:x:0:0:root:/root:/bin/bash

bin:x:1:1:bin:/bin:/sbin/nologin

daemon:x:2:2:daemon:/sbin:/sbin/nologin

adm:x:3:4:adm:/var/adm:/sbin/nologin

lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin

sync:x:5:0:sync:/sbin:/sbin/nologin

shutdown:x:6:0:shutdown:/sbin:/sbin/nologin

halt:x:7:0:halt:/sbin:/sbin/nologin

mail:x:8:12:mail:/var/spool/mail:/sbin/nologin

news:x:9:13:news:/etc/news:/sbin/nologin

uucp:x:10:14:uucp:/var/spool/uucp:/sbin/nologin

operator:x:11:0:operator:/root:/sbin/nologin

games:x:12:100:games:/usr/games:/sbin/nologin

gopher:x:13:30:gopher:/var/gopher:/sbin/nologin

ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin

nobody:x:99:99:Nobody:/:/sbin/nologin

nscd:x:28:28:NSCD Daemon:/:/sbin/nologin

vcsa:x:69:69:virtual console memory owner:/dev:/sbin/nologin

pcap:x:77:77:/var/arpwatch:/sbin/nologin

ntp:x:38:38:/etc/ntp:/sbin/nologin

dbus:x:81:81:System message bus:/:/sbin/nologin

avahi:x:70:70:Avahi daemon:/:/sbin/nologin

rpc:x:32:32:Portmapper RPC user:/:/sbin/nologin

mailnull:x:47:47:/var/spool/mqueue:/sbin/nologin

smmsp:x:51:51:/var/spool/mqueue:/sbin/nologin

sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin

oprofile:x:16:16:Special user account to be used by OProfile:/home/oprofile:/sbin/nologin

xfs:x:43:43:X Font Server:/etc/X11/fs:/sbin/nologin

rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin

nfsnobody:x:65534:65534:Anonymous NFS User:/var/lib/nfs:/sbin/nologin

haldaemon:x:68:68:HAL daemon:/:/sbin/nologin

avahi-autoipd:x:100:156:avahi-autoipd:/var/lib/avahi-autoipd:/sbin/nologin

gdm:x:42:42:/var/gdm:/sbin/nologin

sabayon:x:86:86:Sabayon user:/home/sabayon:/sbin/nologin

mohammed:x:500:500:Mohammed Rahman:/home/mohammed:/bin/bash

awagliar:x:501:501:Andrew Wagliardo:/home/awagliar:/bin/bash

clamav:x:101:157:Clam Anti Virus Checker:/var/clamav:/sbin/nologin

oracle:x:502:502:Oracle:/home/oracle:/bin/bash

rrback:x:503:504:Remote Backup account:/home/rrback:/bin/bash

ddews:x:504:505:Daveena Dews:/home/ddews:/bin/bash

A piru by the name of "Shark" gave me a shell. Does this make me a proffessional hacker? ????

IchI - November 17, 2013, 10:25 am

(Nov 17, 2013 11:20 AM)Drake Bell Wrote: [\[CITE\]](#) Code Linux D2AEVISEPRST016.st.dhs.gov
2.6.18-348.16.1.el5PAE #1 SMP Sat Jul 27 01:08:12 EDT 2013 i686 i686 i386 GNU/Linux

Code root:x:0:0:root:/root:/bin/bash

bin:x:1:1:bin:/bin:/sbin/nologin

daemon:x:2:2:daemon:/sbin:/sbin/nologin

adm:x:3:4:adm:/var/adm:/sbin/nologin

lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin

sync:x:5:0:sync:/sbin:/sbin/nologin

shutdown:x:6:0:shutdown:/sbin:/sbin/nologin

halt:x:7:0:halt:/sbin:/sbin/nologin
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
news:x:9:13:news:/etc/news:/sbin/nologin
uucp:x:10:14:uucp:/var/spool/uucp:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
gopher:x:13:30:gopher:/var/gopher:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:99:99:Nobody:/sbin/nologin
nscd:x:28:28:NSCD Daemon:/sbin/nologin
vcsa:x:69:69:virtual console memory owner:/dev:/sbin/nologin
pcap:x:77:77:/var/arpwatch:/sbin/nologin
ntp:x:38:38:/etc/ntp:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
avahi:x:70:70:Avahi daemon:/sbin/nologin
rpc:x:32:32:Portmapper RPC user:/sbin/nologin
mailnull:x:47:47:/var/spool/mqueue:/sbin/nologin
smmsp:x:51:51:/var/spool/mqueue:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
oprofile:x:16:16:Special user account to be used by OProfile:/home/oprofile:/sbin/nologin
xfs:x:43:43:X Font Server:/etc/X11/fs:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
nfsnobody:x:65534:65534:Anonymous NFS User:/var/lib/nfs:/sbin/nologin
haldaemon:x:68:68:HAL daemon:/sbin/nologin
avahi-autoipd:x:100:156:avahi-autoipd:/var/lib/avahi-autoipd:/sbin/nologin
gdm:x:42:42:/var/gdm:/sbin/nologin
sabayon:x:86:86:Sabayon user:/home/sabayon:/sbin/nologin
mohammed:x:500:500:Mohammed Rahman:/home/mohammed:/bin/bash
awagiar:x:501:501:Andrew Wagliardo:/home/awagiar:/bin/bash
clamav:x:101:157:Clam Anti Virus Checker:/var/clamav:/sbin/nologin
oracle:x:502:502:Oracle:/home/oracle:/bin/bash
rrback:x:503:504:Remote Backup account:/home/rrback:/bin/bash
ddews:x:504:505:Daveena Dews:/home/ddews:/bin/bash
A piru by the name of "Shark" gave me a shell. Does this make me a proffessional hacker? ????
Uhm, lmaoo.

This thread made me giggle

pwntoken - November 17, 2013, 12:10 pm

URL: <https://hackforums.net/showthread.php?tid=3868297>

Reason: I want to gain my ISP for bandwidth.

I have done my reseach. Everything is attached to the thread there and I would be happy if someone could assist me as no one replies on that thread. I think a group of community people could be of help rather than me alone learning something new.

(Nov 17, 2013 09:04 AM)Jysticim Wrote: [\[CITE\]](#) Url: www.merletcollege.nl

Reason: So I work at the ICT of a school and they asked me to check if there is any vulnerability on the site. We just launched a new website and we want to see if it is a bit solid. I was invited as an outsider of the project and I need to check if there is any vulnerability. I tried to search but only could find the admin login page so I think it is pretty safe. Now I want to know what you think of the safety. Is the above reason true?: Yes ofcourse.

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): Just look if the website is solid.

Thanks in advance, Jysticim

I am doing this as well to help you!

I will mostly go through the web application layer and I will leave the network layer to the rest of the community to do. Or I could do it later when I find some time.

It looks that these directories may have CSRF on them (Cross Site Request Forgery). Nothing you could do much with this as it needs the client to make some clicks, and unless you trick them into doing so, this is useless.

Code /activiteit-binnen-school.html
/begeleiding-en-zorg/jeugdagent.html
/begeleiding-en-zorg/leerlingbegeleiding.html
/begeleiding-en-zorg/schoolmaatschappelijk-werk.html
/c-mavovmbo-kijkje-in-de-school.html
/component/search
/contact/contactgegevens.html
/contact/medewerkers.html
/contact/postadres.html
/cuijk-mavovmbo.html
/cuijk-mavovmbo-activiteiten.html
/cuijk-mavovmbo-begeleiding.html
/cuijk-mavovmbo-jaarplanning.html
/cuijk-mavovmbo-leerlingenraad.html
/cuijk-mavovmbo-nieuws.html
/cuijk-mavovmbo-onderwijsaanbod.html
/cuijk-mavovmbo-ouderraad.html
/cuijk-mavovmbo-schoolleiding.html
/cuijk-mavovmbo-zorg.html
/cuijk-rooster.html
/cuijk-vwohavo.html
/cuijk-vwohavo-activiteiten.html
/cuijk-vwohavo-begeleiding.html
/cuijk-vwohavo-jaarplanning.html
/cuijk-vwohavo-kijkje-in-de-school.html
/cuijk-vwohavo-leerlingenparlement.html
/cuijk-vwohavo-nieuws.html
/cuijk-vwohavo-onderwijsaanbod.html
/cuijk-vwohavo-ouderraad.html
/cuijk-vwohavo-schoolleiding.html
/cuijk-vwohavo-zorg.html
/disclaimer.html
/eindexamen-2013-2014.html
/eindexamen-2013-2014/fotos.html
/eindexamen-2013-2014/projecten.html
/eindexamen-2013-2014/uitslagen.html
/grave.html
/grave-activiteitenfoto.html
/grave-begeleiding.html
/grave-jaarplanning.html
/grave-kijkje-in-de-school.html

/grave-nieuws.html
/grave-onderwijsaanbod.html
/grave-ouderraad.html
/grave-rooster.html
/grave-schoolleiding.html
/grave-zorg.html
/groep8/aanmelden.html
/groep8/activiteiten-groep8.html
/groep8/belangrijke-data.html
/groep8/dagboek-van-een-brugklasser.html
/groep8/kijkje-in-de-school.html
/groep8/nieuwsbrieven.html
/groep8/onderwijs-op-het-merletcollege.html
/groep8/smoes-van-de-week.html
/groep8/straks-naar-de-middelbare-school.html
/groep8/tips.html
/magister.html
/mill.html
/mill-activiteiten.html
/mill-activiteiten.html (d02a987fbf0bb248b9c21f93a97b05eb)
/mill-activiteiten/category/141-poppenkast.html
/mill-activiteiten/category/162-vlotten-bouwen.html
/mill-activiteiten/category/168-londenreis.html
/mill-begeleiding.html
/mill-jaarplanning.html
/mill-kijkje-in-de-school.html
/mill-nieuws
/mill-nieuws.html
/mill-onderwijsaanbod.html
/mill-ouderraad.html
/mill-rooster.html
/mill-schoolleiding.html
/mill-zorg.html
/nieuws
/nieuws.html
/organisatie/bestuur.html
/organisatie/mr.html
/organisatie/ouderraden.html
/organisatie/raad-van-advies.html
/organisatie/schoolleiding.html
/organisatie/vacatures.html
/praktische-zaken/aanmelden.html
/praktische-zaken/kwaliteitskaart.html
/praktische-zaken/lestijden.html
/praktische-zaken/links.html
/praktische-zaken/ouderbijdrage.html
/praktische-zaken/regelingen.html
/praktische-zaken/schoolgids.html
/praktische-zaken/vakantie.html
/praktische-zaken/ziek-en-verlof.html
/rooster.html
/webredactie.html

All those are under the root directory.

Administrator page is in

Code <http://www.merletcollege.nl/administrator/index.php>
uses Joomla.

This is the plugin directory you could dig to do some initial assessment.

Code <http://www.merletcollege.nl/plugins/content/>
SSL is used in the second host, which are:

Code SSL3_CK_RSA_RC4_40_MD5 - Low strength
SSL3_CK_RSA_RC2_40_MD5 - Low strength
SSL3_CK_RSA_DES_40_CBC_SHA - Low strength
SSL3_CK_RSA_DES_64_CBC_SHA - Low strength
These are probably weak and could lead to MITM attacks.
Weak SSL were found on the second host which is:

Code <http://telewerken.merletcollege.nl>
AUTH REALM were found here, but there is no page:

Code <https://telewerken.merletcollege.nl/dana-na/auth>
The actual locational portal is

Code <https://telewerken.merletcollege.nl/dana-na/auth>
I could only dig this. I did not went for Network PT, I would do so tomorrow.

Jysticim - November 17, 2013, 12:31 pm

@ Encrypted32

Thank you already for doing this.

Thanks for looking into it Hexagon!

SHADOW REALM - November 19, 2013, 5:01 am

(Nov 17, 2013 01:10 PM)Encrypted32 Wrote: [\[CITE\]](#) URL:
<https://hackforums.net/showthread.php?tid=3868297>

Reason: I want to gain my ISP for bandwidth.

I have done my reseach. Everything is attached to the thread there and I would be happy if someone could assist me as no one replies on that thread. I think a group of community people could be of help rather than me alone learning something new.

I am doing this as well to help you!

I will mostly go through the web application layer and I will leave the network layer to the rest of the community to do. Or I could do it later when I find some time.

It looks that these directories may have CSRF on them (Cross Site Request Forgery). Nothing you could do much with this as it needs the client to make some clicks, and unless you trick them into doing so, this is useless.

Code </activiteit-binnen-school.html>

[/begeleiding-en-zorg/jeugdagent.html](#)
[/begeleiding-en-zorg/leerlingbegeleiding.html](#)
[/begeleiding-en-zorg/schoolmaatschappelijk-werk.html](#)
[/c-mavovmbo-kijkje-in-de-school.html](#)
[/component/search](#)
[/contact/contactgegevens.html](#)
[/contact/medewerkers.html](#)
[/contact/postadres.html](#)
[/cuijk-mavovmbo.html](#)
[/cuijk-mavovmbo-activiteiten.html](#)
[/cuijk-mavovmbo-begeleiding.html](#)
[/cuijk-mavovmbo-jaarplanning.html](#)
[/cuijk-mavovmbo-leerlingenraad.html](#)
[/cuijk-mavovmbo-nieuws.html](#)
[/cuijk-mavovmbo-onderwijsaanbod.html](#)
[/cuijk-mavovmbo-ouderraad.html](#)
[/cuijk-mavovmbo-schoolleiding.html](#)
[/cuijk-mavovmbo-zorg.html](#)
[/cuijk-rooster.html](#)
[/cuijk-vwohavo.html](#)
[/cuijk-vwohavo-activiteiten.html](#)
[/cuijk-vwohavo-begeleiding.html](#)
[/cuijk-vwohavo-jaarplanning.html](#)
[/cuijk-vwohavo-kijkje-in-de-school.html](#)
[/cuijk-vwohavo-leerlingenparlement.html](#)
[/cuijk-vwohavo-nieuws.html](#)
[/cuijk-vwohavo-onderwijsaanbod.html](#)
[/cuijk-vwohavo-ouderraad.html](#)
[/cuijk-vwohavo-schoolleiding.html](#)
[/cuijk-vwohavo-zorg.html](#)
[/disclaimer.html](#)
[/eindexamen-2013-2014.html](#)
[/eindexamen-2013-2014/fotos.html](#)
[/eindexamen-2013-2014/projecten.html](#)
[/eindexamen-2013-2014/uitslagen.html](#)
[/grave.html](#)
[/grave-activiteitenfoto.html](#)
[/grave-begeleiding.html](#)
[/grave-jaarplanning.html](#)
[/grave-kijkje-in-de-school.html](#)
[/grave-nieuws.html](#)
[/grave-onderwijsaanbod.html](#)
[/grave-ouderraad.html](#)
[/grave-rooster.html](#)
[/grave-schoolleiding.html](#)
[/grave-zorg.html](#)
[/groep8/aanmelden.html](#)
[/groep8/activiteiten-groep8.html](#)
[/groep8/belangrijke-data.html](#)
[/groep8/dagboek-van-een-brugklasser.html](#)
[/groep8/kijkje-in-de-school.html](#)
[/groep8/nieuwsbrieven.html](#)
[/groep8/onderwijs-op-het-merletcollege.html](#)

/groep8/smoes-van-de-week.html
/groep8/straks-naar-de-middelbare-school.html
/groep8/tips.html
/magister.html
/mill.html
/mill-activiteiten.html
/mill-activiteiten.html (d02a987fbf0bb248b9c21f93a97b05eb)
/mill-activiteiten/category/141-poppenkast.html
/mill-activiteiten/category/162-vlotten-bouwen.html
/mill-activiteiten/category/168-londenreis.html
/mill-begeleiding.html
/mill-jaarplanning.html
/mill-kijkje-in-de-school.html
/mill-nieuws
/mill-nieuws.html
/mill-onderwijsaanbod.html
/mill-ouderraad.html
/mill-rooster.html
/mill-schoolleiding.html
/mill-zorg.html
/nieuws
/nieuws.html
/organisatie/bestuur.html
/organisatie/mr.html
/organisatie/ouderraden.html
/organisatie/raad-van-advies.html
/organisatie/schoolleiding.html
/organisatie/vacatures.html
/praktische-zaken/aanmelden.html
/praktische-zaken/kwaliteitskaart.html
/praktische-zaken/lestijden.html
/praktische-zaken/links.html
/praktische-zaken/ouderbijdrage.html
/praktische-zaken/regelingen.html
/praktische-zaken/schoolgids.html
/praktische-zaken/vakantie.html
/praktische-zaken/ziek-en-verlof.html
/rooster.html
/webredactie.html

All those are under the root directory.

Administrator page is in

Code <http://www.merletcollege.nl/administrator/index.php>
uses Joomla.

This is the plugin directory you could dig to do some initial assessment.

Code <http://www.merletcollege.nl/plugins/content/>
SSL is used in the second host, which are:

Code SSL3_CK_RSA_RC4_40_MD5 - Low strength
SSL3_CK_RSA_RC2_40_MD5 - Low strength

SSL3_CK_RSA_DES_40_CBC_SHA - Low strength
SSL3_CK_RSA_DES_64_CBC_SHA - Low strength
These are probably weak and could lead to MITM attacks.
Weak SSL were found on the second host which is:

Code <http://telewerken.merletcollege.nl>
AUTH REALM were found here, but there is no page:

Code <https://telewerken.merletcollege.nl/dana-na/auth>
The actual locational portal is

Code <https://telewerken.merletcollege.nl/dana-na/auth>
I could only dig this. I did not went for Network PT, I would do so tomorrow.
<http://www.acunetix.com/>

cool story bro

DJenkinson - November 19, 2013, 5:43 am

Great service lol. I will be back to test haha

HeXagone - November 19, 2013, 11:05 am

(Nov 17, 2013 09:04 AM)Jysticim Wrote: [\[CITE\]](#) Url: www.merletcollege.nl

Reason: So I work at the ICT of a school and they asked me to check if there is any vulnerability on the site. We just launched a new website and we want to see if it is a bit solid. I was invited as an outsider of the project and I need to check if there is any vulnerability. I tried to search but only could find the admin login page so I think it is pretty safe. Now I want to know what you think of the safety. Is the above reason true?: Yes ofcourse.

Option of attack (You can pick more than 1 if there is many types of vulnerabilities): Just look if the website is solid.

Thanks in advance, Jysticim
Request completed.
It was pretty easy also the server is not secured.

HeXagone

Ascendon - November 20, 2013, 10:45 am

(Nov 19, 2013 12:05 PM)HeXagone Wrote: [\[CITE\]](#) Request completed.
It was pretty easy also the server is not secured.

HeXagone
Thank you HeX for taking care of this one :)

munachim - November 20, 2013, 11:40 am

i will hep ascent in doing these since i think a,m a little good

Badge of Success - November 20, 2013, 11:48 am

"HeXagone is also bored so either pm me or him and we can both do as much as we can!!"
"Hello HF. I have no life so I will be awake for most of the night until morning."

Think about it. If you want serious people to ask you for serious help, is that really a decent way to present yourself in? There's no self motivation involved. There's no passion. You're just mindlessly keying urls into Acunetix and posting results, a task than any old moron could do.

Your entire thread makes you look bad. There's no professionalism.

2/10 service, would not use.

Ascendon - November 20, 2013, 11:51 am

(Nov 20, 2013 12:48 PM)Badge of Success Wrote: [\[CITE\]](#) "HeXagone is also bored so either pm me or him and we can both do as much as we can!!"

"Hello HF. I have no life so I will be awake for most of the night until morning."

Think about it. If you want serious people to ask you for serious help, is that really a decent way to present yourself in? There's no self motivation involved. There's no passion. You're just mindlessly keying urls into Acunetix and posting results, a task than any old moron could do.

Your entire thread makes you look bad. There's no professionalism.

2/10 service, would not use.

I don't even use Acunetix and I was bored at the time.

If you looked at my threads I use a different tool.

Plus is this a nice way to get people liking you?

You just commented on this thread without using the service.

Go get a life.

Badge of Success - November 20, 2013, 11:55 am

(Nov 20, 2013 12:51 PM)?Ascendon Wrote: [\[CITE\]](#) I don't even use Acunetix and I was bored at the time.

If you looked at my threads I use a different tool.

Plus is this a nice way to get people liking you?

You just commented on this thread without using the service.

Go get a life.

I never said nor implied that my goal on this forum was to get people to like me. I couldn't give two shits about whether or not someone likes me or not.

I was pointing out a massive flaw in not only your service, but you as a person. And you retaliate by not properly reading it and telling me to "go get a life".

Good luck with life, man.