

Forum:[Hack Forums](#)

Thread: [\[Tut\] Fake torrent tracker + fake seed/leech count](#)

BobDarling - March 18, 2014, 7:25 am

Hello there !

Do you want to increase your seed/leech count ? It's really easy.

Look at that => [\[img\]http://s23.postimg.org/hdb4iq2uf/121.jpg\[/img\]](#)

Requirement : Linux box | Debian wheezy used here

Port 2710 open on linux box

A torrent to create and upload

1. Connect via ssh to your linux box

2. Launch this command :
Quote:`apt-get install cmake g++ libboost-date-time-dev libboost-dev libboost-system-dev libboost-program-options-dev libboost-regex-dev libboost-serialization-dev libmysqlclient15-dev make subversion zlib1g-dev mono-complete mysql-server`
You will be asked for a mysql root password. Choose one.

3. Then download and install XBTT :

Quote:`mkdir xbt
cd xbt
svn co http://xbt.googlecode.com/svn/trunk/xbt/misc xbt/misc
svn co http://xbt.googlecode.com/svn/trunk/xbt/Tracker xbt/Tracker
cd xbt/Tracker
./make.sh
cp xbt_tracker.conf.default xbt_tracker.conf`

4. Create db/populate

Quote:`mysql -p -u root`
Type in your password

Now create the xbt database

Quote:`create database xbt;`

Selecting it

Quote:`use xbt;`

And populate it

Quote:`source /root/xbt/xbt/Tracker/xbt_tracker.sql;`

Exit mysql console : Quote:`exit;`

Modify some parameters for persistence :

Quote:mysql -u root -p xbt-e "INSERT INTO xbt_config VALUES('auto_register','1');"
Quote:mysql -u root -p xbt -e "INSERT INTO xbt_config VALUES('clean_up_interval','1000000');"
Quote:mysql -u root -p xbt -e "INSERT INTO xbt_config VALUES('announce_interval','1');"

5. Start xbt

Quote:cd ~/xbt/xbtt/Tracker/
./xbt_tracker

6. Create your torrent file with your newly created tracker configured
"udp://YOURIP:2710/announce".

7. Download <https://anonfiles.com/file/63247dad4770bbedbf37f873bca5f1ce> , unzip it and copy it to your linux box into /root/

8. Create torrentHash.conf (relaunch last command for each of your torrents)

Quote:cd /root/
echo "YOURTORRENTHASH" >> /root/torrentHash.conf

9. Launch the faker a few second

Quote:cd /root/
mono faker.exe

You're done ! You can now upload your torrent to some public torrent board.??

Don't forget to seed ^^?

I need review from som veteran of this board, it's my first post over, there :)

Cheers !

BobDarling - March 19, 2014, 11:24 am

Nobody to review ? :(

I was hoping this forum was more active..

iT4s - March 19, 2014, 12:35 pm

+5 for tutorial :) gr8 work.. Now time to test :P

BobDarling - March 19, 2014, 3:52 pm

iT4s : No rep added :s I need it to post elsewhere; please :)

Tere is an error on my post, this line :

< mysql -u root -p xbt-e "INSERT INTO xbt_config VALUES('auto_register','1');" >

to be replaced with :

< mysql -u root -p xbt -e "INSERT INTO xbt_config VALUES('auto_register','1');" >

urpwndxray - March 20, 2014, 10:32 am

Really good tut , thanks a lot BobDarling !

BobDarling - March 20, 2014, 11:01 am

Thx bro; that's a pleasure to help you.

Bane - March 20, 2014, 11:02 am

Thanks a lot for this , should come in handy to myself and anybody else who is spreading via torrents ... GL to everybody on spreading.

The Scam Hunter - March 20, 2014, 4:44 pm

Great tutorial. Thanks for this. But not very easy though ;(

BobDarling - March 21, 2014, 5:06 am

Yep. Any suggestion to make it simple ?

Raxer Crx - March 21, 2014, 2:32 pm

Sorry about this, but it has not become clear to me, when you say: Linux Box you say a VPS/Dedicated ?

BobDarling - March 23, 2014, 4:06 am

Linux box => some computer with a linux installed on it, and ssh server activated. I can give courses or services for this tut; i take btc and ltc.

Yop everyone;

Someone would be interested in a GUI to send fake seed/leech count to public trackers ?

BobDarling - March 24, 2014, 2:21 pm

I've posted a simpler tool to use;

You will be able to spam seed/leech on some trackers easily =>

<https://hackforums.net/showthread.php?tid=4133307>

me3ikan2 - March 25, 2014, 2:09 am

Hey I try to open the link above and I get a message saying I am not allowed to view it. Why?

justmovie4000 - March 25, 2014, 2:51 am

it's really works? someone have tests this?

Dont works for me.. i test it in few deb vps's

BobDarling - March 25, 2014, 5:37 am

me3ikan2 => i have edited the link above; someone just deleted my post without explanation :s (

<https://hackforums.net/showthread.php?tid=4133307>)

justmovie4000 => It is working yep. Just say me were you are stuck, i will help you.

I don't know if it is worth working on DHT spamming and udp tracker spamming as well, someone would be interested ?

Maybe an autoaccount opener on some torrent boards ? Tuto on how to bypass moderation on these sites ?

parvez321 - March 26, 2016, 2:43 pm

Hello bob can you help me in creating a fake seeds to the public tracker please...

hackforums021 - April 13, 2016, 2:21 am

I will try it later. Not bad.

parvez321 - June 13, 2016, 11:14 am

(Mar 23, 2014 04:06 AM)BobDarling Wrote: [\[CITE\]](#) Linux box => some computer with a linux installed on it, and ssh server activated. I can give courses or services for this tut; i take btc and ltc.

Yop everyone;

Someone would be interested in a GUI to send fake seed/leech count to public trackers ?

Yes i m interested please help me out...

Hopsin - June 13, 2016, 1:41 pm

(Jun 13, 2016 11:14 AM)parvez321 Wrote: [\[CITE\]](#) Yes i m interested please help me out...

This might no longer work since this thread is 2 years old and many things have changed. I might be wrong through but I don't see the point of using this tutorial unless you are spreading. Right ? I guess..

sam786000 - July 23, 2016, 8:06 am

could you do that in windows, not using linux at all thanks for the guide