

Forum:[Hack Forums](#)

Thread: [\[Request\] A program to spam a MyBB board!](#)

InspectorGadget - April 14, 2014, 6:57 am

Hi all,

I could probably make this myself but It would take me days. Could anybody make me a program that takes some log in details. Logs in to a website and creates a new thread with a pre-defined message?

I don't need it to create the users, I already have them. I just need it to take a combo list of users/passwords and go to a defined website, log in, post and log out.

I imagine a web browser component would work well here.

The site is a mybb forum. If anybody can help, please PM me :)

Meerkat.? - April 14, 2014, 6:59 am

Uh, and why exactly would people do this? Just try it yourself. It might take you days, but you'll learn from it too.

cyberducky - April 14, 2014, 7:01 am

I have never heard of this, plus it is impossible if the forum you are targeting has a captcha during sign up.

FFace - April 14, 2014, 7:05 am

Learn webrequests. Or just look around for a bot source and modify it for you needs. Hints if you want to do it for yourself:

LOOP TROUGH SOME LINES OF A TEXTBOX/TEXT FILE (MAYBE SPLIT THEM BY A DELIMITER)

IN A THREAD, DO SOME POST REQUESTS IN ORDER TO LOGIN AND POST A MESSAGE

InspectorGadget - April 14, 2014, 7:49 am

(Apr 14, 2014 07:01 AM)Abide Wrote: [\[CITE\]](#) I have never heard of this, plus it is impossible if the forum you are targeting has a captcha during sign up.

Ehem.. I clearly stated that sign up isn't required bud.

@Other, I most likely will create my own however I need it sooner than later so having one made would help me in the mean time.

NETExplorer - April 14, 2014, 8:46 am

Nobody will do this for free, just saying

If you need help though, go ahead and PM me.

Sn0wX - April 14, 2014, 1:09 pm

If you can create it your self then why dont you?

Grimzyy - April 14, 2014, 1:10 pm

I know somebody who may do this for you but for a price.

shebang - April 14, 2014, 1:12 pm

I'll do it for free. I want to know which forum though. PM me.

Menalix - April 14, 2014, 1:43 pm

I could do it for money.

Then you would get a multi-threaded using webrequest spamming application. :)

\$lick - April 14, 2014, 2:00 pm

(Apr 14, 2014 01:43 PM)Menalix Wrote: [\[CITE\]](#) I could do it for money.

Then you would get a multi-threaded webrequest spamming application. :)

I hope you don't mean a lot of money.

This can take less than an hour to code.

Sn0wX - April 14, 2014, 2:41 pm

(Apr 14, 2014 02:00 PM)?Lazy™ Wrote: [\[CITE\]](#) I hope you don't mean a lot of money.

This can take less than an hour to code.

Oh really? It really can not. Comments hold little water.

Menalix - April 14, 2014, 2:58 pm

(Apr 14, 2014 02:00 PM)?Lazy™ Wrote: [\[CITE\]](#) I hope you don't mean a lot of money.

This can take less than an hour to code.

Less than a hour? I would like to see your proove that :)

No it's not a big deal coding it, but it still takes time.

Sn0wX - April 14, 2014, 3:09 pm

(Apr 14, 2014 02:58 PM)Menalix Wrote: [\[CITE\]](#) Less than a hour? I would like to see your proove that :)

No it's not a big deal coding it, but it still takes time.

Completely. Comments like that not backed up are just silly.

Dispersia - April 14, 2014, 3:13 pm

(Apr 14, 2014 02:58 PM)Menalix Wrote: [\[CITE\]](#) Less than a hour? I would like to see your proove that :)

No it's not a big deal coding it, but it still takes time.

Wtf? Make a request -> grab the cookie, use cookie to create thread -> loop.

How do you two think this would take more than 20 minutes? I mean I know menalix you're an awful programmer but still, there isn't much to this. If I get out of class and after date night I can do this tonight if I get back and don't want to sleep.

Sn0wX - April 14, 2014, 3:15 pm

(Apr 14, 2014 03:13 PM)Dispersia Wrote: [\[CITE\]](#) Wtf? Make a request -> grab the cookie, use cookie to create thread -> loop.

How do you two think this would take more than 20 minutes? I mean I know menalix you're an awful programmer but still, there isn't much to this. If I get out of class and after date night I can do this tonight if I get back and don't want to sleep.

I guess you just forgot about grabbing the token in that nonsense reply.

Dispersia - April 14, 2014, 3:17 pm

(Apr 14, 2014 03:15 PM)Sn0wX Wrote: [\[CITE\]](#) I guess you just forgot about grabbing the token in that nonsense reply.

i don't think you know what an access token is or what is used for, at all.

Menalix - April 14, 2014, 3:18 pm

(Apr 14, 2014 03:13 PM)Dispersia Wrote: [\[CITE\]](#) Wtf? Make a request -> grab the cookie, use cookie to create thread -> loop.

How do you two think this would take more than 20 minutes? I mean I know menalix you're an awful programmer but still, there isn't much to this.

Then make a vid of you doing it on 20 mins :)

1. Setup user friendly design.
2. Create function to read text with user:pass
3. Analyze the webrequests with some browser plugin.
4. Test the webrequests manual in browser, to check if you got it right.
5. Make a login function with cookie container.
6. Make threads using the last cookie contained on login.
7. Make sure the application works properly.
8. Show us how you did it on 20 minutes.

Atleast you know me. Who are you?

It might be possible on 1 hour, but then your damn used at writing webrequest applications.

And if you actually knew how programmers work, non of us code like we're in a race, unless we are.

Sn0wX - April 14, 2014, 3:22 pm

(Apr 14, 2014 03:17 PM)Dispersia Wrote: [\[CITE\]](#) i don't think you know what an access token is or what is used for, at all.

Each time the page is accessed a new "form action" token is generated.

Dispersia - April 14, 2014, 3:23 pm

(Apr 14, 2014 03:18 PM)Menalix Wrote: [\[CITE\]](#) Then make a vid of you doing it on 20 mins :)

1. Setup user friendly design.
2. Create function to read text with user:pass
3. Analyze the webrequests with some browser plugin.
4. Test the webrequests manual in browser, to check if you got it right.
5. Make a login function with cookie container.
6. Make threads using the last cookie contained on login.
7. Make sure the application works properly.
8. Show us how you did it on 20 minutes.

Atleast you know me. Who are you?

are you that dense? You negg'd me literally like a week ago.

- 1.) that's not needed, it's for one person, wtf? You can't measure a project time based on how 'pretty' you want to make it look.
- 2.) Please tell me that's a joke
- 3.) Longest part, however you can't analyze yet since you don't even have the session so move that down a few steps.
- 4.) skip that step, that's useless.
- 5.) You've already grabbed it, that's one line.
- 6.) Shouldn't you have made a thread to grab the session in the first place?
- 7.) I'm not retarded, this is a simple operation, skip
- 8.) Again, I would love to if I get back tonight, if not expect it tomorrow morning.

(Apr 14, 2014 03:22 PM)Sn0wX Wrote: [\[CITE\]](#) Each time the page is accessed a new "form action" token is generated.

please tell me what kind of request you're making and to where to post a thread on this forum, please tell me how you think this works lol.

Menalix - April 14, 2014, 3:25 pm

(Apr 14, 2014 03:23 PM)Dispersia Wrote: [\[CITE\]](#) are you that dense? You negg'd me literally like a week ago.

- 1.) that's not needed, it's for one person, wtf? You can't measure a project time based on how 'pretty' you want to make it look.
 - 2.) Please tell me that's a joke
 - 3.) Longest part, however you can't analyze yet since you don't even have the session so move that down a few steps.
 - 4.) skip that step, that's useless.
 - 5.) You've already grabbed it, that's one line.
 - 6.) Shouldn't you have made a thread to grab the session in the first place?
 - 7.) I'm not retarded, this is a simple operation, skip
 - 8.) Again, I would love to if I get back tonight, if not expect it tomorrow morning.
- Yea just noticed when I was going to neg you again, damn.

Seems like you've never done a coding job before.

Still waiting for your 20min vid. If it's such a little deal, why don't you just make it? Why spend 20 mins on replying here, instead of just proving it.

Dispersia - April 14, 2014, 3:28 pm

(Apr 14, 2014 03:25 PM)Menalix Wrote: [\[CITE\]](#) Yea just noticed when I was going to neg you again, damn.

Seems like you've never done a coding job before.

Still waiting for your 20min vid. If it's such a little deal, why don't you just make a short recording? ... because i'm in class, and on my phone, it's like I just said where I was.

Menalix - April 14, 2014, 3:29 pm

(Apr 14, 2014 03:28 PM)Dispersia Wrote: [\[CITE\]](#) ... because i'm in class, and on my phone, it's like I just said where I was.

Then listen to your teacher he might learn you the speed of regular time isn't 4x as fast as you think ?

Dispersia - April 14, 2014, 3:30 pm

(Apr 14, 2014 03:29 PM)Menalix Wrote: [\[CITE\]](#) Then listen to your teacher he might learn you the speed of regular time isn't 4x as fast as you think ?

First off, that sentence isn't even English, 'he might learn you the speed'? what.

shebang - April 14, 2014, 4:05 pm

Alright, I've been at this for a bit and I'm having some problems with the thread creation. MyBB (or at least this forum) does it through Multipart. Here's what my format setup for the post looks like:

```
Code Private ReadOnly ThreadFormat As String = "{0}{4}Content-Disposition: form-data;
name=""my_post_key""{4}{4}{1}{4}{0}{4}Content-Disposition: form-data;
name=""threadprefix""{4}{4}0{4}{0}{4}Content-Disposition: form-data;
name=""subject""{4}{4}{2}{4}{0}{4}Content-Disposition: form-data;
name=""icon""{4}{4}-1{4}{0}{4}Content-Disposition: form-data;
```

```
name=""message_new""{4}{4}{3}{4}{0}{4}Content-Disposition: form-data;
name=""message""{4}{4}{3}{4}{0}{4}Content-Disposition: form-data;
name=""postoptions[subscriptionmethod]""{4}{4}{4}{0}{4}Content-Disposition: form-data;
name=""numpolloptions""{4}{4}{2}{4}{0}{4}Content-Disposition: form-data; name=""attachment"";
filename=""{4}Content-Type: application/octet-stream{4}{4}{4}{0}{4}Content-Disposition: form-data;
name=""submit""{4}{4}Post Thread{4}{0}{4}Content-Disposition: form-data;
name=""action""{4}{4}do_newthread{4}{0}{4}Content-Disposition: form-data;
name=""posthash""{4}{4}{5}{4}{0}{4}Content-Disposition: form-data;
name=""attachmentaid""{4}{4}{4}{0}{4}Content-Disposition: form-data;
name=""attachmentact""{4}{4}{4}{0}{4}Content-Disposition: form-data;
name=""quoted_ids""{4}{4}{4}{0}{4}Content-Disposition: form-data; name=""tid""{4}{4}{4}{0}{4}--{4}"
{0} = "-----WebKitFormBoundaryJrTmmChPM20P6gN3" <-- no clue if this is static or not
{1} = my_post_key (within the new thread page)
{2} = Thread Subject
{3} = Thread Message
{4} = Environment.NewLine
{5} = posthash (within the new thread page)
```

My response does not indicate the thread has been posted. Instead, it's

Finished it!

Took a damn long time to make sure all the headers were proper :P

geraldsosa - April 14, 2014, 4:19 pm

(Apr 14, 2014 06:57 AM)SirGravzy Wrote: [\[CITE\]](#) Hi all,

I could probably make this myself but It would take me days. Could anybody make me a program that takes some log in details. Logs in to a website and creates a new thread with a pre-defined message?

I don't need it to create the users, I already have them. I just need it to take a combo list of users/passwords and go to a defined website, log in, post and log out.

I imagine a web browser component would work well here.

The site is a mybb forum. If anybody can help, please PM me :)I could make it for free send me the user logins and the website.

shebang - April 14, 2014, 4:31 pm

Finished the project for you. You're lucky I didn't charge, that shit was annoying ?

[img]http://www.lensert.com/Fib.png[/img]

\$lick - April 15, 2014, 6:15 am

(Apr 14, 2014 04:31 PM)shebang Wrote: [\[CITE\]](#) Finished the project for you. You're lucky I didn't charge, that shit was annoying ?

[img]http://www.lensert.com/Fib.png[/img]

How long did it take you?

And why are you not charging money?

shebang - April 15, 2014, 6:18 am

(Apr 15, 2014 06:15 AM)?Lazy™ Wrote: [\[CITE\]](#) How long did it take you?

And why are you not charging money?

A few hours to mimic the Multipart posting required to it, including post keys and hashes & whatnot.

I wasn't charging because I didn't think it'd be that difficult originally :P

Cairns - April 15, 2014, 7:52 am

If somehow shebangs doesn't work or whatever I can do it if you have some money on it. I can make it compatible with almost any myBB forum if you like. If so, pm me. Multi threaded and proxy support

Sn0wX - April 15, 2014, 3:36 pm

i guess we will never get a reply. ~:/

Dispersia - April 15, 2014, 3:40 pm

(Apr 15, 2014 03:36 PM)Sn0wX Wrote: [\[CITE\]](#) i guess we will never get a reply. ~:/

If you're talking about me, I saw no reason to. Someone already completed it, if I did do it, you would just say 'You stole his code!', if I don't do it 'You don't know how nerd(or dumb person, whatever word you want to insert there)' so I really see no reason to? I could simply use his code as reference and do it even faster, so what gain is there of making a video of it?

Unless you're talking about OP, of course, in which case, they usually don't.

Sn0wX - April 15, 2014, 3:44 pm

But you have not provided One line of any code because you dont actually know any. To even question about the auth token is a joke.

Dispersia - April 15, 2014, 4:50 pm

(Apr 15, 2014 03:44 PM)Sn0wX Wrote: [\[CITE\]](#) But you have not provided One line of any code because you dont actually know any. To even question about the auth token is a joke.

Not only do you talk up against people that know more than you, it's laughable to the extent of it. Also, using that logic, neither have you, since the only code you have posted so far was showing a for each loop lol, so 'you dont actually know any'

<https://hackforums.net/showthread.php?tid=4167717&pid=39450221#pid39450221>

I honestly see no more reason to post here lol. Have a nice day ;)

Sparta - April 15, 2014, 5:18 pm

(Apr 14, 2014 07:01 AM)Abide Wrote: [\[CITE\]](#) I have never heard of this, plus it is impossible if the forum you are targeting has a captcha during sign up.

I've seen bots come on a website I was working on with names to sex cam and sex toy websites. It used a SHIT ton of proxies. It is not impossible. I had a captcha too, that's the annoying part.

Aristocles - April 15, 2014, 6:17 pm

To all the penny-pinching guys over there : move your ass here :

[Rewards and Small Favors](#)

And stop talking about money in this section. The main goal of the current section is to We recommend you take the time to read the [HF Help Documents](#) section. The answer to your questions should be contained in there. people, not to ask them for money. Thanks

Dispersia - April 15, 2014, 6:31 pm

(Apr 15, 2014 05:18 PM)Sparta. Wrote: [\[CITE\]](#) I've seen bots come on a website I was working on

with names to sex cam and sex toy websites. It used a SHIT ton of proxies. It is not impossible. I had a captcha too, that's the annoying part.
don't use text captchas, use one of the image solving captchas, they're more fun than trying to read and I haven't seen a public bot that can break them, yet.

InspectorGadget - *April 16, 2014, 6:07 am*

Just a note - the guy who completed this request, the program doesn't work. It crashes, I am PM'ing him. Thanks all and big thanks to the guy who made the effort to help me :D