

Forum:[Hack Forums](#)

Thread: [How can i mess up slave's internet without ruining my connection with him?](#)

zetustiger - June 24, 2014, 11:15 am

How can i mess up slave's internet without ruining my connection with him?

Graphiix - June 24, 2014, 11:16 am

What exactly do you mean "mess up his internet"?

Nutrition - June 24, 2014, 11:16 am

Don't think that is possible, pretty sure if you DDoS a slave you also lose connection to him, just wait for him to get off his PC for the night.

Gizmo - June 24, 2014, 11:16 am

This is the wrong section.

As I understand, you're trying to kill their internet without losing connection with them?

(Jun 24, 2014 11:16 AM)Bit Bucket Wrote: [\[CITE\]](#) Don't think that is possible, pretty sure if you DDoS a slave you also lose connection to him, just wait for him to get off his PC for the night. Yes, for sure.

If you Ddos someone, you cut of his internet. - If you use a booter, the victim does have an INTERNET connection with the booter/with you. So, you'll never be able to get a connection to each other if one of you have no internet connection.

zetustiger - June 24, 2014, 11:19 am

I mean so that he wont be able to visit any websites in his FIREFOX BROWSER.

Gizmo - June 24, 2014, 11:23 am

(Jun 24, 2014 11:19 AM)zetustiger Wrote: [\[CITE\]](#) I mean so that he wont be able to visit any websites in his FIREFOX BROWSER.

You're able to set a random proxy in Firefox, so if he uses Firefox then he would connect to the random proxy which isn't making connection to the internet.

zetustiger - June 24, 2014, 11:25 am

(Jun 24, 2014 11:23 AM)Gizmo Wrote: [\[CITE\]](#) You're able to set a random proxy in Firefox, so if he uses Firefox then he would connect to the random proxy which isn't making connection to the internet.

Yea anything besides that? without him having to restart firefox? perhaps some dll to be deleted.

Winners - June 24, 2014, 11:26 am

Don't ruin his internet, simply block his mouse or functions like that so using the internet is difficult.

Fewzy - June 25, 2014, 2:32 am

If you block his internet hes gonna think somethings up and restart his router thus meaning you loose connection... so don't get what your going to get from doing this.

morphine1337 - June 25, 2014, 2:52 am

I think you need to create a driver, the driver should replace the network adapter and allow only certain things like your connection with him. Or you could use a firewall to block anything else but your connection.

supreme00. - June 25, 2014, 2:55 am

if you want to fuck his modem up use a reverse sock5 proxy and log in his modem page and change all things

buttars0070 - June 25, 2014, 5:31 am

write a script to deny all ports except the port you have you rat on it's that easy. People are over complicating it

Meerkat.? - June 25, 2014, 5:46 am

You could mess with his DNS settings, so he can't go to any website without knowing the IP address.

You could mess with his firewall, so everything is blocked except your RAT.

You could mess with his proxy settings, so every application using the standard proxy settings won't be able to connect.

Etc, etc.

R3V1V3Dsu - June 25, 2014, 9:41 am

(Jun 25, 2014 05:46 AM)Mavamaarten~ Wrote: [\[CITE\]](#) You could mess with his DNS settings, so he can't go to any website without knowing the IP address.

You could mess with his firewall, so everything is blocked except your RAT.

You could mess with his proxy settings, so every application using the standard proxy settings won't be able to connect.

Etc, etc.

I would also give the same suggestions. I can't believe what I read on thread before reaching your response. These guys...

zetustiger - June 25, 2014, 10:21 am

Thanks everyone.. but unfortunately none of your suggestions were useful.

SIM-1456245 - June 25, 2014, 10:24 am

The easiest one is to mess up his DNS. That is the hosts file, but that would be ridiculous. So setting a random public DNS would work. As Mava suggested.

Oh lol, if you mess up his DNS, make sure that your stub uses IP not a domain name, because it won't be able to resolve the address to the server i.e. you.

Meerkat.? - June 25, 2014, 10:53 am

(Jun 25, 2014 10:21 AM)zetustiger Wrote: [\[CITE\]](#) Thanks everyone.. but unfortunately none of your suggestions were useful.

Lol, it's three perfect solutions to your question. Just because you have no idea how to implement this doesn't make them "not useful".

SIM-1456245 - June 25, 2014, 10:58 am

(Jun 25, 2014 10:53 AM)Mavamaarten~ Wrote: [\[CITE\]](#) Lol, it's three perfect solutions to your question. Just because you have no idea how to implement this doesn't make them "not useful".

True, he can automate the process with a simple app, or he can just set it up manually while the slave is AFK.

zetustiger - June 25, 2014, 11:45 am

(Jun 25, 2014 10:53 AM)Mavamaarten~ Wrote: [\[CITE\]](#) Lol, it's three perfect solutions to your question. Just because you have no idea how to implement this doesn't make them "not useful".

Yea i know its just that I tried them all already before I even posted this thread and it doesn't fit the current situation.