

Forum:[Hack Forums](#)

Thread: [Hack Entire School Network](#)

Elixirz - June 30, 2014, 6:25 pm

Hey Hack Forums! Hey you doing? Well I got a very short tutorial for you guys. This tutorial will show you how to get into a school network. I am sure this works for other places to.

You will need Microsoft Office. It does not matter what version.

So first things first. When the computer finishes booting up look at the username. Most school usernames have /edu/ somewhere. If it does then you are set. If it says something else in "/" that will work to.

Now onto the next steps.

Step 1:

Open up Microsoft Office

Step 2:

Type the "/" Example: /edu/

This should hyperlink it and you can now click on it. This will open up the network directory, usually the whole network, not just the school.

T3chnophilia - June 30, 2014, 11:33 pm

this makes like no sense to me at all? Maybe explain better

King Bob - July 1, 2014, 2:48 am

Never hack a school system, unless you are 100% sure you know what you're doing.

ChromeHD - July 1, 2014, 2:49 am

^ because if you get caught your fucked

King Bob - July 1, 2014, 3:01 am

(Jul 1, 2014 02:49 AM)ChromeHD Wrote: [\[CITE\]](#) ^ because if you get caught your fucked Exaaaactly! Haha. It's never worth it.

Elixirz - July 1, 2014, 9:42 am

(Jun 30, 2014 11:33 PM)T3chnophilia Wrote: [\[CITE\]](#) this makes like no sense to me at all? Maybe explain better

1. Log into a school computer
2. Open up Microsoft Office
3. Type in "/edu/" or any login that was similar to it at the login screen.
4. Open it up because it was hyperlinked, and it brings up the school directory.

(Jul 1, 2014 02:48 AM)ImperialFox Wrote: [\[CITE\]](#) Never hack a school system, unless you are 100% sure you know what you're doing.

I just made it for someone who would like to. I agree with you. Know what you are doing before doing this.

DontMakeHackerWild - July 1, 2014, 9:47 am

sorry but i dont understand your Tutorial can you plz explane more how i works and what you hack?

Elixirz - July 1, 2014, 9:49 am

So I explained how to do it above, but what this is does is open up the school server, which is usually the whole edu server, from here you can change how all the school's homepage looks like, and on some schools change the permissions. I have explored a bit of this, but I am sure there is a lot more.

nono pk - July 2, 2014, 2:05 am

Not all school have the same login page some school have encrypted pages and etc...

I backdoor-ed my school's library pc :)

Elixirz - July 2, 2014, 12:21 pm

(Jul 2, 2014 02:05 AM)nono pk Wrote: [\[CITE\]](#) Not all school have the same login page some school have encrypted pages and etc...

I backdoor-ed my school's library pc :)

It does not have to be /edu/ it can be in other forms as well. You just have to look, and such. Some organizations have /gov/.

Stoke - July 2, 2014, 12:23 pm

Better tutorial, credits to Stoke City.

When you're at a computer at your school.

First open microsoft word, notepad will also work.

Type 'I am a fucking idiot if I think about hacking a place of education.'

Repeat 5 times.

Shut down the computer.

Get a life.

LittleBobbyTables - July 2, 2014, 12:24 pm

You guys know how when you type a URL in word, it hyperlinks it? You can click on the link, then it goes to that site. He's saying that you can go to the directory of your school by typing in /edu/ or /gov/, something along those lines, because it'll hyperlink automatically to that directory. Sort of like how you can cd /edu/ if you have an edu folder in the current directory.

Elixirz - July 2, 2014, 12:26 pm

(Jul 2, 2014 12:23 PM)Stoke City Wrote: [\[CITE\]](#) Better tutorial, credits to Stoke City.

When you're at a computer at your school.

First open microsoft word, notepad will also work.

Type 'I am a fucking idiot if I think about hacking a place of education.'

Repeat 5 times.

Shut down the computer.

Get a life.

There has been many cases of corrupt schooling. ID cards with gps that could not be removed in Texas. People stand up to many forms of corruption.

Sajuuk - July 3, 2014, 4:21 pm

(Jul 2, 2014 12:26 PM)Elixirz Wrote: [\[CITE\]](#) There has been many cases of corrupt schooling. ID cards with gps that could not be removed in Texas. People stand up to many forms of corruption. Woah, I live in Texas. I wonder if my high school identification card has a tracking device in it.

Elixirz - July 3, 2014, 4:31 pm

(Jul 3, 2014 04:21 PM)Sajuuk Wrote: [\[CITE\]](#) Woah, I live in Texas. I wonder if my high school identification card has a tracking device in it.

It was a certain school, and I think they got rid of them. It was a while ago.

Talu - July 3, 2014, 5:01 pm

I don't really see a point in hacking a school network.

Elixirz - July 3, 2014, 5:07 pm

(Jul 3, 2014 05:01 PM)Xero? Wrote: [\[CITE\]](#) I don't really see a point in hacking a school network. This is for someone that does see a point. I simply made the tutorial because it was something I discovered.

Talu - July 3, 2014, 5:08 pm

(Jul 3, 2014 05:07 PM)Elixirz Wrote: [\[CITE\]](#) This is for someone that does see a point. I simply made the tutorial because it was something I discovered.

Fair enough. Might be useful for some people.

UkVenom - July 3, 2014, 6:17 pm

This would only be even slightly possible if a schools security was shit. My old school had security locked down. All Directory's blocked, Programs blocked, No creating shortcuts, No CMD, No Powershell, No running scripts, BIOS Blocked, No USB access, No Downloading Files i mean ffs they set the server up to send challenge data and the machines would send the response, if the response was different or not emitting at all then the machine would be removed from the network until it was fixed. Me and a Friend ending up hacking that after about 2 months. Seriously if that shit works for you, you got lucky as your schools security is shit end of story.

Elixirz - July 3, 2014, 8:21 pm

(Jul 3, 2014 06:17 PM)UkVenom Wrote: [\[CITE\]](#) This would only be even slightly possible if a schools security was shit. My old school had security locked down. All Directory's blocked, Programs blocked, No creating shortcuts, No CMD, No Powershell, No running scripts, BIOS Blocked, No USB access, No Downloading Files i mean ffs they set the server up to send challenge data and the machines would send the response, if the response was different or not emitting at all then the machine would be removed from the network until it was fixed. Me and a Friend ending up hacking that after about 2 months. Seriously if that shit works for you, you got lucky as your schools security

is shit end of story.

This worked on the states government education servers. This will work on pretty much all computers. It is weird like that.

UkVenoM - July 3, 2014, 9:35 pm

(Jul 3, 2014 08:21 PM)Elixirz Wrote: [\[CITE\]](#) This worked on the states government education servers. This will work on pretty much all computers. It is weird like that.

I'm from the UK, And the school i was from used their own server/s. this would not work where i'm from.

Elixirz - July 4, 2014, 10:16 am

(Jul 3, 2014 09:35 PM)UkVenoM Wrote: [\[CITE\]](#) I'm from the UK, And the school i was from used their own server/s. this would not work where i'm from.

This is to get into servers. When you login you usually type the server before you login "edu/user32838". It can be in any form not just "edu".

SOSA_ - July 4, 2014, 10:50 am

This will work as long as your admin is a complete retard

UkVenoM - July 4, 2014, 12:08 pm

(Jul 4, 2014 10:50 AM)KingCasra Wrote: [\[CITE\]](#) This will work as long as your admin is a complete retard

Exactly my point. This would not fly in most establishments. the fact it works at yours is a miracle in itself.

(Jul 4, 2014 10:16 AM)Elixirz Wrote: [\[CITE\]](#) This is to get into servers. When you login you usually type the server before you login "edu/user32838". It can be in any form not just "edu".

Yeah YOUR schools servers. As i said The establishment i went to, used their own servers/scripts etc. This would not/will never work in my circumstance along with many others.

Elixirz - July 4, 2014, 2:37 pm

(Jul 4, 2014 12:08 PM)UkVenoM Wrote: [\[CITE\]](#) Exactly my point. This would not fly in most establishments. the fact it works at yours is a miracle in itself.

Yeah YOUR schools servers. As i said The establishment i went to, used their own servers/scripts etc. This would not/will never work in my circumstance along with many others.

Well if it doesn't then try one of the thousands of tutorials here. If it does then stick around for more tutorials that I make.

Klayderpus - July 4, 2014, 8:36 pm

This is not "hacking" in the slightest, by the way.

The easier way to do this is to open explorer and type \\edu\ or whatever into the address bar and hit enter.

Elixirz - July 5, 2014, 1:56 pm

(Jul 4, 2014 08:36 PM)Klayderpus Wrote: [\[CITE\]](#) This is not "hacking" in the slightest, by the way.

The easier way to do this is to open explorer and type \\edu\ or whatever into the address bar and hit enter.

I would agree with you there. This would be classified as accessing something that is not present for the user to use. It is beginner. You are not going to find "Advanced Hacking on Hack Forums."

Gatot Kaca - July 6, 2014, 1:39 am

i just drop they network to me now :)

balmohan - July 7, 2014, 8:24 am

its low quality thread why its here OP must explain better

Elixirz - July 7, 2014, 10:46 am

(Jul 7, 2014 08:24 AM)balmohan Wrote: [\[CITE\]](#) its low quality thread why its here OP must explain better

There is really nothing else to say. If you cannot figure it out, then you need to get off Hack Forums. The tutorial is straightforward if you follow the steps then you're set.

Step 1:

Login to the computer(Take note of what the login is)

Step 2:

Open up Microsoft Office and type the beginning of the school network that was in the username box like this "/edu/", or any extension. It does not have to be /edu/.

You can find the extension in the username box before you login. The first part.

Sadat - July 7, 2014, 12:29 pm

Go on one of the school PCs, type "What my IP?" in Google, write it down, go on your phone type DDoS Booter on Google, go on it, write the IP there, click "Attack" and you are done there! now girls will respect you, Anonymous haxor.

:)

Elixirz - July 7, 2014, 12:37 pm

(Jul 7, 2014 12:29 PM)Sadat Wrote: [\[CITE\]](#) Go on one of the school PCs, type "What my IP?" in Google, write it down, go on your phone type DDoS Booter on Google, go on it, write the IP there, click "Attack" and you are done there! now girls will respect you, Anonymous haxor.

:)

That is stupid, and won't work considering the fact that free booters never have free slots open.

Sadat - July 7, 2014, 12:52 pm

(Jul 7, 2014 12:37 PM)Elixirz Wrote: [\[CITE\]](#) That is stupid, and won't work considering the fact that free booters never have free slots open.

<http://www.vbooter.org/>

Enjoy trying it out for free!

Elixirz - July 7, 2014, 12:53 pm

This topic is not on booters. If you want to boot go boot this guy off "127.0.0.1".

SOSA_ - July 7, 2014, 1:02 pm

Can we please get an admin to close down this useless thread.

Elixirz - July 7, 2014, 1:09 pm

(Jul 7, 2014 01:02 PM)KingCasra Wrote: [\[CITE\]](#) Can we please get an admin to close down this useless thread.

The thread is not useless. The reply's are.

