

Forum:[Hack Forums](#)

Thread: [Try hack this sender](#)

miz™ - August 19, 2014, 6:12 pm

I was bored so i made an sender! usefull in manny ways!

This uses an webbsite to send ur mails! so that means if anyone decompile ur logger /sender etc... it cant be hacked ;) only way is to bring that website down!

Just modify as u like! if u wanna use another webbsite! u must change every element id!

```
Code Private Sub Form1_Load(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles MyBase.Load
    WebBrowser1.Navigate("http://anonymail.info/compose.html")
End Sub
```

```
Private Sub TextBox1_TextChanged(ByVal sender As System.Object, ByVal e As
System.EventArgs) Handles TextBox1.TextChanged
    WebBrowser1.Document.GetElementById("dest").SetAttribute("value", TextBox1.Text)
End Sub
```

```
Private Sub TextBox2_TextChanged(ByVal sender As System.Object, ByVal e As
System.EventArgs) Handles TextBox2.TextChanged
    WebBrowser1.Document.GetElementById("subject").SetAttribute("value", TextBox2.Text)
End Sub
```

```
Private Sub TextBox3_TextChanged(ByVal sender As System.Object, ByVal e As
System.EventArgs) Handles TextBox3.TextChanged
    WebBrowser1.Document.GetElementById("msg").SetAttribute("value", TextBox3.Text)
End Sub
```

```
Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs)
Handles Button1.Click
    WebBrowser1.Document.GetElementById("Submit").InvokeMember("click")
End Sub
```

VT-Link:

<https://www.virustotal.com/en/file/443abbe37845ae2a9ef7d1d98dd3adb1270248f8546b4c5380849b2f4a4d49ab/analysis/1408496878/>

DL-Link if u wanna test:

<https://mega.co.nz/#!rkhiRLiQ!3EJ8oBYHM-cL2kFt5khlB8FprLrabyttYVdEyxxjiOo>

[img]http://oi62.[censored].com/35l9dn4.jpg[/img]

+Haze - August 19, 2014, 6:42 pm

I thought I was a skid for using webbrowser lol. Mate just use a php mailer with a get variable. &msg= textbox1.text.

Simple. No need to use a webbrowser. Use http webrequests or webclient.

Edit: Just sent my self an email using that site and found out it uses a php mailer too lol.

Earn - August 20, 2014, 3:27 am

Couldn't someone just use a tool like Fiddler to monitor all incoming & outgoing traffic?

miz™ - August 22, 2014, 3:04 pm

Print of sender

nuk - August 22, 2014, 4:29 pm

I've personally always used a free email spoofing service and forwarded it to my (other) email. I've never had an issue doing it that way but there are a few WAAAY better methods. Nice of you to contribute though :) Thanks

Eternal Darkness - August 22, 2014, 10:24 pm

(Aug 22, 2014 03:04 PM)miz™ Wrote: [\[CITE\]](#) Print of sender

I was so confused... I thought the intended subject was in the "send to" line... I was about to be like: "Dude, no"... But Gtatz on making it input data correctly... The lack of visibility on the website's labels made it confusing...

This "works"... I would recommend not using this type of method however...

There are plenty of free file servers you can use and abuse with PHP scripts to send your data for you... This way you have less people looking at the data, more control over the email process, and can end/start it as you please...

The main problem with this method in my opinion is that websites like these, aren't around for that long (usually)... Once they are gone, then all precising data cannot be sent... They can also make changes to the site, not even needing to close down the service... Just changing the Element's ID's will screw the application up...

Instead it is simpler for you to host a script to log the data the way you want it logged, and send it the way you want to send it. If you decide you no longer wish to host said file you are free to do so, but that is better than a website being closed down by a third party, therefore making your app "useless"...

Just Explaining Stuffz... Don't mean nothin personal, just trying to promote the "best" method...

miz™ - August 23, 2014, 3:21 am

(Aug 22, 2014 10:24 PM)Eternal Darkness Wrote: [\[CITE\]](#) I was so confused... I thought the intended subject was in the "send to" line... I was about to be like: "Dude, no"... But Gtatz on making it input data correctly... The lack of visibility on the website's labels made it confusing...Aah sry dude! i didnt see that when i took the print! but thx :D

Quote:

This "works"... I would recommend not using this type of method however...

There are plenty of free file servers you can use and abuse with PHP scripts to send your data for you... This way you have less people looking at the data, more control over the email process, and can end/start it as you please...

The main problem with this method in my opinion is that websites like these, aren't around for that

long (usually)... Once they are gone, then all precising data cannot be sent... They can also make changes to the site, not even needing to close down the service... Just changing the Element's ID's will screw the application up...

Instead it is simpler for you to host a script to log the data the way you want it logged, and send it the way you want to send it. If you decide you no longer wish to host said file you are free to do so, but that is better than a website being closed down by a third party, therefore making your app "useless"...

Well i didnt think of all that yet! im just messing around trying stuff!
im a noob in vb! trying to make things work! using guides and modifying codes like i want them :D
Quote:Just Explaining Stuffz... Don't mean nothin personal, just trying to promote the "best" method...
I like that! :D

Corios - August 23, 2014, 4:04 am

Was looking at the requests of that website and holy shit. Whoever made that website has no idea what they are doing. At all.

Cairns - August 23, 2014, 4:14 am

No error handling whatsoever. Program will instantly crash if the document is not loaded or does not contain one of those id's.

Cairns - August 23, 2014, 4:18 am

No error handling whatsoever. Program will instantly crash if the document is not loaded or does not contain one of those id's.

miz™ - August 23, 2014, 11:09 am

(Aug 23, 2014 04:04 AM)Corios Wrote: [\[CITE\]](#) Was looking at the requests of that website and holy shit. Whoever made that website has no idea what they are doing. At all.
It worsk so whatever! and it was just an exempel!

(Aug 23, 2014 04:18 AM)Cairns Wrote: [\[CITE\]](#) No error handling whatsoever. Program will instantly crash if the document is not loaded or does not contain one of those id's.
And? if everythink is ok then app is ok :D

Eternal Darkness - August 23, 2014, 11:25 am

(Aug 23, 2014 11:09 AM)miz™ Wrote: [\[CITE\]](#) And? if everythink is ok then app is ok :D
He is "further" pushing my point on if the site ever goes down or changes the TextBox id's... xD
If the correct id is not found on the page, or the site won't load at all, then there will be an "exception". An exception can crash the program...

He is saying to put a [Try, Catch](#) Statement in... Honestly I see that as trying to simply cover up a mess... The mess being that it is not the "strongest" concept to begin with... A try catch would be beneficial if you wish to promote this method. I still would recommend what I originally stated though... :l

(Aug 23, 2014 03:21 AM)miz™ Wrote: [\[CITE\]](#) Aah sry dude! i didnt see that when i took the print! but thx :D
Just thought I would point it out...

(Aug 23, 2014 03:21 AM)miz™ Wrote: [\[CITE\]](#) Well i didnt think of all that yet! im just messing around trying stuff!

im a noob in vb! trying to make things work! using guides and modifying codes like i want them :D
That's ok... Just need to prevent some methods like these from becoming common practice... As
long as there are better alternatives at least... xD

(Aug 23, 2014 03:21 AM)miz™ Wrote: [\[CITE\]](#) I like that! :D
Sounds like we will probably get along just fine then... xP

miz™ - August 23, 2014, 11:35 am

(Aug 23, 2014 11:25 AM)Eternal Darkness Wrote: [\[CITE\]](#) He is "further" pushing my point on if the
site ever goes down or changes the TextBox id's... xD

If the correct id is not found on the page, or the site won't load at all, then there will be an
"exception". An exception can crash the program...

He is saying to put a [Try, Catch](#) Statement in... Honestly I see that as trying to simply cover up a
mess... The mess being that it is not the "strongest" concept to begin with... A try catch would be
beneficial if you wish to promote this method. I still would recommend what I originally stated
though... :l

Just thought I would point it out...

Yepp there is many things to do to make this better! but my point wasnt to post a GOOD sender! it
was just an example so that if anyone decompiled ur app, they could not fkitup!