

Forum:[Hack Forums](#)

Thread: [Types of DDoS Attacks | Explained | How to setup Booter / Dstat | How They Work.](#)

Archives - October 28, 2014, 8:01 am

Hi,

There are many people asking around for methods of DDoS attack. How they work? How to setup a booter? all those!

Seriously, and when I scroll through the posts, I see some of the dumbest REPLIES that one could give. Please do not give someone a wrong information just for the sake of posting or for a post count.

Let's start with our thread, I hope you will find this helpful and you won't be in dark side when it comes about the knowledge of DDoS.

What are the different methods of DDoS Attacks?

Before we start explaining the methods, Let me tell you that all the DDoS attacks can be classified into:

Layer 4 Attacks

Layer 7 Attacks

Layer 4 Attacks!

Layer 4 Attacks are basically helpful in taking down the internet connections. If you are using a Layer 4 Attack against a website, Sorry! You won't be able to down your target.

Layer 4 Helps Taking Down:

Teamspeak Servers

xBox Connections

Internet Connections

Game Servers

Few methods which come under Layer 4 Attacks:

SSDP

UDP

UDP-LAG

NTP

XSYN

CHARGEN

There are few scripts which run on lists, like SSDP | Chargen. If you don't have lists for them, they won't hit at all. You need to update your lists every week. I meant to say scan lists. It is always better to scan lists by yourself rather than buying from someone else. PM, I'll teach you.

Layer 4 Power is always measured in Gbps, like we say 10 Gbps. That means 10 Gbps is the outcome of Layer 4. Power really depends on the scanned lists.

Layer 7 Attacks!

Layer 7 Attacks are basically used to take down websites, if you use Layer 7 against Internet Connections, Sorry! You won't be able to take your victim down.

Layer7 Helps taking down:

Websites

Servers

OVH Servers

Game Servers

Few methods which comes under Layer7 Attacks:

CHARGEN [Yes it is proven that Chargen also works in taking down few websites.]

XML-PRC

PingBack

ESSYN

HTTP Hulk

HEAD | POST | GET

ARME

RUDY

SLOWLORIS

They are some few custom attacks, which bypasses CloudFlare and Volixity DDoS Protection. Fuck off, all they do is they wait 5 seconds and then start flooding.

XML-PRC also have lists.

HEAD | POST | GET runs on HTTPS proxies.

ARME and RUDY runs on proxies too.

Layer7 power is measured in K, scripts hitting more than 1.3K are supposed to be good and most likely to take down every target.

How to Setup a Booter?

Spoofed VPS / Dedicated Server. Don't be in hurry, few services will SUSPEND your VPS once they get to know what you are doing on it. I recommend to go on: <http://enwebhost.com> [They don't care.]

Booter Source. [Ask me, I have 100's]

API [You need to create it using your VPS, again ask me for help]

Attack Scripts.

Tips:

Do not use your own PayPal email as Stresser, PayPal will fuck your account, if they ever get to know.

Please, Power of Booter / Stresser depends on Attack Scripts and Scanned lists, NOT ON VPS. Please.

Please before you release a Stresser, make sure it has a Autobuy, hire a good coder or just ask me a source. More features = More Sales. Simple.

Good luck, if you want any minor help, I am always there to get it done for you.

You can also PM me if you want me to help you with any Source || API or you want to have any Attack Script.

How to Dstat Layer4 Attack / Booter:

1) First download " SolarWinds Free Real-Time Bandwidth Monitor "

You can download by: [Clicking This](#)

2) You can enter the following information, please open the spoiler to view image.

Spoiler [\(Click to View\)](#)

3) After that click " UPLINK Port Channel - 10 ", Please view the image by opening the spoiler.

Spoiler [\(Click to View\)](#)

4) You are done! Hit " 69.31.20.2:80 " with the following Layer4 method and the power will be detected. That's how much of the people Dstat.

END

If you face any problem regarding making a booter or want to know more about DDoS or have any doubt in your mind, please don't hesitate to send me a PM, I will be always there to help out!

Ghost Rider™ - October 28, 2014, 8:05 am

Archives has knows a lot about Stressers, nice explanation.

Cammy - October 28, 2014, 8:07 am

Bookmarked this, may come in handy one day.

Good post OP.

Dan™ - October 28, 2014, 8:08 am

Great explanation op. Goes really into detail.

Archives - October 28, 2014, 8:12 am

Hi,

Thank you all, If you want any help regarding the topic or you have any doubt or questions?
Please leave a PM to me and I will help you out.

Flash ? - October 28, 2014, 8:15 am

Nice thread :p Explained well ?

Dangerous Beef - October 28, 2014, 8:18 am

Nice clarification, i actually enjoyed reading through it which is strange since i don't like booters.

But i think i spotted a tiny mistake in your thread.

"Few methods which comes under Layer4 Attacks:"

Should be "Few methods which comes under Layer7 Attacks:"

Thanks for the read :).

Archives - October 28, 2014, 8:21 am

(Oct 28, 2014 08:18 AM)Dternity Wrote: [\[CITE\]](#) Nice clarification, i actually enjoyed reading through it which is strange since i don't like booters.

But i think i spotted a tiny mistake in your thread.
"Few methods which comes under Layer4 Attacks:"
Should be "Few methods which comes under Layer7 Attacks:"

Thanks for the read :).
Thank you, really good catch. I have fixed it.

.Reef - October 28, 2014, 8:40 am

Very nice tutorial. Wish you didn't give out that graph though(x but either way it's good your helping members out!

Archives - October 28, 2014, 8:45 am

(Oct 28, 2014 08:40 AM).Reef Wrote: [\[CITE\]](#) Very nice tutorial. Wish you didn't give out that graph though(x but either way it's good your helping members out!

Thank you! I am really sorry if that offended you, I wanted to give as much as information I can, I given out that graph so people can actually trust the power of any stresser and get out of "Fake Promises" which are made by few people.

.Reef - October 28, 2014, 8:54 am

(Oct 28, 2014 08:45 AM)Archives Wrote: [\[CITE\]](#) Thank you! I am really sorry if that offended you, I wanted to give as much as information I can, I given out that graph so people can actually trust the power of any stresser and get out of "Fake Promises" which are made by few people.

You didnt offend me bro ? Its good information.

Archives - October 28, 2014, 9:17 am

(Oct 28, 2014 08:54 AM).Reef Wrote: [\[CITE\]](#) You didnt offend me bro ? Its good information.
Thanks a lot buddy. Appreciated that. ?

Goat™ - October 28, 2014, 9:35 am

This person is insane, he knows a lot of things about Stresser. I have done few deals with him in past.

ablationvector - October 28, 2014, 4:14 pm

OP is fken autistic.

Put CHARGEN and ESSYN under L7.
Measured in K? K what?

L7 means application layer meaning HTTPD, MySQLd, Minecraft, Source, etc.
Layer 7 attacks mainly function as a mass request or post, resulting in the crash of whatever program the server is running, not the complete server itself.

"K"? Do you mean r/s? requests per second? K is there just for 1000.
1k r/s = 1 thousand requests per second.

Again, op is retarded, can't believe you others are reading this shit.

Haki1337 - October 28, 2014, 4:44 pm

Thanks Sir for your great tutorial and giving us a little bit of your time to help us out!

Rosetti - October 28, 2014, 5:02 pm

Very nice guide man, this could be very useful for new users wishing to learn about the "art" of DDos. (If you can even call it art lol)

differentperson - October 28, 2014, 6:14 pm

I actually found this useful even though I've kind of done this stuff before, Just a quick reminder of what everything means on a booter.

Would you say that setting up your own is more effective than buying membership?

Archives - October 28, 2014, 9:07 pm

(Oct 28, 2014 06:14 PM)differentperson Wrote: [\[CITE\]](#) I actually found this useful even though I've kind of done this stuff before, Just a quick reminder of what everything means on a booter.

Would you say that setting up your own is more effective than buying membership?Hi,
Go for yours, it may need maintenance but its actually worth it rather than going for any membership, if you don't have enough time just buy a membership.

(Oct 28, 2014 04:14 PM)Dominate Humbly Wrote: [\[CITE\]](#) OP is fken autistic.

Put CHARGEN and ESSYN under L7.

Measured in K? K what?

L7 means application layer meaning HTTPD, MySQLd, Minecraft, Source, etc.

Layer 7 attacks mainly function as a mass request or post, resulting in the crash of whatever program the server is running, not the complete server itself.

"K"? Do you mean r/s? requests per second? K is there just for 1000.

1k r/s = 1 thousand requests per second.

Again, op is retarded, can't believe you others are reading this shit.

Hi,

Don't mislead people. You take down internet connections with ESSYN right? wow.

Chargen has proven to take down free hosting like Hostinger.

Eg: XYZ.hol.es (Just a free Hostinger Hosting example)

-Anonymous- - October 28, 2014, 10:57 pm

Hey thanks for the help! It is great and is very easy to understand. Thank you.

-Anonymous- - October 28, 2014, 10:57 pm

Hey thanks for the help! It is great and is very easy to understand. Thank you.

Seatown - November 4, 2014, 9:11 pm

i dont know why i keep getting "Credential Test Failed" When trying to login to SolarWinds with that info. please help

Archives - November 4, 2014, 10:01 pm

(Nov 4, 2014 10:11 PM)Seatown Wrote: [\[CITE\]](#) i dont know why i keep getting "Credential Test Failed" When trying to login to SolarWinds with that info. please help

Let me check out, they work fine for all of us, I will send you a PM of new Credentials.

Seatown - November 4, 2014, 10:08 pm

(Nov 4, 2014 11:01 PM)Archives Wrote: [\[CITE\]](#) Let me check out, they work fine for all of us, I will send you a PM of new Credentials.

ok thank you hopefully it will work for me to.

EDIT : HAVE U SENT THE CREDENTIALS YET, Havent gotten yet so i was wondering.

chen3 - November 5, 2014, 2:33 am

It was very helpful for me to understand the difference between Layer 4 and Layer 7 attacks.

Thank you mate

?

Archives - November 5, 2014, 4:26 am

(Nov 5, 2014 03:33 AM)chen3 Wrote: [\[CITE\]](#) It was very helpful for me to understand the difference between Layer 4 and Layer 7 attacks.

Thank you mate

?

Sure man, just ask me anything if you need help.

Seatown - November 5, 2014, 11:49 am

(Nov 5, 2014 05:26 AM)Archives Wrote: [\[CITE\]](#) Sure man, just ask me anything if you need help. hey sorry to bother you but u never sent the new Credentials just letting u know in case u forgot

ThePacketBaron - November 5, 2014, 1:08 pm

You know, I don't wanna be "that guy" but I would just like to point out that putting RUDY and Slowloris in, in the layer 7 attacks is pretty much pointless as they are just tools for attacking? I mean RUDY is Post and Slowloris is head so I wasn't entirely sure why you essentially named the same thing twice lol. Otherwise it was a very useful tutorial! :D Very informative.

Narcissistic Behaviors - November 5, 2014, 1:12 pm

(Nov 5, 2014 02:08 PM)ThePacketBaron Wrote: [\[CITE\]](#) You know, I don't wanna be "that guy" but I would just like to point out that putting RUDY and Slowloris in, in the layer 7 attacks is pretty much pointless as they are just tools for attacking? I mean RUDY is Post and Slowloris is head so I wasn't entirely sure why you essentially named the same thing twice lol. Otherwise it was a very useful tutorial! :D Very informative.

You're being that guy that doesn't understand what they do.

Glad OP put Chargen as layer4 and layer7. Dumbass.

Just because something 'can' take down sites doesn't make it layer7. Maybe you should do your research on what layer4 and layer7 are before you post.

maddmax - November 5, 2014, 1:13 pm

Well played , will be studying this

darkassasin1 - November 5, 2014, 5:53 pm

Thanks for tut man, much appreciated.

Thanks man easy to understand, appreciated it :).

Awesome and easy to understand, good work man I appreciate it.

Zabuza? - November 5, 2014, 6:12 pm

The lack of understanding here truly hurts. I mean, it's clear you know how to setup booters, but do you actually know how what you're setting up works? You didn't explain how any of the methods work, nor even give a basic outline as to what a DDoS attack is.

Seatown - November 5, 2014, 8:07 pm

can someone send me a working solarwinds Monitor ID and string that works on win 8 idk why this one doesnt work

Narcissistic Behaviors - November 5, 2014, 8:12 pm

(Nov 5, 2014 07:12 PM)ZabUza Wrote: [\[CITE\]](#) The lack of understanding here truly hurts. I mean, it's clear you know how to setup booters, but do you actually know how what you're setting up works? You didn't explain how any of the methods work, nor even give a basic outline as to what a DDoS attack is.

No, he has no idea what any of the methods are. He just has names.

Powervegeta - November 5, 2014, 10:13 pm

Nice ! Very nice bro!! i know this faq.
thx.

LilGhost - November 5, 2014, 11:05 pm

You're missing a lot of good DoS methods. There's so much you can do with TCP which isn't even mentioned here ?

Not to rip on your post. It still has some good info. It's just lacking a lot of alternate methods and explanation.

Archives - November 6, 2014, 12:17 am

(Nov 6, 2014 12:05 AM)LilGhost Wrote: [\[CITE\]](#) You're missing a lot of good DoS methods. There's so much you can do with TCP which isn't even mentioned here ?

Not to rip on your post. It still has some good info. It's just lacking a lot of alternate methods and explanation.

Yeah, I have really missed few methods of Layer 7 too. I know HF is intelligent to understand.

LilGhost - November 6, 2014, 12:28 am

(Nov 6, 2014 01:17 AM)Archives Wrote: [\[CITE\]](#) Yeah, I have really missed few methods of Layer 7 too. I know HF is intelligent to understand.

I find layer 7 to be very limited. Layer 4 has many more possibilities. Sam Bowne gave a great talk about a new possible layer 4 attack which he demonstrated as having the ability to completely crash a server. Not just taking out its networking capabilities, rather it forced the server to completely shutdown which thus required a manual restart.

hello im me - November 6, 2014, 12:30 am

Very good and well explained, thanks! ?

ThePacketBaron - November 6, 2014, 7:44 am

(Nov 5, 2014 02:12 PM)Narcissistic Behaviors Wrote: [\[CITE\]](#) You're being that guy that doesn't understand what they do.

Glad OP put Chargen as layer4 and layer7. Dumbass.

Just because something 'can' take down sites doesn't make it layer7. Maybe you should do your research on what layer4 and layer7 are before you post.

Actually I do understand what they do lol. Slowloris sends incomplete HTTP packets at the webserver (only the header of the HTTP packet) at the webserver. This makes the webserver wait on the other half as it assumes you have poor internet and if enough headers are sent the server can't handle any more requests as it is waiting on all your malformed requests. So this is a header attack

RUDY is sending POST data into a form field on a website. Usually this is started off with a high content header in the packet. You then send content into the field at a very low rate. This means the

webserver has to wait on the data you are sending and this can crash the webserver. Using the POST request makes it a POST attack...

Yeah totally don't know how it works (sarcasm)

Archives - November 6, 2014, 7:48 am

(Nov 6, 2014 08:44 AM)ThePacketBaron Wrote: [\[CITE\]](#) Actually I do understand what they do lol. Slowloris sends incomplete HTTP packets at the webserver (only the header of the HTTP packet) at the webserver. This makes the webserver wait on the other half as it assumes you have poor internet and if enough headers are sent the server can't handle any more requests as it is waiting on all your malformed requests. So this is a header attack

RUDY is sending POST data into a form field on a website. Usually this is started off with a high content header in the packet. You then send content into the field at a very low rate. This means the webserver has to wait on the data you are sending and this can crash the webserver. Using the POST request makes it a POST attack...

Yeah totally don't know how it works (sarcasm)

Hi,

Dear new member, your request has been taken into consideration.

-zERAIT - November 6, 2014, 8:17 am

Well written tutorial, Archives.
Good job!

Archives - November 6, 2014, 8:20 am

(Nov 6, 2014 09:17 AM)Ladax Wrote: [\[CITE\]](#) Well written tutorial, Archives.
Good job!
Hi,
Thanks a lot for your kind words.

DevNet - November 6, 2014, 8:25 am

The amount of bullshit in this thread is too damn high.

Archives - November 6, 2014, 8:30 am

(Nov 6, 2014 09:25 AM)DevNet Wrote: [\[CITE\]](#) The amount of bullshit in this thread is too damn high.
Thank you. I love to get reviews from new born babies members.

AceVoid - November 6, 2014, 8:35 am

Super sweet tut. Looked for this a while now, and here it is. Thanks OP. Nice job.

Archives - November 6, 2014, 8:39 am

(Nov 6, 2014 09:35 AM)ddvniek Wrote: [\[CITE\]](#) Super sweet tut. Looked for this a while now, and here it is. Thanks OP. Nice job.
Thank you for such nice words. Thanks a lot.

ablationvector - November 15, 2014, 8:45 pm

(Oct 28, 2014 09:07 PM)Archives Wrote: [\[CITE\]](#) Hi,
Go for yours, it may need maintenance but its actually worth it rather than going for any membership, if you don't have enough time just buy a membership.

Hi,

Don't mislead people. You take down internet connections with ESSYN right? wow.
Chargen has proven to take down few free hosting like Hostinger.
Eg: XYZ.hol.es (Just a free Hostinger Hosting example)
Omfg...
Chargen is just a service that runs off of UDP....
It take down those hosting websites because it travels within layer 4....

Jesus christ do u not understand that I7 is application level and I4 is udp/tcp traffic level?
(Nov 5, 2014 02:12 PM)Narcissistic Behaviors Wrote: [\[CITE\]](#) You're being that guy that doesn't understand what they do.

Glad OP put Chargen as layer4 and layer7. Dumbass.

Just because something 'can' take down sites doesn't make it layer7. Maybe you should do your research on what layer4 and layer7 are before you post.
Props to this guy.
Took the words straight out of my mouth.

???- ?Z -??? - November 15, 2014, 9:20 pm

Pretty helpful. I finally learned the difference between layer-4 and layer-7 attacks. Would like to know more in depth about the the different layer 4 and layer 7 attacks tho. Would be a great addition to this tutorial.

Archives - November 16, 2014, 1:57 am

(Nov 15, 2014 10:20 PM)???- ?Z -??? Wrote: [\[CITE\]](#) Pretty helpful. I finally learned the difference between layer-4 and layer-7 attacks. Would like to know more in depth about the the different layer 4 and layer 7 attacks tho. Would be a great addition to this tutorial.
Thank you! Your demand has been taken into consideration.

Primaal - November 16, 2014, 2:33 am

Very nice tutorial, well explained! Nice one

Archives - November 16, 2014, 3:59 am

(Nov 16, 2014 03:33 AM).Terminator Wrote: [\[CITE\]](#) Very nice tutorial, well explained! Nice one
Thank you Mr. Boob, I am glad you liked this tutorial.

Sarthakboob - April 11, 2015, 12:44 am

Well explained thread! wowie! vouchie for this gui

Caypen - September 29, 2015, 6:18 pm

i dont know why i keep getting "Credential Test Failed" When trying to login to SolarWinds with that info. please help

D3st1Nym8 - September 30, 2015, 2:33 am

Nice guide OP, thanks for sharing

emre1x1 - March 24, 2016, 2:32 pm

(Sep 29, 2015 06:18 PM)Caypen Wrote: [\[CITE\]](#) i dont know why i keep getting "Credential Test Failed" When trying to login to SolarWinds with that info. please help
Same

kshooter - September 12, 2016, 3:47 am

Thank you, really good catch. I have fixed it.

tundraforlife98 - September 13, 2016, 6:24 am

what types of booter sources do you have

AlphaIndustries - September 13, 2016, 6:42 am

(Sep 13, 2016 06:24 AM)tundraforlife98 Wrote: [\[CITE\]](#) what types of booter sources do you have please just look at the thread, it comes from 2014 and the maker of the thread has is own account closed..