

Forum:[Hack Forums](#)

Thread: [\[HTML | CSS | PHP\] Help Desk | Need help with Homework Or Just stuck at something?](#)

Isildur - December 20, 2014, 8:43 am

*I made the above using HTML & CSS. Not Photoshop :)

Nachfolger - December 20, 2014, 3:36 pm

I guess I'll give this a shot.

So recently I posted a thread here (<https://hackforums.net/showthread.php?tid=4587417&pid=43848370#pid43848370>) trying to get a css element to appear when in a valid session. Ultimately, even with all the amazing help, I gave up. I'm not sure why it didn't work out, but who cares.

I need a message to appear when there is a certain cookie for my website. So, when you click the submit button for the form, it creates a cookie, all works well, and the cookie is created.

Submission Page:

PHP Code

```
<?php
```

```
$cookie_name = "submit";
```

```
$cookie_value = "1";
```

```
setcookie($cookie_name, $cookie_value, time() + (1 * 10), "/");
```

```
?>
```

Now, after it creates the cookie, it takes you to my home page, where I need a message saying "Success! Form submitted"

Basically, all I need is the cookie 'checker' code, once it verifies the cookie exists, I need it to run the code below it, or something like that.

This is what I need it to display ONLY when the cookie is detected

PHP Code

```
<?php
```

```
<html>
```

```
<center><h2><br><br><br><br><b><font color="#00BFFF">Sucess!</h2></font></b></center>
```

```
</html>
```

I'm clearly a noob, so the more information you provide, the easier for me to understand. Thanks!

Isildur - December 20, 2014, 9:26 pm

Okay, So I got what you are saying.

1. If you are working with cookies, you need to make sure, when that BUTTON of your is clicked, you are redirected on the same domain.

Like, if your form is at <https://hackforums.net> & once button is clicked, you want to redirect to <http://somewebsitetoredirect.com> then cookies won't work, as you have changed the website.

2. Now if you are sure that you want to redirect on the same website, then you can do one of the two things below:

a.>

So, Step 1: User submits form, and you set a cookie.

Step 2: Now on your homepage, you need to check the cookie, which can be done by:

```
Code if( isset( $_COOKIE["submit"] ) )
{
    $style = "";
}
else
{
    $style = "display: none;";
}
```

Now in your html, where you have this code:

```
Code <html>
<center><h2><br><br><br><br><b><font color="#00BFFF">Sucess!</h2></font></b></center>
</html>
```

Change it to:

```
Code <html>
[b]<!--[b] Where is body? I guess you have included it :P, if not, please do -->
<center>
    <div style="margin-top: 100px; <?php echo $style; ?>"> [b]<!--[b] Adjust it, as per your needs
-->
    <b>
    <h2><font color="#00BFFF">Sucess!</font></h2>
    </b>
    </div>
</center>
</html>
```

And done.

I tested, the code works fine.

*See that I removed your

 tags, and replaced them with margin-top:100px;

It is better to use CSS, rather than

Also, you are missing, body, head tags.

And the second method is to check if the form was submitted using if(isset(\$_POST['submit']))

Lambasoft - December 21, 2014, 3:04 pm

(Dec 20, 2014 10:26 PM)Isildur Wrote: [\[CITE\]](#) Okay, So I got what you are saying.

1. If you are working with cookies, you need to make sure, when that BUTTON of your is clicked, you are redirected on the same domain.

Like, if your form is at <https://hackforums.net> & once button is clicked, you want to redirect to

<http://somewebsitetoredirect.com> then cookies won't work, as you have changed the website.

2. Now if you are sure that you want to redirect on the same website, then you can do one of the two things below:

a.>

So, Step 1: User submits form, and you set a cookie.

Step 2: Now on your homepage, you need to check the cookie, which can be done by:

```
Code if( isset( $_COOKIE["submit"] ) )
{
    $style = "";
}
else
{
    $style = "display: none;";
}
```

Now in your html, where you have this code:

```
Code <html>
<center><h2><br><br><br><br><b><font color="#00BFFF">Sucess!</h2></font></b></center>
</html>
```

Change it to:

```
Code <html>
[b]<!--[/b] Where is body? I guess you have included it :P, if not, please do -->
<center>
    <div style="margin-top: 100px; <?php echo $style; ?>"> [b]<!--[/b] Adjust it, as per your needs
-->
    <b>
    <h2><font color="#00BFFF">Sucess!</font></h2>
    </b>
    </div>
</center>
</html>
```

And done.

I tested, the code works fine.

*See that I removed your

 tags, and replaced them with margin-top:100px;

It is better to use CSS, rather than

Also, you are missing, body, head tags.

And the second method is to check if the form was submitted using if(isset(\$_POST['submit']))
Since you're being that nazi, <center> tags are no longer supported (in HTML 5 at least)
Use CSS instead.

Vitesse - December 23, 2014, 6:51 am

Nice guy, helped me with a big problem I was having.... try him out even through in a little £10 tip for helping me quick and painlessly. Great guy!

Sakuto - December 23, 2014, 4:14 pm

You could also use ternary condition :

PHP Code

```
<?php
$style = (isset($_COOKIES['submit'])) ? '' : 'display: none;';
?>
```

Isildur - December 24, 2014, 3:47 am

Thank you RebitClown :)

Thread still up, ask your problems fast!

Medellin - December 24, 2014, 7:38 am

Thanks , you Help me with my own page, Good Christmas ;)

Isildur - December 25, 2014, 11:41 pm

Welcome Welcome & Welcome!

Thread is still up.

AB33770 - December 26, 2014, 7:57 am

Hi can you help i have already my site with PHP script i need your help to fix something on style.css :S because i don't know well :(?

Isildur - December 26, 2014, 8:09 am

(Dec 26, 2014 08:57 AM)AB33770 Wrote: [\[CITE\]](#) Hi can you help i have already my site with PHP script i need your help to fix something on style.css :S because i don't know well :(?

Sure. What problem are you experiencing? Add me on skype for better and faster results :)

Amazin-flash - December 26, 2014, 4:44 pm

need help with my with HTML and CSS!

I created a horizontal list under the header. My plan to customize it and make them look more fashionable. I might even move it inside the header! However for some reason they're out of position compare to other parts on the page.

```
Quote:#first ul li { display: inline;
    }
```

```
Quote:<div id="first">
<ul>
```

```
<li><a href=#>p1</a></li>
<li><a href=#>p2</a></li>
<li><a href=#>p3</a></li>
<li><a href=#>p4</a></li>
</ul>
</div>
```

do you see anything wrong with my code? I don't?

sorry I can't post any pictures due to my low post account

Isildur - December 26, 2014, 10:31 pm

(Dec 26, 2014 05:44 PM)Amazin-flash Wrote: [\[CITE\]](#) need help with my with HTML and CSS!

I created a horizontal list under the header. My plan to cutomise it and make them look more fashionable. I might even move it inside the header! However for some reason they're out of position compare to other parts on the page.

do you see anything wrong with my code? I don't?

sorry I can't post any pictures due to my low post account

Yes. It is because of some missing CSS. Browsers automatically add margins and padding to certain elements, including

So, you need to add:

```
[code]
ul {
margin: 0;
padding: 0;
}
[/ul]
```

also it is better to use display: inline-block; & list-style: none outside none;

Instead of display: inline :)

Glenndilen - December 28, 2014, 10:30 am

OP, how can I insert into multiple tables whilst keeping the ID's the same?

Sakuto - December 28, 2014, 5:29 pm

(Dec 28, 2014 11:30 AM)Seagull Wrote: [\[CITE\]](#) OP, how can I insert into multiple tables whilst keeping the ID's the same?

Not sure about what you mean but isn't it what you need

<http://php.net/manual/en/pdo.lastinsertid.php> ?

Glenndilen - December 28, 2014, 6:44 pm

What I'm trying to achieve is simple.

I would like to insert all my products into one table, and then insert all my prices into another table, while keeping track of the ID for each product, so that I can then insert them into the "id" field of the prices (which is not a primary key).

Isildur - December 28, 2014, 10:22 pm

(Dec 28, 2014 07:44 PM)Seagull Wrote: [\[CITE\]](#) What I'm trying to achieve is simple.

I would like to insert all my products into one table, and then insert all my prices into another table, while keeping track of the ID for each product, so that I can then insert them into the "id" field of the prices (which is not a primary key).

Assuming you are using php.

```
$query1 = "INSERT INTO ..... ";
$YourDBDriver->query( $query1 );
```

If you use mysql. Then, you can fetch the last inserted id (Primary key) by:

```
$id = mysql_insert_id();
```

Different drivers use different methods. When using PDO, lastInsertId() method can be used.

and then use this with the second query

```
$query2 = "INSERT INTO `Table` ( primaryid, id, OTHERFIELDS ) VALUES ( NULL, {$id},  
OTHERFIELDS )";  
$YourDBDriver->query( $query2 );
```

The same can also be achieved using SQL only, inwhich you need to execute multiple queries at the same time.

For this you need to use the CLIENT_MULTI_STATEMENTS constant (orr numeric value 65536) in your mysql connect function.

Then you can just use:

```
Code INSERT INTO Tablename ( some_fields ) VALUES ( some_values );  
SET @last_id = LAST_INSERT_ID();  
INSERT INTO Othertable ( id, some_fields ) VALUES (@last_id, some_fields);
```

GlennDilen - December 29, 2014, 2:36 am

(Dec 28, 2014 11:22 PM)Isildur Wrote: [\[CITE\]](#) Assuming you are using php.

```
$query1 = "INSERT INTO ..... ";  
$YourDBDriver->query( $query1 );
```

If you use mysql. Then, you can fetch the last inserted id (Primary key) by:

```
$id = mysql_insert_id();
```

Different drivers use different methods. When using PDO, lastInsertId() method can be used.

and then use this with the second query

```
$query2 = "INSERT INTO `Table` ( primaryid, id, OTHERFIELDS ) VALUES ( NULL, {$id},  
OTHERFIELDS )";  
$YourDBDriver->query( $query2 );
```

The same can also be achieved using SQL only, inwhich you need to execute multiple queries at the same time.

For this you need to use the CLIENT_MULTI_STATEMENTS constant (orr numeric value 65536) in your mysql connect function.

Then you can just use:

```
Code INSERT INTO Tablename ( some_fields ) VALUES ( some_values );  
SET @last_id = LAST_INSERT_ID();  
INSERT INTO Othertable ( id, some_fields ) VALUES (@last_id, some_fields);
```

Yes, that would be the correct answer - except I can't hammer away at the database with individual SQL queries when entering thousands of products.

Can anyone help? ?

Isildur - December 29, 2014, 3:04 am

(Dec 29, 2014 03:36 AM)Seagull Wrote: [\[CITE\]](#) Yes, that would be the correct answer - except I can't hammer away at the database with individual SQL queries when entering thousands of products.

Can anyone help? ?

Well that cant be helped :) If you have thousands of products, then you gotta do this all the time. There will be 3 queries always, with each insert.

It is possible to insert multiple values with just on query, instead of 100 inserts, you can have just 1 query putting those 100 values.

But what you are trying to achieve is only possible via 3 queries per product. Since you need insert id.

A simple work around would be to insert the IDs in both tables manually. First perform query to insert 100 values in a table, whose IDs differ by 1, i.e 1,2,3,4.... 100

Then insert in second table, using the same sequence, 1,2,3...100

noreply - December 29, 2014, 3:19 pm

I recently created a html5 index and I'm using IP.Board as a forum. The things i want to achieve:

- I want to use the same header and footer from my index on my forum as well.
- I want to use the same BG for both my index and forum
- I want to make the forum width a little bit narrower

I know it are only tiny changes i've summed up above but since i'm pretty inexperienced a little help will be much appreciated!

[[R9]] - December 31, 2014, 11:30 am

Okay I have tried at places but never reached to any conclusion.

I need a website or an application whatever that would help in video conferencing, audio conferencing etc.

Guide me. I need it for a college project.

CatDoge™ - December 31, 2014, 1:25 pm

I want to build a script where I can upload a video to ok.ru (website).

They use the Rest API and they have a documentation:

<http://apiok.ru/wiki/display/api/Upload+phase+1+-+video.getUploadUrl>

Here is a PHP example for the processing script:

https://github.com/apiok/php_sdk_example/blob/master/example.php

Here is a HTML Script for uploading:

PHP Code

```
<?php
<form method="POST" enctype="multipart/form-data" action="upload.php">
  <input type="file" name="v1" accept="video/*" />
  <input type="submit" />
</form>
```

How can I upload videos through this API? I don't get it..

Isildur - December 31, 2014, 9:25 pm

(Dec 31, 2014 02:25 PM)CatDoge™ Wrote: [\[CITE\]](#) I want to build a script where I can upload a video to ok.ru (website).

They use the Rest API and they have a documentation:

<http://apiok.ru/wiki/display/api/Upload+phase+1+-+video.getUploadUrl>

Here is a PHP example for the processing script:

https://github.com/apiok/php_sdk_example/blob/master/example.php

Here is a HTML Script for uploading:

PHP Code

```
<?php
<form method="POST" enctype="multipart/form-data" action="upload.php">
  <input type="file" name="v1" accept="video/*" />
  <input type="submit" />
</form>
```

How can I upload videos through this API? I don't get it..
I checked it.

I am assuming that you are using this script:

https://github.com/apiok/php_sdk_example/blob/master/example.php

Then, as the manual explains, you need to make a video.getUploadUrl request to the server, to get video url & id.

As you can see in the example script, requests are made using:
OdnoklassnikiSDK::makeRequest("video.getUploadUrl");

The server will return an XML or JSON response, depending on the content type header you send it.

Extract the data from (parse XML, or parse JSON, i guess you can do that?)

```
<form method="POST" enctype="multipart/form-data" action="<upload URL>">
  <input type="file" name="v1" accept="video/*" />
  <input type="submit" />
</form>
```

Replace <upload URL> with the upload url extracted from the data....

Then, as the docs state, make another request "video.update" and done :)

(Dec 31, 2014 12:30 PM)[[R9]] Wrote: [\[CITE\]](#) Okay I have tried at places but never reached to any conclusion.

I need a website or an application whatever that would help in video conferencing, audio conferencing etc.

Guide me. I need it for a college project.

Try <https://github.com/lavaeagle/Simple-Webcam-Stream-PHP/>

Reply with any errors you encounter.

(Dec 29, 2014 04:19 PM)noreply Wrote: [\[CITE\]](#) I recently created a html5 index and I'm using IP.Board as a forum. The things i want to achieve:

- I want to use the same header and footer from my index on my forum as well.
- I want to use the same BG for both my index and forum
- I want to make the forum width a little bit narrower

I know it are only tiny changes i've summed up above but since i'm pretty inexperienced a little help will be much appreciated!

Hmm, you can either do one of the two things:

-> Copy paste html of header and footer in your .html page. But this would make it, you know, like a normal page. Your users, if logged in the board, wont be able to see themselves as logged in on your page, simply becuae it is an html page.

-> Get an addon. Easy Pages OR Ip.Content will solve your problems :) Both support Custom pages.

bmxican - December 31, 2014, 10:44 pm

Hey mate; anychance you could help me with switching hosting ? I have no idea what I am doing

Thanks heaps for your help mate ! quick answers !

CatDoge™ - January 1, 2015, 4:31 am

First: Thanks a lot!!

Second: I am testing this at the moment:

PHP Code

```
<?php
```

```
$video = OdnoklassnikiSDK::makeRequest("video.getUploadUrl");
```

```
var_dump($video);
```

But I get this error message:

```
Quote:array(3) { ["error_msg"]=> string(77) "PERMISSION_DENIED : User must grant an access to  
permission 'VALUABLE_ACCESS'" ["error_code"]=> int(10) ["error_data"]=> string(15)  
"valuable_access" }
```

What can I do?

Isildur - January 1, 2015, 4:39 am

(Jan 1, 2015 05:31 AM)CatDoge™ Wrote: [\[CITE\]](#) First: Thanks a lot!!

Second: I am testing this at the moment:

PHP Code

```
<?php
```

```
$video = OdnoklassnikiSDK::makeRequest("video.getUploadUrl");
```

```
var_dump($video);
```

But I get this error message:

What can I do?

In your account over there, look for any permission related settings.

There should be something to allow your application, etc..

CatDoge™ - *January 1, 2015, 5:34 am*

Seems not to be my fault, needed to contact support because its stated in the docs^^

Thanks, will reply as soon as I got everything working.

Isildur - *April 14, 2015, 11:58 am*

(Jan 1, 2015 06:34 AM)CatDoge™ Wrote: [\[CITE\]](#) Seems not to be my fault, needed to contact support because its stated in the docs^^

Thanks, will reply as soon as I got everything working.

Oh okay.

I will resume the help desk work now :D