

Forum:[Hack Forums](#)

Thread: [\[Newb Friendly\] Keylogging Guide! Incl. Binding/Crypting & Spreading.](#)

1 Pure Devil - June 7, 2010, 11:09 am

[IMG]http://i53.[censored].com/2rynas0.jpg[/IMG]

Hello! This is my (1 Pure Devil) newb friendly guide on how to make and spread a keylogger!

I will go through the 4 steps on creating and spreading a keylogger.

#1: Making a Gmail account.

#2: Building The Keylogger.

#3: Choosing Your Fake Program.

#4: Binding & Crypting The Fake Program To Your Keylogger.

#5: Choosing An Icon.

#6: Uploading The Keylogger.

#7: Spreading The Keylogger.

--

[IMG]http://i55.[censored].com/2qv76dt.jpg[/IMG]

Part 1: Making The Gmail Account

Ok, all the logs from the keylogger will be sent here. The logs are the emails that show you everything your victim types, all the websites he/she visits, and the times he/she visits them.

Step 1: Open up your browser, and go to www.google.com

Step 2: Search "Gmail" in Google and go to the first link. (mail.google.com)

Step 3: Create a Gmail account, make sure to use information which doesn't relate to you at all. So if you get caught, the keylogger can't be traced back to you! (Remember this, when you are a good hacker; everyone knows your name. But when you're the besthacker, no-body even knows you exist.)

Step 4: After the account has been created, make sure you can log into it, and you remember the account name and password.

That's it for Part 1. You can move onto Part 2 now: Building The Keylogger.

--

[IMG]http://i56.[censored].com/2ptz7rs.jpg[/IMG]

Part 2: Building The Keylogger.

Ok, so this is the second step on making and spreading your basic keylogger.

For those of you who is unaware of what this particular keylogger can do: It is a malicious program that records keystrokes. It also keeps track of visited web sites, and time-stamps when your victim visits, as well as what keys he/she has typed.

Before we begin, please download [Rapzo Logger v1.5 here](#).

Note: Express.exe is the 'Stub' of the keylogger. It is a false positive, meaning your antivirus may detect it as a malicious file - however I can assure you that both files are very safe.

Step 1: Click on the "RapZo Logger v1.5" file.

Step 2: Tick the box "Enable" to begin.

Step 3: Enter your Gmail Username (As you created in Part 1 of this tutorial)

Step 4: Enter your Gmail Password (As you used in Part 1 of this tutorial)

Step 5: Enter your Gmail Username again in the "Logs send to" box.

Step 6: In the "Logs Send Interval" box, choose after how many minutes do you want the victims keystrokes to be sent to your Gmail account. (An ideal time is 15+ minutes.)

Step 7: In the "File Name" box, you choose a name you want your keylogger to be called. (Example: If you entered "Keylogger.exe", the keylogger file you create will be called "Keylogger.exe" on your computer.

[IMG][http://i51.\[censored\].com/j11sw5.jpg](http://i51.[censored].com/j11sw5.jpg)[/IMG]

Step 8: Now go to the "Options" tab at the very top of RapZo Logger.

Step 9: Tick the following boxes: "Encrypt Info", "Anti System", "Stealers" (then tick the "Enable All" box), "USB Spread", "Screen Logger" and "Add to Startup".

[IMG][http://i56.\[censored\].com/2cwjssz.jpg](http://i56.[censored].com/2cwjssz.jpg)[/IMG]

Step 10: Now go back to the "Mail Setup" tab at the top, and click on "Test Me". You MUST get a message saying it was successful. (If not, this won't work, and the rest of this tutorial will be a waste of time.)

Step 1: After getting the successful message, click "Build".

Now you should have the keylogger built. It should be in the same folder as this, and it will be called what you entered into "Server name" when making the keylogger. So for my example, it will be called "Keylogger.exe")

You can now move onto Part 3: Choosing The Fake Program.

--

[IMG][http://i54.\[censored\].com/mtblvl.jpg](http://i54.[censored].com/mtblvl.jpg)[/IMG]

Part 3: Choosing The Fake Program.

Ok, so this is the third step on making and spreading your basic keylogger.

The section where Fake Programs used to be posted has been removed. Due to this, I have uploaded a few Fake Programs from another site, just for this tutorial.

Download: <http://www.#/?d=31BIRAYN>

[IMG]http://i55.[censored].com/4ztbb5.jpg[/IMG]

If you don't like what you see, please use Google to look for more.

The fake programs are used to "lure" the victim. To give him/her the confidence to download the file (keylogger). They are programs designed to make the user feel as if what they are downloading is giving them an advantage in something, or in some cases; making the victim believe he/she is getting a program to "hack" others. ;P

Step 1: Choose which program you believe the victim would want. (For example: If you choose the "Habbo Rare Generator", the victim will download it, thinking they are going to get free membership on an online game, when really the program just generates random numbers while you keylog them. Hopefully, in this case, you will see the victims Habbusername and password.)

After choosing the program, you can move onto Part 4: Binding (and/or Crypting.)

--

[IMG]http://i53.[censored].com/if9wcz.jpg[/IMG]

Part 4: Binding (and/or Crypting) The Fake Program To The Keylogger.

Ok, so this is the fourth step on making and spreading your basic keylogger.

Binding is the process where you "bind" the fake program you chose in Part 3 of this tutorial. In simpler terms: This is part where you "hide" the keylogger in the fake program. So when the victim clicks on the fake program, the keylogger will start working without the victim knowing, and you have effectively keylogged your victim.

Crypting is an optional part to this, it is recommended to crypt the file, as if the victim is smart enough to edit the fake program, he could see your Gmail account name and password. However, if you do crypt the file, the username and password will be completely hidden, and there less of a chance an antivirus program will notice the file as a potential risk. Although, with 'Nathan's Binder Modded By RebornX' you will not need a crypter so I won't go into detail.

I used [Nathan's Binder Modded By RebornX](#).

Note: xYbskwWhEJ is the 'Stub' of the keylogger. It is a false positive, meaning your antivirus may detect it as a malicious file - however I can assure you that both files are very safe.

Step 1: Open up the 'Nathans Binder' file.

[IMG]http://i53.[censored].com/ab4fb.jpg[/IMG]

Step 2: Click "First File" on the top right and click Load. Now search for the fake program you will be using and click it.

Step 3: A new window should open up now. So search for the keylogger you made in Part 2. For my example, it will be called "Keylogger.exe", so find it.

Step 4: Click "Bind" and chose what name you want it to be, and in what folder you want to save it in. (It will be best to save it in this folder. Also, relate the name to the fake program. - Example: If you chose the Runescape Membership Pin Generator, you could call the file "Runescape Membership Pin Generator!").

Wait for the file to be binded (and/or crypted). You can now move onto Part 5: Choosing An Icon.

--

~!(THIS PART IS OPTIONAL)!~

Part 5: Choosing An Icon.

Ok, so this is the fifth step on making and spreading your basic keylogger.

I used [Unflamed Icon Changer v2 + Icon Pack](#).

Choosing an icon is a small process, and is only used to change the icon which will show when the victim downloads the binded (and/or) crypted file that you just created. This is used to give the victim that extra little bit of confidence when downloading the keylogger.

Step 1: Go into the Icon Changer folder and open the Icon Changer.

Step 2: At the "ICO file" part, click "Browse" and go into the "Icons Pack" folder, then choose any icon you think would suit the fake program best.

Step 3: At the "EXE file" part, click "Browse" and look for the file you created in Part 4 (the binded and/or crypted file).

Step 4: After choosing both files, click "Change icon".

You can now move onto Part 6: Uploading.

--

Part 6: Uploading.

Ok, so this is the sixth step on making and spreading your basic keylogger.

Uploading the file is quick and simple.

Go to an uploading website such as:

www.#

www.#.com

www.uppit.com

www.megashare.com

www.mediafire.com

When on the site, there is usually a box saying "Browse" or "Upload", click this and find the file you created earlier (the binded file).

After uploading the file, get the download link and keep it in a place you won't forget.

You can now move onto Part 7: Spreading.

--

Part 7: Spreading.

Ok, so this is the seventh step on making and spreading your basic keylogger.

Spreading is how you will find and get your victims.

Spreading through YouTube - Spreading to YouTube has two methods:

Method 1:

Make a video about the Fake Program, try and be as convincing as you can to get the viewers to download it. Upload the video to YouTube, place the download link to the binded program (keylogger) in the description.

Method 2: Go to videos relating to the fake program, and simply post the link as a comment to the video, along with a convincing paragraph.

Spreading through Torrents:

Method:

This is the most effective way. First you need a torrent client, I use uTorrent, because it's the easiest. Once you get your torrent client, get a fake program, like Steam games, a keygen or cracks etc. Then put them in a .rar file (using WinRAR) and bind (and/or crypt) the keylogger to it.

Now you have to create the torrents. Open uTorrent, and then go to File -> Create New Torrent and add your .rar file to it.

Okay so, now trackers are needed, these are some good ones:

<http://open.tracker.#.org/announce>
<http://www.torrent-downloads.to:2710/announce>
<http://denis.stalker.h3q.com:6969/announce>
<http://www.sumotracker.com/announce>

Then click START SEEDING.

Now, click: Create -> Save AS. and save the file.

After you have saved it, go to: <http://www.#.org>

Register and upload your torrent. Victims will download it, you don't have to do anymore.

Spreading through Chat Rooms:

This is slow but you have an extra chance of keylogging adult people (extra chance to get credit card numbers and paypal accounts).

Google "chat rooms" and choose one.

Preferably spam your MSN here, when you get people adding you on MSN from the chat room, give them the download link to the keylogger (binded file) and say that it is whatever you want. (Let your imaginations run wild.)

Spreading through Forums

This can be pretty fun actually, pick a random forum, preferably with a lot of people, then spam post your keylogger, pretending it is something else.

This was the final part of this tutorial. I hope you the best of luck in your future hacking career.
[IMG]http://i54.[censored].com/1o0lle.jpg[/IMG] ;)

--

~!(ADDITIONAL NOTES)!~

-->You don't HAVE to use Fake Programs, you can use pretty much anything to lure in your victim.

-->Example - Instead of binding a fake program to the keylogger, bind an MP3! There is a higher chance that the victim will not delete the file, as they will probably use it (listen to the MP3) more regularly.

-->You could use a simple picture, to which you can bind the keylogger to and spread it around.

--

~(Additional Spreading Method)~

After keylogging a person, if you are lucky enough to get their MSN email and password, log on to it! Send the link to the keylogger to all of their friends and from experience, 1 in 10 people will download the keylogger.

--

I do not give ANYONE permission to edit or spread this tutorial without my permission and/or giving me 100% credits. I spent a long time typing this up.

--

For any help, or if you need extra detail, please feel free to PM me!

Thanks for reading my (VERY) newb friendly guide on how to produce and spread a keylogger!

Credits:

I take all credits for writing this tutorial and creating the graphics.

I give credits to the makers of any programs I linked.

Some respected viewers comments:

(Jun 7, 2010 01:09 PM)Anubis™ Wrote: [\[CITE\]](#) Thanks U put a lot effort in it =D and nice tut ..keep em coming

(Jun 7, 2010 02:11 PM)mothered Wrote: [\[CITE\]](#) Mate, a great tut Indeed that'll definitely be of benefit to any newbie. Well documented and pretty easy to follow. I like It.

Keep up the good work.

prototype366 - June 7, 2010, 11:39 am

awesome tutorial really simple.

1 Pure Devil - June 7, 2010, 11:48 am

(Jun 7, 2010 11:39 AM)prototype366 Wrote: [\[CITE\]](#) awesome tutorial really simple.
Thanks!?

I spent alot of time typing it up.?

Anubis - June 7, 2010, 1:09 pm

Thanks U put a lot effort in it =D and nice tut ..keep em coming

joshgoespro - June 7, 2010, 1:11 pm

i Cant find the Keylogger.exe when i go to find the second file i cant find it for shit!

1 Pure Devil - June 7, 2010, 1:36 pm

Thanks Anubis!

(Jun 7, 2010 01:11 PM)joshgoespro Wrote: [\[CITE\]](#) i Cant find the Keylogger.exe when i go to find the second file i cant find it for shit!
Go to Start > Search

Then search for keylogger.exe

?0y?L - June 7, 2010, 2:07 pm

Very nice tutorial, if only @#%!'ing \$harecash would let me download Blackout Binder..

-mothered- - June 7, 2010, 2:11 pm

Mate, a great tut Indeed that'll definitely be of benefit to any newbie. Well documented and pretty easy to follow. I like It.
Keep up the good work.

1 Pure Devil - June 7, 2010, 4:15 pm

Thanks both! =D

mtsmtsmtsmts

joshgoespro - June 8, 2010, 12:00 am

Thats what i Have been Doin :@ My computer if F***ed!

collinetnick - June 8, 2010, 12:12 am

Honestly it looked like you copy and pasted it from another site, but after reading it, it seemed like you didnt. Keep em coming/.

1 Pure Devil - June 8, 2010, 3:49 am

(Jun 8, 2010 12:00 AM)joshgoespro Wrote: [\[CITE\]](#) Thats what i Have been Doin :@ My computer if F***ed!

What bit are you getting stuck on? If you need more help, PM me your MSN and we can talk there. I will help you set it up over TeamViewer if you want. ?

(Jun 8, 2010 12:12 AM)collinetnick Wrote: [\[CITE\]](#) Honestly it looked like you copy and pasted it from another site, but after reading it, it seemed like you didnt. Keep em coming/.

I swear I didn't copy & paste it lol. I wrote it all, and thanks. ?

chaze - June 8, 2010, 4:13 am

Help!!!

[IMG]http://i45.[censored].com/2qch0d0.jpg[/IMG]

[IMG]http://i48.[censored].com/5bnpk8.jpg[/IMG]

As you can see, i got some wierd bug..
i cant start a thread or anything or see any logos etc, and where i can choose between "Hacking"
"computing" "coding" its white, and i dont know how to fix this.
Pls help someone!!!

Pls answer over pm, cause i cant subscribe to threads etc!!

(dont know where to post this :S)

jammet - June 8, 2010, 4:45 am

9.5/10, most clear keylogging tutorial that i've read

Even though i know it a lot,

I also need to update my sig to 94

Posted via Mobile device (6120c)

n00b_h4ck3r_1_25 - June 8, 2010, 5:22 am

awesome and detailed tut - thanx!!!

1 Pure Devil - June 8, 2010, 6:26 am

(Jun 8, 2010 04:45 AM)jammet Wrote: [\[CITE\]](#) 9.5/10, most clear keylogging tutorial that i've read

Even though i know it a lot,

I also need to update my sig to 94

Posted via Mobile device (6120c)

(Jun 8, 2010 05:22 AM)n00b_h4ck3r_1_25 Wrote: [\[CITE\]](#) awesome and detailed tut - thanx!!!

Thanks for the positive comments! ?

Always appreciated.

?0y?L - June 8, 2010, 6:52 pm

Good guide, care to help me over TeamViewer get BlackoutBinder?

1 Pure Devil - June 9, 2010, 5:27 am

(Jun 8, 2010 06:52 PM)Manutdfan539 Wrote: [\[CITE\]](#) Good guide, care to help me over TeamViewer get BlackoutBinder?

Thanks and sure, PM me your TV name and pass.

tomtombi - June 9, 2010, 6:40 am

Nice tut but why only on gmail?

SivaKuMar - June 9, 2010, 7:21 am

Good work dude .nice job. It is really noob friend. Please make many threads for many tutorials here.thank you dude

??????????????? - June 9, 2010, 10:38 am

10/10

Simple to read and easy to do.

Although I recommend placing another keylogger in SkuLogger's spot the link for it doesn't work, also with the binder it's a survey website before you can actually DL it.

But overall very good - Gary..

<http://www.multiupload.com/XRHO0M9I2K> SkuLogger's keylogger.

gormo4 - June 9, 2010, 12:27 pm

Wait.. I have a keylogger.. and gmail and stuff..

I was using a keylog somebody else created- entered my gmail, it all worked fine and so on- then i said 'create server' (which is an .exe file)

I binded my created SERVER file with a JPEG.. is that wrong? so i need to attach the keylogg.exe i used to create the server? Cos I don't think that would work..

If this is right- i have gotten 2 victims already- i just don't know what to do next? Does the keylog keep running forever until they end it? Where can I find out what they're typing?

SivaKuMar - June 9, 2010, 2:31 pm

it is not sending any logs to my gmail,i set time to send logs is 10 min i wait 30 mins but i cant get any logs to my mail,

i double clicked server.exe my self to test how the logs arew send to gmail

but it fails to send logs

anybody please help me about this problem

1 Pure Devil - June 9, 2010, 2:35 pm

(Jun 9, 2010 12:27 PM)gormo4 Wrote: [\[CITE\]](#) Wait.. I have a keylogger.. and gmail and stuff..

I was using a keylog somebody else created- entered my gmail, it all worked fine and so on- then i said 'create server' (which is an .exe file)

I binded my created SERVER file with a JPEG.. is that wrong? so i need to attach the keylogg.exe i used to create the server? Cos I don't think that would work..

If this is right- i have gotten 2 victims already- i just don't know what to do next? Does the keylog keep running forever until they end it? Where can I find out what they're typing?

No when using the binder, you bind the .jpg and the .exe, the file should remain .exe however.

The keylogger will run as long as it's on the victims computer and they have clicked it, the logs are sent to your gmail account.

This is very basic and well explained in the guide, I recommend making your own again from scratch following the guide.

(Jun 9, 2010 02:31 PM)mounikasiva Wrote: [\[CITE\]](#) it is not sending any logs to my gmail,i set time to send logs is 10 min i wait 30 mins but i cant get any logs to my mail,

i double clicked server.exe my self to test how the logs arew send to gmail

but it fails to send logs

anybody please help me about this problem

When building the server.exe , did you click "Test Email" and did you get an email in your gmail from yourself?

SivaKuMar - June 9, 2010, 11:40 pm

(Jun 9, 2010 02:35 PM)1 Pure Devil Wrote: [\[CITE\]](#) No when using the binder, you bind the .jpg and the .exe, the file should remain .exe however.

The keylogger will run as long as it's on the victims computer and they have clicked it, the logs are sent to your gmail account.

This is very basic and well explained in the guide, I recommend making your own again from

scratch following the guide.

(Jun 9, 2010 02:31 PM)mounikasiva Wrote: [\[CITE\]](#) it is not sending any logs to my gmail,i set time to send logs is 10 min i wait 30 mins but i cant get any logs to my mail,

i double clicked server.exe my self to test how the logs arew send to gmail

but it fails to send logs

anybody please help me about this problem

When building the server.exe , did you click "Test Email" and did you get an email in your gmail from yourself?

yah i tested it,and it send a mail to me that 'You can build now"..i follows all steps described in the tutorial correctly so please help me

1 Pure Devil - June 10, 2010, 12:30 am

mounikasiva Wrote: [\[CITE\]](#) yah i tested it,and it send a mail to me that 'You can build now"..i follows all steps described in the tutorial correctly so please help me

Try on crypting the file, or maybe use a different binder. Sorry mate for all the difficulties, this normally doesn't happen.

SivaKuMar - June 10, 2010, 1:29 am

(Jun 10, 2010 12:30 AM)1 Pure Devil Wrote: [\[CITE\]](#) Try on crypting the file, or maybe use a different binder. Sorry mate for all the difficulties, this normally doesn't happen.

i am now getting logs but they dont show key strokes the contain only activeties as shown below

Quote:[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Select listening ports]:

[CyberGate v1.04.8]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[CyberGate v1.04.8]:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[New User]:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[DNS and port connection]:

[Create server]:

[DNS and port connection]:

[Create server]:

[DNS and port connection]:

[:

[No-IP DUC v2.2.1]:

[DNS and port connection]:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[]:

[Create server]:

[[TuT]Cybergate 1.05.1 SETUP[NOOB FRIENDLY] - Page 1 - Windows Internet Explorer]:

[]:

[Create server]:

1 Pure Devil - June 10, 2010, 2:20 am

Wow man that's strange, are you sure you used the same keylogger as I am? The one I linked to sent keys.

And are you sure you definitely typed something? :S I'm baffled.?

SivaKuMar - June 10, 2010, 2:35 am

Yah, i tested it on my laptop. But i dont get any keystrokes.

Thug Life - June 10, 2010, 2:36 am

Very nice guide, it's informing neat and well setup. Keep it up mate.

SivaKuMar - June 10, 2010, 2:39 am

Will u please provide me the link for blackout binder. I am unable to download from that link.

CherokeeKid6 - June 10, 2010, 8:38 am

I followed everything, made it, tested the gmail, built it, but It wont show up ANYWHERE, I searched for it for like 30 mins, I cannot find it anywhere, I made like 5 more, and I cant find those.. Help?

gormo4 - June 10, 2010, 10:38 am

Yess.. I've planted several and nothing is getting sent to my gmail.. i selected 30 minutes.. but it's been like an hour now. (i fully tested my gmail account and recieved an email to confirm that my email was valid)

1 Pure Devil - June 10, 2010, 11:12 am

Wow people I'm very sorry about this! I've tried to change the binder on the first post AND the keylogger but I can no longer edit the post as it's been posted too long! I will ask some member of staff to change links when I get the chance. Sorry about the inconveniences.

gormo4 - June 10, 2010, 12:44 pm

it's fine man- u've helped me more than enough :) but i still recieve no gmail.. i'm not sure the kleylogger is workingg... will the new one work? O_o

ReTarT - June 10, 2010, 12:49 pm

really great guide. keep em coming.

SivaKuMar - June 10, 2010, 12:49 pm

keylogger is working good ,but please provide me the blackout binder please,please post here,if u unable to edit it
thank you

1 Pure Devil - June 10, 2010, 2:08 pm

(Jun 10, 2010 12:49 PM)mounikasiva Wrote: [\[CITE\]](#) keylogger is working good ,but please provide me the blackout binder please,please post here,if u unable to edit it
thank you

(Jun 10, 2010 12:44 PM)gormo4 Wrote: [\[CITE\]](#) it's fine man- u've helped me more than enough :) but i still recieve no gmail.. i'm not sure the kleylogger is workingg... will the new one work? O_o

(Jun 10, 2010 08:38 AM)Cherokeeid6 Wrote: [\[CITE\]](#) I followed everything, made it, tested the gmail, built it, but It wont show up ANYWHERE, I searched for it for like 30 mins, I cannot find it anywhere, I made like 5 more, and I cant find those.. Help?

Now see this is where my problem lies.

- Some people can't find the keylogger once it's made.
- People who do find the keylogger, it won't send logs.
- The binder messes it up.

I can't edit the original post of this guide which sucks somethin awful...

I think I might copy and paste this guide then get new links to binders and keyloggers and swap a few things to compare it to this guide.

Really, I don't know what I should do as when I follow this guide it works perfectly for me. :/

ihacktheworld - June 11, 2010, 2:17 am

i have problem with keyloggers..they did'nt work for me...

i have tried every keylogger but they only send test files and test emails.,,,

can anybody pls help me in this..??

gormo4 - June 11, 2010, 3:32 am

(Jun 11, 2010 02:17 AM)ihacktheworld Wrote: [\[CITE\]](#) i have problem with keyloggers..they did'nt work for me...

i have tried every keylogger but they only send test files and test emails.,,,

can anybody pls help me in this..??

same for me- i think u should change the keylogger and binder not using \$hitcash.. ? if you do i love you long time ?

NeoXx™ - June 11, 2010, 3:33 am

Really good guide, Thanks!!

Thug Life - June 11, 2010, 3:34 am

Great tutorial mate, You put some nice effort into this. It is nice and neat.

iSnow - June 11, 2010, 5:25 am

This thread is amazing! Lol, I love you now, 1 Pure Devil. I didn't understand how to setup a keylogger before this because i'm a n00b at hacking. Thank you so much for this bro.

harnorizer@yahoo.ca - June 11, 2010, 9:01 am

VERY NICE TUT , KEEP UP....

carismaeko - June 11, 2010, 9:21 am

thank you my friend for your guide

Rythm - June 11, 2010, 10:01 am

I opened the file but I am not getting any logs into my mail. 2 hours ago now and I set it on 60 minutes. Do you know what to do?

EDIT: It works now. But any idea how I remove it so I stop getting logs from my own computer?

Rythm - June 11, 2010, 11:22 am

-double message due some weird glitch-

SivaKuMar - June 11, 2010, 11:50 am

hey i created server.exe in win 7,i send it to victim who using win xp,the server.exe raises an error and closes,bit not infecting the victim

please help me dude

gormo4 - June 11, 2010, 12:31 pm

(Jun 11, 2010 10:01 AM)Darkskxcher Wrote: [\[CITE\]](#) I opened the file but I am not getting any logs into my mail. 2 hours ago now and I set it on 60 minutes. Do you know what to do?

EDIT: It works now. But any idea how I remove it so I stop getting logs from my own computer?
SAME- i didn't get any logss for agess.. and im still now (its been a day now)

1 Pure Devil - June 12, 2010, 12:03 am

(Jun 11, 2010 12:31 PM)gormo4 Wrote: [\[CITE\]](#) SAME- i didn't get any logss for agess.. and im still now (its been a day now)

Thanks all! Hmmm.. Just wondering, did you bind it? I think the binder may be defective.

gormo4 - June 12, 2010, 4:02 am

(Jun 12, 2010 12:03 AM)1 Pure Devil Wrote: [\[CITE\]](#) Thanks all! Hmmm.. Just wondering, did you bind it? I think the binder may be defective.

fair point- I will use a FUD binderr.. and try without a binder (seriously.. my victims are very stupid)

cheers man ?

Kris` - June 12, 2010, 5:14 am

very nice and detailed tutorial :)

?0y?L - June 12, 2010, 7:08 am

I support the idea of posting a New TuT

1 Pure Devil - June 13, 2010, 1:16 am

Thank you all!

I may re-write this when I have time.

Dieko - June 13, 2010, 2:09 am

I have a question. Which part of the forum u can find the fake programs? Because the link is dead in the tutorial.

5h1t_warrior - June 15, 2010, 2:26 am

thx

toshorttoshorttoshort

jammy - June 15, 2010, 3:52 am

thanks for this ive never hacked anything i want this to be the first thing i do
only problem is that googlemail ask for your home/mobile number now for verifacation, do you have to use a googlemail email or can you use any email?
thanks

radiant. - June 15, 2010, 9:42 am

Pure Devil, so I chose a MP3 file, and I renamed it to .exe to be binded with the server, after binding, I renamed it back to .mp3.

Did i do anything wrong?

5h1t_warrior - June 15, 2010, 10:07 am

thx but what happend to part 4 the crypting?

jammy - June 15, 2010, 10:32 am

can anyone see my post??
its a simple question..do i have to use googlemail or can i use any email
an answer would be really cool
thanks

Rhizoid - June 15, 2010, 11:12 am

very good tut, keep up the great work!

PedoBear - June 15, 2010, 11:28 am

thanks for this guide ^>^ lol

5h1t_warrior - June 15, 2010, 12:25 pm

the binder is a shitshare can u upload it somewhere else?

radiant. - June 15, 2010, 12:40 pm

Pure Devil, so I chose a MP3 file, and I renamed it to .exe to be binded with the server, after binding, I renamed it back to .mp3.

Did i do anything wrong?

alib123 - June 15, 2010, 1:08 pm

On part 3, i cant go to the page to choose a program

comes up blank with toil and trouble in the top corner..

thanks for the tutorial though :):)

1337LPH - June 17, 2010, 8:57 am

HELP!!

I COULDN'T OPEN THE GODDAMN FILE!!
MIND HELPING ME ON TEAMVIEWER??

a2kewl4u21 - June 17, 2010, 2:51 pm

Can someone help me? When I try to build the file I get an error saying : Unhandled exception has occurred in your application. If you click Continure, the application will ignore this error and attemp to continue. If you clcik Quit, this application will close immediately.

Access to path C:/Users/XXXX/XX/Stub.exe is denied.

See the end of this message for details on invoking
just-in-time (JIT) debugging instead of this dialog box.

Exception Text

System.UnauthorizedAccessException: Access to the path 'C:\Users\Ankit\Desktop\Stub.exe' is denied.

at Microsoft.VisualBasic.FileSystem.FileOpen(Int32 FileNumber, String FileName, OpenMode Mode, OpenAccess Access, OpenShare Share, Int32 RecordLength)
at SkuLogger.Form1.Button2_Click(Object sender, EventArgs e)
at System.Windows.Forms.Control.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnClick(EventArgs e)
at System.Windows.Forms.Button.OnMouseUp(MouseEventArgs mevent)
at System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32 clicks)
at System.Windows.Forms.Control.WndProc(Message& m)
at System.Windows.Forms.ButtonBase.WndProc(Message& m)
at System.Windows.Forms.Button.WndProc(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
at System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
at System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

Loaded Assemblies

mscorlib

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase: file:///C:/Windows/Microsoft.NET/Framework/v2.0.50727/mscorlib.dll

--

SkuLogger

Assembly Version: 1.0.0.0

Win32 Version: 1.0.0.0

CodeBase: file:///C:/Users/Ankit/Desktop/SkuLogger.exe

--

Microsoft.VisualBasic

Assembly Version: 8.0.0.0

Win32 Version: 8.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:

file:///C:/Windows/assembly/GAC_MSIL/Microsoft.VisualBasic/8.0.0.0__b03f5f7f11d50a3a/Microsoft.VisualBasic.dll

--

System

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:

file:///C:/Windows/assembly/GAC_MSIL/System/2.0.0.0__b77a5c561934e089/System.dll

--

System.Windows.Forms

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:

file:///C:/Windows/assembly/GAC_MSIL/System.Windows.Forms/2.0.0.0__b77a5c561934e089/Syst

em.Windows.Forms.dll

--

System.Drawing

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:

file:///C:/Windows/assembly/GAC_MSIL/System.Drawing/2.0.0.0__b03f5f7f11d50a3a/System.Drawing.dll

--

System.Runtime.Remoting

Assembly Version: 2.0.0.0

Win32 Version: 2.0.50727.4927 (NetFXspW7.050727-4900)

CodeBase:

file:///C:/Windows/assembly/GAC_MSIL/System.Runtime.Remoting/2.0.0.0__b77a5c561934e089/System.Runtime.Remoting.dll

--

JIT Debugging

To enable just-in-time (JIT) debugging, the .config file for this application or computer (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>
  <system.windows.forms jitDebugging="true" />
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the computer rather than be handled by this dialog box.

smokey dog - June 17, 2010, 5:30 pm

Thanks mate that was easy to follow

Livewire - June 17, 2010, 5:38 pm

Nice tutorial (: I didn't like the over-use of colors in the beginning few lines, but everything else seemed good. I'd +rep if I could. Good job on effort aswell.

Eagleized - June 17, 2010, 7:31 pm

is it possible to bind your stub.exe file to a .jpeg image or just other .exe files?

also what would the add file function be on the binder?

it seems to me that everytime i bind 2 files the file i wish to spread is never opens correctly like it originally did.

for example i bind my stub to a "fake microsoft points generator"

and when i try to open and test the file afterwards it doesn't open correctly.

please help.

hacker666 - June 19, 2010, 4:16 pm

After building the keylogger
for example "ItemIDScanner.exe"
after that, by letting someone download it from a file hosting website
if they open it is it going to start keylogging them?

and i cant download the binder :[

edit: and how do i make it e-mail me keystrokes?

1 Pure Devil - June 23, 2010, 2:19 am

(Jun 19, 2010 04:16 PM)hacker666 Wrote: [\[CITE\]](#) After building the keylogger
for example "ItemIDScanner.exe"
after that, by letting someone download it from a file hosting website
if they open it is it going to start keylogging them?

and i cant download the binder :[

edit: and how do i make it e-mail me keystrokes?

Yes, once they click that they will be keylogged.

When making the keylogger, you put in your gmail email and password and click "Test!" - if you got a response saying it was successful, the logs will be sent to your gmail automatically.

Verk - June 23, 2010, 2:22 am

I need to verify my mobile number upon registration..

1 Pure Devil - June 23, 2010, 2:36 am

(Jun 23, 2010 02:22 AM)eons Wrote: [\[CITE\]](#) I need to verify my mobile number upon registration..
That's only for certain countries. Change the country you are registering with.

ShadowxAssassin - June 23, 2010, 3:06 am

wow, this is a really good tutorial. It answered all my questions.

NeoXx™ - June 23, 2010, 3:33 am

cool guide, thanks mate!!

?Night - June 23, 2010, 3:39 am

thx man but when i scanned the server built on Novirusthanks it was 10/16 detected !!

WICKSEH - June 23, 2010, 6:18 am

We need the binder the original threads link is down XD

Dem?n - June 23, 2010, 6:31 am

Nice tutorial for all the newbies out there

nitshe - June 23, 2010, 7:52 am

very nice job man, keep on

MasterTB - June 23, 2010, 11:19 am

Very, very good! Thanks for writing, are all the files listed virus free? (I'll check them anyway :P)

1 Pure Devil - June 23, 2010, 5:05 pm

(Jun 23, 2010 11:19 AM)MasterTB Wrote: [\[CITE\]](#) Very, very good! Thanks for writing, are all the files listed virus free? (I'll check them anyway :P)

I cannot edit the main post, therefore I cannot edit it. :/

Use the search function and search for "FUD Binder". You are sure to find a free one, although I highly recommend paying for one with unique stubs.?

deejay56 - June 27, 2010, 4:48 pm

hi

i'm on the part 3 of the tutorial and i clicked on THIS but didnt get anything from it

lookingglass1313 - June 29, 2010, 5:51 pm

Great tut, super easy to understand thanks so much for your efforts plz keep 'em coming!! =)

bnonymous - June 29, 2010, 8:22 pm

Nice tutorial, I will bookmarked this and try it later, thanks for sharing this tutorial =3

r2wadhvani - June 29, 2010, 10:35 pm

its really a simple guide....

aezy - June 30, 2010, 2:04 am

thanks dude really works so alright thanks

ashbash - June 30, 2010, 4:19 am

awesome tutorial xD nice work

edyscape - June 30, 2010, 11:28 am

Very nice tutorial, i like it very much. But i get a Gmail error on every keylogger that sends the logs trough Gmail. I guess Google has secured Gmail a little more so we can't do this, so i guess it's time to go back to ftp.

EDIT:It was just my AV, so it does work on Gmail.

1 Pure Devil - July 1, 2010, 2:22 am

Thanks all. :D

(Jun 30, 2010 11:28 AM)edyscape Wrote: [\[CITE\]](#) Very nice tutorial, i like it very much. But i get a Gmail error on every keylogger that sends the logs trough Gmail. I guess Google has secured Gmail a little more so we can't do this, so i guess it's time to go back to ftp.

EDIT:It was just my AV, so it does work on Gmail.

Yes. You're AV may stop unusual outgoing connections. Also if you don't have administrative powers on the computer you are making the keylogger, you'll probably get the same error.?

Keep the comments comin'. :D

1 Pure Devil - July 5, 2010, 3:13 pm

~!!BUMP4LULZ!!~

Spoiler ([Click to View](#))mtsmtsmts

tonyizbeast - July 8, 2010, 2:37 pm

Thank you very much. This really helped me to understand it and now im able to do it. 5 stars.

DeyCallMeRafy - July 8, 2010, 3:46 pm

Looks awesome. But I'm stuck on Part 3. Please help 1 Pure Devil. :/

Z3r0_1o0t - July 8, 2010, 6:19 pm

what about having to use a phone number on the gmail account

rwj2010 - July 8, 2010, 7:36 pm

Thanks for the Tut...going test it out right now.

Mw2 Beast - July 8, 2010, 8:35 pm

my keylogger.exe wont show on my computer

1 Pure Devil - July 8, 2010, 11:52 pm

(Jul 8, 2010 06:19 PM)gizmo222 Wrote: [\[CITE\]](#) what about having to use a phone number on the gmail account

Mmm.. Yeah it's a new gmail update.. Try changing the 'country you live in' when making the account gmail account. Say that you're from some African country (no racism intended) and I don't think they call you.

(Jul 8, 2010 03:46 PM)DeyCallMeRafy Wrote: [\[CITE\]](#) Looks awesome. But I'm stuck on Part 3. Please help 1 Pure Devil. :/
Choosing a fake program?

The fake program is so you get the person thinking they are downloading a hack (for example), but then you just keylog them by binding a keylogger to the fake program.

Example: You bind a keylogger to a fake program, the fake program could be a "PayPal Cash Hacker", (of course it doesn't actually do anything, it's just to fool a newb). Then they download it and you've keylogged them. I don't see what's difficult. O-o

Just search for "fake program" in the Search bar.

(Jul 8, 2010 08:35 PM)Mw2 Beast Wrote: [\[CITE\]](#) my keylogger.exe wont show on my computer
It's more than likely your anti-virus blocking it.

Turn off your anti-virus when building the keylogger and it will show.

DeyCallMeRafy - July 9, 2010, 10:28 am

(Jul 8, 2010 11:52 PM)1 Pure Devil Wrote: [\[CITE\]](#) Mmm.. Yeah it's a new gmail update.. Try changing the 'country you live in' when making the account gmail account. Say that you're from some African country (no racism intended) and I don't think they call you.

(Jul 8, 2010 03:46 PM)DeyCallMeRafy Wrote: [\[CITE\]](#) Looks awesome. But I'm stuck on Part 3. Please help 1 Pure Devil. :/
Choosing a fake program?

The fake program is so you get the person thinking they are downloading a hack (for example), but then you just keylog them by binding a keylogger to the fake program.

Example: You bind a keylogger to a fake program, the fake program could be a "PayPal Cash Hacker", (of course it doesn't actually do anything, it's just to fool a newb). Then they download it

and you've keylogged them. I don't see what's difficult. O-o

Just search for "fake program" in the Search bar.

(Jul 8, 2010 08:35 PM)Mw2 Beast Wrote: [\[CITE\]](#) my keylogger.exe wont show on my computer
It's more than likely your anti-virus blocking it.

Turn off your anti-virus when building the keylogger and it will show.

That's the problem :P. When I click on "here" in Part 3. It just shows a white page that says "Toil and Troubles." Any help?

1 Pure Devil - July 9, 2010, 2:04 pm

(Jul 9, 2010 10:28 AM)DeyCallMeRafy Wrote: [\[CITE\]](#) That's the problem :P. When I click on "here" in Part 3. It just shows a white page that says "Toil and Troubles." Any help?

Yeah sorry about that. The section got removed after I made the tut, and I can't edit it unless I'm L33t. :/

Just use the Search function, don't use the link. :)

DeyCallMeRafy - July 10, 2010, 10:55 am

(Jul 9, 2010 02:04 PM)1 Pure Devil Wrote: [\[CITE\]](#) Yeah sorry about that. The section got removed after I made the tut, and I can't edit it unless I'm L33t. :/

Just use the Search function, don't use the link. :)Alright thanks for the suggestion.

1 Pure Devil - July 12, 2010, 3:08 am

(Jul 10, 2010 10:55 AM)DeyCallMeRafy Wrote: [\[CITE\]](#) Alright thanks for the suggestion.

No problem. You're welcome. :)

dubsters - July 18, 2010, 2:45 pm

(Jun 7, 2010 11:09 AM)1 Pure Devil Wrote: [\[CITE\]](#) Go to [this](#) part of the forums and choose the fake program you would like.

I used [Blackout Binder V2](#).

Everythings started working, until I came to the "fake program" and the link wasn't there.

and "Blackout Binder" wasn't there as well. I would love to have the two, because I was really close?

Sub-Zero™ - July 18, 2010, 11:14 pm

(Jul 18, 2010 02:45 PM)dubsters Wrote: [\[CITE\]](#) Everythings started working, until I came to the "fake program" and the link wasn't there.

and "Blackout Binder" wasn't there as well. I would love to have the two, because I was really close?I'm having the same problem as well The link for the fake programs isn't working and Whats up with the download link to Blackout Binder V2???

ShellBreakers - July 25, 2010, 2:05 pm

This is a great tutorial... but I wasn't sent any emails after 60 minutes. Man why does everything always happen to me? :\

1 Pure Devil - July 25, 2010, 2:42 pm

(Jul 25, 2010 02:05 PM)ShellBreakers Wrote: [\[CITE\]](#) This is a great tutorial... but I wasn't sent any

emails after 60 minutes. Man why does everything always happen to me? :\nYour firewall might be preventing the connection because the server will be unknown.

ShellBreakers - July 25, 2010, 4:58 pm

(Jul 25, 2010 02:42 PM)1 Pure Devil Wrote: [\[CITE\]](#) Your firewall might be preventing the connection because the server will be unknown. Alright thanks. I'll try it one more time.

ShellBreakers - July 25, 2010, 6:13 pm

(Jul 25, 2010 04:58 PM)ShellBreakers Wrote: [\[CITE\]](#) Alright thanks. I'll try it one more time. But wait. My firewall doesn't alert me on anything at all on the keylogger. Also, what else could it be?

king noob - July 25, 2010, 6:37 pm

said it had trojan dropper and stuff i dont feel safe downloading is that just my firewall

Frivolous - July 25, 2010, 9:31 pm

Wow, nice tutorial, well written and thought out, love it, should be helpful, but i doubt its newb friendly lol.

eZStaR - July 25, 2010, 9:39 pm

Is this keylogger good? As in, is it working properly? Could you bind it with a file which is already binded from iStealer?

Like

- [Program] Binded with istealer, when you use this SkuLogger to put in your info make [server.exe] and bind those 2 together to make both istealer and SkuLogger work. Is that possible?

novarah1 - July 25, 2010, 11:48 pm

Thanks dude but the fake programs link isn't working for me..please fix!

1 Pure Devil - July 26, 2010, 5:41 am

(Jul 25, 2010 06:13 PM)ShellBreakers Wrote: [\[CITE\]](#) But wait. My firewall doesn't alert me on anything at all on the keylogger. Also, what else could it be?

When you make the server, do you actually see it in the folder? Or does it just disappear straight after?

(Jul 25, 2010 06:37 PM)king noob Wrote: [\[CITE\]](#) said it had trojan dropper and stuff i dont feel safe downloading is that just my firewall

All Stubs are detected as viruses, but I assure it's perfectly safe.

(Jul 25, 2010 09:31 PM)Sledhhh Wrote: [\[CITE\]](#) Wow, nice tutorial, well written and thought out, love it, should be helpful, but i doubt its newb friendly lol.

Why? I go into every little detail and step with precision so as not to confuse the average newb. :p

(Jul 25, 2010 09:39 PM)eZStaR Wrote: [\[CITE\]](#) Is this keylogger good? As in, is it working properly? Could you bind it with a file which is already binded from iStealer?

Like

- [Program] Binded with istealer, when you use this SkuLogger to put in your info make [server.exe] and bind those 2 together to make both istealer and SkuLogger work. Is that possible?

Of course, that's why you bind them together.

(Jul 25, 2010 11:48 PM)novarah1 Wrote: [\[CITE\]](#) Thanks dude but the fake programs link isn't working for me..please fix!

Sorry I can't edit the original post as I have to be l33t. Just use the Search function to find fake programs.

shackrah - July 26, 2010, 6:37 am

great tutorial. i can certainly use this piece of info.thanks!

ShellBreakers - July 26, 2010, 9:29 am

I actually see the server in the folder after it has been created.

1 Pure Devil - July 26, 2010, 10:05 am

(Jul 26, 2010 09:29 AM)ShellBreakers Wrote: [\[CITE\]](#) I actually see the server in the folder after it has been created.

When building the server, did you test the gmail account? It has to of said it works.

Try Emissary keylogger instead.

wardragon36 - July 26, 2010, 12:26 pm

You should talk about ftp too XD

arbily - July 26, 2010, 12:54 pm

how do I download from this web? <http://fileups.net/259J86>
ty!

[--Anonymous--] - July 26, 2010, 1:07 pm

Thank you great tutorial really helped :)

Disturbed23 - July 26, 2010, 7:54 pm

i cant download a fake program plz help

Prank Calling - July 26, 2010, 8:55 pm

Nice detailed Tutorial man.

1 Pure Devil - July 28, 2010, 5:54 pm

^Thanks Krazy Beast.

(Jul 26, 2010 07:54 PM)Disturbed23 Wrote: [\[CITE\]](#) i cant download a fake program plz help

You can't download them? I think you mean the link doesn't work.

-Use the Search function.

SpermWhale - July 28, 2010, 6:03 pm

fake programs are technically disallowed but great thread anyways ?

ShellBreakers - July 28, 2010, 9:34 pm

(Jul 26, 2010 10:05 AM)1 Pure Devil Wrote: [\[CITE\]](#) When building the server, did you test the gmail account? It has to of said it works.

Try Emissary keylogger instead.Yes I was confirmed the logger works. And thanks I'll try Emissary.

arsenal86 - July 29, 2010, 7:26 am

thanks for this, it looks really simple and I will use later

thanks again

1 Pure Devil - July 29, 2010, 8:18 pm

(Jul 28, 2010 06:03 PM)Mentalist Wrote: [\[CITE\]](#) fake programs are technically disallowed but great thread anyways ?

What? That hardly even makes sense. How are fake program technically disallowed? - and what are they "technically disallowed" from?

L2make sense plox.

mKn1ght - July 29, 2010, 8:58 pm

Cool tutorial. This must have taken you about 1 hour or so to make this. Thank you.

1 Pure Devil - July 31, 2010, 8:34 pm

Lol thank you. It took quite some time yes.

unborn hacker - July 31, 2010, 9:50 pm

Will the emails send of what I type? Because it hasnt yet and the time i set the interval to has passed.

Will it still log if i dont bind it? Only email i got was the test one.

sds6065 - July 31, 2010, 10:27 pm

easy to follow, worked perfectly for me. thanks!

PRODIGY™ - July 31, 2010, 10:42 pm

(Jul 31, 2010 10:27 PM)sds6065 Wrote: [\[CITE\]](#) easy to follow, worked perfectly for me. thanks! As it should, nice guide. Keep up the good work, +repped.

SRH - July 31, 2010, 11:34 pm

great tut! simple but good

1 Pure Devil - August 6, 2010, 2:10 pm

Thank you all for your comments, especially you prodigy. :P

(Jul 31, 2010 09:50 PM)unborn hacker Wrote: [\[CITE\]](#) Will the emails send of what I type? Because it hasnt yet and the time i set the interval to has passed.

Will it still log if i dont bind it? Only email i got was the test one.
They will send whether you bind the server or not.

!@scott@! - August 17, 2010, 1:21 am

Great tutorial man

Helped a noob out a lot :p

TheUzuki.' - August 17, 2010, 1:40 am

Great Tutorial :D

Well explained... you discribed how to make a GMail account... so every noob can do this !

1 Pure Devil - August 28, 2010, 8:18 am

Thanks. :) Yup, I tried to give it as much detail as possible.

Thanks. :) Yup, I tried to give it as much detail as possible.

Xperienced - September 25, 2010, 4:18 pm

Really awesome tut, sure very newb friendly!!

69 Carrot 69 - September 25, 2010, 6:30 pm

When I click on this link: <https://hackforums.net/forumdisplay.php?fid=153> in the 3rs section, all I see are the words "Toil and Trouble"

baker722 - September 26, 2010, 2:48 am

yes same for me :(, please can you PM me on how to work this bit thanks man :D
im wanting to get the runescape generator pin one i want rs accounts :P

Cygnus - September 26, 2010, 6:04 am

Good tutorial, nicely worded, easy for people to understand.

EloBoosted - September 26, 2010, 6:15 am

Thanks this helped me a lot.

Phreak™ - September 26, 2010, 7:11 am

Not a bad guide.. Thanks for the help.

CODclutches - September 26, 2010, 7:42 am

What part of the forums are you talking about when you say go to THIS part of the forums.

status quo - September 26, 2010, 8:08 am

Great HQ Tut , need more of these.
thanks mate :)

garyd111 - November 2, 2010, 12:37 pm

Great tutorial ,not been able to download the skulogger but I have a better understanding of the basics now,...thanks

Pulse? - November 2, 2010, 2:27 pm

Great guide. Though the "fake programs" link is broken. Please fix that.

1 Pure Devil - November 13, 2010, 4:04 pm

Thanks for all comments. :)

For those of you saying to update the links, I cannot. :(Only L33t+ can edit their own posts after 3 days. :/

There are better keyloggers than Skulogger now, and the other link was a section on HackForums called Fake Programs - it got removed however. Just use the search function. :)

Thanks again.

kalam - November 13, 2010, 10:01 pm

why i bind mp3file with keylogger and it become an application?

Pulse? - November 16, 2010, 1:35 pm

(Nov 13, 2010 05:04 PM)1 Pure Devil Wrote: [CITE](#) Thanks for all comments. :)

For those of you saying to update the links, I cannot. :(Only L33t+ can edit their own posts after 3 days. :/

There are better keyloggers than Skulogger now, and the other link was a section on HackForums called Fake Programs - it got removed however. Just use the search function. :)

Thanks again.

Aw that sucks. I know how you feel though. XD

Can't you just post here.. as a reply?

BguyTheKing - November 16, 2010, 2:33 pm

thanks for sharing. Looks cool

c0r3Y - November 20, 2010, 4:29 am

highly useful and easy to follow! thx

Imm?rtal - November 20, 2010, 4:32 am

Nice share helped me alot?

cr3dotw - November 29, 2010, 8:49 am

thanks man i hope its working :)

ado11 - November 29, 2010, 9:46 am

This is very nice tut i make similar on my forum so i just redict all n00bs to that tut because they are asking a lot stupid questions

- "What is keylogger"

- "My Antivirus detect keylogger when i download it "

- "How to cript and bind virus"

1 Pure Devil - November 30, 2010, 1:08 pm

Thanks for all the comments once again.

I have just purchased L33T so I can finally get round to editing and updating my guide(s).

xi ST3AlTh - November 30, 2010, 2:48 pm

Go to this part of the forums and choose the fake program you would like.

it dosent have the programs.any help

1 Pure Devil - December 3, 2010, 3:34 pm

(Nov 30, 2010 03:48 PM)xi ST3AlTh Wrote: [CITE](#) Go to this part of the forums and choose the fake program you would like.

it dosent have the programs.any help

Sorry that section of the forum has since been removed since I posted this.

All you have to do is search 'fake programs' and you will get much the same results. :-)

-Legend - December 9, 2010, 7:42 am

thanks bro helped me a lot ;)

Fallenbot - December 9, 2010, 7:54 am

If you could add some images, it would be very helpful. Nonetheless, thanks for sharing.

demoncrusher - December 9, 2010, 10:52 am

How do i open the keylogger? When I download it I cant do nothing

woots - December 9, 2010, 12:16 pm

really good tut man!

obvious and clear!

ty (:

Microsoft. - December 9, 2010, 12:17 pm

This Is a very long hard-worked on Tutorial; I appreciate this because of the effort you've shown and given to us members at HF. Thanks.

1 Pure Devil - January 7, 2011, 1:05 pm

(Dec 9, 2010 01:17 PM)Microsoft. Wrote: [\[CITE\]](#) This Is a very long hard-worked on Tutorial; I appreciate this because of the effort you've shown and given to us members at HF. Thanks.
Thank you and welcome :) Shame to see you got banned.

ChadClock - January 7, 2011, 1:47 pm

the skull logger when i click download it says 404 error not found

1 Pure Devil - January 7, 2011, 2:38 pm

(Jan 7, 2011 02:47 PM)ChadClock Wrote: [\[CITE\]](#) the skull logger when i click download it says 404 error not found

Yes, please use this keylogger instead:

<https://hackforums.net/showthread.php?tid=820204&highlight=polymorphic>

ebonie101 - January 8, 2011, 6:06 pm

thank you! very easy to understand. :) im ready to spread my first keylogger now

1 Pure Devil - January 16, 2011, 6:43 pm

(Jan 8, 2011 07:06 PM)ebonie101 Wrote: [\[CITE\]](#) thank you! very easy to understand. :) im ready to spread my first keylogger now
Welcome!

Argh sorry guys, I still haven't gotten the time to update this yet! :\

Devilsam - January 16, 2011, 8:00 pm

wow nice tut , many thing i am learning from this site ...

ScuZz - April 25, 2011, 5:34 pm

Thankyou!! This tut has helped me get my keylogger working finaly lol.

IIILegitIII - April 25, 2011, 8:32 pm

I followed your guide and everything was going good until i binded it with nBinder Pro 5.5.1 and it would not start the process, i binded it with an autoclicker and it would pop up when you started the autoclicker and say "keylogger.exe" could not run or so.

IoVeS bLuE - April 25, 2011, 9:07 pm

.... amazing from what I have seen under this section, great work done at writing. Thanks for sharing

Fucking awesome tut.

vi3t_boy - April 25, 2011, 10:51 pm

thank you very much. its a very nice guide.

clair - April 27, 2011, 8:19 am

nice guide ? Will try it tomorrow

Yugen! - April 27, 2011, 9:08 am

Great tut man keep'em coming!

hackBoTneT - April 27, 2011, 10:42 am

Nice tutorial and user friendly.. Thanx for the tutorial..

SwAgSuRFiN - April 27, 2011, 11:11 am

keylogger which you put link to isnt ok anymore, according to the latest comments on that topic..link to forum where you can find tools to bind is invalid

just sayin' not hatin'

1 Pure Devil - April 28, 2011, 7:28 am

(Jan 16, 2011 09:00 PM)Devilsam Wrote: [\[CITE\]](#) wow nice tut , many thing i am learning from this site ...

(Apr 25, 2011 05:34 PM)ScuZz Wrote: [\[CITE\]](#) Thankyou!! This tut has helped me get my keylogger working finally lol.

(Apr 25, 2011 09:07 PM)loVeS bLuE Wrote: [\[CITE\]](#) amazing from what I have seen under this section, great work done at writing. Thanks for sharing

Fucking awesome tut.

(Apr 25, 2011 10:51 PM)vi3t_boy Wrote: [\[CITE\]](#) thank you very much. its a very nice guide.

(Apr 27, 2011 08:19 AM)clair Wrote: [\[CITE\]](#) nice guide ? Will try it tomorrow

(Apr 27, 2011 09:08 AM)vi@torious Wrote: [\[CITE\]](#) Great tut man keep'em coming!

(Apr 27, 2011 10:42 AM)hackBoTneT Wrote: [\[CITE\]](#) Nice tutorial and user friendly.. Thanx for the tutorial..

Thanks all!

(Apr 25, 2011 08:32 PM)IIILegitIII Wrote: [\[CITE\]](#) I followed your guide and everything was going good until i binded it with nBinder Pro 5.5.1 and it would not start the process, i binded it with an autoclicker and it would pop up when you started the autoclicker and say "keylogger.exe" could not run or so.

Where you are asked for 'File 1', insert your autoclicker first, not the keylogger.exe

(Apr 27, 2011 11:11 AM)SwAgSuRFiN Wrote: [\[CITE\]](#) keylogger which you put link to isnt ok anymore, according to the latest comments on that topic..link to forum where you can find tools to bind is invalid

just sayin' not hatin'

Thank you for the notification. The thread was very outdated.

I have rewrote the main thread quite a bit. I have changed all dead links, added screenshots, created graphics to make it more user-friendly and easier to understand.

I have also changed to a different a keylogger and binder than in the initial tutorial.

Everything should work again to perfection, and better! ;)

Happy hackin'.

?r1PP|? - April 28, 2011, 9:58 am

nice tutorial, keep up this work :D

Genjishin - April 28, 2011, 11:14 am

I'll try this later. good guide. :)

2077 - April 28, 2011, 1:29 pm

I wish I could rep you :(

This helped me alot!

test111 - April 28, 2011, 3:01 pm

thanks a lot of bro!!! ;)

Capitalist - April 28, 2011, 4:32 pm

I am a complete NOOOOB at this, and even i managed to work through your very nice guide! thank you!

1 important question though. does nathans binder crypt for you? i want it encrypted.

1 Pure Devil - April 29, 2011, 1:14 am

(Apr 28, 2011 09:58 AM)?r1PP|? Wrote: [\[CITE\]](#) nice tutorial, keep up this work :D

(Apr 28, 2011 11:14 AM)Genjishin Wrote: [\[CITE\]](#) I'll try this later. good guide. :)

(Apr 28, 2011 01:29 PM)HackDaSaw Wrote: [\[CITE\]](#) I wish I could rep you :(

This helped me alot!

(Apr 28, 2011 03:01 PM)test111 Wrote: [\[CITE\]](#) thanks a lot of bro!!! ;)

Thanks all :)

(Apr 28, 2011 04:32 PM)mousemouse Wrote: [\[CITE\]](#) I am a complete NOOOOB at this, and even i managed to work through your very nice guide! thank you!

1 important question though. does nathans binder crypt for you? i want it encrypted.

The keylogger has an option to encrypt the file. As far as I know, Nathan's Binder should make your keylogger undetectable, yes.

I didn't go into detail with a crypter during this tutorial, as most good crypters cost money.

theleperchaun76 - April 30, 2011, 10:27 pm

Nice tut man, I have been slacking on reading up on this I created a keylogger in c++ not to sure how the code works but anyhow nice tut maybe I can apply some of the information to my keylogger after I udnerstand the code more. I hate usein shit when I do not know how it was made lol. Maybe ill just use the rapzo logger lol. I dont want to be a script kiddie though lol nice tut bro keep em coming

N3me\$!s - April 30, 2011, 11:46 pm

Thank you so much !

Good tut man.

deadlee - May 1, 2011, 12:41 am

Hey, this may be a stupid questions but when i download the keylogger the program doesn't come inside of it.

Not sure why, please help.

Also thanks for the guide, very easy and simple to read :D

c0c4c0l4 - May 1, 2011, 4:51 am

Very good TuT.

Thank you very much!

1 Pure Devil - May 4, 2011, 1:21 pm

(May 1, 2011 04:51 AM)c0c4c0l4 Wrote: [\[CITE\]](#) Very good TuT.

Thank you very much! (Apr 30, 2011 11:46 PM)Elunes Wrote: [\[CITE\]](#) Thank you so much !

Good tut man.

Welcome!

(May 1, 2011 12:41 AM)deadlee Wrote: [\[CITE\]](#) Hey, this may be a stupid questions but when i download the keylogger the program doesn't come inside of it.

Not sure why, please help.

Also thanks for the guide, very easy and simple to read :D

It's probably your antivirus detecting and deleting the Stub file. No need to worry though, as the Stub is just a false positive.

I talked about this in the tut :P

(Apr 30, 2011 10:27 PM)theleperchaun76 Wrote: [\[CITE\]](#) Nice tut man, I have been slacking on reading up on this I created a keylogger in c++ not to sure how the code works but anyhow nice tut maybe I can apply some of the information to my keylogger after I udnerstand the code more. I hate usein shit when I do not know how it was made lol. Maybe ill just use the rapzo logger lol. I dont want to be a script kiddie though lol nice tut bro keep em coming

It's cool dude lol. Keylogging is only the very beginning of anyone's hacking career. :o Though creating the programs could bring in some profit ;O

KongenT - May 4, 2011, 1:22 pm

nice!

Spoiler [\(Click to View\)](#)too Short Message!!

Crunchy - May 9, 2011, 6:16 am

Easy to follow but I get stuck at part 2 ,step 2. When I download the file it's empty. It's just one blank ass sheet. I've tried turning off my firewall and I tried turning off my anti virus protection. NOTHING IS WORKING.

Pls help :]

!Root - May 9, 2011, 6:31 am

Please use another image host than [censored].

A preferred one is; www.photobucket.com

Peelsaven - May 9, 2011, 4:02 pm

godamn tinypics ruining everything

!stric_tags(\$userName) - May 9, 2011, 4:53 pm

Very good guide! Very useful for me.

1 Pure Devil - June 9, 2011, 8:16 pm

Bump. Wow [censored] really suck. Sorry guys/girls, I'll update the pics when I get time. ;/

tani.sirohi - June 19, 2011, 7:00 am

Helped me a lot...

Thank you soo much

stevealeen - July 6, 2011, 9:11 pm

very well .thanks a lot..

?Sean - July 6, 2011, 10:39 pm

Great tut man, thanks for this. Easy to understand!

HackForums808 - July 6, 2011, 10:41 pm

Just outta complete curiosity, I don't want no hateful comments towards me.... but isn't there a CHANCE that any/all of these links can be a keylogger? :P

I'm not saying you are, but it's possible right? Haha. Nice tut tho ! I did it :) works like a BEAST.

jediminister - July 7, 2011, 3:38 pm

nice tut buddy, i am a noob lol but i am learning fast, i have been researching for ages now how to make a keylogger. not only have you explained everything step by step but you have explained how to send it aswell. BIG F**G up from me, thanks pure devil.

DELIJA - July 10, 2011, 7:04 pm

This is the ameyising tutorial and very detailed.... Thanks bro, keep it up... good work?

hitboy777 - July 10, 2011, 10:44 pm

i did it but when i click build it says something about a system IO file? help please!

ziglet^ - July 10, 2011, 11:36 pm

And you are sure Rapzo Private 1.5 is completely functional??

BeginningNoob - September 29, 2011, 8:46 am

Quick question, can I bind the .exe to a .jpg so when the slave clicks the .jpg to open it he also runs the .exe?

NextGenUber - September 29, 2011, 9:02 am

Thanks for the tutorial man. I'm trying to learn all this stuff and i really think this will help. I bookmarked this thread so i can come back when i have the time lol.

?TN© - September 29, 2011, 9:06 am

thanx highgly detailed tut keep it up.

Kcajy - September 29, 2011, 1:59 pm

Very helpful thanks.. just one question. Would it be possible to bind it to any file an a minecraft world folder?

Slauwwter - September 29, 2011, 8:45 pm

Great tut. Picks are gone though. Thanks

N1T3ST4LK3R - September 29, 2011, 9:03 pm

Great TuT mate, I applaud the fact that you put alot of time & effort into this.

aman2012 - September 29, 2011, 9:07 pm

very nice tutorial thanx for share with us ...preety cool ..good job

Blackknight007 - October 11, 2011, 1:50 pm

Well really nice work bruv. .Keep up the good work =)

exie - October 12, 2011, 8:38 am

Thanks for this tutorial.

Very 'newb friendly' and works really nicely

I'm glad you put in your time to actually put full detail into this.. You also gave us great ways to spread it out too!

Iv'e lured quite a lot of people with mine and got some nice accounts on various things ?
Once again.. Thanks

LowDog7 - October 12, 2011, 10:10 am

simple yet effective thank you for the ideas

hackhack69 - October 12, 2011, 2:42 pm

very useful tutorial for us a newbie

overconfidence - October 12, 2011, 4:36 pm

Thanks for the Share !! This helped me alot :D

HanButler - October 12, 2011, 4:37 pm

how exactly do you encrypt the logger?

Cup Of Milk - October 12, 2011, 4:46 pm

For someone like myself who is extremely newby, this is perfect.

Thanks so much. Will be doing this tonight after school (I have really late classes). I'll try post results sometime in the new future.

Thanks again.

HanButler - October 12, 2011, 5:40 pm

is it supposed to say not responding on the task manager???

Tronikz - October 12, 2011, 8:11 pm

Do we have to spread it and make a video? A cool thing to do would be make a vid TUT on this showing the steps

madhanmech - October 12, 2011, 9:26 pm

awesome tutorial, really helpful.... thanks dude..

exie - October 14, 2011, 3:34 am

In the additional notes it says:

Quote:-->You could use a simple picture, to which you can bind the keylogger to and spread it around.

How could I achieve this?

(Oct 12, 2011 04:37 PM)HanButler Wrote: [\[CITE\]](#) how exactly do you encrypt the logger? this is done when you use Nathan's binder

algorithm2011 - October 14, 2011, 10:35 am

nice tut, thanks for sharing bro gonna have a go

keimz - October 14, 2011, 8:13 pm

I was looking for a tut like this. Great work..mad respect yo.. keep it up.

2raw4life - October 14, 2011, 8:19 pm

good job bruh u did nice and yeah soooo
good job bruh u did nice and yeah soeee
good job bruh u did nice and yeah soee
good job bruh u did nice and yeah soee
good job bruh u did nice and yeah soee

godofcake - October 14, 2011, 8:19 pm

Thanks for the help, learned a few things, hopefully I can spread my shit easier :/

Clemencia - March 8, 2012, 6:54 am

You rock alot men!!! More power , alot of noobs need you

Question no.1: Why i dont recieve logs on my email? I did the test for the first and send the test log to me, after creating the virus I run it to the other computer still no logs.

Question no.2: If I run the said virus i created from Rapzo even without crypt/bind it does it still works?

deinocheirus - March 8, 2012, 10:25 am

Do you guys know a tutorial on writing a keylogger? I'd like to try building one.

Stros - January 29, 2014, 11:50 am

Pretty cool guide . . .

AndyFinner - January 29, 2014, 3:42 pm

Fantastic tutorial; I can always use tutorials that are newb friendly, keep um coming! Thanks

toome - October 28, 2014, 6:26 am

Thank you, really good tutorial. Very simple and proper.

SIM-1230893 - *October 28, 2014, 10:19 am*

Great tutorial mate, You put some nice effort into this. It is nice and neat.

kiwilion - *September 24, 2016, 2:43 am*

ANYBODY KNOWS if this logger is still undetetable by free antivirus software in 2016?

martigo333 - *October 17, 2016, 2:02 am*

Nice tutorial some crazy people selling this knowledge...Thanks for the share bro

SIM-2509012 - *October 17, 2016, 2:54 am*

Thanks for tutorial, you have nice knowlegde.