

Forum:[Hack Forums](#)

Thread: [\[TUT\] ProRat v1.9SE n00b friendly ALL QUESTIONS ANSWERED](#)

peperm1nt - January 27, 2009, 3:14 pm

OK, Tired of looking at the ProRat uploads in other forums and seeing the same questions OVER AND OVER; plus im bored lol. Im no expert, but I ASSURE that if you follow this guide, you WILL NOT FAIL at connecting to some1. Please follow this STEP BY STEP and you should have NO questions as far as connecting or creating a server. Be sure to turn OFF your firewalls while running ProRat, for MOST OF THE TIME, it will not work if a firewall is up.

Things you need:

ProRat v1.9SE

<http://#.com/files/119647407/ProRatSE.rar.html> rep+ to goodkidz... he uploaded it not me, BUT this is the file i use so its safe

The zip password is oksa52wq.

To unlock Prorat

Username: mohdjase1

The key:66618e869accfc4f96.

no-ip.com (DUC program)

<http://www.no-ip.com/downloads.php>

=====

Step 1: Create a No-IP.com account

First thing you need to do is goto <http://www.no-ip.com>.

Once there, register to the site and after you have activate the email, login. Once you have logged in, in the Upper Left corner, click on the tab "Host/Redirects". Now click on Add a host. Now it will ask you to fill in the Hostname Information. THE ONLY THING YOU NEED TO DO, is simple put in a hostname (_"whatever you want to name it" _) and beside that is a drop down menu for your server extension(default is "no-ip.biz"). It doesn't matter what you have as a server extension, BUT you can have no 2 Hosts/Redirects with the same extension. Now scroll down and click add host. Remember your hostname. You will need it for your ProRat server.

NOTE: Your IP address should have been inserted already. If it wasn't go to <http://whatsmyipaddress.com> and that is your IP. But it really doesnt matter if you have a diff IP address everytime you log in or w/e. Just follow this guide, and everything WILL work out.

=====

Step 2: Creating the ProRat server

Now that you have your no-IP host set up, lets make your server.

Open ProRat and at the bottom of the control panel, click Create>Create ProRat server. A pop-up should now be in place. In the Notifications Tab, you will see 4 check boxes. The only one that needs to be checked is the top one(Use ProConnective Notification). In that box, type in the no-IP

host you created (_____.no-ip.biz or whatever). You may be wondering why not put you IP address. Because YOU may be behind a router and/or the person you are hacking may be behind a router and it won't work. Just ALWAYS put a no-IP host there and you will NOT have any problems. Now go to the General Settings Tab. The server port should be 5110. DONT CHANGE IT! Keep it that PERIOD. Server password. By default, this is 123456. Make it whatever you want. Just remember it! This keeps other ProRat users from connecting with your server into the victim's PC. In the Victim Name Tab, keep it Victim for now. In the check boxes. here is a quick overview of what they mean and which should be checked.

Key:

[] = dont check

[x] = check

[] Give a Fake Error Message. (when they open the file, it gives an error message.

[x] Melt server on install. (this will cause the server to ALWAYS connect to the internet when the victim gets online)

[x] Kill AV - FW on Install. (this causes the anti-virus and firewalls to SHUT DOWN and stay off once installed on the victim's computer.

[x] Disable Windows XP SP2 security center

[x] Disable Windows XP Firewall

[x] Clear Windows XP Restore Points

[] Dont send LAN notifications (keeps other computers on the victim's network from knowing about you)

[] or [x] Protection for removing local server (This is to keep the victim from removing the file from their PC. Now! it is your choice to check this one. IF you check it, I cannot guarantee that you can remove the server from the victim's PC. If you just Hack to kill a computer, then check it. If you hack to get information and leave. Dont check it. You dont wanna leave a trace on some1s computer if you are just going to do a hit and run. I personally hack to get surveillance information. To monitor people's actions and such. Sorta like just spy. And find out something i need. I dont check this box, because i wanna delete all my "footsteps", once i get what i need.)

In the Invisibility Box, check all 4 boxes.

That is all the boxes that need be checked and unchecked. Now lets move on.

Bind with File tab. You want to bind your server to a file. A good suggestion is a picture because that is a small file and its easier to send to the people you need:

Hacker: Hey Sarah, i got this picture i need to show you... Imao ITS SO AWESOME.

Sarah: OK let me see it.

Hacker: sends file to sarah"

*Sarah is now hacked

(or whatever the convo would be)

Anyway, bind it with a picture. Keeps filesize small and easier to send.

Server Extention Tab. Choose whatever, I keep it .exe ... no one said anything yet...

Server Icon. Choose the photo one. Its on the top row, 7 pic from left to right.

NOW JUST PRESS CREATE SERVER.

There ya go, server has been created. In the folder that contains your ProRat SE program, you should now see a new file; "binded_server". Rename this file to something describing the picture. I

use mushrooms, so my server file is called "shrooms" (btw, do NOT use my mushrooms, or i will put fungus all in your computer lmao). Be creative, make it simple and REAL. Dont be fake or the ppl that open your server will know something is up and you will get 5-10 yrs of prison EASY.

IMPORTANT NOTE!!!! DO NOT OPEN THE FILE!!! IF YOU OPEN THIS FILE, I TAKE NO RESPONSIBILITY FOR WHAT COULD HAPPEN!!!

Before proceeding to sending some1 this file, you need to protect it from an AV(YOURS and the VICTIM's). In the folder with your server, right-click inside the folder OFF A FILE(dont right-click a file; right-click a blank spot n the screen) and scroll down to new>compressed ZIP file or new>winRAR ZIP archive. Whichever is showing on your computer. Just create a new ZIP folder. Rename the ZIP folder you just created to whatever you named your server file(ex. shrooms). Now just drag your server file into the ZIP folder. Make sure the server is inside the zip folder now. If it just copied the file into the folder(your server is inside the zip folder and the original is still outside the folder) delete the original to prevent future mistakes. When you want to send the server to your victim, just send the ZIP folder to them. This way, NO AVs or FWs will pick it up.

Proceed to next step

=====

Step 3: Connecting to the victim's computer

Once the server has been sent and the person has opened this ZIP folder, they will now be infected with it. AND HAVE NO CLUE ABOUT IT!

in the top of the ProRat program you will see a box in the upper left corner.

Type in the victim's IP address and make sure the port is 5110. Now press Connect. You should now see a pop-up box wanting to know a password. Remember the password you entered while creating the server? that is what you need to type. By default, it is "123456" without quotes. If you changed it and forgot what you put. YOU'RE IN LUCK! just go to create server and look at what the password is showing and that is the password. and if you still keep typing a WRONG password. Then you are shit out of luck. Make a new one. GO BAK TO THE STEP 2! and remember the password.

=====

Step 4: What now?

Once connected, you can do whatever you like. Play around on the control panel, figure out what everything is! and for an in-depth explanation of the tabs, goto the help file provided on ProRat v1.9SE... Good luck and Happy Hacking with ProRat.

=====

FAQ

ok... I HATE SEEING THESE QUESTIONS ASKED. I cant say much, for I never answer them. BUT I will answer them here. If I see the question in the forums, ILL POST THIS TUT for you to read. May be being a prick, BUT if search doesn't answer your question and GOOGLE doesnt answer your question, don't post a question. A little research teaches you things better than asking. TRUST ME! Not only do you get the answer to your question, BUT you may learn something new along the way. SO here is a FAQ for you to Learn. It will be updated as I see new questions.

1. Error message:Windows cannot access the specified deice, path, or file. You may not have the appropriate permissions to access the item. What do I do?

Simple! Delete the ProRat program. Delete it. What happen was, your AV has altered the file. OR it could be malacious content. Either way, delete it. NEXT, remember the file you downladed? Un extract the file again and re run. You will not need to remake a server file and such if it has been sent to the victim. Just open ProRat and make sure your AV is shut off. Reconnect. There ya go.

2. ProConnective...what is that?

ProConnective is a tool that lets the server and client created with ProRat to communicate together. You need ProConnective for connecting to PC's behind LAN (local Area Network) and Routers. see post number 13 of this thread for futher detail

3. Well, I created my no-ip domain... the DUC is running and saying the server is up... but when I click to test the Pro connective notification it doesnt work..

That is because NO ONE IS CONNECTED TO THE SITE. If you followed this guide, it will still say not able to connect or w/e. Just follow the guide and everything will work. I PROMISE!

cratix - January 27, 2009, 3:36 pm

Sweet tut man, can't wait to start putting it to use!

Jackhole3 - January 27, 2009, 3:39 pm

Very nice and simple tut..thanx but I always had a question on the ProConnective...what is that?

Reanimator - January 27, 2009, 5:03 pm

Great tutorial! Seems easier now to use it

Specter - January 27, 2009, 7:25 pm

dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

Paul Mirolha - January 27, 2009, 8:07 pm

Well, I created my no-ip domain... the DUC is running and saying the server is up... but when I click to test the Pro connective notification it doesnt work..

boxhead - January 27, 2009, 8:08 pm

(Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

you have to be fucking kidding?!?!?!?

crash0verride - January 27, 2009, 8:15 pm

oooooooooooo weeeeeeee oooooooooo weeee oooooooooooooo oooooooooohhhh.

Fucking awesome tutorial man! PROPS! man yea just what i was looking for!
someone REP+ this guy!

Taserz - January 27, 2009, 8:57 pm

you said

Step 3: Connecting to the victim's computer

Once the server has been sent and the person has opened this ZIP folder, they will now be infected

with it. AND HAVE NO CLUE ABOUT IT!

in the top of the ProRat program you will see a box in the upper left corner.

Type in the victim's IP address<<<<<<<<

Where do you get there ip address from and i read every word and letter unlielk the people above me lol

Specter - January 27, 2009, 10:35 pm

(Jan 27, 2009 09:08 PM)boxhead Wrote: [\[CITE\]](#) (Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorot an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

you have to be fucking kidding?!?!?!?

What!??

KillerX3189 - January 27, 2009, 11:52 pm

(Jan 27, 2009 09:07 PM)Paul Mirolha Wrote: [\[CITE\]](#) Well, I created my no-ip domain... the DUC is running and saying the server is up... but when I click to test the Pro connective notification it doesnt work..

I have the exact same problem

rehan90 - January 28, 2009, 12:35 am

Very nice tut! very simple and to the point. thank u =]]

peperm1nt - January 28, 2009, 1:50 am

(Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorot an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

Questions like this is what piss everyone off.... NOW, if you read the FAQ at the bottom of the page, AND THIS QUESTION WAS UP ON THE ORIGINAL POST, you would have seen the solution. End of story. NOW if your question is this

"hey i turned off my a/v and F/Ws and i deleted the program, and re-unzipped it, and i still get this error message... wat do i do?"

ppl wouldnt get as pissed.... NOW

What you need to do is this, delete the program... your a/v has "corrupted" the file... you need to delete it, TURN OFF FIREWALLS AND AVs and re unZIP the files... and try to open it again.

Did you already create your server? or did you get this error, the moment you opened the prorot? (in otherwords, have you even got to the prorot screen?)

Taserz Wrote:you said

Step 3: Connecting to the victim's computer

Once the server has been sent and the person has opened this ZIP folder, they will now be infected with it. AND HAVE NO CLUE ABOUT IT!

in the top of the ProRat program you will see a box in the upper left corner.

Type in the victim's IP address<<<<<<<<<

Where do you get there ip address from and i read every word and letter unliiek the people above me lol

Ok this tut does NOT tell you how to obtain IP addresses; HOWEVER, I am planning to make another guide on ways to obtain IP addresses for everyone to see, so be patient?. Besides you should know by now lol

If i missed anyones questions, check the faq... should be there... also, any other problems you have, plz post... be happy to help... just dont post

"hey proconnective isnt working, what should i do?"

"hey for some reason my screen turned black? what do I do?"

Please post in DETAIL what your problem is... ex:

"Hey i was connected to the persons computer and i was looking at the keylogger, and i pressed format c drive, and now i cant connect... any help?"

that is a bit broad, but still something along those lines... tell what you did things of that such.... btw answer to that question is simply, "they dont have a computer anymore lol, your job is done?"

Some1 wanted to know about ProConnective, so here is the help files description... this should help... if not... idk, i dont use it....

ProRat Wrote:What is ProConnective ? :

ProConnective is a tool that lets the server and client created with ProRat to communicate together.

You need ProConnective for connecting to PC's behind LAN (local Area Network) and Routers. This feature is only added on ProRat Special Editions.

Public edition users can only use ProConnective to connect to PC's who have WAN (Wide Area Network) IP's, which means they must be connected directly to Internet. If you try to connect to a victim behind a network or a router ProConnective will not connect.

If you are using a Router you can adjust your ports which ProConnective uses "4110, 4112, 5110, 5112, 41100, 51100" so you can use ProConnective if you are behind a Router.

What you need to do to use ProConnective ? :

To use ProConnective you have to click on ProConnective button that is on the ProRat client and then press on the "start listening the connections".

ProConnective will be created right next to the ProRat client and it will start to run.

If windows XP internal firewall is running on the PC that ProConnective is started, ProConnective will not work because the internal firewall will stop it to work.

So this is why ProConnective will open a warning message to you and ask that would you like to close your internal firewall.

If you press the "Yes" button ProConnective will close your internal firewall and will start to work normal.

If you press on the "No" button ProConnective will warn you that it will not work properly and will ask you if you are sure to continue and it will not work properly if you continue. It depends on you to make ProConnective work properly.

Also you have a choice to select "Start ProConnective on startup" which will run ProConnective every time you open your windows operating system.

To use ProConnective you have to own a static IP address or a dns address.

If you don't have a static IP address and if you are a connecting with a dial up and your IP address is changing every time you can get a DNS from No-Ip.com for free and direct it to your IP and you can use the product "DUC" to see your current IP.

So every time you get online the "DUC" program will process your WAN IP to the No-Ip.com DNS address that you gave when you created your server, so when your server gets online it will be directed to your DNS to get communication with ProConnective. (Example: "test.no-ip.com") and the "DUC" program will always refresh this dns target so your WAN IP will be directed to ProConnective. Click here to get more information about a free membership on No-Ip.Com and information about the "DUC" program.

How To Use ProConnective ? :

If you viewed the information written above and created your server with your WAN IP or the DNS which you got from no-ip.com and executed it on your target PC.

You will see a list of IP's connected on the ProConnective main screen when your server is online and communicated with ProConnective.

In the ProConnective IP list you will see a "Direct Connection" icon next to the IP address if the IP is from a WAN address or if its one of your own LAN IP. With these kinds of connections you can connect reverse and normal ways. Right click on the IP address you want to connect to and select "Connect Reverse" or "Connect Directly"

If the server which is connecting using a gateway which means its behind a network or a router will have a "Gateway" icon next to that IP. Double click on that WAN IP and you will see a list of how many servers are working on that LAN IP and select which one you want to connect to with a reverse connection type.

IMPORTANT NOTES :

To get benefit from ProConnective you must run ProConnective on a PC that has a WAN IP. If ProConnective is running on a system ProRat server will not work and if a ProRat server is running on a system ProConnective will not work either because they use the same port so do not expect productive without closing one of these programs.

To use ProConnective you must type your static IP address or your free dns from no-ip.com into the "IP (DNS) Address" box while creating your server and activate the ProConnective notification. Click [here](#) to get more information about a free membership on No-Ip.Com and information about the "DUC" program.

It's possible to connect to PC's that are behind networks and routers but only ProRat Special Edition users can use this feature. Click [here](#) to get more information about ProRat Special Edition. btw you have ProRatSE if you downloaded the file provided.... otherwise you couldnt connect to ppl outside of your network....

thanks, and help make this the best ProRat thread ever....

-Peperm1nt

crash0verride - January 28, 2009, 3:38 am

Ok so I was looking for pedophiles to send this too. pretending to be a 12yearold girl i had plenty of 27+ year olds msging me...I managed to send the mebikini.exe file but they were quick to say ohhh thats an .exe i cant run that and ohh my anti virus says that is a virus...Is there anyway to hide the extension as .jpg???????any 1337 way??

necrosynthesis - January 28, 2009, 3:49 am

There is NO way to hide an Exe in Jpg. You can only bind them under Exe. If you're trying to send through MSN you're pretty screwed. And Trojans like these are easily detected, so you'll have to learn to encrypt.

badalandabad - January 28, 2009, 3:54 am

Great tutorial indeed!

Btw, I have a question. When I tried to test my DNS, this pops-out:

[IMG]<http://i249.photobucket.com/albums/gg240/badalandabad23/fg.jpg>[IMG]

Is this normal? Or do I have to open my DNS port or something?

sboi - January 28, 2009, 3:55 am

thanks for this tut, even though there is other tutorial that are great too.

crash0verride - January 28, 2009, 6:11 am

This lead to somehow letting many different people gain access to my computer, which has nothing on it but hacking stuff so I dont care haha but man That was fucking lame I had to fight a few hackers for an hour or so there.....then un-install No-ip bullshit and delete every last speck of this shit ridden file and whatever it came with, I take back my comment from earlier...

USE THIS SHIT AT YOUR OWN RISK IT WILL LEAVE YOU OPEN TRUST ME...

FUCKKKKK

Good luck whoever already ran it. that was a battle.

man i sent it to like 4 pedophile that accepted it and ran the .exe too....

Is there a better more secure way of doing this? They are easy to fool with the picture trick, but this pro rat brought me some trouble and im not using it again.... Im trying to catch sickos and pedos, this is a good cause to use your skillz for, not hacking fellow hackers.

So I need a good trojan to just let me get in there without the no-ip server and all this other junk, which somehow lead to me being attacked by everyone in sight....

and again if you want easy easy targets, pretend you are 12 or 11 in a chat room and quickly find that sick old men up to 35 years will be asking to see your pic and running the .exe, If you can get this to run safely i highly suggest getting those fuckers good!

but again I was attacked majorly using this setup and files. I doubt one of you could recover from what was going on but goodluck, there are probably still holes I cant find...

peperm1nt - January 28, 2009, 9:42 am

the no-ip DUC file is NOT a virus.... its clean.... all it does is make your server on no-IP.com up to date with your IP address.... also!

CRASHOVERRIDE- almost EVERY prorat you download has a virus... I RUN IT GREAT! Have you ever heard of Sandboxing?

Badalanda Bad- Hey go bak and READ THE FAQ!!! ANSWER IS SOLVED THERE.... and no one ask this question again, unless you tell me everything that you have done so far with the program... make sure your A/V and FWs are turned OFF and the program will run...

Taserz - January 28, 2009, 10:12 am

You should make a tut for turkojan 2 because they are the 2 most popular oh and iff you need some ones ip sniff it out with wpepro in a msn conversation

and yes i should know that by now is right i jsut enver was into rats untill now oh and i have a rats AIO psoted here are 8 rats all clean

peperm1nt - January 28, 2009, 3:13 pm

koolio... send me the post in a PM... so i can edit this one.. and for turkojan 2... ill get on it... my plans are make an Obtain IP tut and now ill make one for turko lol.... and for the rats ... they are for the "spying" hackers... my thoughts anyway... not really destruction... BUT they can destroy some1 with the format option...

crash0verride - January 28, 2009, 3:18 pm

sand boxing ok, I will sand box, but go here if you didnt

<http://housecall65.trendmicro.com/>

run the 2 hour full system scan, you will find a fucking shitload of viruses. But I think we are all smarter than to keep personal and private info on our computers anyway. OR our email inboxes.

And what a bunch of slimey fags....they hack hackers? Who the fuck tries to hack there own brothers. That is a major mistake in hacking, especially when the people I traced had all their ports open HAHAAAAHA fucking retards.

Well I got 1 pedophile to open it....If I can get his IP address do any of you want it?? I urge you too destroy his shit.

Also whats the best program for sandbox??

peperm1nt - January 28, 2009, 3:49 pm

sandboxie is the only one i found...google it .. it like a "professional" looking site .. kinda cheezy but oh well lol.. only one i found

Expert Virus - January 29, 2009, 3:43 am

hi

thanks for the tut

and I have a problem with ProConnective .. when I open it its say " cant create port :5110. port in use . do you want to continue?"

crash0verride - January 29, 2009, 5:32 am

ok so I manage to get these pedos to use the file....It is impossible to get their home IPs using Netstat, or and packet sniffer...It seems their IP is lost in the chat servers...there must be a way...so many attempts lost because I cant get their IP haha damn...any help on that would be 100% appreciated.

peperm1nt - January 29, 2009, 6:31 am

? ok you need their IP address? how was you looking it up on cmd prompt? i know what netstat is, but their IP address wont show up until you ARE connected to their computer.... u need the IP address

One way to do this is this..... go to <http://www.trackspace.net> register you an account.... now make a myspace account... it doesnt have to look good, becasue all you will be doing is just put a script in your Header....YOU MUST BE RUNNING MYSPACE 1.0! not 2.0..... OR you could just keep your current Myspace account, and set it private, and type in the script to your header.... once you have the script in, check it by simply looking at your profile(your not looking for anything, just look at the profile, and once the page has loaded, proceed to next step)! then go to trackspace.net and sign in, check the visits, and see if ur IP address is in the visits... if so, its working, if not... then u messed up, read the guide on the site for help.... anyway, once u get it working.... lure the person to looking at your Myspace(the one with the script) ... and then once they see it or w/e check trackspace.net for their IP address... hope that helps, for it is what i do to get IP addresses.....

Expert Virus.....

idk why it isnt working.... if you are behind a router, you need to forward your port maybe google Port Forwarding.... it should help... are you connected to the server?

ninja121 - January 29, 2009, 8:20 am

Nice tut. GJ man!

crash0verride - January 29, 2009, 11:05 am

thanks for the extra help at the end there man, im one step closer to gettin these pedophiles good. Up and running brother. Up and running....muahahahaha time to fuck over these pedos.

peperm1nt - January 29, 2009, 3:38 pm

Imao ok... hope you get it homie...is there anything else you need to know?

crash0verride - January 29, 2009, 6:37 pm

hmm...perhaps some better ways of sending the file.....they usually know right away something is up, and go, this is an .exe file not a picture file.....and in Winrar or Winzip they say there is no file its just blank sometimes, others say their anti virus stops them....I think I saw an option for .pif instead of .exe.....that might work a little better..but i dont think i can put my own icon there.....Im gonna try the .pif extension instead and see what luck I get with that since that is a picture file extension..

But yea they keep knowing its an .exe... :(, only the foreigners dont get it haha, I wanna catch these american pedos tho....

Well Ill keep trying but it basically comes down to man, I hope this guy dosnt know shit about computers and these pedos are usually really on egde, asking me ohhhh you gotta go on Mic or Cam so I know you are real....haha watch me pull off talking in an 11 year old girls voice a few times it is hilarious.

crash0verride - January 29, 2009, 7:48 pm

oh wait .PIF is not a picture extension.....I think i will have more luck with .SCR..

peperm1nt - January 29, 2009, 8:03 pm

i think i might be able to help you out there. maybe make the .exe extension. RightClick>Rename and add .jpg to the end. It keeps the file as .exe, BUT it still shows up on the filename with .jpg and unless they actually go in and look at the properties. OR make an autorun.inf file ... that should work FOR SURE.

crash0verride - January 29, 2009, 10:02 pm

Ok new problem.....it seems the IP from the site is not theres but some server that their ISP uses...I couldnt connect.

maybe he was behind a proxy.... :(

Defaced - January 29, 2009, 11:39 pm

What about the error "AVG HAS FOUND A TROJAN HORSE"? Is this file detectable?

peperm1nt - January 30, 2009, 1:22 am

crashoverride...

Well that site if youre using tracespace is THEIR ip address... i have yet to run into probs.... maybe u are looking at the wrong one or something... ALSO, make sure you followed the guide...

defaced...

almost EVERY rat you grab nowadays is detected by a/vs .. i run the one on the link i provided... and i have yet to find probs... just turn off ur a/v.... i didnt upload the file.. i gave credit to who did. as far as THEIR a/v catching it.. idk... i havent had it caught yet...

ima post about encrypting in another tut....that should help

blackcat - January 30, 2009, 5:05 am

thx mate, nice tut!

crash0verride - January 30, 2009, 6:47 am

perhaps i have proconnective ssetup wrong it often says cannot set up port 5110 it is in use and I never see any writing in the proconnective box anyway.

fuckk maybe its my network settings, god damnit so close and i can never tell if its me or if they havent clicked it yet...Im failing this hahaha

peperm1nt - January 30, 2009, 12:18 pm

lol yeh. I never see anything either. I think you have to have a server or something set up instead of the No-IP ... Like a web server maybe.. or it could be just a local only, idk... i havent read much up on it because i never use it lol ... just connect and do w/e. Have you got connected to anyone yet?

BTW to all those who have said nice tut and good job, thanks lol... I try to make it simple and shit for everyone to understand. If you have any suggestions or w/e pm me or post. ANd if anyone else needs help. Just ask and ill do my best to help.

-peperm1nt

crash0verride - January 30, 2009, 1:05 pm

Well now I have a guy in Proconnective, it shows his ip and lets me expand it to show he is on a router, then if i right click the lan IP it says connect reverse ? activate reverse? and deactivate?

When I try to connect to that very same IP in prorati it says disconnected....

I keep getting one step closer, this is a 45 year old man asking a 15 year old girl to visit him...I really need to get this guy man hurry up! haha.

haha ok im one step closer...now it says Enter Password: password.....then it says checking password....and wont stop saying checking password?

fuckkk soooo closee....must....kill.....pedos....computer...

checking password.....disconnected.

set - January 30, 2009, 2:19 pm

(Jan 27, 2009 04:14 PM)peperm1nt Wrote: [\[CITE\]](#) OK, Tired of looking at the ProRat uploads in other forums and seeing the same questions OVER AND OVER; plus im bored lol. Im no expert, but I ASSURE that if you follow this guide, you WILL NOT FAIL at connecting to some1. Please follow this STEP BY STEP and you should have NO questions as far as connecting or creating a server. Be sure to turn OFF your firewalls while running ProRat, for MOST OF THE TIME, it will not work if a firewall is up.

Things you need:

ProRat v1.9SE

<http://#.com/files/119647407/ProRatSE.rar.html> rep+ to goodkidz... he uploaded it not me, BUT this is the file i use so its safe

The zip password is oksa52wq.

To unlock Prorati

Username: mohdjase1

The key:66618e869accfc4f96.

no-ip.com (DUC program)

<http://www.no-ip.com/downloads.php>

=====

Step 1: Create a No-IP.com account

First thing you need to do is goto <http://www.no-ip.com>.

Once there, register to the site and after you have activate the email, login. Once you have logged in, in the Upper Left corner, click on the tab "Host/Redirects". Now click on Add a host. Now it will ask you to fill in the Hostname Information. THE ONLY THING YOU NEED TO DO, is simple put in a hostname (_"whatever you want to name it"_) and beside that is a drop down menu for your server extension(default is "no-ip.biz"). It doesn't matter what you have as a server extension, BUT you can have no 2 Hosts/Redirects with the same extension. Now scroll down and click add host. Remember your hostname. You will need it for your ProRat server.

NOTE: Your IP address should have been inserted already. If it wasn't go to <http://whatsmyipaddress.com> and that is your IP. But it really doesnt matter if you have a diff IP address everytime you log in or w/e. Just follow this guide, and everything WILL work out.

=====

Step 2: Creating the ProRat server

Now that you have your no-IP host set up, lets make your server.

Open ProRat and at the bottom of the control panel, click Create>Create ProRat server. A pop-up should now be in place. In the Notifications Tab, you will see 4 check boxes. The only one that needs to be checked is the top one(Use ProConnective Notification). In that box, type in the no-IP host you created (_____.no-ip.biz or whatever). You may be wondering why not put you IP address. Because YOU may be behind a router and/or the person you are hacking may be behind a router and it won't work. Just ALWAYS put a no-IP host there and you will NOT have any problems. Now go to the General Settings Tab. The server port should be 5110. DONT CHANGE IT! Keep it that PERIOD. Server password. By default, this is 123456. Make it whatever you want. Just remember it! This keeps other ProRat users from connecting with your server into the victim's PC. In the Victim Name Tab, keep it Victim for now. In the check boxes. here is a quick overview of what they mean and which should be checked.

Key:

[] = dont check

[x] = check

[] Give a Fake Error Message. (when they open the file, it gives an error message.

[x] Melt server on install. (this will cause the server to ALWAYS connect to the internet when the victim gets online)

[x] Kill AV - FW on Install. (this causes the anti-virus and firewalls to SHUT DOWN and stay off once installed on the victim's computer.

[x] Disable Windows XP SP2 security center

[x] Disable Windows XP Firewall

[x] Clear Windows XP Restore Points

[] Dont send LAN notifications (keeps other computers on the victim's network from knowing about you)

[] or [x] Protection for removing local server (This is to keep the victim from removing the file from their PC. Now! it is your choice to check this one. IF you check it, I cannot guarantee that you can remove the server from the victim's PC. If you just Hack to kill a computer, then check it. If you hack to get information and leave. Dont check it. You dont wanna leave a trace on some1s computer if you are just going to do a hit and run. I personally hack to get surveillance information. To monitor people's actions and such. Sorta like just spy. And find out something i need. I dont check this box, because i wanna delete all my "footsteps", once i get what i need.)

In the Invisibility Box, check all 4 boxes.

That is all the boxes that need be checked and unchecked. Now lets move on.

Bind with File tab. You want to bind your server to a file. A good suggestion is a picture because that is a small file and its easier to send to the people you need:

Hacker: Hey Sarah, i got this picture i need to show you... lmao ITS SO AWESOME.

Sarah: OK let me see it.

Hacker: sends file to sarah"

*Sarah is now hacked

(or whatever the convo would be)

Anyway, bind it with a picture. Keeps filesize small and easier to send.

Server Extention Tab. Choose whatever, I keep it .exe ... no one said anything yet...

Server Icon. Choose the photo one. Its on the top row, 7 pic from left to right.

NOW JUST PRESS CREATE SERVER.

There ya go, server has been created. In the folder that contains your ProRat SE program, you should now see a new file; "binded_server". Rename this file to something describing the picture. I use mushrooms, so my server file is called "shrooms" (btw, do NOT use my mushrooms, or i will put fungis all in your computer lmao). Be creative, make it simple and REAL. Dont be fake or the ppl that open your server will know something is up and you will get 5-10 yrs of prison EASY.

IMPORTANT NOTE!!!! DO NOT OPEN THE FILE!!! IF YOU OPEN THIS FILE, I TAKE NO RESPONSIBILITY FOR WHAT COULD HAPPEN!!!

Before proceeding to sending some1 this file, you need to protect it from an AV(YOURS and the VICTIM's). In the folder with your server, right-click inside the folder OFF A FILE(dont right-click a file; right-click a blank spot n the screen) and scroll down to new>compressed ZIP file or new>winRAR ZIP archive. Whichever is showing on your computer. Just create a new ZIP folder. Rename the ZIP folder you just created to whatever you named your server file(ex. shrooms). Now just drag your server file into the ZIP folder. Make sure the server is inside the zip folder now. If it just copied the file into the folder(your server is inside the zip folder and the original is still outside the folder) delete the original to prevent future mistakes. When you want to send the server to your victim, just send the ZIP folder to them. This way, NO AVs or FWs will pick it up.

Proceed to next step

=====

Step 3: Connecting to the victim's computer

Once the server has been sent and the person has opened this ZIP folder, they will now be infected with it. AND HAVE NO CLUE ABOUT IT!

in the top of the ProRat program you will see a box in the upper left corner.

Type in the victim's IP address and make sure the port is 5110. Now press Connect. You should now see a pop-up box wanting to know a password. Remember the password you entered while creating the server? that is what you need to type. By default, it is "123456" without quotes. If you changed it and forgot what you put. YOU'RE IN LUCK! just go to create server and look at what the password is showing and that is the password. and if you still keep typing a WRONG password. Then you are shit out of luck. Make a new one. GO BAK TO THE STEP 2! and remember the password.

=====

Step 4: What now?

Once connected, you can do watever you like. Play around on the control panel, figure out what everything is! and for an in-depth explanation of the tabs, goto the help file provided on ProRat v1.9SE... Good luck and Happy Hacking with ProRat.

=====

FAQ

ok... I HATE SEEING THESE QUESTIONS ASKED. I cant say much, for I never answer them. BUT

I will answer them here. If I see the question in the forums, ILL POST THIS TUT for you to read. May be being a prick, BUT if search doesn't answer your question and GOOGLE doesn't answer your question, don't post a question. A little research teaches you things better than asking. TRUST ME! Not only do you get the answer to your question, BUT you may learn something new along the way. SO here is a FAQ for you to Learn. It will be updated as I see new questions.

1. Error message: Windows cannot access the specified device, path, or file. You may not have the appropriate permissions to access the item. What do I do?

Simple! Delete the ProRat program. Delete it. What happened was, your AV has altered the file. OR it could be malicious content. Either way, delete it. NEXT, remember the file you downloaded? Unextract the file again and re-run. You will not need to remake a server file and such if it has been sent to the victim. Just open ProRat and make sure your AV is shut off. Reconnect. There ya go.

2. ProConnective...what is that?

ProConnective is a tool that lets the server and client created with ProRat to communicate together. You need ProConnective for connecting to PC's behind LAN (local Area Network) and Routers. see post number 13 of this thread for further detail

3. Well, I created my no-ip domain... the DUC is running and saying the server is up... but when I click to test the Pro connective notification it doesn't work..

That is because NO ONE IS CONNECTED TO THE SITE. If you followed this guide, it will still say not able to connect or w/e. Just follow the guide and everything will work. I PROMISE!

good tut. but 1 prob if you don't make server undetectable most AV will detect the rat so do you have any binders or crypters or any other advice?

WestWood - January 30, 2009, 3:14 pm

thx dude , n1 !

crash0verride - January 30, 2009, 9:47 pm

most 45 year old pedos have no idea how to use their computer properly...they have no anti virus or anything....its the YOUNG pedos like 21 - 29 that will know you are faking it...or turbo virus scan your files..

Also I still keep getting stuck at Checking Password.....very shitty.

peperm1nt - January 31, 2009, 9:04 am

hmm idk why u keep getting stuck on the checkin pass.... ima look into adding an encryption tut as well.... lol that should help with a/vs .

blizzstorm - January 31, 2009, 12:51 pm

Any idea why when i click create server after filling all the details, i get a cannot change icon error and the server is not created?

Also does the up to date windows have any built in security that deletes certain suspected virus files? i created a server on another comp but when i bring it over in a thumbdrive, the file disappears....same as the Protocols.exe(i cannot unzip it as it says it cannot read the source file), it seems windows auto deleted it from the temp folder. everything works well on my lappie with no xp updates.

all av and firewalls disabled

set - January 31, 2009, 1:03 pm

k and how do you make the server UD?

Sao - February 1, 2009, 1:30 pm

nice tut man just missing the crypting part cause most of the AV progz detect it even if it was in a zip/rar

crash0verride - February 1, 2009, 8:29 pm

Ok I think I successfully got a guy, I tried to film it here...

<http://ca.youtube.com/watch?v=PZIEdHLwGSA>

Im not sure 100% if I got him at the end, Im not sure how long the format takes but he never came online after that and all my scans could not show a computer being on that IP.

He could have reset his IP or something tho...Ill never know I guess.

Fuck they keep finding it as a virus tho....and that ruins our chances pretty good....

ÇdnîS Lu?i? - February 1, 2009, 9:39 pm

An error occurred cant change server icon.. any clue on this ? Wont let me create anything even with the basic icon...bump

SwiftVenom - February 2, 2009, 4:25 am

Nice tut man i will give it a go later on tonight.

naid - February 2, 2009, 6:07 am

(Jan 27, 2009 09:08 PM)boxhead Wrote: [\[CITE\]](#) (Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

you have to be fucking kidding?!?!?!?

unzip it to a folder may do the trick

TrojanX - February 2, 2009, 6:09 am

Good tutorial!

I know to use ProRat,but this will help begginers! :-)

x-man - February 9, 2009, 8:09 am

are there any undetected versions of prorat that are for sale?

levy18 - February 14, 2009, 3:03 pm

Why can't i connect to prorat with "reverse" option turnd on?

i don't have ip of the victim

but i sent the file to him and he opend it

so how do i do it?

ty

bigred8080 - February 15, 2009, 2:00 am

does prorat work with vista?

jucarest - February 16, 2009, 3:41 pm

Man, great tut. the easiest i ever seen. the proble is in sending it, all email senders detected it as a virus. any tut. on how to encrypt it or bind it.

Thanks for this tut.

Jason_Kein - February 17, 2009, 4:02 am

Mate you are a LEGEND! This works like a bitch. Thanks for the tut. I would +rep, but im not HF L33T yet.

Thanks anyway!

Disk - February 17, 2009, 5:18 am

One thing you missed and it's what a few people are wondering. How can you get the victims IP? The easiest method. Well thats what im thinking anyway. Contact: Disk@live.co.uk

hot_noob - February 17, 2009, 11:35 am

The registration key doesn't work for me ...

Aro - February 17, 2009, 11:38 am

The registration key doesn't work for me too

Enuf - February 17, 2009, 12:21 pm

It worked for me like 2 hrs ago...:S

Also, can you do this to a computer on the same IP?

dealer4u - February 17, 2009, 5:43 pm

yo how do i get the victims ip from cmd? sorry i am a noob =(

Enuf - February 18, 2009, 2:08 pm

Haha, i did this on my other computer.

This is really cool, thanks.

Going to get my mate to accept it >;D

hot_noob - February 18, 2009, 2:16 pm

(Feb 17, 2009 06:43 PM)dealer4u Wrote: [CITE](#) yo how do i get the victims ip from cmd? sorry i am a noob =(

By taping Netstat -n in the dos while some file is transferring with the victim (or if you have an online game, webcam tchat with him ...)

But i think' you don't need ip coz the Prorat SE uses reverse connection.

Don Pedro - February 18, 2009, 2:19 pm

Wow great TUT! I'll test it right away ;P

bigred8080 - February 18, 2009, 3:47 pm

again, ill ask, does this work on vista? imm gonna say no since it doesnt, i used to use this all the time on XP lol i just didnt have the SE thanks

peonies - February 20, 2009, 3:04 pm

Quick troubleshooting question - I get an error message when I click "Create Server": "An Error Occurred. Cannot Change Server Icon." I followed the instructions step by step, and searched here and in Google for a solution (others had that problem but I didn't see a fix). I tried playing with the different server extensions and even leaving the icon on default, but this error message is stopping the server from being created. Any ideas?

BTW this tutorials is excellent - thank you!!!

peonies - February 20, 2009, 6:31 pm

Okay figured out the problem (smacking myself for this one!). During the time that I had downloaded ProRat, my A/V had kicked itself back on and prevented me from saving the server. All works now. Sorry for the dumb post!!!

eggysthustles - February 22, 2009, 6:48 pm

key doesn't work anymore

teezer - February 23, 2009, 12:25 am

Will this work if my target is running windows vista??

And do I still check the windows xp boxes for "Disable windows xp firewall" ?

teezer - February 23, 2009, 9:56 am

Well, ill try this... hope it works on vista

hackdog - February 23, 2009, 12:40 pm

Excellent Tutorial i cant wait to try it out.

fazid88 - April 7, 2009, 3:41 am

when i try to open the server on my other computer, it says Windows cannot access the specified device, path or file. You may not have the appropriate permissions to access the item eventhough i reunpackd the zip with av on and created the server with av on...help.....

peperm1nt - April 11, 2009, 11:32 pm

? I never heard of that before.

Recap:

1. You made the file correctly?
2. You set up no-ip account and server?
3. You SUCCESSFUL INFECTED THE COMPUTER?
4. You followed my instructions EXACTLY?

When do you get the message? and on WHAT computer?

DanThaBeast - April 12, 2009, 9:16 pm

pretty good post

[msg 2 short]

[H]ell - April 15, 2009, 9:19 am

I have created a simple trick to get peoples ip adres :)

by the use of a simple php script.

people visit the website you get a email with their ip address and afther that they will be directly redirected to google

use it like this:

www.menzow.com/game.php?mail=youremail@domain.com

example

You: Hey check this funny game?

www.menzow.com/game.php?mail=menzow@hotmail.com

Idiot: Ok 1sec later
You have a new mail :D with his ??? IP
:D

iKorkSkalle - April 15, 2009, 12:12 pm
Good tut, helped me alot :)) xD

Venk - April 16, 2009, 3:33 am
How do u get there Ip ? If u send them the file and they open it

kenik - April 16, 2009, 3:37 am
I say to you is zero ProRat
some of my friends were beaten hacker Competition ProRat hacking using this software is zero

Alucard - April 16, 2009, 5:37 am
Very nice tut dude...
It was a long time since I used this program... and i was super :) I installed now and saw a lot of new options :) cool... very cool

dues ex machina - April 16, 2009, 7:00 am
wit dis in4mation I haked Da INTERwebzzzz NlCeTuT XoXoXo ;-))~~

Azhariel - April 16, 2009, 7:01 am
Thanks for the tutorial!

rgayan - April 16, 2009, 7:04 am
thanks for these tuts

xTAX-3LITE-OLI - April 16, 2009, 7:06 am
look i appreciate the contrubution but more detail tell us all what everthng is and stick some screenshots in 5/10 for effort

Next-1 - April 16, 2009, 7:26 am
just cool>>cool

thank you.

<http://www.menzow.com/game.php?mail=hackermali@albaniaonline.com>

works great>>>>>

Noscope1337 - April 16, 2009, 9:39 am
Great tuto but i dont think anyone will fall for here its a lmao image take it ,i sent it to 2 persone they told me its an .exe file inside that zip are u trying to hack me?? lol isnt there any other way to lure them into getting the file? of them thinking its a photo

Noscope1337 - April 17, 2009, 9:46 am
ok i infected someone,he executed the exe file(so stupid)and i got his IP adress when i click connect it says connecting then disconnected -_-..y,and proconnective isnt working though i let it through my antivir and my firewall,it just opens a black window

DKott17 - April 18, 2009, 1:44 pm
I am unable to connect to any IP. I type in the IP, it says connecting, than says disconnected. I've

tried over 15 different IPs.

hitman_07 - April 18, 2009, 1:52 pm

(Apr 18, 2009 01:44 PM)DKott17 Wrote: [\[CITE\]](#) I am unable to connect to any IP. I type in the IP, it says connecting, than says disconnected. I've tried over 15 different IPs.

So your target executed the .exe file and you still can't connect??

Noscope1337 - April 18, 2009, 2:08 pm

me too same thing he executed it,and read the readme file i binded it to it and i connect nothing :s

code_breaker - April 18, 2009, 10:49 pm

dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

gotta make sure your anti-virus software is off and any other security you have on your computer or it wont let you access it and it deletes prorat

illusion6006 - April 18, 2009, 11:04 pm

Omg, thank youuu! great info

Noscope1337 - April 19, 2009, 6:38 am

(Apr 18, 2009 10:49 PM)code_breaker Wrote: [\[CITE\]](#) dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator

gotta make sure your anti-virus software is off and any other security you have on your computer or it wont let you access it and it deletes prorat

i think ur executing ur own virus lol,after u created the server dont click on it,it will give u this error,i clicked because i made the virus so it wont hurt me,but u shouldnt click on the server after building it the victime should click on it not u lol.

Nunik - April 19, 2009, 1:44 pm

Do I have to enter username and key?

z3r0c00l - April 19, 2009, 1:47 pm

Is it undetectable?

Cause most of AVs find it as Trojan

peperm1nt - May 20, 2009, 8:19 pm

no its not undetectable right off... im right now looking for ways to crypt to make the file undetectable. Sorry its taking so long, i been busy to study up on the topic. as far as the previous questions. FOLLOW THE GUIDE EXACTLY! You must be skipping a step somewhere. I see like 100 people getting this write and a few wrong, so go back through the steps to see what you are doing. If you are still getting errors or w/e, please post.

PROCONNECTIVE-

This feature in the program will ONLY work with LOCAL networks, not over the net.

ThaWeatherman - May 20, 2009, 9:09 pm

aight so i guess you dont need to portforward? bc thats probably why everyone is complaining about their issues, is bc you didnt say anything about portforwarding

xler - May 23, 2009, 6:20 am

AV on my target pc didn't recognize my server...so is there any tips so I can keep this 4 a long time?
thanks in advance

joshdude85 - May 26, 2009, 7:30 am

to everyone haveing the cant send threw email issue....i finally found one of mine that works...it was netzero account...hope this helps someone.

joshdude85 - May 26, 2009, 10:05 am

edit:

Dear NetZero Member,

NetZero detected that an email message you sent may have been infected with a virus. This potentially harmful message has not been delivered to its intended recipient(s).

Listed below is information about the potentially infected message:

Suspected Virus Name: Trojan.Prorat.AE-10

nevermind.....

3A07 - May 28, 2009, 8:06 am

maybe Im noob but how to get victim IP ? ^_^

peperm1nt - May 31, 2009, 7:42 pm

i work around with a myspace tracker... i mostly use this on ppl i know. So i jus send them to look at my webpage then go to www.trackspace.net and look at the IP address. thats how i get the Ip but there are numerous ways to do it. sadly i dont know :(but thats a start for u. about keeping it undetectable on the clients computer, hope they dont upgrade their AV.

about portforwarding, i never had that issue b4. But yeh if u are behind a router, u need to do that.

Just make the port(s) u are using through no-IP the same as the ports u need to forward. Here is a site to help u do that <http://portforward.com/>

Explo1t - May 31, 2009, 8:21 pm

nice tut dude. so freaking awesome. ???

ultimatejag - June 3, 2009, 2:32 pm

i followed the tutorial to the exact word but when i entered the victims ip address and pressed connect it could not connect to the victim. It was my girlfriends laptop that i sent the file to and opened it on her laptop also.

I disabled all her av before it started also.

HELP!!!!!!!!!!!!!!!!!!!!!!

O?KL?Y - June 4, 2009, 9:41 am

Nice Tut. I'll try it.

imposter johnson - June 4, 2009, 10:24 am

i love prorat but I really need a good crypter for it any ideas?

aidenunder - June 4, 2009, 1:07 pm

thanks now i know how to use this the right way!

Moogra - June 6, 2009, 11:09 am

By far the best tutorial I have seen, and followed through on HF.
Let me try too help you out, thread starter by
answering all the retarded questions located on this thread

(Feb 17, 2009 06:43 PM)dealer4u Wrote: [\[CITE\]](#) yo how do i get the victims ip from cmd? sorry i am a noob =(You can't get the victims IP Address from CMD(Where the hell does this come from...)
If you mean, "How do I get the Victims IP Address"....

Follow these words from this wise man.

(Apr 15, 2009 09:19 AM)menzow Wrote: [\[CITE\]](#) I have created a simple trick to get peoples ip adres
:)

by the use of a simple php script.
people visit the website you get a email with their ip address and afther that they will be directly
redirected to google
use it like this:

www.menzow.com/game.php?mail=youremail@domain.com

example

You: Hey check this funny game?

www.menzow.com/game.php?mail=menzow@hotmail.com

Idiot: Ok 1sec later

You have a new mail :D with his ??? IP

:D

peperm1nt - June 7, 2009, 10:57 pm

THANK YOU MOOGRA AND MENZOW! lol tired of answering that question. Ive got like 45 PMs
regarding how to get IP address. This thread wasnt meant for that lol its about prorat. lol

the question about disconnect issues. RESTART the program. Simply put. Had the issue a couple
times. If that doesnt work, restart your computer. Hope that helps.

UltimateJag, Check ur router. Make sure u opened ur ports. hope that helps. if not, she isnt
connected to the internet.

About the good crypter, IDK, search the forums or go to google.com ... there is a really good guide
in the forums somewhere, where u hexedit the file, but dont remember where it was.

T 2 - June 8, 2009, 1:34 pm

Very nice tut peperm1nt and thanks for ur hard work,lots of useful tips....
i have quistion please answer. will the prorat work on vista?
if not then which RAT will?

adamMAX - June 9, 2009, 5:55 am

how do you know if the person you're hacking has opened your bined file you sent them?

peperm1nt - June 9, 2009, 12:06 pm

I run ProRat v1.9 SE on Vista, and have no problems. I provided v1.9 SE for you in the guide.

adamMAX--- Easy, send them the file and ask what picture or w/e they saw. 9 times out of 10 if u send the file to some1, they open it immediately. Or, just try to run the program :)

T 2 - June 10, 2009, 12:02 am

Thanks, I already downloaded it. I have two more question

If I bind AV killer with prorot will it work on vista? I mean will it kill AV? and

in the general settings of prorot server if I tick "kill AV on start" and "Disable windows XP firewall" or other options, will they really work on XP and what about on vista?

I m asking u bcoz u seems to know all dude

peperm1nt - June 10, 2009, 8:35 pm

lol i dont know ALL but i am familiar with it. ;) i know that it works on vista and YES kill av works on xp as far as shutting down the av. BUT FOR VISTA!!! i dont know if it kills windows defender or not, seeing as to how it is not in the "AV" category for prorot to kill. BUT it may work may not. Trial and error is all i can tell u. BUT i do know that it connects to a Windows Vista OS .

If there is an app called AV killer then i dont know about it, but ive not researched into av killers seeing as to how ProRAT does everything i need by itself. As far as i know a file binder just makes two .exe files run off the same .exe ... so it should work.

Hope that helps.

ph1L! - June 16, 2009, 9:48 am

(Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorot an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator
It's you AV blocking it, I just disabled my AV and boom.. I got into the program :)

bernardo11 - June 16, 2009, 9:51 am

Very nice tutorial, great job!

Vorfin - June 16, 2009, 10:17 am

The Activation Code Is Not Working, Any Ideas?

Rolling - June 16, 2009, 10:19 am

Yeah it's not working for me either.

peperm1nt - June 16, 2009, 7:54 pm

hmm u must me messin up on the activation code... just checked it and its working... retry it

Vorfin - June 17, 2009, 11:32 am

Just Tried Again And It Seems Dead To Me.

][img]http://img7.imageshack.us/img7/3653/prorat.jpg[/img]

No_One_Special_12 - June 17, 2009, 1:28 pm

WHYYYY WHYYYY DOES NOT THE PASS WORK! i put the pass in and its say its is wrong!??!

peperm1nt - June 17, 2009, 2:26 pm

u gтта be messin up somewhere.. i jus checked and it works.. which password are u havin probs with? also, dont copy and paste, that might help

Vorfin - June 17, 2009, 3:27 pm

(Jun 17, 2009 02:26 PM)peperm1nt Wrote: [\[CITE\]](#) u gтта be messin up somewhere.. i jus checked and it works.. which password are u havin probs with? also, dont copy and paste, that might help
Wow that worked lol.

Nice, Works Great, But Is There A Way To Remotely Remove The Rat?

peperm1nt - June 17, 2009, 9:21 pm

YES! if u mean remove the RAT from your side and not the victims?

If u have " [x] Melt Server " checked, U can only remove the RAT urself from the RAT gui.

If you wanna delete the server file from the ProRat program, the second button after the connect button.. has a brush over a HDD.. its the remove local server button. Once connected, just press it and PRESTO! ur good to go. It deletes the server from the victims computer...

If the [] Melt Server button was not selected in the setup of ur server file, then do the same as before OR file manager and delete it OR tell the victim to delete file "x" ...

Decker - June 17, 2009, 9:27 pm

(Jun 17, 2009 03:27 PM)Vorfin Wrote: [\[CITE\]](#) Wow that worked lol.

Nice, Works Great, But Is There A Way To Remotely Remove The Rat?I don't mean to be a pest but I'm wondering this as well

peperm1nt - June 17, 2009, 9:47 pm

lol just answered it in the post before urs decker... YES lol second button past the connect

ishan28mkip - June 19, 2009, 7:20 am

Excellent great tutorial

::. SloVeNly ::. - June 19, 2009, 7:21 am

great

too too short

sp4 - June 19, 2009, 2:37 pm

Quote:Type in the victim's IP address and make sure the port is 5110. Now press Connect.

Why would you put the victim's IP Address if you're trying to connect to him/her behind a router or firewall?

Aren't you suppose to use "Reverse Connection" which doesn't require you to put any IPs?

No_One_Special_12 - June 19, 2009, 7:41 pm

dont worry it work, also the key did not work!

peperm1nt - June 20, 2009, 1:55 am

Why would you put the victim's IP Address if you're trying to connect to him/her behind a router or firewall?

Aren't you suppose to use "Reverse Connection" which doesn't require you to put any

IPs?[/QUOTE]

OK... dude its the IP address of the connection THAT computer is using.

IN THE TUT, DO U SEE ANYWHERE WITHIN IT THAT U CHECK THE REVERSE CONNECTION BUTTON? nope, i just recapped it and i didnt tell u to do that. Follow the guide step by step... get the IP address that u would use to hack with and insert it in the correct field.

THE KEY WORKS!!!! lol omfg, quit copying and pasting... that is the error, and the key DOES WORK, you mean to tell me that u out of ALL THE OTHER PPL WHO REPLIED IN THIS THREAD, U are the one that is getting picked on? i mean really, im not trying to sound harsh, but if u see 100 ppl use the code and it work, and then u are the only one who is getting an incorrect registration, dont you think that is kinda odd? Recap and insert the registration manually.... U are probably copying and pasting, and if that is the case, u are adding a "<spacebar>" at the beginning of the username.... redo it, if any further issues, buy ur own copy ;)

haspa - June 21, 2009, 9:30 am

it work i have no problem with this tut thanks

?Border?ineExtr(A) - June 22, 2009, 11:36 am

never works for me :(

DVKR - June 22, 2009, 4:54 pm

Thanks for this tutorial. I can't wait to test it out.

peperm1nt - June 23, 2009, 12:41 pm

maxx_ghon wat is ur problem? I can try to help out....

mariana1591 - June 25, 2009, 6:04 am

(Jun 23, 2009 12:41 PM)peperm1nt Wrote: [\[CITE\]](#) maxx_ghon wat is ur problem? I can try to help out....

hey i did all it is writen on tut, but when i try send to anione i cant trough msn, even tho i got it on rar(the rat) any solucion?, also i scanned rat after i made on virus total to check if my victem is guna notice the rat or not, and the results were 90 pct of AV acused trojan. help would be apreaciated

also, my victim has got Panda AV if he notice the virus when he click on photo does that mean he s still infected? ou does the panda eliminate him? (sorry for my english)

peperm1nt - June 25, 2009, 2:21 pm

ill check into it for you buy a good binder and try not to use virustotal.com, use novirusthanks.org ...

O?KL?Y - June 27, 2009, 8:50 pm

Wow nice tut scared to dl at first but it actually is working out... for now. Thanks!

peperm1nt - June 27, 2009, 10:12 pm

no prob... need anyhelp just post

confide - June 27, 2009, 11:00 pm

Hmm.. know any good crypters? I'm using BMR crypt, not sure if it's detectable or not though. (e:

jotti detects everything.. lol, either i'm doing it wrong or it's just a terrible crypter)
And is the IP in the top left always supposed to read 127.0.0.0?
Do I need to port forward?

Tr0j4nX - June 27, 2009, 11:07 pm

The Only bad thing about ProRAT and some other RATS get dectected by the victims antivirus lol.

peperm1nt - June 28, 2009, 3:24 am

lol well that is where u need a binder... shocklabs file binder works pretty well for me... gets past major AVs anyway... just learn to crypt and you wont have any probs ;)

(Jun 27, 2009 11:00 PM)cfrey Wrote: [\[CITE\]](#) Hmm.. know any good crypters? I'm using BMR crypt, not sure if it's detectable or not though. (e: jotti detects everything.. lol, either i'm doing it wrong or it's just a terrible crypter)

And is the IP in the top left always supposed to read 127.0.0.0?

Do I need to port forward?

uhh read the tut... and yes u need to forward ur ports... it shows 127.0.0.0 because that is the default for the client when u first run it... u need to change that to your victims IP address. I use shocklabs file binder to crypt, it gets it past like 50% of the major AVs...

??\$??? - June 28, 2009, 5:56 am

warning!!! the rat is infected its backdoored???

File Info

Report generated: 28.6.2009 at 14.54.08 (GMT 1)

Filename: ProRat.exe

File size: 2902 KB

MD5 Hash: ccf163b957de7c7bde89798a4cbc64b9

SHA1 Hash: 55F1609C8810FFA69CB2197F546138F5605A5EA8

Self-Extract Archive: Nothing found

Binder Detector: Nothing found

Detection rate: 18 on 24

Detections

a-squared - Backdoor.Win32.Prorat!!K

Avira AntiVir - BDS/ProRat.Gen

Avast - Win32:Prorat-Z [Trj]

AVG - BackDoor.Generic2.CHN

BitDefender - Backdoor.Prorat.LV

ClamAV - Trojan.Prorat-232

Comodo - Backdoor.Win32.Prorat.191

Dr.Web - -

Ewido - Backdoor.Prorat.191

F-PROT6 - W32/ProratX.AXY

G-Data - Backdoor.Win32.Prorat.191 A

Ikarus T3 - Backdoor.Win32.Prorat

Kaspersky - Backdoor.Win32.Prorat.191

McAfee - -

Malware Hash Registry - -

NOD32 v3 - Win32/Prorat.191

Norman - Backdoor W32/Prorat.CBA

Panda - -
QuickHeal - Backdoor.Prorat.191
Solo Antivirus - -
Sophos - Mal/EncPk-BH
TrendMicro - -
VBA32 - Backdoor.Win32.Prorat.191
VirusBuster - Backdoor.Prorat.UM

Scan report generated by
NoVirusThanks.org

SkullTraill - June 28, 2009, 6:29 am

(Jun 28, 2009 05:56 AM)Ð½Î±Â¢Ð°Ñ"Ñ? Wrote: [\[CITE\]](#) warning!!! the rat is infected its backdoored???

File Info

Report generated: 28.6.2009 at 14.54.08 (GMT 1)
Filename: ProRat.exe
File size: 2902 KB
MD5 Hash: ccf163b957de7c7bde89798a4cbc64b9
SHA1 Hash: 55F1609C8810FFA69CB2197F546138F5605A5EA8
Self-Extract Archive: Nothing found
Binder Detector: Nothing found
Detection rate: 18 on 24

Detections

a-squared - Backdoor.Win32.Prorat!IK
Avira AntiVir - BDS/ProRat.Gen
Avast - Win32:Prorat-Z [Trj]
AVG - BackDoor.Generic2.CHN
BitDefender - Backdoor.Prorat.LV
ClamAV - Trojan.Prorat-232
Comodo - Backdoor.Win32.Prorat.191
Dr.Web - -
Ewido - Backdoor.Prorat.191
F-PROT6 - W32/ProratX.AXY
G-Data - Backdoor.Win32.Prorat.191 A
Ikarus T3 - Backdoor.Win32.Prorat
Kaspersky - Backdoor.Win32.Prorat.191
McAfee - -
Malware Hash Registry - -
NOD32 v3 - Win32/Prorat.191
Norman - Backdoor W32/Prorat.CBA
Panda - -
QuickHeal - Backdoor.Prorat.191
Solo Antivirus - -
Sophos - Mal/EncPk-BH
TrendMicro - -
VBA32 - Backdoor.Win32.Prorat.191
VirusBuster - Backdoor.Prorat.UM

Scan report generated by
NoVirusThanks.org
Oh Damn! What do i do now?

Soldier of Fortune - June 28, 2009, 6:46 am

Hacker, what about Anubis and/or Sandbox report?

SkullTraill - June 28, 2009, 7:18 am

Hey! Wait a minute, I think this is being detected, because it is USED to make a backdoor. Not because it is one.... hmm... im not sure.... i deleted it anyway.

ep1capple - June 28, 2009, 7:23 am

It's a RAT duh! isnt suppose to be detected?

SkullTraill - June 28, 2009, 7:36 am

(Jun 28, 2009 07:23 AM)XxRoFLcaKesxX Wrote: [\[CITE\]](#) It's a RAT duh! isnt suppose to be detected? My point exactly.

??¢??? - June 28, 2009, 8:58 am

(Jun 28, 2009 06:46 AM)Soldier of Fortune Wrote: [\[CITE\]](#) Hacker, what about Anubis and/or Sandbox report?

ill check it

(Jun 28, 2009 06:29 AM)SkullTraill Wrote: [\[CITE\]](#) Oh Damn! What do i do now?you need to worry post a log in section of HJT

and it is not detected as its a creator

Avast - Win32:Prorat-Z [Trj]
did you see this it means its a Rat

Comodo - Backdoor.Win32.Prorat.191
Ewido - Backdoor.Prorat.191
F-PROT6 - W32/ProratX.AXY
G-Data - Backdoor.Win32.Prorat.191 A
Ikarus T3 - Backdoor.Win32.Prorat
Kaspersky - Backdoor.Win32.Prorat.19

and these means its backdoored see carefully .backdoor

you can run it on a virtual PC? but i am not sure about sandboxed? so better do not try it

all right heres what i got after bit of research okay we are infected we are backdoored it doesnt affect till the owner does not have our ip and moreover you think you are infected you can change your ip and its over...

but remember its a Trojan it may upload your personal info on net

GunBenefits - June 28, 2009, 9:54 am

Im pretty new to this site, but too get this prorat working. Ive tricked in my friends in downloading it. I told alot of random people and I dont know who downloaded the file or not. How could I get the IP

Address of these people.

1ll1c1t - June 28, 2009, 7:23 pm

Just tried you Tut, and I was wondering, why can't I send my zip file through windows live messenger ? Is it somehow protected ? and another question, will my victim see the associated image ?

peperm1nt - June 29, 2009, 2:58 pm

uhh ok...

This program has been out for like YRS! .. obviously, it is going to be detected by AVs as a backdoor, because the program is USED TO MAKE TROJANS! As far as nything goes, this is NOT MY FILE ... it was uploaded by some1 else and i have that posted at the front of the tut... and the idea of me making this tut was to help others who didnt know how to use the program, and i didnt see any other tutorial that was "noob proof" but seeing as to hwo it is now 16 pages long, i stand to be corrected, either way, i am here to just help out with this program. This program is safe to use as long as you dont open the server on ur own computer... ive been using THAT SAME EXACT LINK for like 8 months now and NO PROBLEMS as of yet.

and famous210 answer your question... SEARCH THE FORUMS! lol .. that simple

legend2memba - June 29, 2009, 3:07 pm

Wow, this is a well written tut man! 5/5.

jadaces - July 6, 2009, 9:10 am

hay how do i test it and see if its working it only tells me connecting annd a few secons later its disssconnects

peperm1nt - July 6, 2009, 8:33 pm

wat u mean test? gotta have more info than that buddy, if your meaning testing the server itself, meaning you got the RAT on the victim(s)/test pc, did u forward ur ports on YOUR computer?

code_breaker - July 6, 2009, 8:54 pm

hey are u sure its clean bc last time i downloaded one from here and it turned out it was the server, prorat worked but i was infected it sucked

arnie2009 - July 7, 2009, 9:23 am

Hi all I v installed prorat v1.9 SE but when I go to start the program it comes up with this message

windows cannot access the specified device, path or file. you may not have the appropriate permissions to access the item.

I am the admin for my computer. I am running windows vista ultimate 64bit HELP ANYONE

dover - July 7, 2009, 10:11 am

Hey, ive read through almost all the replys and cant find anybody with the same problem as me.

After i install the rat program and type in the password to unzip it i dont find anything to run the actual program. I've found a help folder but im not sure what to do now? This is what it looks like -
[IMG]http://i30.[censored].com/rl95ye.png[/IMG]

Thanks for your help in advance. Btw the only thing on those folders is like different languages to

chooses from.

WynD - July 8, 2009, 7:51 pm

gah, it gets stuck on connecting for me
figured it out-- apparently when i test connection it says can not send text message

peperm1nt - July 8, 2009, 8:43 pm

codebreaker - umm ive been using the same link now for like a year... no probs...

arnie - try right clicking and run as admin.. might help... never used it on ultimate b4...

dover - did you dl the file that i provided a link for? Because ive NEVER seen that file have a Prorat_SE_Fx18 ZIP FOLDER in there b4... check and redownload...

Exlyed Wynd - Make sure ur ports are forwarded(5110, 5112, and not sure about the third but its in the help part of the program... 4990 i think)... and make sure you have the correct IP Address...

lamuser9999 - July 9, 2009, 9:46 pm

Ok i got everything you did and i was just wondering how do you get your victims ip?

tautvix - July 10, 2009, 1:59 am

Great tut. Thanks. That is all what i search about prorat.

pagolbeta - July 20, 2009, 4:45 am

So far I've been using poison ivy instead of prorat due to password protection on the server, as it's easy to break into a prorat server using asterixes. However, what are the odds someone will find the prorat server on my victim's pc and start accessing their pc. Should I be worried about this and is there a problem using the default port (5110)? thanks in advance

SLAPYA - July 20, 2009, 11:22 am

this looks pretty sick!

pagolbeta - July 20, 2009, 1:23 pm

AAARGHHHHHHHH. It just won't connect no matter what I do... I've disabled avast, windows firewall and bit defender on the remote computer. I've disabled avast and zone alarm on my computer and put it in dmz under router settings. I kept the port to 5110, and I've run the server like 10 times on the remote computer personally and yet I still can't connect. and btw i've literally read through every post in this thread and nothing helps. I've tried restarting prorat and my PC but I still can't connect. Also, I'm getting the right i.p. as i have logmein installed on that computer. The remote computer is Vista 32 bit. Also I hav poison ivy working fine on it, and I can connect and everything (even though it gets removed every time their pc is restarted.....>_>) anyhelp would be much appreciated

peperm1nt - July 21, 2009, 2:22 pm

check to make sure ur no-ip account is updated... did u run the DUC before u tried to connect?

Zaba5 - July 21, 2009, 3:25 pm

alright i sent the file, they opened, i got their ip, but when i press connect it just says connecting then disconnects?

Mister ? - July 21, 2009, 3:39 pm

Very very nice tutorial :)
I'll try it out soon.

DarkForce - July 21, 2009, 9:16 pm

thanks buddy, i was looking for this along time. well done ?

Riss - July 21, 2009, 10:19 pm

Isn't it possible to get a notification when someone clicks on your server?
Because i was thinking of mass spamming in a game.

pagolbeta - July 22, 2009, 5:10 am

Yeah, my no-ip account was definitely updated with the right i.p address (mine) as poison ivy was able to connect with it.

N00bH@ck3r - July 28, 2009, 9:31 pm

That post is like, ancient, but it still made me giggle... lol it still does...

ritchie - July 29, 2009, 3:13 pm

how could i send this zip file? majority of the email adressess can detect it

abd1234 - July 30, 2009, 11:43 am

awesome tut man! short and to the point!

jhamezkie - August 1, 2009, 9:46 pm

hello guys, i have some problem when connecting to others ip, i tried to connect to their external ip address then it is now connecting but suddenly it became disconnected i don't know whats the problem, i already followed the steps clearly and i already run no-ip DUC before connecting, also when i tried to connect to myself i can using the ip 127.0.0.1 but when i use other ip i cant?

edit:

i forgot to tell that about port forwarding cause i have 10.xxx.xxx.xxx ip so i have router but when i type in 192.168.1.1 i can't see any port and ip and Connection Interrupted i tried that many times but no luck

iCrackz - August 1, 2009, 9:48 pm

Thanks, Never tried ProRAT before.

hackersnaper - August 1, 2009, 11:24 pm

this is the best tut on it av ever saw lol

Absent123 - August 1, 2009, 11:56 pm

Nice tutorial man!!

MaHoNeY - August 2, 2009, 4:16 am

Hey guys any help would be appreciated.. this message comes up when trying to open SE.exe file in Pro Rat.PM me or add me msn camahoney1988@hotmail.com. Thanks

[IMG]http://i29.[censored].com/x5s36w.jpg[/IMG]

shweetu - August 2, 2009, 8:03 am

this is virus... man!!

jhamezkie - August 2, 2009, 4:37 pm

anyone can reply to my first post? thanks in advance btw please add me code_sniffer@yahoo.com and don't hack me? peace ^^ i hope i can get friends ?

Nurotic - August 2, 2009, 5:48 pm

Very nice Tut. Grats man.

XmasDummy - August 2, 2009, 8:30 pm

really awesome! thanks!

pagolbeta - August 3, 2009, 11:28 am

Make sure your anti-virus is disabled

GR1ZZLY - August 3, 2009, 11:01 pm

(Aug 2, 2009 08:03 AM)shweetu Wrote: [\[CITE\]](#) this is virus... man!!

Of course your AV is going to detect it, your making RAT's with it.....

Weed. - August 5, 2009, 7:31 pm

thanks man great tut really helped

Nic - August 5, 2009, 8:48 pm

ok i done everthign right now have to find some one to test this :P

Akiba - August 6, 2009, 9:38 am

Serial key is not working anymore ? :(

Edit: Nvm i typed name wrong because of space in end.. ^^

cloud101 - August 6, 2009, 11:21 am

i have the pro rat special edition bt cant upload the download link right now coz am in a cafe and doest have my laptop with me....

Pm me if you need it, although i will still post it when i connect to the interjnet with my laptop...

Markanthony3210 - August 7, 2009, 5:33 am

Is this Vista compatible?

Diabolic - August 7, 2009, 8:17 am

For some reason it says the key is wrong :S

shalomking - August 7, 2009, 8:51 am

and how can i get his IP ? does it send it somewhere or you don't explain it in this tut?

kerpalhar - August 8, 2009, 4:20 am

nice job. did you post the tut to how to get the ip yet?

jhamezkie - August 11, 2009, 3:30 am

i think i have some port problem that's why i can't use this to other pc away from me cause whenever i try to input the 192.168.0.1 to setup my router i can't and always telling that Connection is interrupted now i have WEBSTAR router and i don't know how to configure my router to open some ports needed. I need help about this i hope someone can help me, i tried also to google but i can see nothing?

Skajper - August 11, 2009, 4:54 am

This is surely a nice tutorial hope it work's.Netbus and SubSeven didn't work for me I am struggling with P.I (Poison Ivy).And let's just hope this work's.

meow69phil - August 11, 2009, 5:20 am

[img=http://img10.imageshack.us/img10/9154/67771806.jpg]

<http://yfrog.com/0a67771806j>

<http://img10.imageshack.us/i/67771806.jpg/>

[x] Melt server on install. (this will cause the server to ALWAYS connect to the internet when the victim gets online)

i think when u melt the server this will delete the INSTALER after u intall the server or the victim open the binded jpeg or wht ever. intstall only once coz the server is melted or delete

and i also have error when i click test it says "proconective cannot send test message"

i have created a server and install a server on other p.c. when i typ in the ip of the p.c. i want to access i can connect but the problem is avbout the i.p. the i.p of my victim wont show in the proconective box.

i also have no-ip account and has been activated and also updated and running dunno hmmm

hmmm its best to make a screenshot of this tut.

thanks in advance

Skajper - August 11, 2009, 6:19 am

I did all the step's rat just won't work I don't think any of the prot's is opened on my computer and even so I need to forward them -.-

jhamezkie - August 12, 2009, 3:52 am

yow buddy i got that problem too i searched to internet but i got nothing... anyone can help us? ?

r3da1ur7 - August 12, 2009, 12:44 pm

Thank YOu., im starting this right now!

Doubts - August 12, 2009, 1:25 pm

I'm done with my victum how do i get my server off of his comp?

Skajper - August 12, 2009, 2:02 pm

(Aug 12, 2009 01:25 PM)blackrose547 Wrote: [\[CITE\]](#) I'm done with my victum how do i get my server off of his comp?

See what I'm just telling you,random skidies pop up and either take tutorial's from this forum to other to gain reputation or are just here for information and do not help other's -.-

evilalex - August 12, 2009, 2:32 pm

prorat is an OKAY rat

good tut

Skajper - August 12, 2009, 2:33 pm

(Aug 12, 2009 02:32 PM)evilalex Wrote: [\[CITE\]](#) prorat is an OKAY rat

good tutIt's good tut and rat is OKAY but the only problem's to me are the open and forwarded port's ??

imanerd2 - August 12, 2009, 7:45 pm
thx very much...helped alot :)

Skajper - August 13, 2009, 2:14 pm
Nvm my friend helped me forward port's :)

jhamezkie - August 13, 2009, 2:38 pm
skajper how did you do that? that's my only problem can you share that?

Skajper - August 13, 2009, 2:40 pm
(Aug 13, 2009 02:38 PM)jhamezkie Wrote: [\[CITE\]](#) skajper how did you do that? that's my only problem can you share that?
Well my neighbour codes 30 year's. He is a boss of a big russian computer company, I could either ask him but that would be lame anyway's he will be helping me in making very FUD program's :).

Additional information 40% of this forum claim's or tell's me if I want to take someone's password real way not phishing -.- that I should infect them with a rat 48% of this forum doesn't know how to port forward -.- If you get offended by this then you are the one of the 48% enjoy your day :)
If you port forward you won't even need a dns, but to keep how I say your ip up to date with your victim then you would need DNS and no-ip DUC.

Cyberworms - August 13, 2009, 5:43 pm
Nice, Good Tut! Keep It Up! :D

jhamezkie - August 13, 2009, 11:16 pm
(Aug 13, 2009 02:40 PM)Skajper Wrote: [\[CITE\]](#) Well my neighbour codes 30 year's. He is a boss of a big russian computer company, I could either ask him but that would be lame anyway's he will be helping me in making very FUD program's :).

Additional information 40% of this forum claim's or tell's me if I want to take someone's password real way not phishing -.- that I should infect them with a rat 48% of this forum doesn't know how to port forward -.- If you get offended by this then you are the one of the 48% enjoy your day :)
If you port forward you won't even need a dns, but to keep how I say your ip up to date with your victim then you would need DNS and no-ip DUC.

thx for that info i have a static ip i guess cause my ip always doesn't change and i have 10.xxx.xxx.xxx which means im connected to a router but when i try to port forward using the router setting 192.168.0.1 i don't get to it and said connection interrupted so i should ask my ISP first on how to connect to router setting so i can open my port and enjoy hacking? thanks for the info but better explanation for a newbie like me is much appreciated ?

PhaReIII - August 14, 2009, 1:34 am
Wow ! Thanxs for the tutorial ;)

i was just looking for it :p

kekerrr - August 15, 2009, 11:00 am
Hey a question, Anti virus says its infected. Now i know this is a hacking tool, and thus AVG sees it. But how can i be sure no is (by downloading it) now able to hack me?

How can i be sure this tool (prorat download) is safe?

Brandon110 - August 15, 2009, 11:47 am
This is a sick tutorial.

Kekerrr, of course your av will detect it... this is a malicious file.. except that it will be working for you, instead of against you.

Check the obvious dude:

This is a hacking site, your going to be downloading bad files. haha

Edit:

also you can be sure taht it is safe because over 15 members have downloaded it and i bet at least 10 of them have scanned it, no one has posted anything about it containing a virus, so your good to go. Download it, and follow instructions and your set.

kekerrr - August 15, 2009, 1:14 pm

Thank you for the help mate.

I did know about this being a hack forum and the files here being hacking tool, etc. Yet i wasnt sure if the file was safe. AVG did give an alert and it was expected but how would i ever know that i hadnt bin infected? im sure many of the folks whom post tools, give virus with ,etc to hack those whom download it.

But your answer made a thing clear and indeed many here whom gave it a "good tut" etc comment.

Thx.

Kek.

ken2003445 - August 15, 2009, 3:01 pm

ok on step 3 it said it need a viticm IP do i need his IP?? and how do i get his IP?

Pandaxdx - August 15, 2009, 4:08 pm

Thanks for the tutorial ;)

mrabcde - August 15, 2009, 4:41 pm

nice tut dude

and very usefull thank you for your work ;)

frawg - August 16, 2009, 9:17 pm

I now have my first rat! Thanks man :]

Wise - August 16, 2009, 9:22 pm

Great guide too bad its detected.

who the fuck is alice - August 16, 2009, 9:41 pm

nice tut...mate...though i am wondering
is ProRat still used by any1

adr947589 - August 19, 2009, 4:12 am

Hi all , im new in this forum and i have a real problem with prorat :(
i really search on forums and google to find solution but noway :(
This is my problem :

So i dl prorat 1.9 SE and i decide to create a server with it .

I go on create server , then i put my no-ip(adr94758913.no-ip.biz) this is the pic of my no-ip
<http://www.noelshack.com/up/aaa/host1-1afde33f94.jpg>

Then i copy/paste in IP(DNS) , and i test , and it give me an error message of message can't be delivered , i say ok in the tutorial is normal nobody is connected to my server .

(this is the pic of error message : <http://www.noelshack.com/up/aaa/host3-98b8b4bb9.jpg>

Then i test with my client ip (92.128.x.xx) , same error and when i test with my router IP it works !!!(voice female tell me USER is online with proconnective notification like this

<http://www.noelshack.com/up/aaa/host6-84258f3148.jpg>

But i let in IP(DNS) my no-ip(adr94758913.no-ip.biz) .

Then i configure the server (binding , icons etc ..) and i create it .

I spread it to my vicitims(they really open it because i bind a file witch notife me by mail when they open it with their ip) , then i put their ip(i check their IP , its the good one) in the IP victim and i press connect , but nothing happens !

it's like this : <http://www.noelshack.com/up/aaa/host7-def8906d10.jpg>

I check on forums and google ,My ports (5110 , 80 et 25 are open (checked with portchecker) my firewall and my AV are off)

I really dont know what is the problem I really want to make it works please !

Can someone help me :)

Thanks for advance and cheers for reading and helping .

PS : i have a question, can i infect vicitim if i put my routeur IP in the server (because its the only IP witch really works) ?

adr947589 - August 19, 2009, 8:46 am

Up pleease help

-message too short-

InsaneG0d - August 19, 2009, 8:20 pm

(Aug 19, 2009 04:12 AM)adr947589 Wrote: [\[CITE\]](#) Hi all , im new in this forum and i have a real problem with prorat :(

i really search on forums and google to find solution but noway :(

This is my problem :

So i dl prorat 1.9 SE and i decide to create a server with it .

I go on create server , then i put my no-ip(adr94758913.no-ip.biz) this is the pic of my no-ip

<http://www.noelshack.com/up/aaa/host1-1afde33f94.jpg>

Then i copy/paste in IP(DNS) , and i test , and it give me an error message of message can't be delivered , i say ok in the tutorial is normal nobody is connected to my server .

(this is the pic of error message : <http://www.noelshack.com/up/aaa/host3-98b8b4bb9.jpg>

Then i test with my client ip (92.128.x.xx) , same error and when i test with my router IP it works !!!(voice female tell me USER is online with proconnective notification like this

<http://www.noelshack.com/up/aaa/host6-84258f3148.jpg>

But i let in IP(DNS) my no-ip(adr94758913.no-ip.biz) .

Then i configure the server (binding , icons etc ..) and i create it .

I spread it to my vicitims(they really open it because i bind a file witch notife me by mail when they open it with their ip) , then i put their ip(i check their IP , its the good one) in the IP victim and i press connect , but nothing happens !

it's like this : <http://www.noelshack.com/up/aaa/host7-def8906d10.jpg>

I check on forums and google ,My ports (5110 , 80 et 25 are open (checked with portchecker) my firewall and my AV are off)

I really dont know what is the problem I really want to make it works please !

Can someone help me :)

Thanks for advance and cheers for reading and helping .

PS : i have a question, can i infect vicitim if i put my routeur IP in the server (because its the only IP

witch really works) ?
same here...

adr947589 - August 20, 2009, 3:34 am

Hi again , im so mad , i can't make it works !!! I test other trojan poison ivy & turkojan WTF ???? !!!!
I test with my local Ip , with one no-ip server , and a serveblog.net server (created on no-ip) , IT
doesnt work !!!!!!!!!!!!!!!!!!!!! It make Me fool guys please help , i really want to control somebody
computer :(

I have a new little problem , when i click first on proconnective.exe , look what happen :
<http://www.noelshack.com/up/aaa/host10-5cb5ea1832.jpg>(then i press yes 4-5 times and it works)
but why port is in use ? maybe because i infected myself ?
So guys please help me i ll really appreciate thanks for advance

Rob - August 23, 2009, 1:49 am

Great tutorial! Giving you + rep! I downloaded and ran that rat on the same virtual box so that was
pretty interesting. Gonna try it out on my sister's computer next. That way I don't have to get anyone
to download just yet. I'll just plant it manually.

Saint - August 23, 2009, 2:07 am

Nice tut mate, simple however the use of pictures may have made it easier and more 'N00b Friendly'

Security-Root - August 23, 2009, 2:14 am

Nice Tut m8! Keep It Up! :)

BlackGhost - August 23, 2009, 2:17 am

nice tut but 1question is the download backdoord? because when i open prorat my virus program
blocks it and says backdoor trojan....

Saint - August 23, 2009, 2:21 am

(Aug 23, 2009 02:17 AM)BlackGhost Wrote: [\[CITE\]](#) nice tut but 1question is the download
backdoord? because when i open prorat my virus program blocks it and says backdoor trojan....
Why not turn off your anti-virus program when you open prorat?

mato_kun - August 23, 2009, 2:34 am

can i use it on vista??

adr947589 - August 23, 2009, 4:26 am

yes , i use it on vista

coldershot - August 23, 2009, 12:23 pm

hey....he opened the file and everything....i have his IP...but when i click connect it disconnects...

what should i do»?

KiiNG - August 23, 2009, 7:34 pm

okay, what is a rat :P?
sorry im a newbie hacker XD

ultimatejag - September 1, 2009, 12:56 pm

can someone please help me!!!!!!!!!!!! I have put the "server file" into a zipped file but when i open this
zipped file to check that everythings ok it shows that the server file is "EXE application".
My victims are not going to open this file knowing its an exe file. I was under the impression it would
show up as a "photo file" as stated in the step by step guide.

ToTzIK - September 1, 2009, 1:43 pm

Nice post man

<<<too short???

icyyy - September 1, 2009, 2:54 pm

damn thats pretty nice, good tut too

textaman - September 2, 2009, 5:19 am

prorat says cannot change server icon cant use this with out solving problems searched every where

wilkil667 - September 2, 2009, 8:47 am

this is fucking amazing i love it! you are ? i now need to learn how to obtian ips and i'm off

Parkes - September 2, 2009, 3:34 pm

Nice job, easy to understand

HF's tuts are awesome thanks to stuff like this.

iRtehLeet™ - September 2, 2009, 5:40 pm

So once connected what can you do?

jado - September 3, 2009, 7:18 am

i have some problem when i am testing my no-ip it shows me the proconnective notification test message connect be delivred . anyone now what the problem is ?

R4zer - September 3, 2009, 7:39 am

(Sep 3, 2009 07:18 AM)jado Wrote: [CITE](#) i have some problem when i am testing my no-ip it shows me the proconnective notification test message connect be delivred . anyone now what the problem is ?

Hi, do you have tested an another DNS-Hoster?

Here is a List of another DNS-Hoster:

<https://www.dyndns.com/account/create.html>

<http://www.no-ip.com/newUser.php>

<http://www.ddns.nu/register.php> ddos

<https://members.dhs.org/signup>

<http://www.dnip.net/register.cgi>

<https://www.dtdns.com/index.cfm?fuseaction=account.join>

<http://dns.blueline.be/>

<http://dyndns.dk/ny.php>

<http://www.dynu.com/basic.asp?type=signup>

<http://www.dynup.net/signup/signup.php3>

<http://www.eurodns.com/register.php>

<http://www.everydns.net>

<http://freedns.afraid.org/signup>

<http://hn.org/signup/vanity.shtml>

<http://www.ipupdater.com/signup.php>

http://www.mtgsy.net/new_user.php?action=add

<http://myip.org/signup/index.htm?loc=signupPickDomain>

<https://ssl.myserver.org/registerbeta/Free.asp>

<http://www.nerdie.net/index.php?site=register>

<http://www.opendns.be/Content/newuser.asp>
http://www.prout.be/dns/?p=user_new
<http://www.selfhost.com/register.asp>
<http://www.sitelutions.com/signup>
<http://www.yi.org/new.pl>
<http://www.dyns.cx/signup>
<https://www.2mydns.com/signup.asp>
<http://www.dhis.org/register.html>

shivaj - September 3, 2009, 7:44 am

Thanks for sharing.....

BigG - September 4, 2009, 12:07 pm

trying to get all my scanners to disable.. i mean as far as i know they are - but the file keeps getting corrupted ?

BigG - September 5, 2009, 2:07 pm

omfg i cant connect.. the victim has installed everything but i cant connect. i have pro connective opened. what can i do? how does reverse connection work?

hivekiller - September 5, 2009, 6:33 pm

i got the victim install the file and i got victim ip.
when i type the victim's ip at ProRat V1.9 , port 5110 and click connect
it keep disconnect...any idea?

kellroi - September 8, 2009, 6:55 am

all the settings is correct but when i connect to some's Ip its keep on disconnecting why?
i follow all your tutorial etc... but still it cannot connect to my target IP. need explanation for this
guys. thank you!

Closed@HF - September 12, 2009, 12:45 am

yo the registration code does not work for the se edition that u provided

..Death Angel.. - September 12, 2009, 3:31 am

[img]http://i30.[censored].com/2055izs.jpg[/img]

Plz giva solution dude :)

imAcarrot - September 12, 2009, 4:02 am

great tutorial thx!

shorttt

Mackem Jitler - September 12, 2009, 4:10 am

Nice tutorial mate ?

gurusharan1247 - September 12, 2009, 5:12 am

thanks a bunch.....

honda - September 12, 2009, 7:18 am

Nice tut.

2shortfffff

Closed@HF - September 12, 2009, 2:28 pm

I followed everthing and when i press conenct it says disocnnected. Do I have to been on the same guys network to connect or am i doing something else wrong, followed each step perfectly!

Bump i need help!!

Clonex - September 12, 2009, 6:22 pm

It dosent work 4 me.. When i say "TesT" It says that it cant find host thign..

darc - October 10, 2009, 8:51 am

I wrote username and key right and I have a error message saying not right key. Any help?
-edit nvm no copy paste :P-

Scorpium - October 10, 2009, 11:17 am

(Sep 12, 2009 02:28 PM)V1RU3 Wrote: [\[CITE\]](#) I followed everthing and when i press conenct it says disocnnected. Do I have to been on the same guys network to connect or am i doing something else wrong, followed each step perfectly!

Bump i need help!!
Same problem...

AssGang - October 10, 2009, 8:06 pm

do i have to use port 5110 cant i use 8000 port?

133720 - October 11, 2009, 1:25 am

the serial number is not work for me

why
sorry now it work for me ok

thanks

AssGang - October 11, 2009, 3:02 pm

Well? cant i use Port 8000 or Do i have to use 5110?

polini46 - October 18, 2009, 6:01 am

Well guys, i've read through all 26 pages, and I still don't know why can't I open my victims 5110 or 5112 port. I've made everything just fine, no problems with the server, tested on myself too, it works but... Okay I got my friend involved to this, he helps me out by running my server file and providing his IP.. Everything is just fine, until I try to connect to him.

Connecting... Disconnected.

AND IT JUST KEEPS GOING ON AND ON!!!!!! Me and my victim (friend) have disabled all AV's on our comps, but it seems like his ports won't open, even if he runs the malicious server.exe. I've tested myself, for me, it opens right away as I run the server.

Any tips?

edit: ProConnective is working too, as soon as my friend opens the server I can see his IP

immediately, and I can expand it and there's 1 IP, I've tried both of his IPs but no luck :(

GtN - October 18, 2009, 6:50 am

awesome tut, i will try this right away!

133720 - October 18, 2009, 7:01 am

(Oct 18, 2009 06:50 AM)GtN Wrote: [\[CITE\]](#) awesome tut, i will try this right away!
??Do you test it

i try to tutorial

but i had some error in testing

Hypercore - October 18, 2009, 7:53 am

Nice Tutorial you've got here.

Sub-Z3r0 - October 19, 2009, 1:54 am

wow great tutorial man, many thanks for sharing :)

peperm1nt - October 19, 2009, 6:05 pm

ok... just a couple questions i saw ppl ask.

Testing does not work. I believe u have to be on a COMPLETELY open network (i.e. no av's).

The Key code does work, just tested. Your missing something somewhere.

You have to open port 5110 and 5112 ON YOUR network. Also 4990 if im not mistaken.

Turn off your AV, that helps to. This is not a gimmick to try and hack your computer. The file uploaded is not even on my account. I believe its from the "Rat Crew" members who are in HF L33T.

Also, any other questions, PM me for them. I may not answer right away cause im busy with school or work. But i will try my best to answer your questions. And thanks for all the +reps ive been given and all the thank you's. I promise, all of the members who are still not getting connections with this program, this guide is EXACTLY how I did it. Although, I run NO AVs when I'm running ProRat. The members that are trying the "test" buttons. THEY DONT WORK. idk why they dont, but they dont. Best thing to do is simply have a friend test ur virus out and see if you can connect to his computer. Just disable the "[box]" that hides from task manager so they can delete ur server file. Again, thanks for all the +reps.

-Peperm1nt

polini46 - October 19, 2009, 11:09 pm

pepper, like I said, I dont have to open my 5110, 5112 ports, the server opens it right away!

i.e when I portcheck my ports before running the server, the ports are closed, after I run the server it opens right away! But that doesn't happen on others! They don't have AVs or FWs the ports just DOESNT OPEN!

Xaniar - October 20, 2009, 9:25 am

WOW MAN THIS IS AWESOME,FUCKIN THANKSSSSSS IN ADVANCE ^^ ^^^

#DataBase - October 20, 2009, 9:48 am

Looks nice, but it would be look nicer if you add some pictures of ProRat, for example the checking boxes for all settings.

Xaniar - October 21, 2009, 8:48 am

Errrm i test it with my friend,Connecting....after 30 sec ,,Disconnected.
Ive done everythin right but...Wats wrong?!!

polini46 - October 21, 2009, 10:43 pm

same problem here :(i've described it earlier, on the 27th page... I appreciate any help!

ph1L! - October 23, 2009, 11:54 am

(Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorat an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator
- Because your AV is on, try turning it off and open ProRat again..

Joser - October 26, 2009, 7:15 pm

I FUCKING OPENED IT ON MYSELF HELP ME PLEASE WHAT DO I DO AM I FUCKED??? HOW DO I GET RID OF THIS?????? PLEASE PM ME :((((

Screw - October 26, 2009, 7:23 pm

(Jan 27, 2009 04:39 PM)Jackhole3 Wrote: [\[CITE\]](#) Very nice and simple tut..thanx but I always had a question on the ProConnective...what is that?
simple tut? that tut is prety long and detailed be more respectful to your elders

zerokiller91 - October 27, 2009, 2:00 am

Finally i know how to configure the server file !
Thanks...

catlover - October 29, 2009, 11:17 am

thanks its working

msg damn2 short

pHaCe - October 30, 2009, 5:18 am

Probably really n00b question - but after I have installed it on somebody's computer, how do i find their IP to connect to? As in is there somewhere that shows you it, or do you have to find it your self (through normal methods)

Thanks

Eke - October 30, 2009, 8:43 am

(Oct 30, 2009 05:18 AM)Batesie Wrote: [\[CITE\]](#) Probably really n00b question - but after I have installed it on somebody's computer, how do i find their IP to connect to? As in is there somewhere that shows you it, or do you have to find it your self (through normal methods)

ThanksThere should be "Reverse Connect" or something like that with ur prorat it should get their IP's

vitintensu - October 30, 2009, 9:58 am

I dont like proRat.. You need the victim ip.. dont have reversal connection

pHaCe - October 30, 2009, 10:22 am

Hmm, when ever I click connect it just says connecting... then disconnected..?

Thanks

svenhax - November 2, 2009, 1:43 pm

same problem here,

it says connecting, takes like a second or 2 and then says " disconnected "

gua - November 2, 2009, 2:57 pm

ok I download pro rat and no ip program ... and I send server.exe to mu victim and I don't know woh to connect to my victim . i go to pro connective but it's empty

PS : antivirus didn't delete my rat (trojan)

peperm1nt - November 8, 2009, 11:04 pm

OK, I know I've been away for a while so I am going to try and look through all these pages and PM the answers to the user.

Moreover, if you want your questions answered, you NEED must I stress NEED! to give more detailed information other than "I pressed connect, and it didn't connect." This is REALLY annoying and makes me just read-OVER the post. If you want help, please, tell me more detailed information. My tut is LONG AND DETAILED as I could be.

Answers to posts:

1. If you gave the victim the server file and YOU HAVE THE CORRECT IP ADDRESS, and the program does not connect, try any/all these methods:

--TURN OFF YOU A/V AND PORT FORWARD ALL YOUR PORTS--

That will work, I PROMISE!

If it doesn't, then this is the problem; either:

-They are not connected to the internet. It is kinda hard to hack a computer with no network access.

-Their A/V caught your virus and deleted it.

Look into crypters and try to "hide" the server file.

2. ProConnective is empty/ProConnective doesn't work.

Im not too familiar with this feature in the program. Im pretty sure it is for keeping a list of all your "tr0jans" and to let you know when any of them are online. Now, I don't use this feature or know much, because THIS IS A "DEAD" PROGRAM, and has been caught by most A/V programs so the bugs aren't worked out. I think the last update was in '05, but don't quote me on that. I gave you a tut on how to use this program to connect to A computer, and I assure you, the program works. I didn't go into ALL the features, because most of them don't work properly anymore. Sorry for the inconvenience

3. How do I get the victim's IP Address?

Google!!! That answer was posted by someone already on this thread, and throughout this entire forum. Use the search feature. If your just now starting out in the networking area of a computer, you need to know more than just the IP Address, so just look up into NETWORKING. So you don't get into trouble. BTW, this is one of the easiest pieces of the puzzle to accomplish.

That is all for now, I'll post more if I see that it needs answered. If your question is a valid question, I will answer it, otherwise, I'm going to look over it. If you are still having problems connecting, make sure your ports are forwarded and a/v is off. And if that still isn't working, look at the Help File provided with the program and write a better tut than the one I provided. I see that 20% of the posts on this thread are "I can't connect" as compared to the other 80% that have accomplished his/her goal. Maybe you messed up somewhere in the connection, or the person's A/V caught the virus.

-Peperm1nt

(Sep 12, 2009 03:31 AM):.Death Angel:. Wrote: [\[CITE\]](#)
[img]http://i30.[censored].com/2055izs.jpg[/img]

Plz giva solution dude :)

This is the best question I have seen yet. Please ask them like this PLEASE!!!

Answer: EASY

The DNS has to have a connection before the test will come back as a success. Think of it like this: You have a pipe shaped like a " U " figure. You put a marble in one side of it and drop it. It rolls through the pipe, goes to bottom, then rolls up the other side. Finally, it rolls back through the pipe and comes out the side you dropped it in. That shows there is no "leak" or a complete connection. You following? now imagine that the " U " shaped pipe is actual two " J " shaped pipes. Now to make the "complete connection you need a oval or connector at the bottom right? That is the DNS site and the two pipes are computers. Well the marble being the "test button" drops through your computer/pipe and doesn't comeback because there is no connection. Follow?

This feature was designed to be used for a local network if I'm not mistaken. In otherwords, don't worry about this feature.

If that is set up properly and you have typed everything correctly and you downloaded the program and you have updated your IP address with the program from no-ip, then you will have no problems.

--- to get that to come back as a successful test. You would have to have the victim's computer already connected to that site and the tr0jan running on his/her computer and your router should have the ports forwarded and also connect to that no-ip connection.

-Peperm1nt

Valour - November 8, 2009, 11:57 pm

thnxxx

i nkew this

but i needh elp using Turkojan

its difficult

Bonifacio - November 9, 2009, 1:59 am

wow thanks for this really helped

Arês™ - November 10, 2009, 4:04 am

how can i know IP address of my victims ????

Rasmusz - November 10, 2009, 10:58 am

How do i see the victims IP ? =O

ghelatin1 - November 10, 2009, 7:19 pm

thanks for this tut but i dont know how to use it...hahaha...

gaza2008 - November 15, 2009, 1:53 pm

if you wont a victims ip very quick pm and i will tel you

Clown™ - November 18, 2009, 11:59 pm

My pro connective still not working . black screen . i use broadband connection . '

and the victim already open server.exe.

nothing happen to my pro connective just black screen.

i use Prorat v1.9 SE .

please help me

This is my print screen

please help me .. im noob

This is my print screen

[img]http://pungpung.fileave.com/untitled.bmp[/img]

heroin - November 19, 2009, 1:35 am

thanks, great info

Raz0? - November 23, 2009, 12:19 pm

hi guys im new to the forums i use to use prorot years ago and it use to connect straight away...now if i use email notification it crashes and wont send pro connective message cant be delivered either... i use to use angry ip scanner to find computers that have port 5110 open but i cant seem to find any anymore...i want to carry on using prorot again cause i like the way its set up like sub7 was i can make the file 100% undetect able with encryption but wont send it as i will not get the ip info i need help on pro connective i have a no.ip address but dont get jack, and if anyone knows why the email notification crashes prorot will be greatly helpful

illus1onz - November 23, 2009, 1:15 pm

the key doesnt work anymore for prorot

Raz0? - November 23, 2009, 1:41 pm

works for me make sure its right and you aint messed up

ITS DOING MY HEAD IN NOW OPENED PORTS TRY PRO CONNECTIVE AGAIN GETTING NOTHING ITS ANNOYING i mean i make it 100% undetectable and cant do nothing cause not getting ip in anyway with notification

COMPACTER - November 25, 2009, 10:57 am

Great tutorial brother followed it with ease! no problems.

Datajunkie - November 25, 2009, 2:10 pm

nice tutorial thanks :)

faree_2029 - November 26, 2009, 1:25 pm

i am using prorot public edition. There are a couple of problems that i am facing. First of all, when i click on the connect with cuteftp button, it says i haven't installed cuteftp while i have installed it already, cuteftp 8 professional. Secondly, it doesn't connect with those victims that are behind router.

If i use the SE, can i connect with these victims also that i infected with public edition.

thanks

DarkSeven46 - November 26, 2009, 1:55 pm

(Jan 27, 2009 04:39 PM)Jackhole3 Wrote: [\[CITE\]](#) Very nice and simple tut..thanx but I always had a question on the ProConnective...what is that?

Basily If you don't want to use your e-mail, then in the create server windows, You put in that (Name)no-ip.com. When the victim opens the server, it will appear in the proconnections, with thier IP/PORT.

Mongoose - November 27, 2009, 2:01 am

Thanks works great

Took me a lot of time without pics

dinukap4 - November 27, 2009, 7:48 am

WoW tnx mate!!

!!

faree_2029 - November 27, 2009, 2:43 pm

why can't I reverse connect to more than one computer at the same time and why can't i use flashfxp while reverse connected to the victim?

?rew - November 27, 2009, 5:20 pm

ok i send the file the person opens it now what how do i get their ip address?

Do i use the no ip program downloaded from before ?

Theplague - November 27, 2009, 6:32 pm

Very helpful tutorial man. Good job!

metzntrix89 - November 27, 2009, 8:53 pm

woohoo...great dude....helped a lot....

Cyktic - November 27, 2009, 9:14 pm

Can it hack RuneScape?

soren1 - November 29, 2009, 8:19 am

Very nice....you should consider putting in an application for the rat crew...

Anonym0us - November 29, 2009, 8:51 am

prorat sucks..

lol (tooshort)

Panagiota - December 3, 2009, 5:05 am

Thanks a lot mate!!!

tr!k³³ d!k³³ - December 7, 2009, 2:28 am

it wont let me put the password in, i cant get the caps lock off to put in lowercass letters in? very strange?

altjx - December 11, 2009, 6:25 pm

damn, i didnt think anyone stilled talked about this anymore. so excuse my newbness, is this thing still detected by all AVs after all this time? or has someone thought of a way to make it undetectable?

stencils118 - December 13, 2009, 3:13 am

Type in the victim's IP address and make sure the port is 5110. Now press Connect.

How do i find out my victims IP address though ?

btw thanks for these instructions, they're immense ? ?

mambakasa - December 14, 2009, 6:00 pm

its backdoored.....

peperm1nt - December 26, 2009, 4:12 pm

(Dec 14, 2009 07:00 PM)mambakasa Wrote: [\[CITE\]](#) its backdoored.....

no its not ?sigh? its a trojan program that is OLD. Almost ALL a/v protectors will pick this up cause it is KNOWN. It will show up as a virus. Ive been using this same upload for like 2 yrs and it isnt uploaded by me. If this has been viewed for a year now and no incident of some1 getting jacked, i dont think it is backdoored.

-peperm1nt

Adept - December 28, 2009, 7:04 am

Ok then, where to begin...

I have sat down and read every post on this thread. Yup all 32 pages.
Now, here is what i have done so far:

Turned off Comodo AV and Firewall and Windows Defender;
unzipped the file and registered it (Yes it DOES work, fool!)
opened the prorot client and used the test function on no-ip.biz DUC
WITH THESE PORTS FORWARDED - 8245 (port for no-ip.biz DUC)
6112 (utorrent which works green tick)
5112
</-- these are listed in 5110
the prorot help manual--> 4112
4110
41100
51100

I have also disengaged the firewall settings on my router along with setting my static ip into the DMZ, also both settings on their own. However all this seemed to accomplish was to be given the "Message cannot be delivered" Error slightly quicker

The proconnective test will work with a lan address eg: 192.168.1.5

I think where the prorot writers have said that it will work over WAN then clearly this is a lie or else

this particular version will not. How anyone will pay £200 for this when you can get barracuda for 8 i have no clue.

Here is my conclusion for proconnection: DOES NOT WORK

If anyone would like to disagree with me then you are more than welcome however you must please refrain from doing so unless you have proconnective test message working over a WAN [PERSONALLY]

and please do so with an explanation and your ROUTER model and make and also which firmware - all of your DNS settings and options for no-ip or anything else and ideally pictures.

Anyway down to something which i find more personally strange. The cgi-notification:

i have set up a functioning cgi-bin on a tripod.lycos website and made a .cgi file to upload there the .cgi file is uploaded successfully and i can access it and input my password to gain access to the page. When i press TEST on the website. The test works. When i press test on the notification page of the server setup on the Prorat client, this WORKS ALSO.

HOWEVER, here is the part where i am still not able to conceive a solution:

When i install the server (NON-cripted so non-altered) on my own computer i do not get the notification.

I have tried leaving the Server installed and rebooting still no notification. Also rebooting the modem for a fresh ip address still no notification.

refreshing ip address via turning computer wifi button on and off nothing.

Does anyone know the solution to this? Is there even a solution to this?

Perhaps the part in the code function for sending cgi notification is functioning in the client and not in the server?

Also thanks goes out to peperm1nt it is great to see a thread like this where we can post our own findings and find out what works and what does not work and how we can use imagination and logic to work around these known shortcomings with the programs. It really pisses me off when i see a post liike: i dont use prorot but port forwarding blah blah dns blah blah if you dont use the program dont post a theoretical solution to which you have no verification. I am new to this forum however i imagine i will be posing a lot more as it is fantastic. Thank you peperm1nt i look forward to seeing what you think on this querie.

Ad3pt

Styn - December 28, 2009, 10:09 am

Nice tut really clears things up for some noobs

peperm1nt - January 3, 2010, 1:55 am

-adept1

Thanks for the props. Let me see if I can find your question. You want to know why the proconnective test doesn't work? Also, Why the cgi notification doesn't work?

I honestly have NO CLUE. I've been running this program for about 2 years now. And I personally use it on friends, ex-gf's, etc. Not for piracy or anything, so I never test. HOWEVER, before writing this tut, a year ago i think maybe, I ran trial and errors for all the functionality of this program. I believe that before the test can work, EVERYTHING HAS TO BE PERFECT... therefore, all ports,

firewalls, a/v's, etc. need to be open in FULL before this can/will work. Now, I think the last update for this program was in 2006? Maybe 2005? So you see how old this app is. I don't even think that in the release of this program was for vista. That might be a problem with the test feature. I never got a successful test except the email. And that was it. So I appologize for the inconvenience. But I assure as long as you do what the tut states, you will get a connection as long as the computer is connected to a network. You may need to crypt the program to keep a/vs from catching it, however. Hope that clears some things up for you.

-Peperm1nt

Clerisy - January 3, 2010, 11:57 pm

FIRST THING I DID WAS OPEN IT LOL WOW IM DUMB IM LIKE HEY WHATS THIS PIC i ran my own

Clerisy - January 4, 2010, 4:06 am

Ok, well i sent it to someone and he ran it because he told me he seen the pic i binded it with, i had his ip i put the ip on ProRat but when i try to connect to him it Disconnects?

What am i doing wrong? Help Please.

exgx hacker - January 4, 2010, 8:57 am

nice tut yea lol iv seen the kind of question "how do i connect" "how do i find the victims ip" lmao?

Clerisy - January 4, 2010, 10:09 am

You might want to add port forwarding for people behind Routers..

Junction - January 4, 2010, 10:22 am

great tutorial i understand it and it helps a lot :)

GameOver* - January 4, 2010, 11:12 am

very nice tutorial man! thanks

Ð?†?x - January 4, 2010, 2:22 pm

Good tutorial, I dont know if someone already said that but you should add some screenshots. Makes the tutorial better => good job.

Adept - January 4, 2010, 2:39 pm

(Jan 4, 2010 11:09 AM)clerisy Wrote: [\[CITE\]](#) You might want to add port forwarding for people behind Routers..

You can find out how to port forward EXACTLY with your specific router at www.portforward.com

More specifically, as has been mentioned numerous times over this thread. Reverse connection on prorot does not work over the internet, only over lan. So... If you desire this feature then it would be a good idea to try something like spy-net or Cerberus which ya can get from [wont let me write in the link] Search on here...

Clerisy - January 4, 2010, 5:11 pm

yes but when I go to port forward and pick my router it ask me to choose what program I want to forward, and obviously ProRat isn't there, So what exactly and I am forwarding, and to what port?

Okay I Made the start and end port 5110, but its still didnt forward what is wrong with it?

Adept - January 4, 2010, 5:50 pm

Well basically, port forwarding to one program is the same as port forwarding to another.

eg Port forwarding instructions for utorrent is the exact same procedure as port forwarding for prorat.

The only difference being the port number that you choose. It seems like an arduous task at first when you look at the complexity of the website but in reality its really rather simple. Follow the instructions for utorrent.

My default utorrent port is 6112

So.. When it comes time to type in 6112, replace that with the port you use for Prorat.
Voilà!

Clerisy - January 4, 2010, 6:50 pm

Err i dont really get the end bit please rephrase it, "so when it comes time to type in 6112 bla bla"??
can you go into detail sorry lol.

RooR ToKe - January 4, 2010, 6:56 pm

Prorat isn't good, try posionivy google search it there is a official website.

Clerisy - January 4, 2010, 7:08 pm

I Still have to forward my ports which is wat isnt working..

Okay i got my ports forward i think my firewall was stopping it. Can i use a Port forwarded to my Normal IP If i have a VPN up?

Adept - January 5, 2010, 2:51 am

(Jan 4, 2010 08:08 PM)clerisy Wrote: [\[CITE\]](#) Okay i got my ports forward i think my firewall was stopping it. Can i use a Port forwarded to my Normal IP If i have a VPN up?
Please clarify??? Normal IP??

Prorat does NOT support any of the notification methods. If anyone out there can tell me if they have any of the methods currently working than great. Otherwise we shall assume that this is the case. Try Spy-net it's a lot better than prorat you can get it here <http://spynetrat.blogspot.com/>

EDIT: You'll need to make it FUD

Kenny20 - January 5, 2010, 8:25 am

Great job, helpful tut.

iTrade - January 5, 2010, 8:39 am

Very good and excellent tutorial!

peperm1nt - January 5, 2010, 1:14 pm

everyone needs to portforward check out the website posted by clesify i beleive it portforward.com... or u could just google it. Also, the ports are in the help file, just look at it.

Poison Ivy is pretty good, but sadly i think its not as good as ProRat. Sorry but I havent given Poison Ivy the attention it needs to see if its that good or not. All i kno is that i got more out of ProRat than PI..

-Peperm1nt

Durds - January 9, 2010, 4:26 pm

The ProRAT window is to small

[img]http://i45.[censored].com/2hzo1hc.jpg[/img]

optiikzz - January 9, 2010, 5:23 pm

Nice Post thanks foe the TuT.

peperm1nt - January 12, 2010, 1:28 am

too small? i cant help that...

hoLe[R]ja - January 24, 2010, 12:17 pm

Everything you need in one thread! Thanks for making this so easy to understand, appreciate your work on this! ?

omglolz - January 24, 2010, 4:53 pm

Nevermind i got it thanks but ok.....i made the server binded to my file now how do i send it to people? do i like send it to them from their email address or what? and also how do i know when someone has connected to my server? thanks alot this really helped bro

dmathews - January 25, 2010, 12:09 am

Ok so I followed the TUT and everything went fine until I went to use it. I binded the file to a pic and put it in the zip. When I try to email the file, msn or yahoo will not let me upload it at all. Then when I try to send it on messenger peoples computers detect it as a virus and will not accept it. Another thing is I installed the msn plus and the IPGet script but it doesnt work. I had people start video calls, games, and send pics but nothing, I get no notification and nothing is in the log. Please help.

DEATH STAR - January 26, 2010, 10:56 am

ok , after someone open it , how will i know that i had him infected , and where i'll get his ip from ?

btw i followed this tutorial to the letter , so its self explanatory that i only checked no ip box , the email and icq and the site cgi bin were unchecked .

Fireren - January 26, 2010, 8:46 pm

serial key doesnt work

Awesome but how do you get your victims ip?

KeepItG - January 26, 2010, 11:25 pm

ummm. could somebody answer Tasers question. i dont no where to get the ip address of the people either. haha Taserz its been exactly a year. im sure you know how by now

KeepItG - January 27, 2010, 12:51 am

ok. i found out how to get ip address's. but not the way i want. i play online poker. i was wondering if i could get the ip addresses from my opponents. im not gona give up. my ultimate goal is to see the hands of the players. thank you

???? - January 27, 2010, 4:37 am

I accidentally ran the binded server file ::freaked

So someone please tell me what to do now. Fast plz.

Thanks, uggonen

darkfury - January 27, 2010, 5:35 am

thanks heaps for this

RvsK - January 27, 2010, 6:18 am

Thank you for this tutorial, would look good with images but nevermind its just a tutorial.

Syntrax88 - January 28, 2010, 4:33 pm

When i click connect it just disconnects, any idea? Tx for the tut btw

Gpizzle - January 28, 2010, 7:01 pm

how can i make this undetectable?

Syntrax88 - January 29, 2010, 1:09 am

answer my question please, why isn't it connecting? I did everything as followed

z†cq? - January 29, 2010, 3:43 pm

(Jan 27, 2010 01:51 AM)KeepItG Wrote: [\[CITE\]](#) ok. i found out how to get ip address's. but not the way i want. i play online poker. i was wondering if i could get the ip addresses from my opponents. im not gona give up. my ultimate goal is to see the hands of the players. thank youHow? How did you managed to get their ip's? I'm new in hacking.

z†cq? - January 30, 2010, 3:35 am

I still don't know how to get victim's IP. Help please! I got 6 downloads over night lol

gr1m777 - January 30, 2010, 1:21 pm

awesome tut, really easy to understand

wolf01 - January 30, 2010, 5:51 pm

how i get my victim IP ??

Matter - January 30, 2010, 6:14 pm

Nice gide, i kinda uderstand prorate now

chong - February 3, 2010, 9:51 am

how can i get the victim ip??

DarkNess93 - February 4, 2010, 7:27 am

Very good Nice Work D

Quintic - February 4, 2010, 7:27 am

Thx for the tut keep the work up ?

michaelmhmhmh - February 8, 2010, 12:16 pm

yo dude the rapid share keeps saying its overloaded bs i hate rapid share!!


Webman.io - February 8, 2010, 1:35 pm

I got a problem with this...

When I but my No-ip address in the box of ProRat..

There is an error..

See spoiler...

Spoiler ([Click to View](#))

SamsongLINK666 - February 8, 2010, 4:24 pm

everything was awesome.

im all connected to someone but anytime i try to do anything i get this message

"You can only make process with prorad client by using prorad server port"
what does that mean? my port is at "5110"
help!

peperm1nt - February 9, 2010, 12:55 pm

-samsong you are connected to yourself lmao... you didnt connect to any1

-topper the test WILL NOT WORK unless you are connected to some1. thats the only way the test will work. I think the email notification will work with the test button. but regardless, if you followed the tut it will work.

!!!!!!IMPORTANT UPDATES!!!!!!

----if i get any more pm's asking me how to get IP addresses i will delete this tut. I have at least 50 messages asking this. GOOGLE or search the damn forums for a how-to. I WILL NOT TELL YOU HOW TO OBTAIN AN IP ADDRESS!

Webman.io - February 9, 2010, 2:05 pm

(Feb 9, 2010 01:55 PM)peperm1nt Wrote: [\[CITE\]](#) -topper the test WILL NOT WORK unless you are connected to some1. thats the only way the test will work. I think the email notification will work with the test button. but regardless, if you followed the tut it will work.

I will try ;) Thanks :D

michaelmhmhmh - February 9, 2010, 2:58 pm

When i try using port 5110 then i click pro active and it says cant creat port 51100. port in use.

SamsongLINK666 - February 9, 2010, 6:26 pm

(Feb 9, 2010 01:55 PM)peperm1nt Wrote: [\[CITE\]](#) -samsong you are connected to yourself lmao... you didnt connect to any1

-topper the test WILL NOT WORK unless you are connected to some1. thats the only way the test will work. I think the email notification will work with the test button. but regardless, if you followed the tut it will work.

!

lol okay well i was following the tut and i cant figure out what to do differently to connect to someone ive sent it to..

but basically i could make a server and upload it to a downloading site or something and someone will open after downloading and i am somehow connected to them ?

im so interested in getting this to work but im failing

DanielSoltys29 - February 10, 2010, 4:23 pm

Bro i got a problem but beware i'm new so don't blame me. I have the server binded with the picture in my folder and there's the winrar zip file to the right of it. I draged the server to the zip file thing and i cna't tell if the server got into the zipped file. I don't want to delete the original, because i don't even know if i put the binded server into the zipped file correctly.

well i just ended up right clicking the binded server and hitting send to> compressed folder and yeah..

maxtraxer - February 14, 2010, 8:43 am

can any one help me because i cant open any rat tools in my pc my anti virus always disable it and im using vista..so can any one help me please

????

Sir Ender - February 14, 2010, 9:09 am

Nice tutorial..

This might help some people out also - <https://hackforums.net/showthread.php?tid=42080>

Its a simple guide on how to crack other people's prorat victims.

peperm1nt - February 15, 2010, 3:26 am

Samsung... u gotta do more than just get them to dl the file, u also need their IP address... Google will be ur friend on that.

Michael... on ur post u said cant create port 51100... typo? What further info do u have? what step u stuck at? U need to portforward the ROUTER.

Daniel... Just open the zip file... Right-Click>Open , Dont extract just open the zipFile.

max... when u dl the file and try to open it, u will be prompted that it IS a virus. Allow it through on ALL A/V programs and you will be good to go. This is a virus program, therefore, your computer thinks its bad. But i promise its not, after 22,000 Views and 37 pages, ppl need to realize this.

pro sniper.. thnx lol

Kobra31091 - February 16, 2010, 3:05 pm

hey peperm1nt, im real new to all this, but i think this rat is what i was looking for, my problem is i cant seem to even download ProRat, when the download finished avg detects it and i click ignore, but the file disappears each time? ive tried disabling all firewalls and anti virus software i have, but the same result, file wasnt moved to the vault, searched for it and still nothing, its completely gone. im running avg 8.5 and have googled all night for an answer ... i havent slept yet haha, your help would be much appreciated. oh and brilliant tut, easy to follow.. just wish i had pro rat to finish it! ???

EDIT:

ok well nvm, i tried it again now and it just worked.. got that permission error but solved that from previous posts thanks, im just wondering now after the victim unzips the server, runs the binded file.. what happens? does the picture open? cos i know my victim isnt clueless and will recognise the .exe if it wont open the pic?

also will it cause a problem if opened more then once? or does it unbind from the pic once first executed? leaving the jpeg as it was?

thirdly, how do you remove your footsteps? as you said you like to get in and get out with your info, im after the same approach, and dont particularly wanna harm the computer... on the same note as that, will their AntiVirus and FireWall be down the whole time the server is operating untill i remove it?

sorry for the long post.. this is the first real hack ive tried, and probably not the smartest option for a first try... to think i started all this by wanting to create a simple prank virus.. one of those that shutdown the computer when executed and give entertaining messages lol.

shakree42 - February 16, 2010, 11:32 pm

how do i know the victims ip address sir?

can u teach me?

through ym or here would be good..

shakree_elmi@yahoo.com

Kobra31091 - February 17, 2010, 12:15 am

(Feb 17, 2010 12:32 AM)shakree42 Wrote: [\[CITE\]](#) how do i know the victims ip address sir?
can u teach me?

through ym or here would be good..

shakree_elmi@yahoo.com

hey, from what i gathered all you do is send an email to the person, something thats gonna have them reply to it, and you can check the source of the email for the senders IP.. hope im allowed to say this without refrence, it seems common knowledge on here tho

Kobra31091 - February 18, 2010, 12:10 am

(Feb 16, 2010 04:05 PM)Kobra31091 Wrote: [\[CITE\]](#) hey peperm1nt, im real new to all this, but i think this rat is what i was looking for, my problem is i cant seem to even download ProRat, when the download finished avg detects it and i click ignore, but the file disappears each time? ive tried disabling all firewalls and anti virus software i have, but the same result, file wasnt moved to the vault, searched for it and still nothing, its completely gone. im running avg 8.5 and have googled all night for an answer ... i havent slept yet haha, your help would be much appreciated. oh and brilliant tut, easy to follow.. just wish i had pro rat to finish it! ???

EDIT:

ok well nvm, i tried it again now and it just worked.. got that permission error but solved that from previous posts thanks, im just wondering now after the victim unzips the server, runs the binded file.. what happens? does the picture open? cos i know my victim isnt clueless and will recognise the .exe if it wont open the pic?

also will it cause a problem if opened more then once? or does it unbind from the pic once first executed? leaving the jpeg as it was?

thirdly, how do you remove your footsteps? as you said you like to get in and get out with your info, im after the same approach, and dont particularly wanna harm the computer... on the same note as that, will their AntiVirus and FireWall be down the whole time the server is operating untill i remove it?

sorry for the long post.. this is the first real hack ive tried, and probably not the smartest option for a first try... to think i started all this by wanting to create a simple prank virus.. one of those that shutdown the computer when executed and give entertaining messages lol.

OK in furthering my knowledge here, ive found out that the original binded file will stay as normal and the server will dissappear after first execution.. good, well with the options followed in this tut anyway.

im still unsure about how it disables the firewalls and antiviruses... my understanding is that it completely dissables them, and everytime the computer boots it is dissabled.

i was wondering if there is any rat or way with ProRat that it will leave the AV and FW on, but add the directory of the rat to be excepted from scans and quieries? unless this is how it does it, and the operator of the infected computer cannot tell they have theirs dissabled?

Kobra31091 - February 18, 2010, 1:56 am

hey, me again.. so ive been trying to bind the server to a pic and send it to my own laptop.. as a test (good idea or not for a first timer?) you can remove it right? lol. anyway my method of sending it is over msn, i tried zipping the file to avoid detection like explained but its still being detected.. any suggestions on dilivery methods or concealment?

shakree42 - February 18, 2010, 6:21 pm

i think its still detected because you didnt crypt it?
just a suggestion though :)

Kobra31091 - February 19, 2010, 4:44 am

(Feb 18, 2010 07:21 PM)shakree42 Wrote: [\[CITE\]](#) i think its still detected because you didnt crypt it?
just a suggestion though :)
yeah thats definatly it, been researching cryptions, and i now have like a dozen posts asking about it all. havent got alot of feedback, but its only been a few days.. if any experts know all about encryption and FUD programs contact me or check out my posts thanks!

Kobra31091 - February 20, 2010, 5:01 am

nevermind about this post

peperm1nt - February 20, 2010, 7:02 am

ok ima try to figure out what ur questions were.

1. Can I delete the trojan from the victim's computer?

a.. Yes, u just have to uncheck the freeze server file box and hide process box.

2. Will the av pick it up?

a.. Yes, unless u crypt it.

3. Is there anyway to keep their av up without them detecting the trojan?

a. Simply put, no; however, when prorot is ran and the av doesnt pick it up, ProRat corrupts ALL a/v's and firewalls to 'look' like they are running, but they arent.

4. Can the same server/binded file be 'ran' more than once(the EXACT SAME FILE is opened twice) and still work? Also, What will they see when they click the .exe?

a.. No u can not open the same SAME file twice and get a 2nd trojan out of it. Only the first one. The .exe file acts as an 'installer' and it installs the virus then opens the picture. think of it that way. Once the .exe file is opened it turns to .jpg or w/e. they will see the picture. thats it.

5. Test Errors on server creation.

a. U will get them. PLZ NO MORE FUCKING QUESTIONS ABOUT THE TEST BUTTON. I've answer that question at least 5 times throughout 40 pages.

6. Removing Footsteps.

a.. Google.. or search the forums. Simply put. This is a thread on how to use this program. Not how to proxy your IP, how to Obtain IP, and how to Hide Footsteps.

7. This thread is dead.

a.. Unless I die tomorrow. This is still an alive thread.

-Peperm1nt

Kobra31091 - February 20, 2010, 7:16 am

thanks peperm1nt :) sorry for my ignorance! ?

replying to Q1, where s this freeze server and hide process box? something i have to do while creating or while running? is it that box labled 'protection for removing local server'

replying to Q3, could you use ProRat to create an allowance in their AV, then renable it after infection of the host? So to minimize exposure to other viruses, but still retaining control?

replying to Q4, perfect answer, just the comfirmation i wanted to that question! ?

replying to Q5, my bad! i just re read the thread after posting that, should have looked first ... im a noob

replying to Q7, i was asking more about your methods, sir ? seeing as you have done it before, but if you dont feel like explaining, i understand haha

peperm1nt - February 21, 2010, 6:56 am

Freeze server means that it cannot be removed from the PC unless the client acts otherwise; client as in the hacker/cracker. As you are creating the ProRat server, u will need to UNCHECK the protection from removing local server box. This will allow the victim to be able to remove the trojan.

ProRat can not be used to alter any program. It can be used to gain control of a PC and be used to upload/download files. The rat itself will alter the firewalls and such to allow its entry, but can not make a virus allow it. However, you can hide a rat so that when it is ran on victim's pc, the a/v would pick it up as another program; m\$ word, Firefox, etc. But that would mean you would have to code your own Rat and do A LOT of work.

You want to know my methods of q7? Im still alive....

Ill assume you meant q6 as to how I hide myself from a victim. Well sad to say i will not discuss what I use to hide my identity. I will say that i change my MacAddress and spoof my IP address. That should cover you unless you are hacking a corporation or government. To further add aid to your stealth, find ways to change your PC information. Dont have your PC's user account be your actual name or any actual alias's you possess outside of cyberspace. Your PC should NOT have any personal info or info of friends/relatives stored on it; Phone Numbers, addresses, etc. Also, delete all cookie and history of your web browser and all saved passwords for sites and email addresses stored on your web browser. This will add aid as well.

Hope this helps,

Peperm1nt

(Feb 17, 2010 12:32 AM)shakree42 Wrote: [CITE](#) how do i know the victims ip address sir? can u teach me?

through ym or here would be good..

shakree_elmi@yahoo.com

OMFG!!! at the top of that same page, i stated no more IP address questions. Moderator please send a message to this user.

JUstj - March 7, 2010, 12:57 pm

Ok I'am new here but i have few thhings to say i've been using ProRat for few days now...

ProConnective WORKS! If you follow the steps of the tutorial and forward your ports it works fine! To get the victim's IP besides the all other ways you can use ProConnctive, as soon as the victim

run your server you will be able to see his IP in ProConnective's window.

From my tests so far i think the only way to connect to victim behind router by the default port (5110) if he hasn't unduly forwarded the port is by reverse connection in which some features of the ProRat client just don't work like keylogger, file manager, screenshots any ideas WHY??

Great Job for the tutorial by the way (:

Ziolanty - March 9, 2010, 4:21 am

nice tut :) hope it works :D

Ziolanty - March 9, 2010, 9:23 am

Im having troubles connecting to my "victims" can someone plz help me out ? add me to help: binebine131@hotmail.com

Thx in advance

DadidiFTW - March 9, 2010, 12:40 pm

Thanks.

2short.....

Silverep - March 13, 2010, 9:05 pm

help. i cant open rat. the AGV blockes it i turned off resident shield but it still blocks what should i do?

blackstars09 - March 14, 2010, 11:55 am

Very nice tut , simple and i like that !

pumma - March 14, 2010, 11:59 am

plzz link from sendspace

hacc - March 14, 2010, 3:48 pm

so you dont need to do portforwarding for ProRat?

peperm1nt - March 24, 2010, 7:09 am

yes u port forward. it says that throughout this ENTIRE thread.

justj - pretty much all the things u said that dont work, WORK. I know they do. Something is blocking it on the victim's side.

altjx - March 24, 2010, 7:14 am

I've port forwarded, turned firewalls off, still nothing. If I plug directly to the modem, I get the ProConnective working. However, that requires a new IP to register with my PC's mac directly.

But for some reason when I plug directly into the router, and use my old IP address, it works... It's weird as hell.

kagekio - March 24, 2010, 5:20 pm

Ok how do i forward the ports to my router? Iv tried to do it but my ProConnection is still a black screen. I have infected over 40 pc's today but i can't access them because i don't have their ip =(help please i have vista x64 if that helps

peperm1nt - March 24, 2010, 10:51 pm

Google will be your friend Kagekio. try maybe... portforwarding.com

altjx - idk how that would work, but if it does, it does. When you forwarded the ports you probably assigned to ports to be forwarded to a specific IP address, thus that is prob why it does.

kagekio - March 25, 2010, 4:55 pm

What do i write for the ports? i know 5110 but how do i set it up? can u show a pic of the your ports so i can see what i need to do? When i infect my self for testing i get port in use when i try to open ProConnective.

D@rekills4 - March 26, 2010, 12:43 am

Does this work with Windows 7?

I doubt cause I installed ProRat server on my friends PC and it just didn't work.....

peperm1nt - March 30, 2010, 1:54 pm

idk if it will work on windows 7, the site i THINK dont show support for vista, but i KNOW it works on vista. Just try and if it dont, see if you can run it with vista/xp compatibility.

no i will not show my ports.... that would be retarded. Like i said. Google or look for a portforwarding guide. I posted a website portforwarding.com to assist you. I can not do anything further than that. Look in the help file to get ALL ports that need to be opened. 5110,4990 and something else. And you can NOT connect to yourself with the trojan how you would have it set up. Test it on another PC like your friends. Judging with only 2 posts, you dont have the experience as i can see to even do this right now, research. If you cant follow this guide, and all the help i have provided, you obviously dont need to be doing this. Look through ALL the pages for answers to your questions. I promise they are there.

-Peperm1nt

xXxOWNaG3DxXx - March 30, 2010, 4:40 pm

How do you make it undetectable?

colinf - April 1, 2010, 12:02 pm

Invalid registration code any ideas why?

peperm1nt - April 5, 2010, 9:13 pm

Invalid registration code? did you copy and paste? if so then it wont work. Make sure the username and password are CORRECT. It IS case sensitive. The server is NOT FUD! this program was last updated in 06? and all a/v's will pick it up when you make it. To make it undetectable, DONT bind it with a file when you make the server. Then, buy a FUD crypter or learn to crypt yourself. I did NOT infect anyone. This file is NOT a malicious program to hurt you. ALL a/v's should pick up this program when you dl it because it is so OLD. Make sure that if you have a A/v up that you have allowed it through the firewall and portforwarded. The server file WILL work on windows 7(i.e. you can infect windows 7). idk if you can run prorat CLIENT on windows 7 however.

½ Hacker - April 8, 2010, 9:16 pm

When I test the connection it says "The ProConnective notification test Message can't be delivered!" and when I test it on my friends comp it doesnt show or connect.

peperm1nt - April 9, 2010, 2:20 pm

your ports arent forwarded... test dont work most of the time.

SIM-135152 - April 9, 2010, 2:23 pm

good tut and thanks but i would be better with some pics

mbN - April 10, 2010, 1:28 pm

Hey (:

I've googled, and googled for hours but no one seems to have a solution to this :/

When i press create server it gives me an error: "An error occurred.[Can't Change Server Icon."
Hope you can help.

Great tut btw (;

IP-Killer - April 10, 2010, 3:51 pm

Great tut man! thx for the help :)

peperm1nt - April 15, 2010, 8:02 pm

@mbN - Redownload the file and start over. Chances are, your a/v did something during the unrar'ing of the file.

Some1 mentioned something about making it undetectable. Crypt. Buy a FUD crypter.

Durial_321 - April 17, 2010, 6:55 am

very nice tut man, keep up the good work=]

aamir_ali345 - May 1, 2010, 1:51 am

very nice tutorial but i have also a proconnective proble

peperm1nt - May 3, 2010, 7:36 pm

check the help file for the port that need to be forwarded... that should solve ur problem, also, if an A/V picks it up on the victim's pc, the victim wont show up in proconnective.

ryuji296 - May 3, 2010, 11:46 pm

Hey dude the link is dead... Request re upload please...

BTW nice tut... it would be nicer if you added Turning it to unde tut... ^^

warman561 - May 4, 2010, 6:21 pm

when the person signs off their computer and logs back on i cant connect back to them

Tusik - May 4, 2010, 6:46 pm

Thanks for the tutorial. This helped me out.

peperm1nt - May 10, 2010, 10:40 am

<http://www.prorat.net/downloads.php>

get the dl there, ill send a mod to change my first post; just use the username and password from the 1st page to unlock se.

parrot - May 11, 2010, 5:02 pm

Sorry, I'm really new to this. I made a no-ip account and a host, but when i enter my host address (*****.servemp3.com) into prorat, it gives me an error message saying "The ProConnective notification test message can't be delivered!" what causes this and how can i fix it??? thank you

alichonez - May 19, 2010, 1:50 pm

Hello,

I can't infected myself...I don't think I can infect other people...

warman561 - May 19, 2010, 6:08 pm

hey ik how to use it, but i need a proper crypter

peperm1nt - May 20, 2010, 6:30 am

@parrot - read the rest of the thread b4 posting questions, ive answered that like 10 times. The test buttons will not work unless the ports are forwarded AND IN YOUR CASE, there has to be a connection with a victim b4 that button will work. JUST DONT TEST AND DO WAT I SAY! lol and everything will be fine.

@alichonez - speak more clear, i dont understand what you are saying.

@warman561 - use the search function for a crypter, any will do. Just MAKE SURE that you DO NOT bind to a picture file while making the server, otherwise i cant guarantee that the server file will work.

Robot Devil - June 11, 2010, 11:38 am

one problem the download link is broken Due to a violation of our terms of use, the file has been removed from the server.

peperm1nt - June 19, 2010, 5:37 am

I understand that the dl link is broken, that i why i posted to go to the main site and download the program and use the username and password that is provided on the 1st post.

dragonfly - June 19, 2010, 7:47 am

Thanks for this great tutorial.

iforce - June 19, 2010, 8:26 am

Pro rat is to old spy net is way better

mike5 - June 19, 2010, 10:58 am

yeah but if u get a good crypter the old favs are still fun

Mia - June 19, 2010, 11:13 am

So you don't have to port forward this if you use that IP site or whatever it was?

TheKillCommander - June 19, 2010, 12:26 pm

Great tut! Thanks man! ? ..

WICKSEH - June 19, 2010, 12:50 pm

Needs to be re-uploaded. Thanks XD

peperm1nt - June 20, 2010, 5:26 am

Yes you have to portforward, i forgot to mention that in the tut, but it is scattered throughout ALL of the pages on this topic

demoniakiller - June 24, 2010, 4:18 am

the file has bean deleted by the server wtf ?

6010fd12 - June 24, 2010, 7:14 am

PLEASE REUPLOAD IT!!!

Spoiler ([Click to View](#))25h0R7!!

peperm1nt - June 25, 2010, 2:27 pm

Go to the man ProRat site and download it.. said that like 10 pages ago and everywhere in between. Read all the pages or at least more than just the first.

xyz iz lawless - June 28, 2010, 11:08 am

(Jan 28, 2009 04:38 AM)crash0verride Wrote: [\[CITE\]](#) Ok so I was looking for pedophiles to send this too. pretending to be a 12yearold girl i had plenty of 27+ year olds msging me...I managed to send the mebikini.exe file but they were quick to say ohhh thats an .exe i cant run that and ohh my anti virus says that is a virus...Is there anyway to hide the extension as .jpg??any 1337 way??

a good way i found is call your infected file sonyplayer or nokiaviewer or somethoing,rather than say its a picture say its a video , put it in a rar file upload to somewhere and just send the link, when they say its a exe say oh yeah i recorded it using my phone and u need the player to watch it lol thy will soon install it!?

Petar062 - July 1, 2010, 9:43 pm

tutorial is nice but i don't understand one part,i should enter the IP of the victim in the left corner but how should i find the ip of the victim?
btw in that corner is my ip

Meerds1 - July 2, 2010, 12:23 am

You Find Out the Ip of the victin when you Have Infected him...

After Infectin the Victim is Listet on your Cgi website on Trypod Lycos Hosting :

example : <http://smedrik2k.tripod.com/cgi-bin/prorat.cgi?pass=megalol123&islem=giris>

there are Listed now the ip and Port opf Vic so U can Connect to him!!

kelvin78 - July 2, 2010, 3:05 am

(Jan 27, 2009 08:25 PM)Specter Wrote: [\[CITE\]](#) dang got a question , when i open prorot an error pops up : Windows cannot access the specified device, path or file. You may not have the appropriate permissions to acces he item... help ? im an administrator
If i'm not mistaking i think its your antivirus

Cr1T1c4L - July 18, 2010, 3:32 am

its not undetected O.o, i did like ur tut said windows live care picked it right up.

DirtyBirdy - July 19, 2010, 8:27 pm

nice 1 :D but what can i crypt v1.9 free with now to make it undectable and still usable? and i got that message about permissions, i just completly switched all firewalls and av off and created the server fine cheers mate but is there anything other than deamon to crypt prorot with and make it fud???

po1ntl3ss k0 - July 19, 2010, 9:27 pm

how am i suppose to know the ip of the person connected...

epikdope - July 26, 2010, 6:39 pm

think this dude jacked ur tut and is passn it off as his own...

<http://unofficialguidetohacking.blogspot.com/2009/08/prorat-v19se-n00b-friendly-all.html>

dar820 - August 9, 2010, 12:59 am

hey can anyone help me i got prorot se1.9 version and i made a server and followed the instructions given but i tried to hack my other pc just to test but it dosent seem to work i made a zip file and put the server in the file but wen i extract it in my other pc it dosent work! the drive in which i extract it it shows some error in winrar and says options copy to clipboard nd stuff and dosent get extracted!

peperm1nt - August 9, 2010, 1:23 pm

@dar820 is winrar on your other PC? also, when you created the file, did you crypt it with another program?

any1 wanting to crypt the program (which you should) you dont need to bind the file while creating the server. Just create the file without binding to a picture, and then once you create the server, then bind with your external program and bind to a pic that way.

I_xgod pkerx_i - August 9, 2010, 5:21 pm

my friend downloaded it and it didnt connect it said disconnected everytime i tried to connect and i know i portforwarded right in windows firewall and in the router.... helpP>?

(it was cryped with 3 different crypters)
that means i spreaded it to 3 different people

andry5 - August 11, 2010, 3:03 pm

Nice Job man Thanks .. +rep

Sigma - August 11, 2010, 3:47 pm

you should have added some screenshots

craneyum - August 12, 2010, 12:04 pm

easy way to get ip address
get victim to send you email :)
right click on the mail he sent, go to properties
and then details
his or her ip will be there

hoarax - August 12, 2010, 4:28 pm

...thx that helps a lot...

Infamous2004173 - August 15, 2010, 5:52 pm

please update the link! very easy to follow guide!

Exch4ng3r - August 15, 2010, 5:56 pm

i got a question. How do you crypt a pro rat server. Isnt it on all crypters they just work with cybergate, and other known rats..

Pixie Interactive - August 18, 2010, 6:53 am

Finally! A working rat, and I got everything working perfectly! Thanks a lot ;)

peperm1nt - August 24, 2010, 4:02 pm

to crypt the server, just dont bind the file when you are making it. And on your own crypter, just bind the server file to w/e you want. That simple.

Zeitgo - August 24, 2010, 6:16 pm

interesting indeed ^^ but i got blackshades so :p

autocrossn - August 24, 2010, 10:30 pm

link is dead plz update

Great tutorial

PRODIGY™ - August 24, 2010, 10:33 pm

The tutorial is great, and the link is dead.

I would like to continue on this, so perhaps pm me when this is updated? <3

lilvoice - August 29, 2010, 11:18 am

dont post "the link is dead" anymore.

just download this!

<https://hackforums.net/showthread.php?tid=50305&pid=431201>

welcome ;P

medhy87 - August 29, 2010, 1:11 pm

nice tuts i am searchinng it

maani - August 29, 2010, 6:20 pm

hi i got the prob while entering the registration code.. help me :(

maani - August 30, 2010, 3:26 am

hey i found the problem while registering that. but i have got new issue on my side i make a server as peperm1nt told bt i do not understand the problem how i get the ip address to connect with it and how server send to other and no av found it as threat file help help help help help help i do as u peperm1nt told help help help help..

agomel - August 30, 2010, 6:12 am

heyheyheyhey can i delete this???

or i'll get infected when i delete this??

what action that make me get infected??

please answeerr :D

popupboi - August 30, 2010, 10:09 am

def nice tut im gonna test it in a little bit

king awan - September 23, 2010, 12:12 pm

thank alot brother thank u so much

peperm1nt - September 24, 2010, 12:37 am

@maani - You put the IP address of the victim. You have to get that yourself and you have to distribute the server file to the victim however you please.

@agomel - In order to get infected by the server you have to execute it(doubleclick it). That is how the server activates and infects the PC. If you delete the server, it will do nothing to you.

@any MOD - Can you please edit the post with the link with prorats main webpage? I cant edit the post. Here is the link i would like to replace it with [
[http://www.prorat.net/downloads.php?id=ProRat_v1.9_Fix2\(ZipPass:pro\)](http://www.prorat.net/downloads.php?id=ProRat_v1.9_Fix2(ZipPass:pro))] everything within the

bars please. Also, would you please note beside the link that the zip password is "pro" without quotes. Thank you

neverm - September 24, 2010, 1:41 pm

My WinRAR just won't unrar the file.

What am I doing wrong?

When I simply try to open a .rar file it simply pops a black box for a split second and goes away,

Suit® - September 24, 2010, 4:14 pm

thanking you man! this is great! im off to try this now. muahahaha

peperm1nt - September 27, 2010, 9:38 pm

@nevrm - did u dl the file from prorats site? try re dl'ing and if it dont wrk, reinstall winrar

andry5 - October 13, 2010, 1:37 pm

worrk good thanks...this realy helps me ;)

Bawtern - October 25, 2010, 11:30 am

Would be awsome if you could get another upload link for the ProRat, dosnt exist anymore :(

The error; The file is suspected to be contrary to our terms and conditions and has been locked up for clarification.

chriszucs - October 29, 2010, 9:12 pm

where do you get the ip adress from and how is the notification sent. does it just tell you on the website no-ip?

yo-mu - November 16, 2010, 4:40 pm

Guys i have one simple question.

When i send file to victim in .rar does victim need just to unrar file or open file which is inside .rar?

Cause when victim try to open file which is in .rar their AV is forbid them to open. Plz answer someone dont ignore me.

The.InteLLect - November 29, 2010, 10:04 pm

Great Thread

Helped me figure out a massive annoyance i had with

"Error message:Windows cannot access the specified deice, path, or file. You may not have the appropriate permissions to access the item. What do I do?"

Twist3d - November 29, 2010, 10:05 pm

DL link is gone, you may wanna fix that

paganxxxpride - November 29, 2010, 11:10 pm

I have been trying to figure out this question on my own for about 4 months and can not find an answer.

I have a modem and i can not port forward with this particular modem.Is there a RAT that i can use that doesnt need port forwarding.

Also I was wondering in your opinion is a router better or is a modem better?what do you like better?Any help wold be great.

Thanx In Advance and great tut bro it realt did help me to understand more about RAT setup. I would +rep you if I could.THANX AGAIN

Jay_Awesome - November 30, 2010, 4:56 pm

Awesome tut.. I am a noob and I understood pretty well..

Btw I don't know how to send it.. I am so lost at that part I read your whole post, lolz hell I read your post and all the comments (Up to page 25) No one seemed to have this problem.. Please help DX. I would appreciate it.. Thanks..?

Z?us - November 30, 2010, 5:37 pm

I like it, very nice share.

FakeOrder - December 2, 2010, 9:06 am

wow great ..

prorat, i've been waiting so long for using it .. ?

Samymapler - December 20, 2010, 3:54 am

how do we get victims IP?

PsychoSexy - December 20, 2010, 3:58 am

(Dec 20, 2010 04:54 AM)Samymapler Wrote: [\[CITE\]](#) how do we get victims IP?

you could try infecting them with an info stealer first...

tomtombi - December 20, 2010, 5:33 am

download link for the prorat is dead. So plz update it. thank

Cyber Freak - December 20, 2010, 5:41 am

Hey is it compulsory to be Port and DNS forwarded for using ProRAT????

Samymapler - December 20, 2010, 7:12 am

(Dec 20, 2010 04:58 AM)Parazyd Wrote: [\[CITE\]](#) you could try infecting them with an info stealer first...

Thanks for awnsering.

Any linkies? :)

feed - December 20, 2010, 10:42 am

salut tout le monde jaimerais savoir comment posseder gratos brute force brutus et prorat pourriez vous m'aider a les obtenir ou si vous les avez me les envoyer directement merci

pouvez vous m'aider a obtenir gratuitement prorat brute force et brutus

ou si vous les avez si vous pouvez me les envoyer directement merci

aymi68 - December 20, 2010, 11:05 am

(Dec 20, 2010 11:42 AM)feed Wrote: [\[CITE\]](#) salut tout le monde jaimerais savoir comment posseder gratos brute force brutus et prorat

pourriez vous m'aider a les obtenir ou si vous les avez me les envoyer directement merci

pouvez vous m'aider a obtenir gratuitement prorat brute force et brutus

ou si vous les avez si vous pouvez me les envoyer directement merci

Oh god what's that noob... You start asking to give you something on your first post?!

Grammar Rays - December 20, 2010, 11:23 am

Thanks for the tutorial, I think I will continue to use Dark Comet at the moment though.

Ahnaf Tajoar - January 5, 2011, 11:19 pm

Yes brother here can we get the slaves IP address

strangerfbi - January 6, 2011, 10:27 pm

hey man!! the link is broken. please send pm me the new link. Please

agomel - January 7, 2011, 3:58 am

Is there any chance I will get caught by the lawman?

I mean, Im not going to prison by any chance right?

checkmate2025 - January 7, 2011, 10:32 am

hello eerybody

im a new begginer , ip created no-ip account and already made server attach to email also.

i have two question

1. how do i get target Ip add who is aremort users in uk ...
2. hat is the use of no-ip ?

your help is really appreciated ..
please help ...

iNk Jr. - January 7, 2011, 3:43 pm

I wish this worked for me :(My ports dont forward!

Rust3d Phantom - January 8, 2011, 6:52 am

PRO Rat Not The Best Rat
But Not Even The Worst
Its A Moderate Rat
Working Well
But
Darkcomet And Ruling Cybergate Works Very Well And
THE BEST

- - -

Rust3d Ph4nt0m

d3funct - January 12, 2011, 9:01 am

I am connected to internet via wireless network from my neighbour (he doesn't know it.) And how i can do port forwarding? I don't know what router he uses?

Cyb3rc0re - January 14, 2011, 7:35 pm

Did every step correct , not working

-Ryan- - January 15, 2011, 9:23 am

Very good tut bro! Keep it up

Bigandrewgold - January 15, 2011, 10:48 am

looks really good, thanks

aichi - January 27, 2011, 4:05 am

not done reading but maybe this will help me..

Very good tuts.

thx.

HackerID=Jarrett - February 2, 2011, 2:19 pm

What about me? I say i am a noob but there is a FLAW in your tut. It won't let me connect to the infected person! I know his Ip because its my Laptop and it don't connect.

kom94 - February 4, 2011, 11:27 am

I have download it from:

<http://www.prorat.net/downloads.php>

But if i want to open de exe my virus scanner say its a trojanhorse

and i dont know how to set is in the safe kist can some one help me i use Avast?

Must - February 4, 2011, 1:43 pm

(Feb 4, 2011 12:27 PM)kom94 Wrote: [\[CITE\]](#) I have download it from:

<http://www.prorat.net/downloads.php>

But if i want to open de exe my virus scanner say its a trojanhorse

and i dont know how to set is in the safe kist can some one help me i use Avast?

Just disable your virus scanner?

Amazing :) Thanks for share

Victini - February 7, 2011, 5:24 am

not work

<http://#.com/files/119647407/ProRatSE.rar.html>

Abz HF - February 16, 2011, 4:24 pm

nice tut bro thanks for the share ;)

needanap - February 16, 2011, 4:53 pm

msn me if you can help me keylog someone or get into there comp... cory_shock2000@yahoo.com
ill give more details there

spyshadow - February 16, 2011, 5:24 pm

thanks mate, will use it.

sanboju - February 17, 2011, 2:26 am

seriously i love you vouch !

peperm1nt - February 25, 2011, 12:22 am

lol I cant believe this post has been going on for over 2 years haha. I guess I made a pretty decent tut.

Sorry that I haven't been on here to answer your questions, but For those who are still having problems connecting make sure your firewalls and AVs have added prorat.exe to the "safe" list and your ports are forwarded. YES this will show up as a trojanhorse. It makes them! lol You will have to

make a server file and crypt it with an external application without encrypting it with ProRats encryption app. Also, you will have to get an the IP address of the victim yourself. Yes, this is illegal without consent and you can be caught.

52643 - February 25, 2011, 2:07 am

Would have been a lot better with pictures but thanks anyway!

Isaac Newton - February 26, 2011, 12:00 pm

the tut really helped, but i'm having some doubts.

i infected myself to check how this works.

i also forwarded port 5110 on my router.?

[\[IMG\]http://i1093.photobucket.com/albums/i431/surroundsoundd/th_port5110.jpg\[/IMG\]](http://i1093.photobucket.com/albums/i431/surroundsoundd/th_port5110.jpg)

now the problem is that, when i typed my dynamic ip i.e, of the form 1*2.1*.71.*1, the client was unable to connect

[\[IMG\]http://i1093.photobucket.com/albums/i431/surroundsoundd/th_disconn.jpg\[/IMG\]](http://i1093.photobucket.com/albums/i431/surroundsoundd/th_disconn.jpg)

but when i entered my static ip of the form 192.168.*.*, i was successfully connected.

[\[IMG\]http://i1093.photobucket.com/albums/i431/surroundsoundd/th_connected.jpg\[/IMG\]](http://i1093.photobucket.com/albums/i431/surroundsoundd/th_connected.jpg)

i couldn't understand this, because by any means if are getting the ip's of our victims, they will be the dynamic ones, & you saw failure of dynamic ip to connect.

so what r ur views. wil someone please help me.?

i know the thread is very old, but i'm still expecting some help.

Thanks.?

peperm1nt - February 28, 2011, 12:49 am

You're getting the LOCAL IP addresses, which is wrong. You want the EXTERNAL ip address. the 192.168.x.x those are local IPs assigned to a computer by the router. When you use this app and the victim has the server on their system and it's active, ProRat will automatically pick up which computer is infected when you try to connect to the EXTERNAL ip address. TO do a test bring a server file over to a friend's house or have a computer connect to the internet on another network. BUT MAKE SURE ITS NOT THE SAME ONE YOU ARE USING THE APP ON! Get the IP address(external) from the "victims" computer. now go on your computer with prorat and try to connect while the two computers are on separate networks. an external IP will look nothing like 192.168.x.x ... something along the lines of 276.458.231.123 (random) it will look something more along those lines.

The reason it connected is you typed 192.168.1.1 or w/e ur local host is. That means that you told prorat to connect to one of the servers on YOUR network. So in other words, you connected to yourself which u stated you activated a server on your PC. The key thing i left out of the Tutorial is GETTING the IP address of your victims. I chose not to include this piece of information because I feel you should learn the different ways of doing it from someone else, for I don't have the time to make a tutorial. One user posted a method on here of how to do it if you knew the person. All you had to do was get them to go to a link and when they clicked the link it emailed you the IP address. There are other features of this app to where you can make the server email you an IP address everytime the user logged onto the internet. try page 12 or somewhere through there.

Isaac Newton - March 1, 2011, 8:41 pm

@peperm1nt, Thanks for the detailed explanation. This is the only thing i was doubtful about & as you have given a good reason i'm sure this will help others also.

FearNoLust - March 10, 2011, 8:03 pm

Great, nice tut i needing this

Mr.thinker - March 21, 2011, 1:26 am

Well ProRat Never Works For Me :)

Ether - March 21, 2011, 5:40 am

???

this is really good guide for nooby like me thank you alot this will be fun to play round with :D

theleet25 - March 21, 2011, 10:50 am

ProRat was really fun to mess with friends. The ProConnective worked like a charm and just play around with it on another machine of yours. You can always remove it with the cleaner. The only thing I have noticed now is that it has issues on 64-bit machines and everything picks it up now so you can't even use it to prank people.

This is a great starting tutorial and wish I had this a few years back but to everyone having problems don't freak out just play around with things. you can't damage anything unless you press the give damage button....please don't do that to yourself :(

axexor - March 21, 2011, 11:02 am

It says the files deleted from rapid share :(

peperm1nt - March 22, 2011, 9:33 pm

@axexor - Its been stated to just download the file from the main site.

@theleet25 - U have to manually crypt the file now... dont use the crypter/binder that is in prorat, just make the default server and crypt it with ur own progams ;)

m_DarkLord - March 23, 2011, 11:29 pm

dude thats some crazy ass tutorial there...very nice work...you should get a tutorial award for this.

demo.nic1331 - April 17, 2011, 2:38 am

new link for the ProRAT v19 SE please...

vaibhuvcool@gmail.com - April 17, 2011, 4:49 am

Nice TUT dude....keep it up :D

booooooooooya - April 18, 2011, 12:03 pm

Nice TuT.

I have a questiong though;

You say in it that if you make the server name somthing fake and someone looks inside of it you'll get 5 Years in prison, how is this ? lol.

1NV1518L3 - April 19, 2011, 10:51 am

why use pro rat ? too old

IchigoW - April 19, 2011, 8:10 pm

Thanks. :) will try. A big noob, got some questions.

What's is noip DUC for?? Do I need to port forward? <- IOL what is port forwarding? (I read it in spyrat tut) also, which rat do you considerthe best?

Thanks :)

peperm1nt - April 19, 2011, 8:27 pm

(Apr 19, 2011 10:51 AM)1NV1518L3 Wrote: [\[CITE\]](#) why use pro rat ? too old

Because there wasn't an in depth tutorial, and i made this tutorial in 2008?

Plus I wanted to help out people that were like me when they first started messing with RATs... If anything, this is something to start with. Although others may be better; this got the job done for what I needed at the time.

As to the 5 years in prison question, if you get caught what do you think the minimum will be?

Also, don't use the built in Binder if you want this to not be picked up on an a/v. Buy a good crypter off someone here to bind your server. Just make sure you skip the bind to picture option in the 'making the server' part of the tutorial.

For those that need a different download link, just go to the main site.. prorat.org? and download it from there.

-Peperm1nt

skitdoom - April 20, 2011, 12:20 am

great tutorial - thx for sharing

NICHOLASR - April 21, 2011, 9:47 pm

Really Nice Tut!

Just one thing i can't figure out? I follow all of the directions, but when i go to send it it says Virus detected. I binded it and sent it in a .zip file but gmail says "Virus Detected".

xHypNoteKz - April 25, 2011, 10:58 pm

Mine says there is no Email program associated to perform the requested action. Please install an email program or, if one is already installed, create an association in the Default Programs control panel

N3me\$!s - May 3, 2011, 11:13 pm

Hey thanks for the tute..gud work!!

peperm1nt - May 4, 2011, 4:13 pm

In the Bind option of creating the server IT IS OUTDATED! You need to skip the bind part and buy you a crypter or find one that is free. People sell them on here. And then Bind the Server with a picture through that program. Then put in .zip file and send.

jtpga5595 - May 11, 2011, 5:23 pm

hey man i like the tut but the link to download the rat isnt available anymore, please upload another link and update it

Thanks!

hey man i like the tut but the link to download the rat isnt available anymore, please upload another link and update it

Thanks!

hey man i like the tut but the link to download the rat isnt available anymore, please upload another link and update it

Thanks!

hey man i like the tut but the link to download the rat isnt available anymore, please upload another

link and update it

Thanks!

baocaosu - May 11, 2011, 5:38 pm

i cant connect PRO RAT

because when I CLICK CONNECT but PRO RAT disconnect

IP :192.xxx.xxx.xxx(my IP)

[img]<http://img703.imageshack.us/img703/9986/unledccm.png>[/img]

RussianFederation - May 11, 2011, 6:08 pm

Great TuT good job bro :).

gf2827 - May 11, 2011, 10:12 pm

great tut thanks for the share

TheKnownBuster - May 13, 2011, 9:45 pm

I did everything the way you told me and now I wonder how I'm gonna get my victims Ip. Where is it gonna be sent to? Not to my email for sure, cause I didn't put it while creating the server....????

Please help me.

Any help will be appreciated :)

Indian GirL - May 13, 2011, 9:49 pm

I have never tried ProRat thanks though.

akmafia001 - May 15, 2011, 12:38 pm

nice tut!

but in step 3 u had a jump. it is not defined that how and where to get the slave's ip.

drain90 - May 16, 2011, 7:48 am

good tutorial

thanks man

peperm1nt - May 17, 2011, 12:25 pm

Google how to find a victim's IP or search on this site... thats your answer, i didnt skip.

Peperm1nt

Nickt12111 - May 17, 2011, 2:38 pm

Where do i download it now?

hackisnew - May 23, 2011, 1:09 pm

im so lost :(ill have to have someone do it for me :-P

sabir12 - May 23, 2011, 1:29 pm

Niice Workkk!

Keep DOing this work

drlange - June 1, 2011, 4:20 am

link is dead. Maybe you should update it?

maduh - June 1, 2011, 6:08 am

very nice tut
message too short

snow56 - June 11, 2011, 11:31 am

nice man thanx. This tutorial has been way easier for me to us. But i have one problem. At the end of creating the server i hit the create server button and it says an error has accured, and will not make the server. I disabled my AV and firewall when tryig to create the server but it still won't work. I went back and made sure everything was filled out right. I am not sure what it could be any ideas?? Thanx.

TheNeutron - June 11, 2011, 12:33 pm

Hay is no-ip.com free.... Can I open a free account?

?Ñâzg?l - June 11, 2011, 2:04 pm

(Jun 11, 2011 12:33 PM)hackopz Wrote: [\[CITE\]](#) Hay is no-ip.com free.... Can I open a free account?
yes no-ip is free just head over there make an account and look at cybergate rat and look for plutoniums tutorial which will enhance your understanding

and also the link to # is dead fix it or make a new one

snow56 - June 11, 2011, 3:40 pm

ok thanx i finally got this working. i'm not sure what the problem was, probably my AV messed it up when i was working on it. Thanx alot!! It was definatly NooB proof because i ended up making it. Now i hope that i infect right. again thanx.

peperm1nt - June 14, 2011, 10:09 pm

(Jun 11, 2011 02:04 PM)infamous hacker Wrote: [\[CITE\]](#) yes no-ip is free just head over there make an account and look at cybergate rat and look for plutoniums tutorial which will enhance your understanding

and also the link to # is dead fix it or make a new one

uhm i told The Mods to edit it but as you can see they haven't. I dont have edit privs as this thread was made in 2008? and its now 3 yrs old. But As stated throughout the thread, go to the Prorat site and download it.

the guy that posted a pic and couldnt connect, ur connecting to yourself in what i see on ur pic. 192.168.x.x thats local IPs ... if ur gettin an error make sure ports are forwarded on ur router, but chances are your trying to connect to urself.

eggntoast - June 14, 2011, 10:43 pm

please reupload ProRat to a different mirror

cheers

snow56 - June 15, 2011, 2:19 pm

ok i just tested my prorat to see how it all worked but after successfully getting it into my step brothers lab top i couldn't connect to his computer. It just said connecting, then said connecting cancelled... what did i do wrong?

Eeluminati - June 15, 2011, 7:09 pm

Good tut :p I will find it very useful

-Zel

peperm1nt - July 7, 2011, 1:11 pm

(Jun 15, 2011 02:19 PM)snow56 Wrote: [\[CITE\]](#) ok i just tested my prorat to see how it all worked but after successfully getting it into my step brothers lab top i couldn't connect to his computer. It just said connecting, then said connecting cancelled... what did i do wrong?

Are you trying to connect to ur bro's PC locally?(Same router) or at a different IP address?

Locally: activate the server on your brother's computer. type the LOCAL IP address in ur prorat client. 192.168.x.x .. it should connect, if NOT, then forward the ports to your computer specified in the txt file.*click help and networking*

Different connection: DO the same as above the the IP address could be just about anything but not anything like 192.168.x.x

MAKE SURE YOUR PORTS ARE FORWARDED.

~Aer - July 7, 2011, 11:34 pm

Download link broken? for me atleast it is :\

h2NO5 - July 8, 2011, 12:55 am

Link is working.Nice tut.

Warturtle - July 8, 2011, 4:12 pm

very nice tutorial thanks! But may I ask you a question.

I ve Windows7, i ve turned off antivirus and firewall, I ve done whatever u said in the same way except the end:

i bind the server with a picture with that programme:

<https://hackforums.net/showthread.php?tid=1389957&highlight=RL+binder> (RL binder) which is until now FUD

The victim opens the picture.exe, I get his IP from <http://www.whatstheirip.com/> but when i press connect i wait 20 seconds and it tells me "disconnected"

What is wrong??

Thank you!

peperm1nt - July 13, 2011, 1:29 pm

(Jul 8, 2011 04:12 PM)Warturtle Wrote: [\[CITE\]](#) very nice tutorial thanks! But may I ask you a question.

I ve Windows7, i ve turned off antivirus and firewall, I ve done whatever u said in the same way except the end:

i bind the server with a picture with that programme:

<https://hackforums.net/showthread.php?tid=1389957&highlight=RL+binder> (RL binder) which is until now FUD

The slave opens the picture.exe, I get his IP from <http://www.whatstheirip.com/> but when i press connect i wait 20 seconds and it tells me "disconnected"

What is wrong??

Thank you!

So you didn't bind within the server creation? In other words, YOU DIDNT USE THE BIND OPTION when making the file, BEFORE you crypted with RL binder?

Warturtle - July 14, 2011, 2:40 pm

(Jul 13, 2011 01:29 PM)peperm1nt Wrote: [\[CITE\]](#) So you didn't bind within the server creation? In other words, YOU DIDNT USE THE BIND OPTION when making the file, BEFORE you crypted with RL binder?Yeap, I think i haven't used the "Bind Option" when making the server, cause I would had the oppurtunity to bind it later with an image, with the RL Binder. Is this in your opinion the fault I made? So what should have I done? Should have I bound it twice (first when creating the server, second when using the RL Binder) ?

Thanks for your time!

logan2222 - August 28, 2011, 1:06 pm

if anyone has a skype and got this to work can you help me? my skype name is logancoughran

Datavoid - August 28, 2011, 8:18 pm

Link is down could you please do something about that?

peperm1nt - September 14, 2011, 11:27 am

(Jul 14, 2011 02:40 PM)Warturtle Wrote: [\[CITE\]](#) Yeap, I think i haven't used the "Bind Option" when making the server, cause I would had the oppurtunity to bind it later with an image, with the RL Binder. Is this in your opinion the fault I made? So what should have I done? Should have I bound it twice (first when creating the server, second when using the RL Binder) ?

Thanks for your time!

Im just verifying that you didn't use the bind option. You dont want to bind with two programs ever. You just want to use your main one. It breaks the signatures when you use two programs and makes the server broken. Have you had any success on a test on your local network or on a friends computer? If so, then the crypt is not FUD and the slaves A/V picked it up. When you made the server did you select the freeze option? If not, the user could have simply deleted the file.

Edit: Also, have you port forwarded?

==

Updates:

I apologizes for not being as responsive to your posts. This thread has been up for ~3 years and I'm hardly ever on these forums anymore. But I get on here and check things out every week or so.

To those having broken link issues. Again, this has been up for 3 years and that is NOT my upload. Credits are displayed on the link for uploader. I can NOT go back and edit the OP because I am not a mod. You have to go to the main prorat site and download from there. You can still use the log in information provided in OP.

-Peperm1nt

HeroicDonut - October 30, 2011, 3:26 am

Hey where do you get the IP address someone PLEASE tell me. ive been at this all night and i need to know how. PLEASE!!

xCrows - February 14, 2012, 10:09 am

Very nice tutorial, you got everything covered, easy to understand, thanks bro !

/MsfConsole - February 14, 2012, 10:48 am

Prorat doesn' t work anymore for a long time ...

Nice and complete tutorial btw :D

most_uniQue™ - April 9, 2012, 5:13 am

DAAMMNN!!!! THX! MAN i made a Hacker Team with my friends and we are right now controlling 7 slaves thx to u ! <3 Love and peace man !

(Oct 30, 2011 03:26 AM)HeroicDonut Wrote: [\[CITE\]](#) Hey where do you get the IP address someone PLEASE tell me. ive been at this all night and i need to know how. PLEASE!!
It says in the tutorial -.- Read it over and you'll notice <3

How do i get the "SLAVES" ip!! common man gotaa have that stuff to

karimnobla - April 11, 2012, 10:39 am

Thank you so much i would love to try it right now

jpnumber1 - June 12, 2012, 2:28 pm

What happens if i don't have there Ip adress can this still work somehow?

Pro-4venGerXx - June 26, 2012, 9:09 am

he man i cant connect to the server...do u know y?

Frannkienyc - August 23, 2012, 9:48 pm

hey im sorry i followed everything but it didnt work so i went back to test the "no-ip" thing and it said it couldnt connect to the pro connective

axmetmcl - August 23, 2012, 11:32 pm

Prorat doesn't work anymore for a long time do not waste your time with this software and please do not send a message here anymore.

amiral87 - August 24, 2012, 5:05 am

Great tutorial! Seems easier now to use it

Deaad - August 24, 2012, 5:21 am

lol good tutorial, too bad prorot is dead

davidzver99 - September 6, 2012, 7:49 am

(Jan 27, 2009 09:57 PM)Taserz Wrote: [\[CITE\]](#) you said

Step 3: Connecting to the slave's computer

Once the server has been sent and the person has opened this ZIP folder, they will now be infected with it. AND HAVE NO CLUE ABOUT IT!

in the top of the ProRat program you will see a box in the upper left corner.

Type in the slave's IP address<<

Where do you get there ip address from and i read every word and letter unliiek the people above me lol

<http://www.whatstheirip.com/> just click it and it should give you instructions

yanoswea - September 6, 2012, 8:48 am

nice very detailed! :) i hope i will get some slaves! if someone know a good way to spread it, just send a message :D

Yui Asuna - September 6, 2012, 9:07 am

Guy, Prorat didn't work anymore, and since Windows XP !

Thank you for this clean tut,it really helped,now I have setup Darkcomet an this hehe

Nice tut man!, well explained i will try this later :)

pro rat download link is dead can you renew it :D

great tut, but why would one use this over dc?

Prorat is so dead, you should make a new tutorial on dark comet...

thanks peperm1nt I was looking for that

Very nice and simple tut..thanx man!!!

Very nice tutorial. It helped me a lot. Thank you.

Link doesn't Work please update???

Looks like this tut needs an update, but it looks great.

Nice tut although link is dead. Will try and search for working ones.

nice tutorial but the link is dead.

Can you update link?

safsadfsadfasdfasdfsadfasdf

I tried to infect my old laptop but when i double clicked the `binded_server` the server just disappeared. So what should i do?

Sorry for my bad english?

Thanks bro i very like you technique off spread 10

(Sep 17, 2016 09:08 AM)poliakov15 Wrote: [\[CITE\]](#) Thanks bro i very like you technique off spread 10 Dont gravedig.

xShadow666 - September 19, 2016, 7:00 am

Can you update the link please ?

peno - September 20, 2016, 2:22 pm

Love this thread! great share and thank you for your guide!

Bolygon - October 6, 2016, 7:25 pm

Able to update the link? Thanks

bistro420 - October 7, 2016, 10:16 pm

Thanks for this Its amazing. thank you.

Spaddinho - October 9, 2016, 9:16 am

really usefull thanks! I hope of do something now.