

Forum:[Hack Forums](#)

Thread: [Q&A AKA Hacking Discussion! \[Answering your questions\]](#)

kmz22222 - November 1, 2015, 1:17 pm

Hey,I made this thread specially for answering your questions.

Have a question? ask it down below in a reply! and me or someone else would reply with an answer.

Hope this thread could be useful for you.

Go ahead and ask the questions!

CubicMuffin - November 1, 2015, 1:25 pm

What's your favourite hacking technique, and why?

kmz22222 - November 1, 2015, 1:52 pm

(Nov 1, 2015 02:25 PM)CubicMuffin Wrote: [\[CITE\]](#) What's your favourite hacking technique, and why?

- Get the ip

- Get some info

- Open kali linux and have some fun.

Because its like the best for me to first get the ip then the info so i can see what i can do FOR
EXAMPLE: if the victim have some ports i use armitage

CubicMuffin - November 1, 2015, 2:12 pm

(Nov 1, 2015 02:52 PM)kmz22222 Wrote: [\[CITE\]](#) -Get the ip

- Get some info

- Open kali linux and have some fun.

Because its like the best for me to first get the ip then the info so i can see what i can do FOR
EXAMPLE: if the victim have some ports i use armitage

So your favourite technique is pretty much just click and pray? ;)

?MIN?M - November 1, 2015, 2:15 pm

whats your best technique hacking websites?

How bout using your brain - November 1, 2015, 3:38 pm

(Nov 1, 2015 03:15 PM)dagdaharp Wrote: [\[CITE\]](#) whats your best technique hacking websites?

Let me guess...

- Open Kali Linux and start sqlmap?

kmz22222 - November 2, 2015, 5:43 am

(Nov 1, 2015 03:12 PM)CubicMuffin Wrote: [\[CITE\]](#) So your favourite technique is pretty much just click and pray? ;)

Its the easiest way, my favourite technique is not a 100% known because i hack randomly,its not like HEY THIS MY WAY TO HACK ANYONE SO I AM GOING TO USE IT ON YOU.

And its actually also depends on what windows the victim is using.

I use some confusing techniques,can't explain it well

(Nov 1, 2015 03:15 PM)dagdaharp Wrote: [\[CITE\]](#) whats your best technique hacking websites?
For me, it goes like this:

- 1-Make sure i have the right ip for the site
- 2-Take it down. / Pwn it. [Something like ddos that destory a website]

OR:

Use some exploits to:

- Hack the database
- Be an admin and take control of the site

There is different exploits for websites, but for me taking down a website is easier.

(Nov 1, 2015 04:38 PM)How bout using your brain Wrote: [\[CITE\]](#) Let me guess...

- Open Kali Linux and start sqlmap?

Not really! i rarely use kali linux. that's due to me being good at hacking with windows 7. i use kali when i need it! it's useful and extremely helpful for me.

-zERAIT - November 2, 2015, 6:11 am

how would you implement a secure login field on a high traffic website where performance is a consideration?

kmz22222 - November 2, 2015, 8:26 am

(Nov 2, 2015 07:11 AM)-zERAI

T Wrote: [\[CITE\]](#) how would you implement a secure login field on a high traffic website where performance is a consideration?

Secured login field+High traffic website?

You are trying to make this hard for me but it's actually isn't.

If i want to PWN/Destroy the site i can grab people to ddos with me.

But sites like facebook is pretty much impossible to pwn as i mentioned, it can only be hacked with other things.

For a secure shit if its a social media site for example facebook

Instead of cracking+hacking databases,What i do is:

- Get the email of the account i want to hack [Via a bug/Trick]

- Hack the email.

Viola just reset the password and i am done.

Simple as that? ?

CubicMuffin - November 2, 2015, 8:29 am

(Nov 2, 2015 09:26 AM)kmz22222 Wrote: [\[CITE\]](#) Secured login field+High traffic website?

You are trying to make this hard for me but it's actually isn't.

If i want to PWN/Destroy the site i can grab people to ddos with me.

But sites like facebook is pretty much impossible to pwn as i mentioned, it can only be hacked with other things.

For a secure shit if its a social media site for example facebook

Instead of cracking+hacking databases,What i do is:

- Get the email of the account i want to hack [Via a bug/Trick]

- Hack the email.

Viola just reset the password and i am done.

Simple as that? ?

lolololololol no. DDoS is not answer to everything, OP.

kmz22222 - November 2, 2015, 8:32 am

(Nov 2, 2015 09:29 AM)CubicMuffin Wrote: [\[CITE\]](#) lolololololol no. DDoS is not answer to everything, OP.

Huh?

zapotecs - November 2, 2015, 8:42 am

My eyes bleed while i am reading this.

kmz22222 - November 2, 2015, 8:45 am

(Nov 2, 2015 09:42 AM)zapotecs Wrote: [\[CITE\]](#) My eyes bleed while i am reading this.
Good for you.

CubicMuffin - November 2, 2015, 8:48 am

(Nov 2, 2015 09:32 AM)kmz22222 Wrote: [\[CITE\]](#) Huh?

You aren't really answering the questions (like some of us perhaps expected) and are using rather vague terms or are just using key words like DDoS or PWN.

Motiv - November 2, 2015, 2:18 pm

"how do I hack a website db"

OP: I'd get my groupies to dos it

Lemin - November 2, 2015, 2:20 pm

Getting in to advanced doxs. Nothing to illegal if that. Just finding stuff based off little information.

kmz22222 - November 3, 2015, 2:01 am

(Nov 2, 2015 03:18 PM)Motiv Wrote: [\[CITE\]](#) "how do I hack a website db"

OP: I'd get my groupies to dos it

<https://hackforums.net/showthread.php?tid=5044364>

How bout using your brain - November 3, 2015, 2:13 am

(Nov 3, 2015 03:01 AM)kmz22222 Wrote: [\[CITE\]](#)

<https://hackforums.net/showthread.php?tid=5044364>

Best tutorial I have read in a while. Thanks for the enlightenment.

golden_m4rk - November 3, 2015, 2:20 am

What is the best http botnet for you?

CubicMuffin - November 3, 2015, 2:23 am

(Nov 3, 2015 03:01 AM)kmz22222 Wrote: [\[CITE\]](#)

<https://hackforums.net/showthread.php?tid=5044364>

Well that was fucking dreadful haha. I love how it's called how to hack a website database and then you go on to talk about hacking a specific person's account. By the logic if I reset my own password I've just hacked Facebook.

johnsonsm - November 3, 2015, 2:58 am

Maybe you should know how to "hack" before making a thread to help others. The only thing that's so great in this thread is your ego thinking your good at hacking.

kmz22222 - November 3, 2015, 3:27 am

(Nov 3, 2015 03:13 AM)How bout using your brain Wrote: [\[CITE\]](#) Best tutorial I have read in a while.
Thanks for the enlightenment.

Thanks for the feedback

Ayeeee ????????

-zERaIT - November 3, 2015, 4:03 am

(Nov 2, 2015 09:26 AM)kmz22222 Wrote: [\[CITE\]](#) Secured login field+High traffic website?

You are trying to make this hard for me but it's actually isn't.

If i want to PWN/Destroy the site i can grab people to ddos with me.

But sites like facebook is pretty much impossible to pwn as i mentioned, it can only be hacked with other things.

For a secure shit if its a social media site for example facebook

Instead of cracking+hacking databases,What i do is:

-Get the email of the account i want to hack [Via a bug/Trick]

-Hack the email.

Viola just reset the password and i am done.

Simple as that? ?

you didn't answer my question.

sunrix - November 3, 2015, 8:11 am

OP. I would really like some help.

Suppose you have a buffer of 508 bytes where you managed to control the eip register for input of your choice.

Now my payload will contain ([bunch of 'A'] [bunch of \x90] [shellcode] [return address]).

My question: How can i find this return address and what should i input into the eip register ?