

Forum:[Hack Forums](#)

Thread: [Help desk on hacking - Keep the sector clean](#)

Chaoiii - January 13, 2016, 7:47 am

I am opening this help desk only because I have seen a lot of member creating question threads based on a simple question and I do not think that they are necessary.

Before you ask a question, make sure that you have already tried to research on it. Secondly, I have to clarify that I am not an super hacker or something, however I am experienced ! I would like to give my best to help with what I know.

Do not PM me about the question, simply just post a reply here, thanks.
Have a nice day ?

Current help desk members (Pm me if you like help too):

[BeatHimUp](#)

[NET.](#)

[Travis Bickle](#)

kind regards,
BeatHimUp

cogama - January 13, 2016, 7:51 am

What hat is most profitable to wear in your opinion? ?

SZPZ - January 13, 2016, 7:52 am

(Jan 13, 2016 08:51 AM)cogama Wrote: [\[CITE\]](#) What hat is most profitable to wear in your opinion? ?
Not my thread but I would say a fedora (° ? °) ?

Chaoiii - January 13, 2016, 7:53 am

(Jan 13, 2016 08:51 AM)cogama Wrote: [\[CITE\]](#) What hat is most profitable to wear in your opinion? ?
If you are talking about hacking, I would say Gray Hats ?

and if not

(Jan 13, 2016 08:52 AM)SZPZ Wrote: [\[CITE\]](#) Not my thread but I would say a fedora (° ? °) ?

cogama - January 13, 2016, 7:54 am

(Jan 13, 2016 08:53 AM)BeatHimUp Wrote: [\[CITE\]](#) If you are talking about hacking, I would say Gray Hats ?

and if not
Lol hacking ofcourse mate?

Edit: follow up question: can you work for a company as a gray hat? What would that body of work

include?

Chaoiii - January 13, 2016, 7:55 am

(Jan 13, 2016 08:54 AM)cogama Wrote: [\[CITE\]](#) Lol hacking ofcourse mate?
Great, hope you got your answer ?

cheetosbabyohyeah - January 13, 2016, 7:57 am

Hi mate, I have this guy I have known for years. He continuously bullied me throughout my secondary school, calling me names like fatty, etc. I hate this guy with a passion and would love to take his website down, I was wondering how I would approach doing this. I have tried using a free booter and resolving his ip through his domain but so far it hasn't worked. Any help please?
Thanks:)

Chaoiii - January 13, 2016, 8:03 am

(Jan 13, 2016 08:57 AM)cheetosbabyohyeah Wrote: [\[CITE\]](#) Hi mate, I have this guy I have known for years. He continuously bullied me throughout my secondary school, calling me names like fatty, etc. I hate this guy with a passion and would love to take his website down, I was wondering how I would approach doing this. I have tried using a free booter and resolving his ip through his domain but so far it hasn't worked. Any help please?

Thanks:)

Firstly, if someone bullying you from a school you should always report this to the teachers or telling your parents about it ?

Secondly, if you want his website to be down you can do it in different ways, for example DDOS, or find a vulnerability of the web page by SQLi or XSS etc.

For DDOS is very easy to do with and there are a lot information you can found on HF.

With finding vulnerable website address you can also use different scanners, however this is not recommended. Then upload a php shell and take control with it. There are also a lot of recourse you can find from HF.

Which ways you are likely to do?

cheetosbabyohyeah - January 13, 2016, 8:05 am

(Jan 13, 2016 09:03 AM)BeatHimUp Wrote: [\[CITE\]](#) Firstly, if someone bullying you from a school you should always report this to the teachers or telling your parents about it ?

Secondly, if you want his website to be down you can do it in different ways, for example DDOS, or find a vulnerability of the web page by SQLInjection or XSS etc.

Which ways you are likely to do?

Nah man I'm past school now.

How would I know if his web is SQL? I would only use Havji because it's easiest

Chaoiii - January 13, 2016, 8:09 am

(Jan 13, 2016 09:05 AM)cheetosbabyohyeah Wrote: [\[CITE\]](#) Nah man I'm past school now.

How would I know if his web is SQL? I would only use Havji because it's easiest
Havji is the easiest, however is not the best way for finding a vulnerability address of a web page. and most of the time you may not able to find a vulnerability link with Havji.

However, yes this can be your option.

BeatHimUp

cogama - January 13, 2016, 10:48 am

Quote:BeatHimUp

perfectly executed pun.

Chaoiii - January 13, 2016, 10:15 pm

(Jan 13, 2016 11:48 AM)cogama Wrote: [\[CITE\]](#) perfectly executed pun.
Thanks hope you like it, feel free for more question ?

johngrapes - January 13, 2016, 10:24 pm

Can you teach me how to hack to hack into people's email accounts?

-zERaIT - January 14, 2016, 12:09 am

(Jan 13, 2016 09:05 AM)cheetosbabyohyeah Wrote: [\[CITE\]](#) Nah man I'm past school now.

How would I know if his web is SQL? I would only use Havji because it's easiest
havij is used to inject the website, not to scan it + its a retarded tool, can't bypass anything
whatsoever.

dork the website out and see if you find something interesting.

pop_shell - January 14, 2016, 12:16 am

I am a little un-clear about how ebp can be used to take control over execution? Besides just
completely overflowing it to take control of eip...

Chaoiii - January 14, 2016, 1:23 am

(Jan 13, 2016 11:24 PM)johngrapes Wrote: [\[CITE\]](#) Can you teach me how to hack to hack into
people's email accounts?

Depends on what provider? Maybe I can give you some resources on it.

(Jan 14, 2016 01:09 AM)-zERaIT Wrote: [\[CITE\]](#) havij is used to inject the website, not to scan it + its
a retarded tool, can't bypass anything whatsoever.

dork the website out and see if you find something interesting.

indeed, thanks for your help out <3

Have a nice day ?

(Jan 14, 2016 01:16 AM)pop_shell Wrote: [\[CITE\]](#) I am a little un-clear about how ebp can be used to
take control over execution? Besides just completely overflowing it to take control of eip...

Sorry, I do not know what ebp is. Do you have a full term of the word?

Thanks

Still online to help others out, let me know !

pop_shell - January 14, 2016, 11:40 am

(Jan 14, 2016 02:23 AM)BeatHimUp Wrote: [\[CITE\]](#) Sorry, I do not know what ebp is. Do you have a
full term of the word?

Thanks

Still online to help others out, let me know !EBP is a register, conventionally used as the stack

frame base pointer, apart of the x86 assembly language.

johngrapes - January 14, 2016, 3:40 pm

That would be cool, if someone could teach me how to hack into gmail accounts that's what i'm looking for.

Basilpebbles123 - January 14, 2016, 9:06 pm

Could you please recommend me any good ddoser tools/websites
(my virus protection ran out so im really hesitant on what to download) thankyou ?

Vellichor - January 15, 2016, 12:50 am

(Jan 14, 2016 01:16 AM)pop_shell Wrote: [\[CITE\]](#) I am a little un-clear about how ebp can be used to take control over execution? Besides just completely overflowing it to take control of eip...Through various techniques that aren't particularly exclusive to EBP?

cogama - January 15, 2016, 10:29 am

(Jan 14, 2016 04:40 PM)johngrapes Wrote: [\[CITE\]](#) That would be cool, if someone could teach me how to hack into gmail accounts that's what i'm looking for.

There's no "Hack-Button" per-say in the computer world, and to accomplish said task (compromising Gmail accounts) would require you to have a few resources and also a few things in mind like who exactly is your target?

Do you want to use social engineering (which is easier if you personally know the target), or something more along the lines of phishing or paying for exploits.

I'm not too keen on exact methods you would use to hack Gmail accounts but I hoped you are briefed on the fact that it's not just click and go

pop_shell - January 15, 2016, 3:41 pm

(Jan 15, 2016 01:50 AM)Vellichor Wrote: [\[CITE\]](#) Through various techniques that aren't particularly exclusive to EBP?and still being stack based

ariton - January 15, 2016, 3:44 pm

What's better:

1. Website/server hacking
2. Hacking people (Both PC and Android)

State pros cons and whatever. Thanks!

Chaorii - January 15, 2016, 8:26 pm

(Jan 14, 2016 10:06 PM)Basilpebbles123 Wrote: [\[CITE\]](#) Could you please recommend me any good ddoser tools/websites

(my virus protection ran out so im really hesitant on what to download) thankyou ?

I do believe every/most of the ddoser is very similar.

Go search google and you will properly find each ones are same.

(Jan 15, 2016 04:44 PM)ariton Wrote: [\[CITE\]](#) What's better:

1. Website/server hacking
2. Hacking people (Both PC and Android)

State pros cons and whatever. Thanks!

Hacking into website/server can gain you much more information than hacking into personal system, for example hacking into my system you can only get my card details or bring my system down etc, which are only for I, one person.

Hacking into website/server however can gain information that not based on 1/2 persons, it includes all the information of each persons and as well as the information of the website/server. However I do believe that hacking into a website/server is much easier to trace you down if you don't know how to remove your log etc.

This my basics description when comparing them ?

johngrapes - January 16, 2016, 2:30 am

(Jan 15, 2016 11:29 AM)cogama Wrote: [\[CITE\]](#) There's no "Hack-Button" per-say in the computer world, and to accomplish said task (compromising Gmail accounts) would require you to have a few resources and also a few things in mind like who exactly is your target?

Do you want to use social engineering (which is easier if you personally know the target), or something more along the lines of phishing or paying for exploits.

I'm not too keen on exact methods you would use to hack Gmail accounts but I hoped you are briefed on the fact that it's not just click and go! already knew the person I wanted to hack before I posted on this thread, and I'm interested in learning ways to hack into people's Gmail accounts. So if anyone knows ways please Pm!

tecnixklu - January 16, 2016, 2:41 am

You got some idea's how to spread my rat or gain more traffic on my video which has a rat? :D

-Toy

Chaorii - January 16, 2016, 12:15 pm

(Jan 16, 2016 03:30 AM)johngrapes Wrote: [\[CITE\]](#) I already knew the person I wanted to hack before I posted on this thread, and I'm interested in learning ways to hack into people's Gmail accounts. So if anyone knows ways please Pm!

The best way/easiest way with hacking into an account is to using RAT.
A lot of information can be find on this forum about RAT. The key logger functionality allows you to view their account details.

(Jan 16, 2016 03:41 AM)tecnixklu Wrote: [\[CITE\]](#) You got some idea's how to spread my rat or gain more traffic on my video which has a rat? :D

-Toy

Depends on what platform you are using on your video, such as Youtube etc?

johngrapes - January 16, 2016, 11:48 pm

[quote='BeatHimUp' pid='49429141' dateline='1452975352']

The best way/easiest way with hacking into an account is to using RAT.
A lot of information can be find on this forum about RAT. The key logger functionality allows you to view their account details.

How do I get the program RAT? And will RAT still work even if the user barely logs in to there email?

Chaoiii - January 17, 2016, 1:33 am

(Jan 17, 2016 12:48 AM)johngrapes Wrote: [\[CITE\]](#) [quote='BeatHimUp' pid='49429141' dateline='1452975352']

The best way/easiest way with hacking into an account is to using RAT.
A lot of information can be find on this forum about RAT. The key logger functionality allows you to view their account details.

How do I get the program RAT? And will RAT still work even if the user barely logs in to there email?

Rat stands for Remote administration software, use a crypter to crypt a file, and make your target open the file you have crypted, however I cannot provide you the program and teaching you this, you can go research on what I just said ?

You can also see some more information about RAT on Hackforums.
Link - [Remote Administration Tools](#)

BeatHimUp

johngrapes - January 17, 2016, 1:54 am

(Jan 17, 2016 02:33 AM)BeatHimUp Wrote: [\[CITE\]](#) Rat stands for Remote administration software, use a crypter to crypt a file, and make your target open the file you have crypted, however I cannot provide you the program and teaching you this, you can go research on what I just said ?

You can also see some more information about RAT on Hackforums.
Link - <https://hackforums.net/forumdisplay.php?fid=>

BeatHimUp

Ok thanks I really appreciate it!

Chaoiii - January 17, 2016, 10:58 pm

(Jan 17, 2016 02:54 AM)johngrapes Wrote: [\[CITE\]](#) Ok thanks I really appreciate it!
No worry, let me know if you had anymore question need to know. ?

drillBYTE - January 18, 2016, 3:01 am

Just a quick question, couldn't seem to find anything similar while searching... RAT's are useful when targeting a "wide" audience. But what would you recommend when trying to keep it local? Like an institute with roughly 2000+ users and port forwarding isn't an option.

Armitage is fun and all that but looking for something that has a more CnC server feel to it...

Chaoiii - January 18, 2016, 5:18 am

(Jan 18, 2016 04:01 AM)PoC007 Wrote: [\[CITE\]](#) Just a quick question, couldn't seem to find anything similar while searching... RAT's are useful when targeting a "wide" audience. But what would you recommend when trying to keep it local? Like an institute with roughly 2000+ users and port forwarding isn't an option.

Armitage is fun and all that but looking for something that has a more CnC server feel to it...
I don't understand what you meant by keeping it local,
RAT and Armitage are just similar ?

drillBYTE - January 18, 2016, 5:34 am

Keeping it local as in keeping everything within the LAN without the need to port forward etc...

Sorry the last part was my mistake, was referring to programs like DiamondFox, Pony etc... Guess they more classed under Botnets?

So something like running XAMPP on a local computer (VM) and then instead of the targets having to connect out to a hosted site, to connect to a local computer on the network. I have tried it and made the stub etc, when looking at the processes on the victim, I can see it running, but nothing appears on the server side.

Legion - January 18, 2016, 9:51 am

(Jan 18, 2016 06:34 AM)PoC007 Wrote: [\[CITE\]](#) Keeping it local as in keeping everything within the LAN without the need to port forward etc...

Sorry the last part was my mistake, was referring to programs like DiamondFox, Pony etc... Guess they more classed under Botnets?

So something like running XAMPP on a local computer (VM) and then instead of the targets having to connect out to a hosted site, to connect to a local computer on the network. I have tried it and made the stub etc, when looking at the processes on the victim, I can see it running, but nothing appears on the server side.

Hosting a botnet on your own side isn't a smart move at all. Consider if you're having 1500 bots then it's effectively a constant DDoS attack on your side. It's also so easy for them to see they're infected and for you to be caught.

Opinsect - January 18, 2016, 1:41 pm

How do you get someone's ip and how can you ddos them for free? Sorry but I'm a noob

Legion - January 18, 2016, 2:55 pm

(Jan 18, 2016 02:41 PM)Opinsect Wrote: [\[CITE\]](#) How do you get someone's ip and how can you ddos them for free? Sorry but I'm a noob

Hey!

Firstly I'll start off with a few methods of getting an IP address:

1. IP logging - this involves sending the victim a link, once they click on it, you get their IP address. I know it's possible to set up an IP logger script on a website such as tumblr where you get your own sub-domain. This increases the trust in it, so they're more likely to click on it.

2. Skype resolver - typing their Skype name into a resolver, such as mostwantedhf.info and then pressing enter * Skype resolvers are currently down *

3. Others - some others include using programmes such as Wireshark to sniff their IP address. This is useful for grabbing a person's IP address on Xbox or something similar. Applying filters to the logs and you can easily find your Victim's IP.

Methods of DDoS:

Unfortunately there's not any methods to my knowledge that you can generate a large attack without firstly spending money, so rather than free methods I'll go through some of the cheaper options for you.

1. Buy a booter - in the HF SST (server stress testing) section you'll find a range of

stressers/booters you can buy. The pricing will range from \$2-\$5 per month. Most of their power is falsely advertised although there should be absolutely no issues with taking down a standard internet connection.

2. Build your own botnet - This involves you purchasing your own server, and either purchasing a domain or setting it up to use IRC. Then you pick a botnet to use, set it up with your server so that the people you infect will connect. You then spread your stub and use your slaves to launch DDoS floods. This method can cost a little more than a stresser and it will also take extremely more effort, although the power you have will increase so you can take many connections down at once.

3. Set up your own DDoS server - This would involve you purchasing a cheap VPS that has IP-header modification enabled. You just need to find attack scripts and scanners (which are available for free on HF) and then set them up. You'll then scan for an amplification list from the server and then filter the list, and then replace it. You can then hit easily 8gbps from a 100mbit server.

AC3 - January 18, 2016, 4:56 pm

(Jan 18, 2016 03:55 PM)NET. Wrote: [\[CITE\]](#) ...

3. Others - some others include using programmes such as Wireshark to sniff their IP address. This is useful for grabbing a person's IP address on Xbox or something similar. Applying filters to the logs and you can easily find your Victim's IP.

...

Great post, I hadn't heard of IP loggers until now. As for Wireshark, it should be noted that it only picks up packets that travel on a single network segment, so if you want to get someone's IP address, you would have to have them send packets directly to your network or have the target's computer be on your network.

Alternatively, if you are able to snag the password of some WiFi router (or just use public WiFi), you can connect to that router and use Wireshark to sniff all of the packets that travel through that router.

drillBYTE - January 18, 2016, 10:13 pm

(Jan 18, 2016 10:51 AM)NET. Wrote: [\[CITE\]](#) Hosting a botnet on your own side isn't a smart move at all. Consider if you're having 1500 bots then it's effectively a constant DDoS attack on your side. It's also so easy for them to see they're infected and for you to be caught.

Thanks, appreciate the advice. Not really interested in the DDoS side of attacks with botnet's really, more interested in the setup and how they work to be honest.

(Jan 18, 2016 03:55 PM)NET. Wrote: [\[CITE\]](#) Hey!

Firstly I'll start off with a few methods of getting an IP address:

1. IP logging - this involves sending the victim a link, once they click on it, you get their IP address. I know it's possible to set up an IP logger script on a website such as tumblr where you get your own sub-domain. This increases the trust in it, so they're more likely to click on it.

2. Skype resolver - typing their Skype name into a resolver, such as mostwantedhf.info and then pressing enter * Skype resolvers are currently down *

3. Others - some others include using programmes such as Wireshark to sniff their IP address. This is useful for grabbing a person's IP address on Xbox or something similar. Applying filters to the logs

and you can easily find your Victim's IP.

Methods of DDoS:

Unfortunately there's not any methods to my knowledge that you can generate a large attack without firstly spending money, so rather than free methods I'll go through some of the cheaper options for you.

1. Buy a booter - in the HF SST (server stress testing) section you'll find a range of stressers/booters you can buy. The pricing will range from \$2-\$5 per month. Most of their power is falsely advertised although there should be absolutely no issues with taking down a standard internet connection.
2. Build your own botnet - This involves you purchasing your own server, and either purchasing a domain or setting it up to use IRC. Then you pick a botnet to use, set it up with your server so that the people you infect will connect. You then spread your stub and use your slaves to launch DDoS floods. This method can cost a little more than a stresser and it will also take extremely more effort, although the power you have will increase so you can take many connections down at once.
3. Set up your own DDoS server - This would involve you purchasing a cheap VPS that has IP-header modification enabled. You just need to find attack scripts and scanners (which are available for free on HF) and then set them up. You'll then scan for an amplification list from the server and then filter the list, and then replace it. You can then hit easily 8gbps from a 100mbit server.

What about UFO?

Schooner - January 19, 2016, 9:33 am

(Jan 13, 2016 08:57 AM)cheetosbabyohyeah Wrote: [\[CITE\]](#) Hi mate, I have this guy I have known for years. He continuously bullied me throughout my secondary school, calling me names like fatty, etc. I hate this guy with a passion and would love to take his website down, I was wondering how I would approach doing this. I have tried using a free booter and resolving his ip through his domain but so far it hasn't worked. Any help please?

Thanks:)

Hello,

Add his server url below and it will be taken down within 24 hours.

Thank you,
BrutalXp

Opinsect - January 20, 2016, 2:21 pm

(Jan 18, 2016 03:55 PM)NET. Wrote: [\[CITE\]](#) Hey!

Firstly I'll start off with a few methods of getting an IP address:

1. IP logging - this involves sending the victim a link, once they click on it, you get their IP address. I know it's possible to set up an IP logger script on a website such as tumblr where you get your own sub-domain. This increases the trust in it, so they're more likely to click on it.
2. Skype resolver - typing their Skype name into a resolver, such as mostwantedhf.info and then pressing enter * Skype resolvers are currently down *

3. Others - some others include using programmes such as Wireshark to sniff their IP address. This is useful for grabbing a person's IP address on Xbox or something similar. Applying filters to the logs and you can easily find your Victim's IP.

Methods of DDoS:

Unfortunately there's not any methods to my knowledge that you can generate a large attack without firstly spending money, so rather than free methods I'll go through some of the cheaper options for you.

1. Buy a booter - in the HF SST (server stress testing) section you'll find a range of stressers/booters you can buy. The pricing will range from \$2-\$5 per month. Most of their power is falsely advertised although there should be absolutely no issues with taking down a standard internet connection.

2. Build your own botnet - This involves you purchasing your own server, and either purchasing a domain or setting it up to use IRC. Then you pick a botnet to use, set it up with your server so that the people you infect will connect. You then spread your stub and use your slaves to launch DDoS floods. This method can cost a little more than a stresser and it will also take extremely more effort, although the power you have will increase so you can take many connections down at once.

3. Set up your own DDoS server - This would involve you purchasing a cheap VPS that has IP-header modification enabled. You just need to find attack scripts and scanners (which are available for free on HF) and then set them up. You'll then scan for an amplification list from the server and then filter the list, and then replace it. You can then hit easily 8gbps from a 100mbit server. Thanks for the help!

Is there a way I can create multiple emails to make fake Instagram accounts for free?

Chaoii - January 20, 2016, 3:35 pm

(Jan 20, 2016 03:21 PM)Opinsect Wrote: [\[CITE\]](#) Thanks for the help!

Is there a way I can create multiple emails to make fake Instagram accounts for free?

You don't need to find a way to make fake Instagram, you just need to make them. I have no idea what is your question asking. Do you mean you looking for a way to create a lot of Instagram accounts automatically ?

Opinsect - January 20, 2016, 5:30 pm

(Jan 20, 2016 04:35 PM)BeatHimUp Wrote: [\[CITE\]](#) You don't need to find a way to make fake Instagram, you just need to make them. I have no idea what is your question asking. Do you mean you looking for a way to create a lot of Instagram accounts automatically ? Yes or just looking for a way to create emails without use of phone number automatically

Chaoii - January 20, 2016, 6:07 pm

(Jan 20, 2016 06:30 PM)Opinsect Wrote: [\[CITE\]](#) Yes or just looking for a way to create emails without use of phone number automatically

Check this :

<http://www.trickyindia.net/create-gmail-account-without-phone-verification/>

This is a simple tutorial that should help you with that ?

Opinsect - January 20, 2016, 7:06 pm

Thank you very much, appreciate the help!

Chaorii - January 20, 2016, 7:25 pm

(Jan 20, 2016 08:06 PM)Opinsect Wrote: [\[CITE\]](#) Thank you very much, appreciate the help!
No problem, Hit me up if you have anything that I can help with ?

Chaorii - January 23, 2016, 3:41 am

Online to help, HMU if you have any questions related to hacking ?

Chaorii - January 24, 2016, 3:19 pm

Online to help, let me know if anyone have any questions ?

kmz22222 - January 24, 2016, 4:05 pm

Can i RAT someone from a link?

Chaorii - January 24, 2016, 4:20 pm

(Jan 24, 2016 05:05 PM)kmz22222 Wrote: [\[CITE\]](#) Can i RAT someone from a link?
You can RAT someone when they open a file that you wanted.
However In theory, you can code a program that the file download when click
on a link and run automatically after downloaded.

kmz22222 - January 24, 2016, 4:51 pm

(Jan 24, 2016 05:20 PM)BeatHimUp Wrote: [\[CITE\]](#) you can code a program that the file download
when click
on a link and run automatically after downloaded.
How can i do this sir?

Chaorii - January 25, 2016, 2:25 am

(Jan 24, 2016 05:51 PM)kmz22222 Wrote: [\[CITE\]](#) How can i do this sir?
Depends on what program in which Language.

Chaorii - January 30, 2016, 4:01 pm

Online for help, HMU if you have any questions related to hacking.

Chaorii - March 8, 2016, 10:56 am

Online to help, if you have any questions based on hacking, feel free to ask. Help to keep the sector
clean :)

Nadisty - March 8, 2016, 11:09 am

Glad to see you're helping other members. This place is filled with 5 word questions repeatedly. I
tried to start one a while back and it eventually died.

Travis Bickle - March 8, 2016, 11:13 am

Add me to the helpdesk beat, I'll be happy to help, as long as the questions aren't 'huw do i hA3k my
m8's facebook?'

If you need a help with a questions just PM me and I will reply to the post (I'll also sub to the thread
:)

Ih2050 - March 8, 2016, 11:20 am

What is the best way to hack a fb account on mac? i bruteforce in hydra, 14 mill password non of
them was right. and dont say phising because my freehosting shut the phising link down. I seen
threads that says you can give a javascript keylogger, but havent found 1 good one yet.

when i said mac i meant that the victim are using it. ! and if u find a keylogger with javascript please

find one with fud thx <3

Travis Bickle - March 8, 2016, 11:24 am

(Mar 8, 2016 12:20 PM)lh2050 Wrote: [\[CITE\]](#) What is the best way to hack a fb account on mac? i bruteforce in hydra, 14 mill password non of them was right. and dont say phising because my freehosting shut the phising link down. I seen threads that says you can give a javascript keylogger, but havent found 1 good one yet.

when i said mac i meant that the victim are using it. ! and if u find a keylogger with javascript please find one with fud thx <3

See's another 12 year old posting about hacking facebook accounts. sighs

Going to jump off a cliff now, brb.

Brain Dead - March 8, 2016, 11:51 am

Can someone explain how online streesers and booters works, i have tried to use one on my friend for the lol's but literally nothing happened i paid like 10 dollars from layer4technoligies?

lh2050 - March 8, 2016, 11:45 pm

program that the file download when click

on a link and run automatically after downloaded. Can you please help me with a program like this.

skelly76 - March 8, 2016, 11:52 pm

(Mar 8, 2016 12:51 PM)meshkez Wrote: [\[CITE\]](#) Can someone explain how online streesers and booters works, i have tried to use one on my friend for the lol's but literally nothing happened i paid like 10 dollars from layer4technoligies?

Do you know how to use one? Did the one you buy work from the start?

- 1) Make sure the IP is correct
- 2) Set port to 80
- 3) Use UDP as the attack method
- 4) Done.

Of course if the stresser you got doesn't work in the first place nothing will happen. Try one from our marketplace.

serafeim35 - March 9, 2016, 2:23 am

imminent monitor bad suupport cpu goes nuts

thelovedone - March 9, 2016, 2:32 am

Hi,

I'm on nmap for a couple of weeks now, and i can't get any right command for home routers. Even the use of scripts doesn't help me.

So do you know any good command to see which open ports a home router have?

Tnx

?Xe - March 9, 2016, 3:36 am

Didn't wanna ask a question, but just wanted to say thanks for doing something like this. Very helpful for begineers to help them clear up things!

+ 1 Rep <3 - Virox

Chaorii - March 9, 2016, 11:46 pm

(Mar 8, 2016 12:13 PM)Travis Bickle Wrote: [\[CITE\]](#) Add me to the helpdesk beat, I'll be happy to help, as long as the questions aren't 'huw do i hA3k my m8's facebook?'

If you need a help with a questions just PM me and I will reply to the post (I'll also sub to the thread :)

I have now added you on the thread, thanks for your help ?

(Mar 9, 2016 12:45 AM)lh2050 Wrote: [\[CITE\]](#) program that the file download when click on a link and run automatically after downloaded. Can you please help me with a program like this. Any link will do as long as the link is the program/exe file.

For auto run program here is a good resource you can have a look on :

[https://msdn.microsoft.com/en-us/library/windows/desktop/cc144206\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/windows/desktop/cc144206(v=vs.85).aspx)

Also, It will really depends on which language you use to code your program.

(Mar 9, 2016 12:52 AM)Aerial Wrote: [\[CITE\]](#) Do you know how to use one? Did the one you buy work from the start?

- 1) Make sure the IP is correct
- 2) Set port to 80
- 3) Use UDP as the attack method
- 4) Done.

Of course if the stresser you got doesn't work in the first place nothing will happen. Try one from our marketplace.

Thanks for your help Sir. ?

(Mar 9, 2016 03:32 AM)thelovedone Wrote: [\[CITE\]](#) Hi,

I'm on nmap for a couple of weeks now, and i can't get any right command for home routers. Even the use of scripts doesn't help me.

So do you know any good command to see which open ports a home router have?

Tnx

You can simply use this tool to check

<http://www.yougetsignal.com/tools/open-ports/>

If you want to use command line to check you can also do
netstat -a

You can also go onto your router address for example
192.168.1.1 (Different router will have different address)
To check the options for ports etc.

(Mar 9, 2016 04:36 AM)Virox™ Wrote: [\[CITE\]](#) Didn't wanna ask a question, but just wanted to say thanks for doing something like this. Very helpful for begineers to help them clear up things!

+ 1 Rep <3 - Virox
Thanks Sir.

Ih2050 - March 10, 2016, 1:50 am

Best way to dox a person to get their email accounts. ive got alot of importing facebook contacts to yahoo any other and smart ways for??

Spider Venom - March 10, 2016, 3:59 am

Is there a RAT out there that will let me take screenshots of someone WITHOUT turning on their webcam?

thelovedone - March 10, 2016, 6:26 am

Quote:You can simply use this tool to check
<http://www.yougetsignal.com/tools/open-ports/>

If you want to use command line to check you can also do
netstat -a

You can also go onto your router address for example
192.168.1.1 (Different router will have different address)
To check the options for ports etc.

Tnx for your answer! But if i try that website all the ports al closed. its not for my internal network, but scanning others!

Tnx!

9/11 - March 10, 2016, 6:27 am

How can I find someone's ip while they're on a proxy chain?

.human - March 10, 2016, 7:14 am

How would I run executable files from a local flashdrive without them being detected by the system's AV? I want to use nirsoft programs without the AV picking up on it or the events being logged. Is this possible using batch scripting? If not, is a higher level language required?

Hesitate - March 10, 2016, 11:54 am

how do I send a rat via email and hide it so that they open it and it infects them? I'm going to buy IM4 if you can teach me how and a good crypter to use and how to use it, thanks a bunch!

Chaorii - March 10, 2016, 6:29 pm

(Mar 10, 2016 02:50 AM)Ih2050 Wrote: [\[CITE\]](#) Best way to dox a person to get their email accounts. ive got alot of importing facebook contacts to yahoo any other and smart ways for??

I do not understand your question, do you mean that what is the best way to find out someone's email address? If so It really depends on the platform you see the person, for example on a forum, you may search up for his/her username for example.

(Mar 10, 2016 04:59 AM)Spider Venom Wrote: [\[CITE\]](#) Is there a RAT out there that will let me take screenshots of someone WITHOUT turning on their webcam?

I don't think so, because to screenshots of a person which in need to use the webcam of course, that is no doubt.

However you many able to make the web's flash light disable which maybe possible.

(Mar 10, 2016 07:26 AM)thelovedone Wrote: [\[CITE\]](#) Tnx for your answer! But if i try that website all the ports al closed. its not for my internal network, but scanning others!

Tnx!

The website of the tool can be used to search others as well.

As long as you set the end port and start port correctly.

(Mar 10, 2016 07:27 AM)Maihym Wrote: [\[CITE\]](#) How can I find someone's IP while they're on a proxy chain?

It is very unlikely to do so if the person configured everything correctly.

However you may be able to search up to check if there is any information on his real IP public before.

However you can even gain access to the proxy server logs and check, which is hard for you to do so.

You can find a lot of this info on Google as well.

(Mar 10, 2016 08:14 AM).human Wrote: [\[CITE\]](#) How would I run executable files from a local flashdrive without them being detected by the system's AV? I want to use Nirsoft programs without the AV picking up on it or the events being logged. Is this possible using batch scripting? If not, is a higher level language required?

Use a good crypter which should do.

(Mar 10, 2016 12:54 PM)Hesitate Wrote: [\[CITE\]](#) how do I send a RAT via email and hide it so that they open it and it infects them? I'm going to buy IM4 if you can teach me how and a good crypter to use and how to use it, thanks a bunch!

You can send email with the crypted file and try to make the user open it.

However there is no way to hide it.

For example you can crypt the file as a Doc file which means the user will very unlikely find out.

I believe most of the crypters are similar you can check out the market sector, as long as they are FUD.

Spider Venom - March 13, 2016, 10:46 am

How do you get past two-step verification?

And what is the best way to stay anon? If you're going to say VPN, then what VPN do you use?

Also, how do I get into someone's computer without a RAT?

Missedcalls - March 13, 2016, 2:18 pm

Does your team/group have a support Skype? Where I can shoot a message at an odd hour of the day/night and get a response?

Legion - March 13, 2016, 4:20 pm

(Mar 13, 2016 10:46 AM)Spider Venom Wrote: [\[CITE\]](#) How do you get past two-step verification?

And what is the best way to stay anon? If you're going to say VPN, then what VPN do you use?

Also, how do I get into someone's computer without a RAT?

Session/cookie hijacking is a way of getting past 2 step verification.

The best ways to stay anonymous is to not use a VPN. Use a SOCKS5 proxy and a tunnel through TOR.

You can get into someone's computer in different forms, so to speak, but they're all the same

fundamentals. You can get a keylogger that logs everything they type. You can also get a botnet which is better for mass spreading. At a basic level a RAT is the best way to go because the GUI is much easier to understand and you can do everything without having to fork out money for a hosting panel and worry about a complex set up.

(Mar 13, 2016 02:18 PM)Missedcalls Wrote: [\[CITE\]](#) Does your team/group have a support skype? Where I can shoot a message at an odd hour of the day/night and get a response?
We currently don't. Post questions here and one of us will get back ASAP.

Missedcalls - March 13, 2016, 5:50 pm

Thanks Net // How strong of a VPS in bandwidth // which method , would you recommend for "Stress testing" as it's called?

Legion - March 14, 2016, 9:00 am

(Mar 13, 2016 05:50 PM)Missedcalls Wrote: [\[CITE\]](#) Thanks Net // How strong of a VPS in bandwidth // which method , would you recommend for "Stress testing" as it's called?

I wouldn't recommend that you use a VPS unless your budget is extremely limited. A 100mb/s VPS will hit a maximum of around 8gb/s. However if you get a 1gb port server you're easily able to push out 30gbps.

The method would completely depend on what you're trying to drop.

Websites: L7, joomla/XML-RPC

Home connections: Raw UDP, DNS amplification

Game servers: Raw UDP

Missedcalls - March 14, 2016, 9:19 am

(Mar 14, 2016 09:00 AM)NET. Wrote: [\[CITE\]](#) I wouldn't recommend that you use a VPS unless your budget is extremely limited. A 100mb/s VPS will hit a maximum of around 8gb/s. However if you get a 1gb port server you're easily able to push out 30gbps.

The method would completely depend on what you're trying to drop.

Websites: L7, joomla/XML-RPC

Home connections: Raw UDP, DNS amplification

Game servers: Raw UDP

Thanks for your input, I personally think a helpdesk skype would be amazing to add in the future :) keep it up gents.

Chaorii - March 15, 2016, 3:58 pm

(Mar 14, 2016 09:19 AM)Missedcalls Wrote: [\[CITE\]](#) Thanks for your input, I personally think a helpdesk skype would be amazing to add in the future :) keep it up gents.

Thanks for helping HF keeping the beginner hacking section clean,
we do not plan for a skype group at this moment yet since we mainly wanted to help on HF.
We will think about it. ?

Ih2050 - March 16, 2016, 12:49 am

What is the bestway to spread a file without them noticing? Talking mainly keylogger because they are more stealth then rat and im only aiming after password. If you say crypt it, and bind it then

please link me a good crypter :D

?

Chaorii - March 21, 2016, 3:37 pm

(Mar 16, 2016 12:49 AM)lh2050 Wrote: [\[CITE\]](#) What is the bestway to spread a file without them noticing? Talking mainly keylogger because they are more stealth then rat and im only aiming after password. If you say crypt it, and bind it then please link me a good crypter :D

?

To be honest, most of the crypters are similar and as long as they are FUD which is good enough.

Legion - March 23, 2016, 6:17 am

I'm online and ready to help users out.

Travis Bickle - March 23, 2016, 9:58 am

Forgot I was on the help desk lol, I will help out :) As long as the questions aren't on something stupid such as RAT's or hacking facebook's lol.

Chaorii - March 23, 2016, 10:03 am

(Mar 23, 2016 09:58 AM)Travis Bickle Wrote: [\[CITE\]](#) Forgot I was on the help desk lol, I will help out :) As long as the questions aren't on something stupid such as RAT's or hacking facebook's lol. I will help out even they are the questions related RAT or hacking facebook's, since many beginner don't have any clue where to start and how they can learn, feel free to ask me anything guys :)